


Test Mode	Channel	Polarization	Verdict
11AC40	5310	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5350.0000	39.35	20.68	60.03	74.00	13.97	peak
2	5408.3158	41.96	20.85	62.81	74.00	11.19	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5350.0000	28.33	20.68	49.01	54.00	4.99	AV
2	5408.3158	28.27	20.85	49.12	54.00	4.88	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC40	5310	Vertical	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5350.0000	40.02	20.68	60.70	74.00	13.30	peak
2	5443.6944	42.23	20.87	63.10	74.00	10.90	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5350.0000	28.17	20.68	48.85	54.00	5.15	AV
2	5443.6944	28.22	20.87	49.09	54.00	4.91	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC40	5510	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5388.5886	42.71	20.36	63.07	74.00	10.93	peak
2	5460.0000	39.69	20.71	60.40	74.00	13.60	peak
3	5470.0000	40.10	20.58	60.68	68.20	7.52	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5388.5886	28.46	20.36	48.82	54.00	5.18	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC40	5510	Vertical	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5438.4384	41.92	20.86	62.78	74.00	11.22	peak
2	5460.0000	40.77	20.71	61.48	74.00	12.52	peak
3	5470.0000	40.44	20.58	61.02	68.20	7.18	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5438.4384	28.33	20.86	49.19	54.00	4.81	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC40	5670	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5725.0000	40.36	20.56	60.92	68.20	7.28	peak
2	5748.4548	44.44	20.53	64.97	68.20	3.23	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC40	5670	Vertical	PASS




PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5725.0000	39.99	20.56	60.55	68.20	7.65	peak
2	5747.8148	44.57	20.54	65.11	68.20	3.09	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC40	5755	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5616.5217	37.33	20.66	57.99	68.20	10.21	peak
2	5958.3558	38.34	21.45	59.79	68.20	8.41	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC40	5755	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5619.3219	37.45	20.69	58.14	68.20	10.06	peak
2	5968.2368	37.24	21.36	58.60	68.20	9.60	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC40	5795	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5618.8019	37.67	20.68	58.35	68.20	9.85	peak
2	5961.9562	37.06	21.43	58.49	68.20	9.71	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC40	5795	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5611.9212	37.33	20.61	57.94	68.20	10.26	peak
2	5951.0751	38.20	21.36	59.56	68.20	8.64	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC80	5210	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	4938.6439	43.54	20.40	63.94	74.00	10.06	peak
2	5150.0000	40.21	19.46	59.67	74.00	14.33	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	4938.6439	28.46	20.40	48.86	54.00	5.14	AV
2	5150.0000	28.05	19.46	47.51	54.00	6.49	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC80	5210	Vertical	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	4845.6346	43.48	20.23	63.71	74.00	10.29	peak
2	5150.0000	40.66	19.46	60.12	74.00	13.88	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	4845.6346	27.79	20.23	48.02	54.00	5.98	AV
2	5150.0000	28.01	19.46	47.47	54.00	6.53	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC80	5290	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5350.0000	40.14	20.68	60.82	74.00	13.18	peak
2	5417.1667	42.03	20.82	62.85	74.00	11.15	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5350.0000	28.37	20.68	49.05	54.00	4.95	AV
2	5417.1667	28.09	20.82	48.91	54.00	5.09	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC80	5290	Vertical	PASS



PK Result:


No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5350.0000	41.02	20.68	61.70	74.00	12.30	peak
2	5425.7426	42.22	20.70	62.92	74.00	11.08	peak

AV Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5350.0000	28.13	20.68	48.81	54.00	5.19	AV
2	5425.7426	28.32	20.70	49.02	54.00	4.98	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC80	5530	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5399.6997	41.89	20.74	62.63	74.00	11.37	peak
2	5460.0000	40.72	20.71	61.43	74.00	12.57	peak
3	5470.0000	39.77	20.58	60.35	68.20	7.85	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5399.6997	28.77	20.74	49.51	54.00	4.49	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC80	5530	Vertical	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5406.9069	42.47	20.83	63.30	74.00	10.70	peak
2	5460.0000	41.34	20.71	62.05	74.00	11.95	peak
3	5470.0000	41.52	20.58	62.10	68.20	6.10	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5406.9069	28.65	20.83	49.48	54.00	4.52	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC80	5610	Horizontal	PASS




PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5725.0000	39.67	20.56	60.23	68.20	7.97	peak
2	5748.0948	45.62	20.53	66.15	68.20	2.05	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC80	5610	Vertical	PASS




PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5725.0000	40.03	20.56	60.59	68.20	7.61	peak
2	5746.8147	45.00	20.55	65.55	68.20	2.65	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC80	5775	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5621.4421	38.41	20.71	59.12	68.20	9.08	peak
2	5955.7556	38.12	21.41	59.53	68.20	8.67	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AC80	5775	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5637.6438	37.56	20.71	58.27	68.20	9.93	peak
2	5947.2347	37.63	21.38	59.01	68.20	9.19	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX20	5180	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	4847.3347	43.83	20.21	64.04	74.00	9.96	peak
2	5150.0000	40.88	19.46	60.34	74.00	13.66	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	4847.3347	28.13	20.21	48.34	54.00	5.66	AV
2	5150.0000	28.22	19.46	47.68	54.00	6.32	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX20	5180	Vertical	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	4936.3436	44.07	20.30	64.37	74.00	9.63	peak
2	5150.0000	40.74	19.46	60.20	74.00	13.80	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	4936.3436	28.79	20.30	49.09	54.00	4.91	AV
2	5150.0000	28.08	19.46	47.54	54.00	6.46	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX20	5320	Horizontal	PASS



PK Result:


No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5350.0000	40.34	20.68	61.02	74.00	12.98	peak
2	5400.39	42.67	20.75	63.42	74.00	10.58	peak

AV Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5350.0000	28.76	20.68	49.44	54.00	4.56	AV
2	5400.39	28.64	20.75	49.39	54.00	4.61	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX20	5320	Vertical	PASS



PK Result:


No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5350.0000	39.70	20.68	60.38	74.00	13.62	peak
2	5393.7144	42.26	20.49	62.75	74.00	11.25	peak

AV Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5350.0000	28.77	20.68	49.45	54.00	4.55	AV
2	5393.7144	28.82	20.49	49.31	54.00	4.69	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX20	5500	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5363.964	42.67	20.62	63.29	74.00	10.71	peak
2	5460.0000	39.79	20.71	60.50	74.00	13.50	peak
3	5470.0000	40.23	20.58	60.81	68.20	7.39	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5363.964	28.56	20.62	49.18	54.00	4.82	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX20	5500	Vertical	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5405.4054	41.67	20.81	62.48	74.00	11.52	peak
2	5460.0000	39.51	20.71	60.22	74.00	13.78	peak
3	5470.0000	39.92	20.58	60.50	68.20	7.70	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5405.4054	28.58	20.81	49.39	54.00	4.61	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX20	5700	Horizontal	PASS




PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5725.0000	39.44	20.56	60.00	68.20	8.20	peak
2	5747.6948	44.40	20.54	64.94	68.20	3.26	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX20	5700	Vertical	PASS




PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5725.0000	40.07	20.56	60.63	68.20	7.57	peak
2	5823.9424	42.80	20.87	63.67	68.20	4.53	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX20	5745	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5616.6817	37.64	20.66	58.30	68.20	9.90	peak
2	5967.8768	38.24	21.37	59.61	68.20	8.59	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX20	5745	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5618.1218	37.32	20.67	57.99	68.20	10.21	peak
2	5974.4774	37.32	21.35	58.67	68.20	9.53	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX20	5825	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5634.4834	37.49	20.73	58.22	68.20	9.98	peak
2	5942.7943	37.32	21.44	58.76	68.20	9.44	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX20	5825	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5629.923	37.53	20.76	58.29	68.20	9.91	peak
2	5978.3178	37.37	21.37	58.74	68.20	9.46	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX40	5190	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	4877.3377	44.81	19.96	64.77	74.00	9.23	peak
2	5150.0000	40.34	19.46	59.80	74.00	14.20	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	4877.3377	27.87	19.96	47.83	54.00	6.17	AV
2	5150.0000	27.79	19.46	47.25	54.00	6.75	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX40	5190	Vertical	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	4868.7369	43.78	19.73	63.51	74.00	10.49	peak
2	5150.0000	40.04	19.46	59.50	74.00	14.50	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	4868.7369	27.52	19.73	47.25	54.00	6.75	AV
2	5150.0000	28.06	19.46	47.52	54.00	6.48	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX40	5310	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5350.0000	40.57	20.68	61.25	74.00	12.75	peak
2	5426.5927	42.57	20.69	63.26	74.00	10.74	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5350.0000	28.38	20.68	49.06	54.00	4.94	AV
2	5426.5927	28.55	20.69	49.24	54.00	4.76	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX40	5310	Vertical	PASS



PK Result:


No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5350.0000	40.65	20.68	61.33	74.00	12.67	peak
2	5439.569	42.03	20.89	62.92	74.00	11.08	peak

AV Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5350.0000	28.37	20.68	49.05	54.00	4.95	AV
2	5439.569	28.45	20.89	49.34	54.00	4.66	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX40	5510	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5401.8018	41.72	20.77	62.49	74.00	11.51	peak
2	5460.0000	39.72	20.71	60.43	74.00	13.57	peak
3	5470.0000	40.28	20.58	60.86	68.20	7.34	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5401.8018	28.79	20.77	49.56	54.00	4.44	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX40	5510	Vertical	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5368.7688	42.46	20.75	63.21	74.00	10.79	peak
2	5460.0000	40.19	20.71	60.90	74.00	13.10	peak
3	5470.0000	40.12	20.58	60.70	68.20	7.50	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5368.7688	28.86	20.75	49.61	54.00	4.39	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX40	5670	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5725.0000	41.21	20.56	61.77	68.20	6.43	peak
2	5788.0988	44.76	20.66	65.42	68.20	2.78	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX40	5670	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5725.0000	40.45	20.56	61.01	68.20	7.19	peak
2	5746.4546	44.85	20.56	65.41	68.20	2.79	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX40	5755	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5612.4012	37.58	20.61	58.19	68.20	10.01	peak
2	5961.1561	36.57	21.44	58.01	68.20	10.19	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX40	5755	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5624.0024	37.16	20.72	57.88	68.20	10.32	peak
2	5957.5158	36.98	21.44	58.42	68.20	9.78	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX40	5795	Horizontal	PASS




PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5640.6041	37.56	20.70	58.26	68.20	9.94	peak
2	5965.1565	37.01	21.40	58.41	68.20	9.79	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX40	5795	Vertical	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5636.1636	37.90	20.73	58.63	68.20	9.57	peak
2	5970.9571	37.42	21.34	58.76	68.20	9.44	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX80	5210	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	4939.744	43.70	20.45	64.15	74.00	9.85	peak
2	5150.0000	40.07	19.46	59.53	74.00	14.47	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	4939.744	28.05	20.45	48.50	54.00	5.50	AV
2	5150.0000	27.74	19.46	47.20	54.00	6.80	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX80	5210	Vertical	PASS



PK Result:


No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	4855.6356	43.76	19.94	63.70	74.00	10.30	peak
2	5150.0000	41.08	19.46	60.54	74.00	13.46	peak

AV Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	4855.6356	28.58	19.94	48.52	54.00	5.48	AV
2	5150.0000	28.47	19.46	47.93	54.00	6.07	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX80	5290	Horizontal	PASS



PK Result:


No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5350.0000	39.78	20.68	60.46	74.00	13.54	peak
2	5415.2165	41.21	20.83	62.04	74.00	11.96	peak

AV Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5350.0000	28.33	20.68	49.01	54.00	4.99	AV
2	5415.2165	28.17	20.83	49.00	54.00	5.00	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX80	5290	Vertical	PASS



PK Result:


No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5350.0000	40.67	20.68	61.35	74.00	12.65	peak
2	5456.9957	41.65	20.74	62.39	74.00	11.61	peak

AV Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5350.0000	28.55	20.68	49.23	54.00	4.77	AV
2	5456.9957	28.73	20.74	49.47	54.00	4.53	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX80	5530	Horizontal	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5357.0571	41.64	20.56	62.20	74.00	11.80	peak
2	5460.0000	40.19	20.71	60.90	74.00	13.10	peak
3	5470.0000	40.38	20.58	60.96	68.20	7.24	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5357.0571	28.71	20.56	49.27	54.00	4.73	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX80	5530	Vertical	PASS



PK Result:


No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5398.4985	42.16	20.69	62.85	74.00	11.15	peak
2	5460.0000	41.03	20.71	61.74	74.00	12.26	peak
3	5470.0000	39.81	20.58	60.39	68.20	7.81	peak

AV Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5398.4985	28.78	20.69	49.47	54.00	4.53	AV

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX80	5610	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5725.0000	39.43	20.56	59.99	68.20	8.21	peak
2	5749.0149	44.13	20.52	64.65	68.20	3.55	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX80	5610	Vertical	PASS




PK Result:

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	5725.0000	40.22	20.56	60.78	68.20	7.42	peak
2	5740.174	44.36	20.64	65.00	68.20	3.20	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX80	5775	Horizontal	PASS




PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5602.8403	37.22	20.75	57.97	68.20	10.23	peak
2	5988.0788	36.80	21.50	58.30	68.20	9.90	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11AX80	5775	Vertical	PASS



PK Result:

No.	Frequency [MHz]	Reading Level [dBuV]	Correct Factor [dB/m]	Result [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Remark
1	5621.1621	37.27	20.71	57.98	68.20	10.22	peak
2	5956.4356	36.79	21.42	58.21	68.20	9.99	peak

- Remark: 1. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
2. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
3. Measurement = Reading Level + Correct Factor.
4. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

7.2. HARMONICS AND SPURIOUS EMISSIONS

TEST RESULT TABLE

l) For 1GHz to 6.5GHz part:

Temperature	21.4°C	Relative Humidity	57.3%
Atmosphere Pressure	101.9kpa	Test Voltage	DC5V

Test Mode	Antenna	Channel	Puw(dBm)	Verdict
11A	Ant2	5180	<Limit	PASS
		5200	<Limit	PASS
		5240	<Limit	PASS
		5260	<Limit	PASS
		5280	<Limit	PASS
		5320	<Limit	PASS
		5500	<Limit	PASS
		5580	<Limit	PASS
		5720	<Limit	PASS
		5745	<Limit	PASS
		5785	<Limit	PASS
11AC20 MIMO	Ant1+2	5825	<Limit	PASS
		5180	<Limit	PASS
		5200	<Limit	PASS
		5240	<Limit	PASS
		5260	<Limit	PASS
		5280	<Limit	PASS
		5320	<Limit	PASS
		5500	<Limit	PASS
		5580	<Limit	PASS
		5720	<Limit	PASS
		5745	<Limit	PASS
11AC40 MIMO	Ant1+2	5785	<Limit	PASS
		5825	<Limit	PASS
		5190	<Limit	PASS
		5230	<Limit	PASS
		5270	<Limit	PASS
		5310	<Limit	PASS
		5510	<Limit	PASS
		5550	<Limit	PASS
		5670	<Limit	PASS
11AC80 MIMO	Ant1+2	5755	<Limit	PASS
		5795	<Limit	PASS
		5210	<Limit	PASS
		5290	<Limit	PASS
		5530	<Limit	PASS
11AX20 MIMO	Ant1+2	5610	<Limit	PASS
		5775	<Limit	PASS
		5180	<Limit	PASS
		5200	<Limit	PASS
		5240	<Limit	PASS
	Ant1+2	5260	<Limit	PASS
		5280	<Limit	PASS
		5320	<Limit	PASS

		5500	<Limit	PASS
		5580	<Limit	PASS
		5720	<Limit	PASS
		5745	<Limit	PASS
		5785	<Limit	PASS
		5825	<Limit	PASS
11AX40 MIMO	Ant1+2	5190	<Limit	PASS
		5230	<Limit	PASS
		5270	<Limit	PASS
		5310	<Limit	PASS
		5510	<Limit	PASS
		5550	<Limit	PASS
		5670	<Limit	PASS
		5755	<Limit	PASS
		5795	<Limit	PASS
11AX80 MIMO	Ant1+2	5210	<Limit	PASS
		5290	<Limit	PASS
		5530	<Limit	PASS
		5610	<Limit	PASS
		5775	<Limit	PASS

Remark:

- 1) Since 802.11ac VHT20/VHT40 modes are different from 802.11n HT20/HT40 only in control messages, so all the tests are performed on the worst case (802.11ac VHT20/802.11ac VHT40) mode between these 4 modes and only the worst data was recorded in this report.
- 2) Pre-testing both antennas of 11 a mode, only the data of worse case is included in this report.

II) For 6.5GHz to 18GHz part:

Temperature	21.4°C	Relative Humidity	57.3%
Atmosphere Pressure	101.9kpa	Test Voltage	DC5V

Test Mode	Antenna	Channel	Puw(dBm)	Verdict
11A	Ant2	5180	<Limit	PASS
		5200	<Limit	PASS
		5240	<Limit	PASS
		5260	<Limit	PASS
		5280	<Limit	PASS
		5320	<Limit	PASS
		5500	<Limit	PASS
		5580	<Limit	PASS
		5720	<Limit	PASS
		5745	<Limit	PASS
		5785	<Limit	PASS
		5825	<Limit	PASS
11AC20MIMO	Ant1+2	5180	<Limit	PASS
		5200	<Limit	PASS
		5240	<Limit	PASS
		5260	<Limit	PASS
		5280	<Limit	PASS
		5320	<Limit	PASS
		5500	<Limit	PASS
		5580	<Limit	PASS
		5720	<Limit	PASS
		5745	<Limit	PASS
		5785	<Limit	PASS
		5825	<Limit	PASS
11AC40MIMO	Ant1+2	5190	<Limit	PASS
		5230	<Limit	PASS
		5270	<Limit	PASS
		5310	<Limit	PASS
		5510	<Limit	PASS
		5550	<Limit	PASS
		5670	<Limit	PASS
		5755	<Limit	PASS
		5795	<Limit	PASS
11AC80MIMO	Ant1+2	5210	<Limit	PASS
		5290	<Limit	PASS
		5530	<Limit	PASS
		5610	<Limit	PASS
		5775	<Limit	PASS

Test Mode	Antenna	Channel	Puw(dBm)	Verdict
11AX20 MIMO	Ant1+2	5180	<Limit	PASS
		5200	<Limit	PASS
		5240	<Limit	PASS
		5260	<Limit	PASS
		5280	<Limit	PASS
		5320	<Limit	PASS
		5500	<Limit	PASS
		5580	<Limit	PASS
		5720	<Limit	PASS
		5745	<Limit	PASS
		5785	<Limit	PASS
11AX40 MIMO	Ant1+2	5825	<Limit	PASS
		5190	<Limit	PASS
		5230	<Limit	PASS
		5270	<Limit	PASS
		5310	<Limit	PASS
		5510	<Limit	PASS
		5550	<Limit	PASS
		5670	<Limit	PASS
11AX80 MIMO	Ant1+2	5755	<Limit	PASS
		5795	<Limit	PASS
		5210	<Limit	PASS
		5290	<Limit	PASS
		5530	<Limit	PASS
		5610	<Limit	PASS
		5775	<Limit	PASS

Remark:

- 1) Since 802.11ac VHT20/VHT40 modes are different from 802.11n HT20/HT40 only in control messages, so all the tests are performed on the worst case (802.11ac VHT20/802.11ac VHT40) mode between these 4 modes and only the worst data was recorded in this report.
- 2) Pre-testing both antennas of 11 a mode, only the data of worse case is included in this report.

III) For 18GHz to 26.5GHz part:

Temperature	21.4°C	Relative Humidity	57.3%
Atmosphere Pressure	101.9kpa	Test Voltage	DC5V

Test Mode	Test Antenna	Channel	Puw(dBm)	Verdict
11A	Ant2	5580	<Limit	PASS

Remark:

- 1) Pre-testing all test modes and channels, so only the data of the worst case is included in the test report.

IV) For 26.5GHz to 40GHz part:

Temperature	21.4°C	Relative Humidity	57.3%
Atmosphere Pressure	101.9kpa	Test Voltage	DC5V

Test Mode	Test Antenna	Channel	Puw(dBm)	Verdict
11A	Ant2	5580	<Limit	PASS

Remark:

- 1) Pre-testing all test modes and channels, so only the data of the worst case is included in the test report.

V) For 30MHz to 1GHz part:

Temperature	19.4°C	Relative Humidity	68.9%
Atmosphere Pressure	101kpa	Test Voltage	DC5V

Test Mode	Test Antenna	Channel	Puw(dBm)	Verdict
11A	Ant2	5580	<Limit	PASS

Remark:

- 1) Pre-testing all test modes and channels, so only the data of the worst case is included in the test report.

VI) For 9kHz~30MHz

Temperature	19.4°C	Relative Humidity	68.9%
Atmosphere Pressure	101kpa	Test Voltage	DC5V

Test Mode	Test Antenna	Channel	Puw(dBm)	Verdict
11A	Ant2	5580	<Limit	PASS


Remark:

- 1) Pre-testing all test modes and channels, so only the data of the worst case is included in the test report.

TEST GRAPHS:

PART I: For 1GHz to 6.5GHz:


Test Mode	Channel	Polarization	Verdict
11A	5180	Horizontal	PASS



No.	Frequency (MHz)	Reading Level (dBuV/m)	Correct Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1249.6944	56.81	-20.63	36.18	74.00	37.82	peak
2	1661.9624	57.83	-18.07	39.76	74.00	34.24	peak
3	2496.6107	54.24	-13.83	40.41	74.00	33.59	peak
4	2665.4073	58.23	-12.71	45.52	74.00	28.48	peak
5	3795.644	48.89	-7.53	41.36	74.00	32.64	peak
6	7712.9681	44.29	2.66	46.95	74.00	27.05	peak

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.1.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11A	5180	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1660.4067	68.22	-18.09	50.13	74.00	23.87	peak
2	1995.6662	57.31	-15.98	41.33	74.00	32.67	peak
3	2666.1851	64.84	-12.71	52.13	74.00	21.87	peak
4	3742.7492	48.46	-7.14	41.32	74.00	32.68	peak
5	5118.0131	55.54	-2.14	53.40	74.00	20.60	peak
6	6998.1109	45.98	0.74	46.72	74.00	27.28	peak

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.1.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11A	5200	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1301.0334	56.00	-20.26	35.74	74.00	38.26	peak
2	1663.5182	54.56	-18.04	36.52	74.00	37.48	peak
3	2551.0612	55.58	-13.39	42.19	74.00	31.81	peak
4	2659.1844	59.60	-12.75	46.85	74.00	27.15	peak
5	4436.6041	47.39	-4.45	42.94	74.00	31.06	peak
6	7635.1817	44.04	2.62	46.66	74.00	27.34	peak

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.1.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11A	5200	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1301.0334	61.20	-20.26	40.94	74.00	33.06	peak
2	1661.9624	65.32	-18.07	47.25	74.00	26.75	peak
3	2662.2958	65.57	-12.73	52.84	74.00	21.16	peak
4	4256.9174	53.71	-5.13	48.58	74.00	25.42	peak
5	5107.9009	55.88	-2.25	53.63	74.00	20.37	peak
6	7467.9409	43.79	1.94	45.73	74.00	28.27	peak

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.1.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11A	5240	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1666.6296	56.13	-17.99	38.14	74.00	35.86	peak
2	1995.6662	54.25	-15.98	38.27	74.00	35.73	peak
3	2547.1719	57.08	-13.35	43.73	74.00	30.27	peak
4	2660.7401	58.02	-12.75	45.27	74.00	28.73	peak
5	4503.5004	48.19	-4.70	43.49	74.00	30.51	peak
6	7052.5614	45.10	1.12	46.22	74.00	27.78	peak

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.1.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
- The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11A	5240	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1661.9624	63.45	-18.07	45.38	74.00	28.62	peak
2	1992.5547	60.23	-16.03	44.20	74.00	29.80	peak
3	2665.4073	62.43	-12.71	49.72	74.00	24.28	peak
4	4251.4724	48.71	-5.05	43.66	74.00	30.34	peak
5	5117.2352	53.12	-2.13	50.99	74.00	23.01	peak
6	7647.6275	43.65	2.10	45.75	74.00	28.25	peak

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.1.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
- The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11A	5260	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1281.5868	56.00	-20.57	35.43	74.00	38.57	peak
2	1665.8518	57.48	-18.01	39.47	74.00	34.53	peak
3	2544.0605	57.09	-13.28	43.81	74.00	30.19	peak
4	2660.7401	61.54	-12.75	48.79	74.00	25.21	peak
5	3973.7749	47.38	-5.64	41.74	74.00	32.26	peak
6	7730.0811	43.63	2.98	46.61	74.00	27.39	peak

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.1.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
- The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11A	5260	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1658.851	63.24	-18.10	45.14	74.00	28.86	peak
2	1994.1105	58.96	-16.01	42.95	74.00	31.05	peak
3	2488.0542	56.30	-13.86	42.44	74.00	31.56	peak
4	2659.1844	66.14	-12.75	53.39	74.00	20.61	peak
5	4255.3617	49.23	-5.11	44.12	74.00	29.88	peak
6	7723.8582	43.35	2.76	46.11	74.00	27.89	peak

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.1.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11A	5280	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1301.0334	57.17	-20.26	36.91	74.00	37.09	peak
2	1665.8518	55.80	-18.01	37.79	74.00	36.21	peak
3	2497.3886	54.52	-13.83	40.69	74.00	33.31	peak
4	2665.4073	57.67	-12.71	44.96	74.00	29.04	peak
5	4209.4677	47.13	-4.98	42.15	74.00	31.85	peak
6	7660.8512	44.64	2.16	46.80	74.00	27.20	peak

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.1.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
- The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11A	5280	Vertical	PASS



No.	Frequency (MHz)	Reading Level (dBuV/m)	Correct Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1301.0334	62.39	-20.26	42.13	74.00	31.87	peak
2	1662.7403	64.10	-18.06	46.04	74.00	27.96	peak
3	2483.387	63.59	-13.87	49.72	74.00	24.28	peak
4	2657.6286	65.20	-12.77	52.43	74.00	21.57	peak
5	4262.3625	49.91	-5.06	44.85	74.00	29.15	peak
6	7770.5301	43.71	2.74	46.45	74.00	27.55	peak

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.1.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11A	5320	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1301.0334	56.54	-20.26	36.28	74.00	37.72	peak
2	1662.7403	55.09	-18.06	37.03	74.00	36.97	peak
3	2490.3878	56.02	-13.86	42.16	74.00	31.84	peak
4	2658.4065	61.13	-12.77	48.36	74.00	25.64	peak
5	3847.7609	48.64	-6.78	41.86	74.00	32.14	peak
6	7435.2706	44.09	1.43	45.52	74.00	28.48	peak

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.1.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11A	5320	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1301.0334	63.48	-20.26	43.22	74.00	30.78	peak
2	1662.7403	63.49	-18.06	45.43	74.00	28.57	peak
3	2553.3948	63.89	-13.38	50.51	74.00	23.49	peak
4	2654.5172	65.26	-12.80	52.46	74.00	21.54	peak
5	5369.2633	55.55	-1.89	53.66	74.00	20.34	peak
6	6994.9994	46.41	0.58	46.99	74.00	27.01	peak

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.1.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11A	5500	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1122.9025	55.93	-21.15	34.78	74.00	39.22	peak
2	1658.851	56.77	-18.08	38.69	74.00	35.31	peak
3	2129.4588	57.09	-15.51	41.58	74.00	32.42	peak
4	2657.6286	61.07	-12.51	48.56	74.00	25.44	peak
5	3930.2145	49.61	-6.64	42.97	74.00	31.03	peak
6	7598.6221	43.38	2.25	45.63	74.00	28.37	peak

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.1.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
- The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11A	5500	Vertical	PASS



PK result:


No.	Frequency (MHz)	Reading Level (dBuV/m)	Correct Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1301.0334	58.57	-20.18	38.39	74.00	35.61	peak
2	1659.6288	65.42	-18.08	47.34	74.00	26.66	peak
3	2659.9622	66.11	-12.48	53.63	74.00	20.37	peak
4	3188.9099	53.26	-9.43	43.83	74.00	30.17	peak
5	4988.1098	51.73	-2.21	49.52	74.00	24.48	peak
6	5421.3802	59.44	-1.73	57.71	74.00	16.29	peak

AV result:

No.	Frequency (MHz)	Reading Level (dBuV/m)	Correct Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5421.3802	59.44	-1.73	57.71	74.00	16.29	peak

- Remark:
1. Measurement = Reading Level + Correct Factor.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 4. Peak: Peak detector.
 5. AVG: VBW refer to section 6.1.
 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
 8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11A	5580	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1662.7403	57.77	-18.03	39.74	74.00	34.26	peak
2	2124.0138	55.22	-15.48	39.74	74.00	34.26	peak
3	2498.9443	54.52	-13.86	40.66	74.00	33.34	peak
4	2658.4065	60.24	-12.51	47.73	74.00	26.27	peak
5	4800.6445	46.76	-2.95	43.81	74.00	30.19	peak
6	7712.1902	43.72	2.62	46.34	74.00	27.66	peak

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.1.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11A	5580	Vertical	PASS



PK result:


No.	Frequency (MHz)	Reading Level (dBuV/m)	Correct Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1301.0334	59.30	-20.18	39.12	74.00	34.88	peak
2	1658.0731	65.33	-18.08	47.25	74.00	26.75	peak
3	2549.5055	63.92	-12.92	51.00	74.00	23.00	peak
4	2657.6286	65.90	-12.51	53.39	74.00	20.61	peak
5	4256.1396	55.30	-5.10	50.20	74.00	23.80	peak
6	5424.4916	56.64	-1.61	55.03	74.00	18.97	peak

AV result:

No.	Frequency (MHz)	Reading Level (dBuV/m)	Correct Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5424.4916	47.41	-1.61	45.80	54.00	8.20	AV

- Remark:
- Measurement = Reading Level + Correct Factor.
 - If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 - Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 - Peak: Peak detector.
 - AVG: VBW refer to section 6.1.
 - For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
 - Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
 - Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11A	5700	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1665.0739	56.53	-17.99	38.54	74.00	35.46	peak
2	1996.444	54.10	-15.86	38.24	74.00	35.76	peak
3	2491.1657	54.10	-13.93	40.17	74.00	33.83	peak
4	2657.6286	55.31	-12.51	42.80	74.00	31.20	peak
5	3174.1305	49.07	-8.88	40.19	74.00	33.81	peak
6	6588.1765	45.02	0.25	45.27	74.00	28.73	peak

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.1.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11A	5700	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1301.0334	59.97	-20.18	39.79	74.00	34.21	peak
2	1663.5182	64.65	-18.02	46.63	74.00	27.37	peak
3	2550.2834	64.85	-12.93	51.92	74.00	22.08	peak
4	2658.4065	65.46	-12.51	52.95	74.00	21.05	peak
5	4274.0304	47.70	-4.54	43.16	74.00	30.84	peak
6	5751.1946	53.82	-1.13	52.69	74.00	21.31	peak

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.1.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
- The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


Test Mode	Channel	Polarization	Verdict
11A	5720	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1658.851	55.86	-18.08	37.78	74.00	36.22	peak
2	1998.7776	55.21	-15.80	39.41	74.00	34.59	peak
3	2554.1727	59.29	-12.87	46.42	74.00	27.58	peak
4	2656.8508	56.32	-12.52	43.80	74.00	30.20	peak
5	4445.1606	47.03	-4.18	42.85	74.00	31.15	peak
6	7646.8496	43.98	2.04	46.02	74.00	27.98	peak

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.1.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11A	5720	Vertical	PASS



PK result:


No.	Frequency (MHz)	Reading Level (dBuV/m)	Correct Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1301.8113	60.32	-20.18	40.14	74.00	33.86	peak
2	1666.6296	62.69	-17.97	44.72	74.00	29.28	peak
3	1772.4192	62.09	-17.57	44.52	74.00	29.48	peak
4	2656.8508	63.87	-12.52	51.35	74.00	22.65	peak
5	3321.9247	52.10	-9.08	43.02	74.00	30.98	peak
6	5738.7488	63.35	-1.16	62.19	74.00	11.81	peak

AV result:

No.	Frequency (MHz)	Reading Level (dBuV/m)	Correct Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5738.7488	47.04	-1.16	45.88	54.00	8.12	av

- Remark:
- Measurement = Reading Level + Correct Factor.
 - If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 - Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
 - Peak: Peak detector.
 - AVG: VBW refer to section 6.1.
 - For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
The proper operation of the transmitter prior to adding the filter to the measurement chain.
 - Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
 - Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

Test Mode	Channel	Polarization	Verdict
11A	5745	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dBuV/m)	(dB)	
1	1389.71	54.64	-20.33	34.31	74.00	39.69	peak
2	1997.9998	56.18	-15.93	40.25	74.00	33.75	peak
3	2544.0605	55.75	-13.36	42.39	74.00	31.61	peak
4	2665.4073	61.14	-12.89	48.25	74.00	25.75	peak
5	4816.9797	47.21	-3.51	43.70	74.00	30.30	peak
6	7775.9751	43.19	2.79	45.98	74.00	28.02	peak

- Remark: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
4. Peak: Peak detector.
5. AVG: VBW refer to section 6.1.
6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses.
- The proper operation of the transmitter prior to adding the filter to the measurement chain.
7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.