



Exhibit 7B: SAR Test Report Photographs

Motorola Solutions, Inc. EME Test Laboratory 8000 West Sunrise Blvd

Fort Lauderdale, FL. 33322





Deanna Zakharia EME Lab Senior Resource Manager, Laboratory Director

Approval Date: 4/14/2015

FCC ID: AZ489FT5870/IC: 109U-89FT5870 Report ID: P2279-EME-00002

Report Revision History

Date	Revision	Comments	
02/15/2015	O Initial release		
04/14/2015	A	Add accessory HKLN4606A picture	

1.0 Highest SAR Test Position per body location

1.1 Body


DUT w/ fixed antenna with offered battery HKNN4013A and belt clip HKLN4616A against the phantom and audio cable HKLN4604A attached. Same configuration used for other audio accessories.



	Separation Distances (mm)			
	@ bottom surface			
Antenna kit #	of the DUT	@ antenna's base	@ antenna's tip	
Fixed antenna	8	24	30	

1.2 Face

DUT w/ front side, separated 2.5cm from phantom with fixed antenna and battery HKNN4013A.



	Separation Distances (mm)			
	@ bottom surface			
Antenna kit #	of the DUT	@ antenna's base	@ antenna's tip	
Fixed antenna	26	28	30	

FCC ID: AZ489FT5870/IC: 109U-89FT5870 Report ID: P2279-EME-00002

1.3 Head- Left ear 15° tilt

Not applicable.

1.4 Hand

Not applicable.

2.0 Other SAR tested positions at the body

2.1 Body worn

Not applicable.

2.2 Front Side against phantom

Not applicable.

2.3 Back side against phantom

Not applicable.

2.4 Front 2.5cm separation

Not applicable.

2.5 Antenna 2.5cm separation

Not applicable.

2.6 Back 2.5cm separation

Not applicable.

3.0 Other SAR tested positions at the face

3.1 Back of DUT at 2.5cm separation

Not applicable.

3.2 Front of DUT at 2.5cm separation

Refer to section 1.2.

4.0 Other SAR tested positions at the head

4.1 Left ear, touch

Not applicable.

4.2 Left ear tilts

Not applicable.

4.3 Right ear, touch

Not applicable.

4.4 Right ear 15° tilt

Not applicable.

5.0 Other SAR tested positions at the hand

- **5.1 Left side** Not applicable.
- **Right side**Not applicable.
- **Top side**Not applicable.
- **5.4 Bottom side** Not applicable.
- **Back side**Not applicable.

6.0 DUT and Accessory Photos

The purpose of these photos is to illustrate the tested accessories. Refer to Part 1 of 2, section 7.0 for additional details on the offered accessories.

6.1 Antenna dimension:

Antenna Kit #	Physical Length (cm)	Electrical Length	
Fixed antenna	16.4	1/2 wave	

6.2 Body worn accessories:



DUT Front View Belt clip with Holster HKLN4616A



DUT Side View Belt clip with Holster HKLN4616A




DUT Back View Belt clip with Holster HKLN4616A

6.3 Battery accessory:



Left - Right; Front, back and side views: HKNN4013A

6.4 Audio accessory:



HKLN4604A Swivel earpiece with in-line PTT HKLN4606A Remote Speaker Mic

6.5 DUT Dimensions

	Height (mm)	Width (mm)	Depth (mm)
Radio only (w/o battery)	150	50	22
Radio with battery HKNN4013A	150	50	22

For illustration purposes only - the following figure reflects the location of the device's dimensions.

