




### 802.11ax(HEW20)\_LCH\_5745MHz\_RU26\_Mid\_Ant2\_NTNV




### 802.11ax(HEW20)\_LCH\_5745MHz\_RU26\_Mid\_MIMO\_NTNV




### 802.11ax(HEW20)\_LCH\_5745MHz\_RU26\_Right\_Ant1\_NTNV




### 802.11ax(HEW20)\_LCH\_5745MHz\_RU26\_Right\_Ant2\_NTNV




### 802.11ax(HEW20)\_LCH\_5745MHz\_RU26\_Right\_MIMO\_NTNV




### 802.11ax(HEW20)\_LCH\_5745MHz\_RU242\_Left\_Ant1\_NTNV



### 802.11ax(HEW20)\_LCH\_5745MHz\_RU242\_Left\_Ant2\_NTNV




### 802.11ax(HEW20)\_LCH\_5745MHz\_RU242\_Left\_MIMO\_NTNV







### 802.11ax(HEW20)\_MCH\_5785MHz\_RU26\_Left\_Ant1\_NTNV




### 802.11ax(HEW20)\_MCH\_5785MHz\_RU26\_Left\_Ant2\_NTNV



### 802.11ax(HEW20)\_MCH\_5785MHz\_RU26\_Left\_MIMO\_NTNV



### 802.11ax(HEW20)\_MCH\_5785MHz\_RU26\_Mid\_Ant1\_NTNV




## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022


Report No.: SZCR230200043505

Page: 970 of 1024

### 802.11ax(HEW20)\_MCH\_5785MHz\_RU26\_Mid\_Ant2\_NTNV



### 802.11ax(HEW20)\_MCH\_5785MHz\_RU26\_Mid\_MIMO\_NTNV




SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

### 802.11ax(HEW20)\_MCH\_5785MHz\_RU26\_Right\_Ant1\_NTNV




### 802.11ax(HEW20)\_MCH\_5785MHz\_RU26\_Right\_Ant2\_NTNV







### 802.11ax(HEW20)\_MCH\_5785MHz\_RU26\_Right\_MIMO\_NTNV




### 802.11ax(HEW20)\_MCH\_5785MHz\_RU242\_Left\_Ant1\_NTNV



### 802.11ax(HEW20)\_MCH\_5785MHz\_RU242\_Left\_Ant2\_NTNV




### 802.11ax(HEW20)\_MCH\_5785MHz\_RU242\_Left\_MIMO\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


### 802.11ax(HEW20)\_HCH\_5825MHz\_RU26\_Left\_Ant1\_NTNV




### 802.11ax(HEW20)\_HCH\_5825MHz\_RU26\_Left\_Ant2\_NTNV



### 802.11ax(HEW20)\_HCH\_5825MHz\_RU26\_Left\_MIMO\_NTNV




### 802.11ax(HEW20)\_HCH\_5825MHz\_RU26\_Mid\_Ant1\_NTNV






### 802.11ax(HEW20)\_HCH\_5825MHz\_RU26\_Mid\_Ant2\_NTNV




### 802.11ax(HEW20)\_HCH\_5825MHz\_RU26\_Mid\_MIMO\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


### 802.11ax(HEW20)\_HCH\_5825MHz\_RU26\_Right\_Ant1\_NTNV




### 802.11ax(HEW20)\_HCH\_5825MHz\_RU26\_Right\_Ant2\_NTNV




### 802.11ax(HEW20)\_HCH\_5825MHz\_RU26\_Right\_MIMO\_NTNV




### 802.11ax(HEW20)\_HCH\_5825MHz\_RU242\_Left\_Ant1\_NTNV



802.11ax(HEW20)\_HCH\_5825MHz\_RU242\_Left\_Ant2\_NTNV




802.11ax(HEW20)\_HCH\_5825MHz\_RU242\_Left\_MIMO\_NTNV







### 802.11ax(HEW40)\_LCH\_5755MHz\_RU26\_Left\_Ant1\_NTNV




### 802.11ax(HEW40)\_LCH\_5755MHz\_RU26\_Left\_Ant2\_NTNV




### 802.11ax(HEW40)\_LCH\_5755MHz\_RU26\_Left\_MIMO\_NTNV




### 802.11ax(HEW40)\_LCH\_5755MHz\_RU26\_Mid\_Ant1\_NTNV




### 802.11ax(HEW40)\_LCH\_5755MHz\_RU26\_Mid\_Ant2\_NTNV




### 802.11ax(HEW40)\_LCH\_5755MHz\_RU26\_Mid\_MIMO\_NTNV



### 802.11ax(HEW40)\_LCH\_5755MHz\_RU26\_Right\_Ant1\_NTNV




### 802.11ax(HEW40)\_LCH\_5755MHz\_RU26\_Right\_Ant2\_NTNV







### 802.11ax(HEW40)\_LCH\_5755MHz\_RU26\_Right\_MIMO\_NTNV




### 802.11ax(HEW40)\_LCH\_5755MHz\_RU484\_Left\_Ant1\_NTNV




### 802.11ax(HEW40)\_LCH\_5755MHz\_RU484\_Left\_Ant2\_NTNV




### 802.11ax(HEW40)\_LCH\_5755MHz\_RU484\_Left\_MIMO\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_RU26\_Left\_Ant1\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_RU26\_Left\_Ant2\_NTNV



### 802.11ax(HEW40)\_HCH\_5795MHz\_RU26\_Left\_MIMO\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_RU26\_Mid\_Ant1\_NTNV







### 802.11ax(HEW40)\_HCH\_5795MHz\_RU26\_Mid\_Ant2\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_RU26\_Mid\_MIMO\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_RU26\_Right\_Ant1\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_RU26\_Right\_Ant2\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_RU26\_Right\_MIMO\_NTNV




### 802.11ax(HEW40)\_HCH\_5795MHz\_RU484\_Left\_Ant1\_NTNV



802.11ax(HEW40)\_HCH\_5795MHz\_RU484\_Left\_Ant2\_NTNV




802.11ax(HEW40)\_HCH\_5795MHz\_RU484\_Left\_MIMO\_NTNV







### 802.11ax(HEW80)\_MCH\_5775MHz\_RU26\_Left\_Ant1\_NTNV




### 802.11ax(HEW80)\_MCH\_5775MHz\_RU26\_Left\_Ant2\_NTNV




### 802.11ax(HEW80)\_MCH\_5775MHz\_RU26\_Left\_MIMO\_NTNV




### 802.11ax(HEW80)\_MCH\_5775MHz\_RU26\_Mid\_Ant1\_NTNV




### 802.11ax(HEW80)\_MCH\_5775MHz\_RU26\_Mid\_Ant2\_NTNV




### 802.11ax(HEW80)\_MCH\_5775MHz\_RU26\_Mid\_MIMO\_NTNV



### 802.11ax(HEW80)\_MCH\_5775MHz\_RU26\_Right\_Ant1\_NTNV




### 802.11ax(HEW80)\_MCH\_5775MHz\_RU26\_Right\_Ant2\_NTNV







### 802.11ax(HEW80)\_MCH\_5775MHz\_RU26\_Right\_MIMO\_NTNV




### 802.11ax(HEW80)\_MCH\_5775MHz\_RU996\_Left\_Ant1\_NTNV



### 802.11ax(HEW80)\_MCH\_5775MHz\_RU996\_Left\_Ant2\_NTNV



### 802.11ax(HEW80)\_MCH\_5775MHz\_RU996\_Left\_MIMO\_NTNV



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 998 of 1024

### 5. Frequency Stability

#### 5.1 Ant1

##### 5.1.1 Test Result

| Ant1    |         |                 |    |        |                  |               |                          |              |         |
|---------|---------|-----------------|----|--------|------------------|---------------|--------------------------|--------------|---------|
| Mode    | TX Type | Frequency (MHz) | RU | RU Pos | Temperature (°C) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
| 802.11a | MIMO    | 5180            | /  | /      | 20               | 102           | 5180.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 120           | 5179.940                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 138           | 5179.980                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -30              | 120           | 5179.960                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -20              | 120           | 5179.980                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -10              | 120           | 5179.980                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 0                | 120           | 5180.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 10               | 120           | 5179.920                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 30               | 120           | 5179.960                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 40               | 120           | 5179.940                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 50               | 120           | 5179.940                 | 5150 to 5250 | Pass    |
|         |         | 5200            | /  | /      | 20               | 102           | 5199.940                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 120           | 5199.960                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 138           | 5199.980                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -30              | 120           | 5200.060                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -20              | 120           | 5199.960                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -10              | 120           | 5200.040                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 0                | 120           | 5200.060                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 10               | 120           | 5199.980                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 30               | 120           | 5200.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 40               | 120           | 5199.960                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 50               | 120           | 5200.040                 | 5150 to 5250 | Pass    |
|         |         | 5240            | /  | /      | 20               | 102           | 5239.960                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 120           | 5240.060                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 138           | 5239.960                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -30              | 120           | 5240.040                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -20              | 120           | 5240.040                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -10              | 120           | 5240.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 0                | 120           | 5239.980                 | 5150 to 5250 | Pass    |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 999 of 1024

|      |          |              |      |          |              |              |          |              |              |
|------|----------|--------------|------|----------|--------------|--------------|----------|--------------|--------------|
|      |          |              |      |          | 10           | 120          | 5240.040 | 5150 to 5250 | Pass         |
|      |          |              |      |          | 30           | 120          | 5240.000 | 5150 to 5250 | Pass         |
|      |          |              |      |          | 40           | 120          | 5240.060 | 5150 to 5250 | Pass         |
|      |          |              |      |          | 50           | 120          | 5240.000 | 5150 to 5250 | Pass         |
| 5260 | /        | /            | 20   | 102      | 5260.000     | 5250 to 5350 | Pass     |              |              |
|      |          |              |      | 120      | 5259.980     | 5250 to 5350 | Pass     |              |              |
|      |          |              |      | 138      | 5259.980     | 5250 to 5350 | Pass     |              |              |
|      |          |              | -30  | 120      | 5259.980     | 5250 to 5350 | Pass     |              |              |
|      |          |              | -20  | 120      | 5260.020     | 5250 to 5350 | Pass     |              |              |
|      |          |              | -10  | 120      | 5260.000     | 5250 to 5350 | Pass     |              |              |
|      |          |              | 0    | 120      | 5260.020     | 5250 to 5350 | Pass     |              |              |
|      |          |              | 10   | 120      | 5260.000     | 5250 to 5350 | Pass     |              |              |
|      |          |              | 30   | 120      | 5260.020     | 5250 to 5350 | Pass     |              |              |
|      |          |              | 40   | 120      | 5259.940     | 5250 to 5350 | Pass     |              |              |
|      |          |              | 50   | 120      | 5259.980     | 5250 to 5350 | Pass     |              |              |
|      |          |              | 5300 | /        | /            | 20           | 102      | 5299.980     | 5250 to 5350 |
| 120  | 5300.020 | 5250 to 5350 |      |          |              |              | Pass     |              |              |
| 138  | 5300.020 | 5250 to 5350 |      |          |              |              | Pass     |              |              |
| -30  | 120      | 5300.000     |      |          |              | 5250 to 5350 | Pass     |              |              |
| -20  | 120      | 5300.020     |      |          |              | 5250 to 5350 | Pass     |              |              |
| -10  | 120      | 5299.960     |      |          |              | 5250 to 5350 | Pass     |              |              |
| 0    | 120      | 5299.980     |      |          |              | 5250 to 5350 | Pass     |              |              |
| 10   | 120      | 5300.000     |      |          |              | 5250 to 5350 | Pass     |              |              |
| 30   | 120      | 5299.980     |      |          |              | 5250 to 5350 | Pass     |              |              |
| 40   | 120      | 5300.000     |      |          |              | 5250 to 5350 | Pass     |              |              |
| 50   | 120      | 5300.000     |      |          |              | 5250 to 5350 | Pass     |              |              |
| 5320 | /        | /            |      |          |              | 20           | 102      | 5320.000     | 5250 to 5350 |
|      |          |              | 120  | 5320.040 | 5250 to 5350 |              | Pass     |              |              |
|      |          |              | 138  | 5320.000 | 5250 to 5350 |              | Pass     |              |              |
|      |          |              | -30  | 120      | 5319.980     | 5250 to 5350 | Pass     |              |              |
|      |          |              | -20  | 120      | 5320.020     | 5250 to 5350 | Pass     |              |              |
|      |          |              | -10  | 120      | 5319.980     | 5250 to 5350 | Pass     |              |              |
|      |          |              | 0    | 120      | 5320.000     | 5250 to 5350 | Pass     |              |              |
|      |          |              | 10   | 120      | 5319.960     | 5250 to 5350 | Pass     |              |              |
|      |          |              | 30   | 120      | 5320.000     | 5250 to 5350 | Pass     |              |              |
|      |          |              | 40   | 120      | 5319.940     | 5250 to 5350 | Pass     |              |              |
|      |          |              | 50   | 120      | 5320.000     | 5250 to 5350 | Pass     |              |              |
|      |          |              | 5500 | /        | /            | 20           | 102      | 5500.040     | 5470 to 5725 |
| 120  | 5500.000 | 5470 to 5725 |      |          |              |              | Pass     |              |              |
| 138  | 5500.020 | 5470 to 5725 |      |          |              |              | Pass     |              |              |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1000 of 1024

|  |  |      |   |   |     |     |          |              |      |
|--|--|------|---|---|-----|-----|----------|--------------|------|
|  |  |      |   |   | -30 | 120 | 5499.980 | 5470 to 5725 | Pass |
|  |  |      |   |   | -20 | 120 | 5500.040 | 5470 to 5725 | Pass |
|  |  |      |   |   | -10 | 120 | 5500.040 | 5470 to 5725 | Pass |
|  |  |      |   |   | 0   | 120 | 5500.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | 10  | 120 | 5499.980 | 5470 to 5725 | Pass |
|  |  |      |   |   | 30  | 120 | 5499.960 | 5470 to 5725 | Pass |
|  |  |      |   |   | 40  | 120 | 5499.980 | 5470 to 5725 | Pass |
|  |  |      |   |   | 50  | 120 | 5499.980 | 5470 to 5725 | Pass |
|  |  | 5580 | / | / | 20  | 102 | 5580.000 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 120 | 5579.980 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 138 | 5580.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | -30 | 120 | 5580.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | -20 | 120 | 5580.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | -10 | 120 | 5579.980 | 5470 to 5725 | Pass |
|  |  |      |   |   | 0   | 120 | 5579.980 | 5470 to 5725 | Pass |
|  |  |      |   |   | 10  | 120 | 5580.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | 30  | 120 | 5580.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | 40  | 120 | 5580.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | 50  | 120 | 5580.040 | 5470 to 5725 | Pass |
|  |  | 5700 | / | / | 20  | 102 | 5700.000 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 120 | 5699.980 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 138 | 5699.980 | 5470 to 5725 | Pass |
|  |  |      |   |   | -30 | 120 | 5700.040 | 5470 to 5725 | Pass |
|  |  |      |   |   | -20 | 120 | 5700.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | -10 | 120 | 5699.960 | 5470 to 5725 | Pass |
|  |  |      |   |   | 0   | 120 | 5699.980 | 5470 to 5725 | Pass |
|  |  |      |   |   | 10  | 120 | 5700.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | 30  | 120 | 5699.960 | 5470 to 5725 | Pass |
|  |  |      |   |   | 40  | 120 | 5699.940 | 5470 to 5725 | Pass |
|  |  |      |   |   | 50  | 120 | 5700.000 | 5470 to 5725 | Pass |
|  |  | 5745 | / | / | 20  | 102 | 5745.020 | 5725 to 5850 | Pass |
|  |  |      |   |   |     | 120 | 5745.020 | 5725 to 5850 | Pass |
|  |  |      |   |   |     | 138 | 5744.900 | 5725 to 5850 | Pass |
|  |  |      |   |   | -30 | 120 | 5745.000 | 5725 to 5850 | Pass |
|  |  |      |   |   | -20 | 120 | 5744.980 | 5725 to 5850 | Pass |
|  |  |      |   |   | -10 | 120 | 5744.980 | 5725 to 5850 | Pass |
|  |  |      |   |   | 0   | 120 | 5745.000 | 5725 to 5850 | Pass |
|  |  |      |   |   | 10  | 120 | 5744.920 | 5725 to 5850 | Pass |
|  |  |      |   |   | 30  | 120 | 5745.000 | 5725 to 5850 | Pass |
|  |  |      |   |   | 40  | 120 | 5744.960 | 5725 to 5850 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1001 of 1024

|                   |      |      |   |   |     |     |          |              |      |
|-------------------|------|------|---|---|-----|-----|----------|--------------|------|
| 802.11n<br>(HT20) | MIMO | 5785 | / | / | 50  | 120 | 5745.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 20  | 102 | 5784.940 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 120 | 5784.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 138 | 5785.040 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | -30 | 5785.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -20 | 120 | 5784.940 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | -10 | 5785.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 0   | 5784.940 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 10  | 5784.940 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 30  | 120 | 5784.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 40  | 5785.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 50  | 5785.000 | 5725 to 5850 | Pass |
|                   |      | 5825 | / | / | 20  | 102 | 5825.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 120 | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 138 | 5824.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | -30 | 5824.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -20 | 120 | 5825.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | -10 | 5824.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 0   | 5824.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 10  | 5824.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 30  | 120 | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 40  | 5824.940 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 50  | 5825.000 | 5725 to 5850 | Pass |
|                   |      | 5180 | / | / | 20  | 102 | 5180.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 120 | 5180.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 138 | 5179.980 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | -30 | 5180.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -20 | 120 | 5180.080 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | -10 | 5180.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 0   | 5180.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 10  | 5180.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 30  | 120 | 5180.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 40  | 5180.080 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 50  | 5180.040 | 5150 to 5250 | Pass |
|                   |      | 5200 | / | / | 20  | 102 | 5199.980 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 120 | 5199.960 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 138 | 5200.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | -30 | 5200.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -20 | 120 | 5200.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | -10 | 5200.000 | 5150 to 5250 | Pass |



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1002 of 1024

|  |  |      |   |   |     |     |          |              |      |
|--|--|------|---|---|-----|-----|----------|--------------|------|
|  |  |      |   |   | 0   | 120 | 5200.020 | 5150 to 5250 | Pass |
|  |  |      |   |   | 10  | 120 | 5200.000 | 5150 to 5250 | Pass |
|  |  |      |   |   | 30  | 120 | 5200.020 | 5150 to 5250 | Pass |
|  |  |      |   |   | 40  | 120 | 5199.980 | 5150 to 5250 | Pass |
|  |  |      |   |   | 50  | 120 | 5200.020 | 5150 to 5250 | Pass |
|  |  | 5240 | / | / | 20  | 102 | 5240.020 | 5150 to 5250 | Pass |
|  |  |      |   |   |     | 120 | 5240.080 | 5150 to 5250 | Pass |
|  |  |      |   |   |     | 138 | 5240.040 | 5150 to 5250 | Pass |
|  |  |      |   |   | -30 | 120 | 5240.000 | 5150 to 5250 | Pass |
|  |  |      |   |   | -20 | 120 | 5240.040 | 5150 to 5250 | Pass |
|  |  |      |   |   | -10 | 120 | 5240.020 | 5150 to 5250 | Pass |
|  |  |      |   |   | 0   | 120 | 5240.100 | 5150 to 5250 | Pass |
|  |  |      |   |   | 10  | 120 | 5240.020 | 5150 to 5250 | Pass |
|  |  |      |   |   | 30  | 120 | 5240.060 | 5150 to 5250 | Pass |
|  |  |      |   |   | 40  | 120 | 5240.080 | 5150 to 5250 | Pass |
|  |  |      |   |   | 50  | 120 | 5240.060 | 5150 to 5250 | Pass |
|  |  | 5260 | / | / | 20  | 102 | 5260.020 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 120 | 5259.960 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 138 | 5260.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | -30 | 120 | 5259.980 | 5250 to 5350 | Pass |
|  |  |      |   |   | -20 | 120 | 5260.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | -10 | 120 | 5259.980 | 5250 to 5350 | Pass |
|  |  |      |   |   | 0   | 120 | 5260.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 10  | 120 | 5260.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 30  | 120 | 5260.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 40  | 120 | 5260.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | 50  | 120 | 5260.040 | 5250 to 5350 | Pass |
|  |  | 5300 | / | / | 20  | 102 | 5299.980 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 120 | 5299.980 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 138 | 5299.960 | 5250 to 5350 | Pass |
|  |  |      |   |   | -30 | 120 | 5299.980 | 5250 to 5350 | Pass |
|  |  |      |   |   | -20 | 120 | 5300.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | -10 | 120 | 5299.980 | 5250 to 5350 | Pass |
|  |  |      |   |   | 0   | 120 | 5300.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | 10  | 120 | 5299.980 | 5250 to 5350 | Pass |
|  |  |      |   |   | 30  | 120 | 5299.960 | 5250 to 5350 | Pass |
|  |  |      |   |   | 40  | 120 | 5300.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 50  | 120 | 5299.980 | 5250 to 5350 | Pass |
|  |  | 5320 | / | / | 20  | 102 | 5319.960 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 120 | 5320.000 | 5250 to 5350 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch / 深圳分公司 / SZEMC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1003 of 1024

|  |  |      |   |   |     |     |          |              |      |
|--|--|------|---|---|-----|-----|----------|--------------|------|
|  |  |      |   |   |     | 138 | 5319.980 | 5250 to 5350 | Pass |
|  |  |      |   |   | -30 | 120 | 5320.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | -20 | 120 | 5320.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | -10 | 120 | 5320.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 0   | 120 | 5320.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 10  | 120 | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | 30  | 120 | 5320.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 40  | 120 | 5319.960 | 5250 to 5350 | Pass |
|  |  |      |   |   | 50  | 120 | 5320.040 | 5250 to 5350 | Pass |
|  |  | 5500 | / | / | 20  | 102 | 5499.960 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 120 | 5499.960 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 138 | 5499.980 | 5470 to 5725 | Pass |
|  |  |      |   |   | -30 | 120 | 5500.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | -20 | 120 | 5500.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | -10 | 120 | 5500.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | 0   | 120 | 5500.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | 10  | 120 | 5499.980 | 5470 to 5725 | Pass |
|  |  |      |   |   | 30  | 120 | 5499.980 | 5470 to 5725 | Pass |
|  |  |      |   |   | 40  | 120 | 5500.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | 50  | 120 | 5499.980 | 5470 to 5725 | Pass |
|  |  | 5580 | / | / | 20  | 102 | 5580.040 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 120 | 5579.980 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 138 | 5580.040 | 5470 to 5725 | Pass |
|  |  |      |   |   | -30 | 120 | 5580.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | -20 | 120 | 5580.040 | 5470 to 5725 | Pass |
|  |  |      |   |   | -10 | 120 | 5580.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | 0   | 120 | 5580.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | 10  | 120 | 5580.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | 30  | 120 | 5580.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | 40  | 120 | 5580.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | 50  | 120 | 5580.020 | 5470 to 5725 | Pass |
|  |  | 5700 | / | / | 20  | 102 | 5699.980 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 120 | 5700.020 | 5470 to 5725 | Pass |
|  |  |      |   |   |     | 138 | 5699.980 | 5470 to 5725 | Pass |
|  |  |      |   |   | -30 | 120 | 5699.980 | 5470 to 5725 | Pass |
|  |  |      |   |   | -20 | 120 | 5700.020 | 5470 to 5725 | Pass |
|  |  |      |   |   | -10 | 120 | 5700.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | 0   | 120 | 5700.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | 10  | 120 | 5700.000 | 5470 to 5725 | Pass |
|  |  |      |   |   | 30  | 120 | 5699.960 | 5470 to 5725 | Pass |



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1004 of 1024

|                   |      |      |   |   |     |     |          |              |      |
|-------------------|------|------|---|---|-----|-----|----------|--------------|------|
|                   |      |      |   |   | 40  | 120 | 5699.960 | 5470 to 5725 | Pass |
|                   |      |      |   |   | 50  | 120 | 5699.980 | 5470 to 5725 | Pass |
|                   |      | 5745 | / | / | 20  | 102 | 5745.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 120 | 5745.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 138 | 5744.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -30 | 120 | 5744.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -20 | 120 | 5745.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -10 | 120 | 5744.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 0   | 120 | 5745.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 10  | 120 | 5744.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 30  | 120 | 5745.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 40  | 120 | 5744.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 50  | 120 | 5744.960 | 5725 to 5850 | Pass |
|                   |      | 5785 | / | / | 20  | 102 | 5785.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 120 | 5785.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 138 | 5784.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -30 | 120 | 5784.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -20 | 120 | 5784.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -10 | 120 | 5785.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 0   | 120 | 5784.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 10  | 120 | 5785.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 30  | 120 | 5784.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 40  | 120 | 5784.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 50  | 120 | 5785.000 | 5725 to 5850 | Pass |
|                   |      | 5825 | / | / | 20  | 102 | 5824.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 120 | 5824.940 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 138 | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -30 | 120 | 5824.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -20 | 120 | 5825.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -10 | 120 | 5825.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 0   | 120 | 5824.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 10  | 120 | 5825.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 30  | 120 | 5825.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 40  | 120 | 5824.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 50  | 120 | 5824.980 | 5725 to 5850 | Pass |
| 802.11n<br>(HT40) | MIMO | 5190 | / | / | 20  | 102 | 5190.080 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 120 | 5190.080 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 138 | 5190.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -30 | 120 | 5190.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -20 | 120 | 5190.040 | 5150 to 5250 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1005 of 1024

|  |  |      |   |   |     |     |          |              |      |
|--|--|------|---|---|-----|-----|----------|--------------|------|
|  |  |      |   |   | -10 | 120 | 5190.040 | 5150 to 5250 | Pass |
|  |  |      |   |   | 0   | 120 | 5190.080 | 5150 to 5250 | Pass |
|  |  |      |   |   | 10  | 120 | 5190.040 | 5150 to 5250 | Pass |
|  |  |      |   |   | 30  | 120 | 5190.040 | 5150 to 5250 | Pass |
|  |  |      |   |   | 40  | 120 | 5190.040 | 5150 to 5250 | Pass |
|  |  |      |   |   | 50  | 120 | 5190.040 | 5150 to 5250 | Pass |
|  |  | 5230 | / | / | 20  | 102 | 5230.080 | 5150 to 5250 | Pass |
|  |  |      |   |   |     | 120 | 5230.040 | 5150 to 5250 | Pass |
|  |  |      |   |   |     | 138 | 5230.080 | 5150 to 5250 | Pass |
|  |  |      |   |   | -30 | 120 | 5230.120 | 5150 to 5250 | Pass |
|  |  |      |   |   | -20 | 120 | 5230.080 | 5150 to 5250 | Pass |
|  |  |      |   |   | -10 | 120 | 5230.080 | 5150 to 5250 | Pass |
|  |  |      |   |   | 0   | 120 | 5230.080 | 5150 to 5250 | Pass |
|  |  |      |   |   | 10  | 120 | 5230.040 | 5150 to 5250 | Pass |
|  |  |      |   |   | 30  | 120 | 5230.080 | 5150 to 5250 | Pass |
|  |  |      |   |   | 40  | 120 | 5230.040 | 5150 to 5250 | Pass |
|  |  |      |   |   | 50  | 120 | 5230.080 | 5150 to 5250 | Pass |
|  |  | 5270 | / | / | 20  | 102 | 5270.040 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 120 | 5270.040 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 138 | 5270.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | -30 | 120 | 5270.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | -20 | 120 | 5270.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | -10 | 120 | 5270.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 0   | 120 | 5270.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 10  | 120 | 5270.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 30  | 120 | 5270.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 40  | 120 | 5270.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 50  | 120 | 5270.040 | 5250 to 5350 | Pass |
|  |  | 5310 | / | / | 20  | 102 | 5310.080 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 120 | 5310.080 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 138 | 5310.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | -30 | 120 | 5310.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | -20 | 120 | 5310.080 | 5250 to 5350 | Pass |
|  |  |      |   |   | -10 | 120 | 5310.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 0   | 120 | 5310.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 10  | 120 | 5310.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 30  | 120 | 5310.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 40  | 120 | 5310.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 50  | 120 | 5310.040 | 5250 to 5350 | Pass |
|  |  | 5510 | / | / | 20  | 102 | 5510.040 | 5470 to 5725 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1006 of 1024

|  |  |      |     |          |              |      |          |              |      |
|--|--|------|-----|----------|--------------|------|----------|--------------|------|
|  |  |      |     |          |              | 120  | 5510.080 | 5470 to 5725 | Pass |
|  |  |      |     |          |              | 138  | 5510.040 | 5470 to 5725 | Pass |
|  |  |      |     |          | -30          | 120  | 5510.040 | 5470 to 5725 | Pass |
|  |  |      |     |          | -20          | 120  | 5510.040 | 5470 to 5725 | Pass |
|  |  |      |     |          | -10          | 120  | 5510.040 | 5470 to 5725 | Pass |
|  |  |      |     |          | 0            | 120  | 5510.040 | 5470 to 5725 | Pass |
|  |  |      |     |          | 10           | 120  | 5510.040 | 5470 to 5725 | Pass |
|  |  |      |     |          | 30           | 120  | 5510.040 | 5470 to 5725 | Pass |
|  |  |      |     |          | 40           | 120  | 5510.040 | 5470 to 5725 | Pass |
|  |  |      |     |          | 50           | 120  | 5510.040 | 5470 to 5725 | Pass |
|  |  | 5550 | /   | /        | 20           | 102  | 5550.080 | 5470 to 5725 | Pass |
|  |  |      |     |          |              | 120  | 5550.040 | 5470 to 5725 | Pass |
|  |  |      |     |          |              | 138  | 5550.040 | 5470 to 5725 | Pass |
|  |  |      |     |          | -30          | 120  | 5550.080 | 5470 to 5725 | Pass |
|  |  |      |     |          | -20          | 120  | 5550.080 | 5470 to 5725 | Pass |
|  |  |      |     |          | -10          | 120  | 5550.040 | 5470 to 5725 | Pass |
|  |  |      |     |          | 0            | 120  | 5550.040 | 5470 to 5725 | Pass |
|  |  |      |     |          | 10           | 120  | 5550.040 | 5470 to 5725 | Pass |
|  |  |      |     |          | 30           | 120  | 5550.080 | 5470 to 5725 | Pass |
|  |  |      |     |          | 40           | 120  | 5550.040 | 5470 to 5725 | Pass |
|  |  | 50   | 120 | 5550.040 | 5470 to 5725 | Pass |          |              |      |
|  |  | 5670 | /   | /        | 20           | 102  | 5670.040 | 5470 to 5725 | Pass |
|  |  |      |     |          |              | 120  | 5670.040 | 5470 to 5725 | Pass |
|  |  |      |     |          |              | 138  | 5670.040 | 5470 to 5725 | Pass |
|  |  |      |     |          | -30          | 120  | 5670.040 | 5470 to 5725 | Pass |
|  |  |      |     |          | -20          | 120  | 5670.040 | 5470 to 5725 | Pass |
|  |  |      |     |          | -10          | 120  | 5670.040 | 5470 to 5725 | Pass |
|  |  |      |     |          | 0            | 120  | 5670.040 | 5470 to 5725 | Pass |
|  |  |      |     |          | 10           | 120  | 5670.040 | 5470 to 5725 | Pass |
|  |  |      |     |          | 30           | 120  | 5670.080 | 5470 to 5725 | Pass |
|  |  |      |     |          | 40           | 120  | 5670.080 | 5470 to 5725 | Pass |
|  |  | 50   | 120 | 5670.040 | 5470 to 5725 | Pass |          |              |      |
|  |  | 5755 | /   | /        | 20           | 102  | 5755.080 | 5725 to 5850 | Pass |
|  |  |      |     |          |              | 120  | 5755.040 | 5725 to 5850 | Pass |
|  |  |      |     |          |              | 138  | 5755.040 | 5725 to 5850 | Pass |
|  |  |      |     |          | -30          | 120  | 5755.080 | 5725 to 5850 | Pass |
|  |  |      |     |          | -20          | 120  | 5755.080 | 5725 to 5850 | Pass |
|  |  |      |     |          | -10          | 120  | 5755.040 | 5725 to 5850 | Pass |
|  |  |      |     |          | 0            | 120  | 5755.040 | 5725 to 5850 | Pass |
|  |  |      |     |          | 10           | 120  | 5755.080 | 5725 to 5850 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1007 of 1024

|                     |      |      |   |   |     |     |          |              |      |
|---------------------|------|------|---|---|-----|-----|----------|--------------|------|
|                     |      | 5795 | / | / | 30  | 120 | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 40  | 120 | 5755.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 50  | 120 | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 20  | 102 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 138 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -30 | 120 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -20 | 120 | 5795.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -10 | 120 | 5795.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 0   | 120 | 5795.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 10  | 120 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 30  | 120 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 40  | 120 | 5795.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 50  | 120 | 5795.040 | 5725 to 5850 | Pass |
| 802.11ac<br>(VHT20) | MIMO | 5180 | / | / | 20  | 102 | 5180.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5180.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 138 | 5179.940 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -30 | 120 | 5179.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -20 | 120 | 5180.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -10 | 120 | 5179.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 0   | 120 | 5180.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 10  | 120 | 5180.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 30  | 120 | 5179.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 40  | 120 | 5179.980 | 5150 to 5250 | Pass |
|                     |      | 5200 | / | / | 50  | 120 | 5180.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 20  | 102 | 5200.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5200.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 138 | 5200.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -30 | 120 | 5200.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -20 | 120 | 5199.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -10 | 120 | 5200.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 0   | 120 | 5199.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 10  | 120 | 5200.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 30  | 120 | 5200.040 | 5150 to 5250 | Pass |
|                     |      | 5240 | / | / | 20  | 40  | 5200.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 50  | 5200.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 102 | 5239.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -30 | 120 | 5240.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 138 | 5240.040 | 5150 to 5250 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch / 深圳分公司 / SZEMC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200043505

Page: 1008 of 1024

|  |  |      |   |   |     |     |          |              |      |
|--|--|------|---|---|-----|-----|----------|--------------|------|
|  |  |      |   |   | -20 | 120 | 5240.020 | 5150 to 5250 | Pass |
|  |  |      |   |   | -10 | 120 | 5240.000 | 5150 to 5250 | Pass |
|  |  |      |   |   | 0   | 120 | 5240.060 | 5150 to 5250 | Pass |
|  |  |      |   |   | 10  | 120 | 5240.080 | 5150 to 5250 | Pass |
|  |  |      |   |   | 30  | 120 | 5240.000 | 5150 to 5250 | Pass |
|  |  |      |   |   | 40  | 120 | 5240.040 | 5150 to 5250 | Pass |
|  |  |      |   |   | 50  | 120 | 5240.040 | 5150 to 5250 | Pass |
|  |  | 5260 | / | / | 20  | 102 | 5260.020 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 120 | 5259.980 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 138 | 5259.980 | 5250 to 5350 | Pass |
|  |  |      |   |   | -30 | 120 | 5260.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | -20 | 120 | 5260.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | -10 | 120 | 5260.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 0   | 120 | 5260.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 10  | 120 | 5260.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 30  | 120 | 5260.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 40  | 120 | 5259.980 | 5250 to 5350 | Pass |
|  |  |      |   |   | 50  | 120 | 5260.000 | 5250 to 5350 | Pass |
|  |  | 5300 | / | / | 20  | 102 | 5300.020 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 120 | 5300.000 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 138 | 5300.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | -30 | 120 | 5300.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | -20 | 120 | 5300.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | -10 | 120 | 5300.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 0   | 120 | 5299.980 | 5250 to 5350 | Pass |
|  |  |      |   |   | 10  | 120 | 5299.980 | 5250 to 5350 | Pass |
|  |  |      |   |   | 30  | 120 | 5299.980 | 5250 to 5350 | Pass |
|  |  |      |   |   | 40  | 120 | 5299.980 | 5250 to 5350 | Pass |
|  |  |      |   |   | 50  | 120 | 5300.000 | 5250 to 5350 | Pass |
|  |  | 5320 | / | / | 20  | 102 | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 120 | 5319.980 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 138 | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | -30 | 120 | 5319.980 | 5250 to 5350 | Pass |
|  |  |      |   |   | -20 | 120 | 5320.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | -10 | 120 | 5320.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 0   | 120 | 5319.960 | 5250 to 5350 | Pass |
|  |  |      |   |   | 10  | 120 | 5320.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 30  | 120 | 5320.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 40  | 120 | 5319.980 | 5250 to 5350 | Pass |
|  |  |      |   |   | 50  | 120 | 5319.960 | 5250 to 5350 | Pass |



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com