

1GHz - 18GHz

Note: The highest waveform in the figure is 2.4GHz Fundamental.




Dongguan Lepont Testing Service Co., Ltd.
Room 102, Building 11, No.7 Houjie Science And Technology
Avenue, Houjie, Dongguan, Guangdong, China
Tel.: +86 769 8308 6888 Http://www.lepont.com.cn

Radiation Emission

Site: 966 Chamber 1

2024/12/11

Job No.:	LP24070228C02-03	Temp:	22.7 (C) / 50 %RH/ 1018
Test Standard:	FCC Class B 3M Radiation Peak(Above 1G)	Test Engineer:	Kervin
EUT:	Incase Sculpt Ergonomic Mouse	Power Rating:	DC 3V
Model No.:	OB1560	Ant. Polarization:	Vertical
Test Mode:	TX		
Remark 1:	2480MHz		



No.	Frequency (MHz)	Factor (dBuV/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	MK.	Remark
1	4961.000	-1.00	44.12	43.12	74.00	-30.88	peak		
2	4978.000	-1.01	32.55	31.54	54.00	-22.46	AVG		
3	7103.000	5.72	30.12	35.84	54.00	-18.16	AVG		
4	7120.000	5.72	41.08	46.80	74.00	-27.20	peak		
5	8378.000	5.95	41.49	47.44	74.00	-26.56	peak		
6	8531.000	6.27	29.94	36.21	54.00	-17.79	AVG	*	

Note: Level=Reading+Factor,Over=Level-Limit.
MK:.*:Maximum data x:Over limit !:Over margin

File: OB1560-RSE\Data :#6






Dongguan Lepont Testing Service Co., Ltd.
Room 102, Building 11, No.7 Houjie Science And Technology
Avenue, Houjie, Dongguan, Guangdong, China
Tel.: +86 769 8308 6888 Http://www.lepont.com.cn

Radiation Emission

Site: 966 Chamber 1

2024/12/11

Job No.:	LP24070228C02-03	Temp:	22.7 (C) / 50 %RH/ 1018
Test Standard:	FCC Class B 3M Radiation Peak(Above 1G)	Test Engineer:	Kervin
EUT:	Incase Sculpt Ergonomic Mouse	Power Rating:	DC 3V
Model No.:	OB1560	Ant. Polarization:	Horizontal
Test Mode:	TX		
Remark 1:	2480MHz		



No.	Frequency (MHz)	Factor (dBuV/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	MK.	Remark
1	4961.000	-1.00	45.26	44.26	74.00	-29.74	peak		
2	4978.000	-1.01	33.75	32.74	54.00	-21.26	AVG		
3	7086.000	5.73	40.83	46.56	74.00	-27.44	peak		
4	7103.000	5.72	30.11	35.83	54.00	-18.17	AVG		
5	9245.000	7.37	42.08	49.45	74.00	-24.55	peak		
6	9347.000	7.42	29.24	36.66	54.00	-17.34	AVG	*	

Note: Level=Reading+Factor,Over=Level-Limit.
MK.:*Maximum data x:Over limit !:Over margin
File: OB1560-RSEIData :#5






Dongguan Lepont Testing Service Co., Ltd.
Room 102, Building 11, No.7 Houjie Science And Technology
Avenue, Houjie, Dongguan, Guangdong, China
Tel.: +86 769 8308 6888 Http://www.lepont.com.cn

Radiation Emission

Site: 966 Chamber 1

2024/12/11

Job No.:	LP24070228C02-03	Temp:	22.7 (C) / 50 %RH/ 1018
Test Standard:	FCC Class B 3M Radiation Peak(Above 1G)	Test Engineer:	Kervin
EUT:	Incase Sculpt Ergonomic Mouse	Power Rating:	DC 3V
Model No.:	OB1560	Ant. Polarization:	Horizontal
Test Mode:	TX		
Remark 1:	2444MHz		



No.	Frequency (MHz)	Factor (dBuV/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	MK.	Remark
1	4893.000	-1.00	45.02	44.02	74.00	-29.98	peak		
2	4910.000	-1.01	34.22	33.21	54.00	-20.79	AVG		
3	7069.000	5.74	40.50	46.24	74.00	-27.76	peak		
4	7103.000	5.72	30.21	35.93	54.00	-18.07	AVG		
5	8174.000	5.47	42.89	48.36	74.00	-25.64	peak		
6	8191.000	5.51	30.83	36.34	54.00	-17.66	AVG	*	

Note: Level=Reading+Factor,Over=Level-Limit.
MK.:*Maximum data x:Over limit !:Over margin

File: OB1560-RSEIData :#4






Dongguan Lepont Testing Service Co., Ltd.
Room 102, Building 11, No.7 Houjie Science And Technology
Avenue, Houjie, Dongguan, Guangdong, China
Tel.: +86 769 8308 6888 Http://www.lepont.com.cn

Radiation Emission

Site: 966 Chamber 1

2024/12/11

Job No.:	LP24070228C02-03	Temp:	22.7 (C) / 50 %RH/ 1018
Test Standard:	FCC Class B 3M Radiation Peak(Above 1G)	Test Engineer:	Kervin
EUT:	Incase Sculpt Ergonomic Mouse	Power Rating:	DC 3V
Model No.:	OB1560	Ant. Polarization:	Vertical
Test Mode:	TX		
Remark 1:	2444MHz		



No.	Frequency (MHz)	Factor (dBuV/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	MK.	Remark
1	4893.000	-1.00	44.25	43.25	74.00	-30.75	peak		
2	4910.000	-1.01	32.76	31.75	54.00	-22.25	AVG		
3	7086.000	5.73	40.29	46.02	74.00	-27.98	peak		
4	7103.000	5.72	30.24	35.96	54.00	-18.04	AVG		
5	8174.000	5.47	42.55	48.02	74.00	-25.98	peak		
6	8191.000	5.51	30.80	36.31	54.00	-17.69	AVG	*	

Note: Level=Reading+Factor,Over=Level-Limit.
MK.:*Maximum data x:Over limit !:Over margin

File: OB1560-RSEIData :#3






Dongguan Lepont Testing Service Co., Ltd.
Room 102, Building 11, No.7 Houjie Science And Technology
Avenue, Houjie, Dongguan, Guangdong, China
Tel.: +86 769 8308 6888 Http://www.lepont.com.cn

Radiation Emission

Site: 966 Chamber 1

2024/12/11

Job No.:	LP24070228C02-03	Temp:	22.7 (C) / 50 %RH/ 1018
Test Standard:	FCC Class B 3M Radiation Peak(Above 1G)	Test Engineer:	Kervin
EUT:	Incase Sculpt Ergonomic Mouse	Power Rating:	DC 3V
Model No.:	OB1560	Ant. Polarization:	Vertical
Test Mode:	TX		
Remark 1:	2403MHz		



No.	Frequency (MHz)	Factor (dBuV/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	MK.	Remark
1	4808.000	-1.01	44.09	43.08	74.00	-30.92	peak		
2	4825.000	-1.02	32.26	31.24	54.00	-22.76	AVG		
3	7103.000	5.72	40.23	45.95	74.00	-28.05	peak		
4	7103.000	5.72	30.12	35.84	54.00	-18.16	AVG		
5	8140.000	5.40	41.62	47.02	74.00	-26.98	peak		
6	8191.000	5.51	30.84	36.35	54.00	-17.65	AVG	*	

Note: Level=Reading+Factor,Over=Level-Limit.
MK.:*Maximum data x:Over limit !:Over margin

File: OB1560-RSEIData :#2






Dongguan Lepont Testing Service Co., Ltd.
Room 102, Building 11, No.7 Houjie Science And Technology
Avenue, Houjie, Dongguan, Guangdong, China
Tel.: +86 769 8308 6888 Http://www.lepont.com.cn

Radiation Emission

Site: 966 Chamber 1

2024/12/11

Job No.:	LP24070228C02-03	Temp:	22.7 (C) / 50 %RH/ 1018
Test Standard:	FCC Class B 3M Radiation Peak(Above 1G)	Test Engineer:	Kervin
EUT:	Incase Sculpt Ergonomic Mouse	Power Rating:	DC 3V
Model No.:	OB1560	Ant. Polarization:	Horizontal
Test Mode:	TX		
Remark 1:	2403MHz		



No.	Frequency (MHz)	Factor (dBuV/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	MK.	Remark
1	4808.000	-1.01	42.91	41.90	74.00	-32.10	peak		
2	5080.000	-0.69	30.66	29.97	54.00	-24.03	AVG		
3	7086.000	5.73	41.62	47.35	74.00	-26.65	peak		
4	7103.000	5.72	29.79	35.51	54.00	-18.49	AVG		
5	8497.000	6.21	41.67	47.88	74.00	-26.12	peak		
6	8684.000	6.57	29.43	36.00	54.00	-18.00	AVG	*	

Note: Level=Reading+Factor,Over=Level-Limit.
MK.:*Maximum data x:Over limit !:Over margin

File: OB1560-RSEIData :#1



Appendix B.4: Test Results of Radiated Emissions in Restricted Bands

Low channel




Dongguan Lepont Testing Service Co., Ltd.
Room 102, Building 11, No.7 Houjie Science And Technology
Avenue, Houjie, Dongguan, Guangdong, China
Tel.: +86 769 8308 6888 Http://www.lepont.com.cn

Radiation Emission

Site: 966 Chamber 1

2024/12/11

Job No.:	LP24070228C02-03	Temp:	22.7 (C) / 50 %RH/ 1018
Test Standard:	FCC Class B 3M Radiation Peak(Above 1G)	Test Engineer:	Kervin
EUT:	Incase Sculpt Ergonomic Mouse	Power Rating:	DC 3V
Model No.:	OB1560	Ant. Polarization:	Vertical
Test Mode:	TX		
Remark 1:	2403MHz		



No.	Frequency (MHz)	Factor (dBuV/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	MK.	Remark
1	2390.000	-4.83	44.49	39.66	74.00	-34.34	peak		
2	2390.090	-4.83	30.25	25.42	54.00	-28.58	AVG		
3	2400.000	-4.79	41.75	36.96	74.00	-37.04	peak		
4	2400.320	-4.79	30.72	25.93	54.00	-28.07	AVG	*	

Note: Level=Reading+Factor, Over=Level-Limit.
MK.: *Maximum data x:Over limit !:Over margin

File: OB1560-BAND\Data :#6






Dongguan Lepont Testing Service Co., Ltd.
Room 102, Building 11, No.7 Houjie Science And Technology
Avenue, Houjie, Dongguan, Guangdong, China
Tel.: +86 769 8308 6888 Http://www.lepont.com.cn

Radiation Emission

Site: 966 Chamber 1

2024/12/11

Job No.:	LP24070228C02-03	Temp:	22.7 (C) / 50 %RH/ 1018
Test Standard:	FCC Class B 3M Radiation Peak(Above 1G)	Test Engineer:	Kervin
EUT:	Incase Sculpt Ergonomic Mouse	Power Rating:	DC 3V
Model No.:	OB1560	Ant. Polarization:	Horizontal
Test Mode:	TX		
Remark 1:	2403MHz		



No.	Frequency (MHz)	Factor (dBuV/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	MK.	Remark
1	2390.000	-4.83	42.62	37.79	74.00	-36.21	peak		
2	2390.090	-4.83	30.15	25.32	54.00	-28.68	AVG		
3	2400.000	-4.79	40.42	35.63	74.00	-38.37	peak		
4	2400.320	-4.79	30.97	26.18	54.00	-27.82	AVG	*	

Note: Level=Reading+Factor,Over=Level-Limit.
MK.:*Maximum data x:Over limit !:Over margin

File: OB1560-BAND1Data :#5



High channel




Dongguan Lepont Testing Service Co., Ltd.
Room 102, Building 11, No.7 Houjie Science And Technology
Avenue, Houjie, Dongguan, Guangdong, China
Tel.: +86 769 8308 6888 Http://www.lepont.com.cn

Radiation Emission

Site: 966 Chamber 1

2024/12/11

Job No.:	LP24070228C02-03	Temp:	22.7 (C) / 50 %RH/ 1018
Test Standard:	FCC Class B 3M Radiation Peak(Above 1G)	Test Engineer:	Kervin
EUT:	Incase Sculpt Ergonomic Mouse	Power Rating:	DC 3V
Model No.:	OB1560	Ant. Polarization:	Vertical
Test Mode:	TX		
Remark 1:	2480MHz		



No.	Frequency (MHz)	Factor (dBuV/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	MK.	Remark
1	2483.500	-4.46	39.47	35.01	74.00	-38.99	peak		
2	2483.500	-4.46	29.48	25.02	54.00	-28.98	AVG		
3	2485.000	-4.46	40.05	35.59	74.00	-38.41	peak		
4	2485.060	-4.46	29.54	25.08	54.00	-28.92	AVG	*	

Note: Level=Reading+Factor,Over=Level-Limit.
MK.:*Maximum data x:Over limit !:Over margin

File: OB1560-BAND\Data :#7






Dongguan Lepont Testing Service Co., Ltd.
Room 102, Building 11, No.7 Houjie Science And Technology
Avenue, Houjie, Dongguan, Guangdong, China
Tel.: +86 769 8308 6888 Http://www.lepont.com.cn

Radiation Emission

Site: 966 Chamber 1

2024/12/11

Job No.:	LP24070228C02-03	Temp:	22.7 (C) / 50 %RH/ 1018
Test Standard:	FCC Class B 3M Radiation Peak(Above 1G)	Test Engineer:	Kervin
EUT:	Incase Sculpt Ergonomic Mouse	Power Rating:	DC 3V
Model No.:	OB1560	Ant. Polarization:	Horizontal
Test Mode:	TX		
Remark 1:	2480MHz		



No.	Frequency (MHz)	Factor (dBuV/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	MK.	Remark
1	2483.500	-4.46	39.20	34.74	74.00	-39.26	peak		
2	2483.500	-4.46	29.23	24.77	54.00	-29.23	AVG		
3	2485.000	-4.46	39.48	35.02	74.00	-38.98	peak		
4	2485.000	-4.46	29.30	24.84	54.00	-29.16	AVG	*	

Note: Level=Reading+Factor,Over=Level-Limit.
MK.:*Maximum data x:Over limit !:Over margin

File: OB1560-BAND\Data :#8

