## specification

SPECIFICATON APPROVAL


customer name.
CUSTOMER Shenzhen Huier Wireless Technology Co., LTD
Customer product name:
Product Name ofCustomerD2-MPP magnetic coil
Product name (material):
110ddct Hame (material).
P roduct Mame of Ours (Matenial) D2-MPP magnetic coil
admit:
APPROVED
Approval: Table: Date:
APPROVED DRAWN Wang Xingwang DATE

Page 1 of 4

Dongguan Xinwang coil technology Co., LTD

Add: Room 601, Building 2, No. 92, Xinxing Road, Hengtang Industrial Zone, Tangxia Town, Dongguan City

Specification Specificatio ns and contents			CISTOMEP/N: Customer product name  PARTNUMBER: Manufacturer part number	C2-N	ЛРР magnetic coil
Contents					101.0.1
1.DIMENSIONS	S (external dimer	nsions): mm		A	18± 0.1
				В	19±1 39±1
				D	43.5± 1
				E	8± 1
	_ F_			F	2-3.5
		E		G	Total thickness 2.6MAX
D		A	ВС	Н	The thickness of the magnetic sheet is 0.9±0.1
				1	8± 1
				J	
				k	
3				L	
				M	
				N	
				0	
		G		R	
	Н			Q	
		I		P	
APPROVED BY	CHECKED BY	PREPARED	DATE		PACE

admit

examine

ВҮ

Wang

Xingwang

fabrication

date

page number

2 of 4

	CUSTOMERP/N:	
Specifcation	Customer	D2-MPP magnetic coil
Specificatio	product name	
ns and	PARTNUMBER:	
iis and	Manufacturer part number	
contents	partituitibei	

## **5.WINDING DETAILS (Detailed description of winding):**

Wdy. NO. Windin g	Start begi n	Finish finish	Turns number of turns	Wire Dia Wire diameter	Wdg.TyepeSprad/lose Winding method sparse/wound	Wdg.Direction  n  direction of winding	Turns/Layer number of layers/numb er of turns per layer
1	S	F	11TS	0.08*80P	The secret is to wrap it up	anticlo ckwise	1 layer /11TS

## **6.ELECTRICAL CHARACTERISTICS (Electrical characteristics):**

PARAMETERS	UNIN	LIMTI
Inductance Is@100KHz/1v	UH	7.4 UH± 10%
Q @100KHz/1v		65MIN
DCR@100KHz/1v	mΩ	75MAX

APPROVED BY	CHECKED BY	PREPARED BY DATE		PAGE
admit	examine	fabrication	date	page number
		Wang Xingwang		3 of 4

MATERIAL LIST  Material list		_		CUSTOMER P/N: Customer product name PARTNUMBER: Manufacturer		C2-MPP magnetic coil	
NO.	Material name Material name	Descript Produc descrip n	t	part nun Manufac manu:			Material material quality
1	Hot air twisted wire	0.08*80P				99.95% p	ourple copper
2	Lead-free tin strips	high temperat	ure				
3	high temperature adhesive	Golden Finger	8mm				
4	glue	Resin glue					
5	magnetic sheet	43.5*5.3*0.8 MM				Ferrite.Manganese Zinc PC 40	
6	double faced adhesive tape	Tear off the on the back of hand					
7	pearl wool	270*380*55					
8	carton	280*390* 190					
Al	PPROVED BY	CHECKED BY	PREPA	RED BY	DATE		PAGE
	admit	examine		brication	date		page number
			Wang	Xingwang			4 of 4