

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6405MHz

14/11/2024

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.372

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.52	-4.52	-7.45	-7.57

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6445MHz

14/11/2024

CF (Hz)
6.445G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.372

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.33	-4.33	-7.61	-7.02


6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6485MHz

14/11/2024

CF (Hz)
6.485G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.372
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.33	-4.33	-7.77	-6.87

Sum
Port 1
Port 2


6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6525MHz

14/11/2024

CF (Hz)
6.525G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.372
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.38	-4.38	-7.79	-6.97

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6565MHz

14/11/2024

CF (Hz)
6.565G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.372
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.15	-4.15	-7.60	-6.75


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6685MHz

14/11/2024

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.372
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.09	-4.09	-7.41	-6.81


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6885MHz

14/11/2024

CF (Hz)
6.885G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.372
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.24	-4.24	-7.43	-6.94


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6925MHz

14/11/2024

CF (Hz)
6.925G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.372
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.97	-5.97	-9.46	-8.48


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

7005MHz

14/11/2024

CF (Hz)
7.005G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.372
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.05	-6.05	-9.30	-8.78


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

7085MHz

14/11/2024

CF (Hz)
7.085G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.372
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.00	-6.00	-9.67	-8.43

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5985MHz

14/11/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.47	-4.47	-7.96	-6.96

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6225MHz

14/11/2024



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.56	-4.56	-7.90	-7.23

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6385MHz

14/11/2024

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.272

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.57	-4.57	-7.91	-7.21

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6465MHz

14/11/2024

CF (Hz)
6.465G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.272

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.23	-4.23	-7.61	-6.85

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6545MHz

14/11/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.35	-4.35	-7.61	-7.09

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6625MHz

14/11/2024



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.24	-4.24	-7.08	-7.39

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6705MHz

14/11/2024

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.272

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.14	-4.14	-6.86	-7.44

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6785MHz

14/11/2024

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.272

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.12	-4.12	-7.18	-7.03

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6865MHz

14/11/2024

CF (Hz)
6.865G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.272

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.11	-4.11	-7.23	-6.95

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6945MHz

14/11/2024

CF (Hz)
6.945G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.272

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.21	-6.21	-9.46	-8.92


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

7025MHz

14/11/2024

CF (Hz)
7.025G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.272
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
-5.88	-5.88	-9.05	-8.72

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6025MHz

14/11/2024

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.231
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
-4.69	-4.69	-8.04	-7.38

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6185MHz

14/11/2024

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.231
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.61	-4.61	-7.72	-7.53


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6345MHz

14/11/2024

CF (Hz)
6.345G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.231
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.59	-4.59	-7.95	-7.23


6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6505MHz

14/11/2024

CF (Hz)
6.505G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.231
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.25	-4.25	-7.36	-7.00

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6665MHz

14/11/2024

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.231
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.21	-4.21	-7.08	-7.33

Sum
Port 1
Port 2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6825MHz

14/11/2024

CF (Hz)
6.825G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.231

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.11	-4.11	-7.29	-6.90

Sum ☒

Port 1 ☒

Port 2 ☒

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6985MHz

14/11/2024

CF (Hz)
6.985G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.231

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.95	-5.95	-9.06	-8.87

Sum ☒

Port 1 ☒

Port 2 ☒


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6105MHz

14/11/2024

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.228
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.63	-4.63	-7.79	-7.25

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6265MHz

14/11/2024

CF (Hz)
6.265G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.228
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.63	-4.63	-7.57	-7.58

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6425MHz

22/11/2024

CF (Hz)
6.425G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.228
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.58	-4.58	-7.79	-7.33

Sum
Port 1
Port 2


6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6585MHz

14/11/2024

CF (Hz)
6.585G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.228
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.32	-4.32	-7.21	-7.39

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6745MHz

14/11/2024

CF (Hz)
6.745G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.228
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.13	-4.13	-7.43	-6.86

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6905MHz

14/11/2024

CF (Hz)
6.905G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.228
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.08	-4.08	-7.20	-6.98

Sum
Port 1
Port 2

Test Mode: Mode 7

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-2.86	4.79
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX	-2.79	4.86
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX	-2.87	4.78
6.525-6.875GHz	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX	-1.66	4.76
6.875-7.125GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	-2.72	4.82
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX	-2.81	4.73

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.65	-8.98	-9.34	-7.67	-9.41	-2.86	Inf	4.79	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	7.54	-9.44	-8.13	-7.94	-9.03	-2.72	Inf	4.82	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.65	-9.39	-8.59	-7.89	-9.27	-2.79	Inf	4.86	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.65	-9.33	-8.64	-8.06	-9.23	-2.84	Inf	4.81	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	7.54	-9.04	-8.28	-8.67	-9.25	-2.81	Inf	4.73	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	7.54	-9.17	-8.37	-8.73	-9.24	-2.89	Inf	4.65	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.65	-9.24	-8.87	-7.89	-9.35	-2.87	Inf	4.78	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.65	-9.23	-8.70	-8.05	-9.38	-2.88	Inf	4.77	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.65	-9.57	-9.13	-8.05	-9.48	-3.06	Inf	4.59	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.42	-8.40	-7.32	-7.32	-8.29	-1.78	Inf	4.64	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.42	-7.84	-6.97	-7.30	-8.40	-1.66	Inf	4.76	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	6.42	-8.13	-7.33	-7.17	-8.43	-1.79	Inf	4.63	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

PSD

5985MHz

01/11/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5985MHz

10/01/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

PSD

5985MHz

01/11/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

PSD

7025MHz

10/01/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

PSD

7025MHz

02/11/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

7025MHz

02/11/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX

PSD

6025MHz

01/11/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

PSD

6025MHz

01/11/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

PSD

6025MHz

01/11/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

PSD

6025MHz

01/11/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

PSD

6025MHz

01/11/2024

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.74	5.74	0.03	-0.38	-0.24	-0.26


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

PSD

6025MHz

01/11/2024

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.75	5.75	0.07	-0.40	-0.31	-0.23


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

PSD

6025MHz

10/01/2025

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.79	-2.79	-9.39	-8.59	-7.89	-9.27

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

PSD

6025MHz

01/11/2024

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.32	6.32	0.58	0.11	0.65	0.14


Sum
Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

PSD

6025MHz

01/11/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

PSD

6025MHz

10/01/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 1_4TX

PSD

6985MHz

02/11/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_4TX

PSD

6985MHz

10/01/2025



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

PSD

6985MHz

02/11/2024

CF (Hz)
6.985G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.88	-2.88	-8.91	-8.81	-8.84	-8.83

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

PSD

6985MHz

02/11/2024

CF (Hz)
6.985G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.88	-2.88	-8.72	-8.82	-8.89	-8.79

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

PSD

6985MHz

02/11/2024

CF (Hz)
6.985G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.82	-2.82	-8.67	-8.90	-8.70	-8.80

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

PSD

6985MHz

02/11/2024

CF (Hz)
6.985G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.92	-2.92	-9.05	-8.69	-8.68	-8.79

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

PSD

6985MHz

02/11/2024

CF (Hz)
6.985G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.86	-2.86	-8.91	-8.70	-8.67	-8.63

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX

PSD

6985MHz

02/11/2024

CF (Hz)
6.985G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.80	-2.80	-8.82	-8.52	-8.82	-8.79

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX

PSD

6985MHz

02/11/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_3_4TX

PSD

6985MHz

10/01/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU_2_4TX

PSD

6105MHz

01/11/2024

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.87	-2.87	-8.65	-8.89	-8.77	-8.93


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU_3_4TX

PSD

6105MHz

01/11/2024

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.84	-2.84	-8.68	-8.93	-8.71	-8.77


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

PSD

6105MHz

01/11/2024

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.92	-2.92	-8.77	-8.92	-8.81	-8.91

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

PSD

6105MHz

10/01/2025

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.87	-2.87	-9.24	-8.87	-7.89	-9.35


Sum
Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 6_4TX

PSD

6105MHz

01/11/2024




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.96	-2.96	-8.74	-9.16	-8.82	-8.79

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 7_4TX

PSD

6105MHz

01/11/2024



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.88	-2.88	-8.66	-9.13	-8.82	-8.74


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU_8_4TX

PSD

6105MHz

01/11/2024

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.93	-2.93	-8.96	-8.83	-8.86	-8.87


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU_2_4TX

PSD

6105MHz

01/11/2024

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.86	-2.86	-8.80	-8.71	-8.63	-8.95


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX

PSD

6105MHz

10/01/2025

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.88	-2.88	-9.23	-8.70	-8.05	-9.38


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

PSD

6105MHz

01/11/2024

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.01	-3.01	-9.21	-9.06	-8.74	-8.77


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX

PSD

6105MHz

01/11/2024

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.92	-2.92	-8.99	-8.91	-8.85	-8.72

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 3_4TX

PSD

6105MHz

01/11/2024

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.04	-3.04	-9.24	-8.89	-8.80	-8.81

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 4_4TX

PSD

6105MHz

01/11/2024

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-2.98	-2.98	-8.82	-8.89	-9.18	-8.72


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

PSD

6105MHz

01/11/2024

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-2.88	-2.88	-8.74	-8.95	-8.91	-8.79


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU_6_4TX

PSD

6105MHz

10/01/2025

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.06	-3.06	-9.57	-9.13	-8.05	-9.48

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU_1_4TX

PSD

6905MHz

02/11/2024

CF (Hz)
6.905G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.48	-1.48	-7.74	-7.98	-6.68	-7.51


Sum
Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX

PSD

6905MHz

02/11/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 3_4TX

PSD

6905MHz

02/11/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

PSD

6905MHz

10/01/2025

CF (Hz)
6.905G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.78	-1.78	-8.40	-7.32	-7.32	-8.29


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

PSD

6905MHz

02/11/2024

CF (Hz)
6.905G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.64	-1.64	-8.27	-7.87	-6.80	-7.64


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU_6_4TX

PSD

6905MHz

02/11/2024

CF (Hz)
6.905G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-1.60	-1.60	-7.90	-7.60	-7.03	-7.88

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU_7_4TX

PSD

6905MHz

02/11/2024

CF (Hz)
6.905G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-1.58	-1.58	-7.77	-7.76	-6.93	-7.74


Sum
Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX

PSD

6905MHz

10/01/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

PSD

6905MHz

04/11/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_4TX

PSD

6905MHz

04/11/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 7_4TX

PSD

6905MHz

04/11/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU_8_4TX

PSD

6905MHz

10/01/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU_9_4TX

PSD

6905MHz

04/11/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 10_4TX

PSD

6905MHz

04/11/2024

CF (Hz)
6.905G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.10	2.10	-4.01	-3.82	-3.30	-4.06


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 11_4TX

PSD

6905MHz

04/11/2024

CF (Hz)
6.905G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.18	2.18	-3.85	-3.97	-3.29	-3.99

Test Mode: Mode 8

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
6.525-6.875GHz	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX	-4.08	4.86
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX	-4.18	4.76
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-4.25	4.69
6.875-7.125GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-4.29	4.80
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-4.41	4.68
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX	-4.40	4.69

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-
7025MHz	Pass	9.09	-9.33	-10.83	-10.07	-10.86	-4.29	4.80	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-	-	-	-	-	-	-	-	-
6985MHz	Pass	9.09	-10.10	-10.72	-10.25	-9.78	-4.41	4.68	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-
6985MHz	Pass	9.09	-9.84	-10.83	-10.37	-10.56	-4.40	4.69	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-
6905MHz	Pass	8.94	-9.37	-9.98	-10.13	-9.46	-4.08	4.86	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX	-	-	-	-	-	-	-	-	-
6905MHz	Pass	8.94	-9.48	-10.23	-10.21	-9.01	-4.18	4.76	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-
6905MHz	Pass	8.94	-9.43	-10.34	-10.14	-9.06	-4.25	4.69	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

7025MHz

14/01/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

PSD

6985MHz

14/01/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX

PSD

6985MHz

14/01/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX

PSD

6905MHz

14/01/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

PSD

6905MHz

14/01/2025

CF (Hz)
6.905G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.18	-4.18	-9.48	-10.23	-10.21	-9.01

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

PSD

6905MHz

14/01/2025

CF (Hz)
6.905G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.25	-4.25	-9.43	-10.34	-10.14	-9.06

Sum
Port 1
Port 2
Port 3
Port 4

Test Mode: Mode 9

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX	-5.48	4.66
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-5.41	4.73
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX	-5.35	4.79
6.525-6.875GHz	-	-
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-5.03	4.69
6.875-7.125GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-5.94	4.82
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-6.01	4.75

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	10.14	-11.55	-11.74	-11.07	-11.52	-5.48	4.66	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-
7025MHz	Pass	10.76	-12.33	-11.86	-11.49	-11.78	-5.94	4.82	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	10.14	-11.81	-11.47	-11.06	-11.33	-5.41	4.73	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	10.14	-11.82	-11.46	-11.02	-11.33	-5.43	4.71	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-	-	-	-	-	-	-	-	-
6985MHz	Pass	10.76	-12.37	-11.28	-11.91	-12.44	-6.01	4.75	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-
6985MHz	Pass	10.76	-12.38	-12.13	-11.68	-12.38	-6.15	4.61	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	10.14	-11.84	-11.04	-10.74	-11.63	-5.35	4.79	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	10.14	-11.62	-10.97	-10.93	-11.76	-5.35	4.79	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	10.14	-11.82	-10.96	-10.86	-11.69	-5.37	4.77	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-
6905MHz	Pass	9.72	-11.23	-11.34	-10.71	-11.23	-5.16	4.56	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-	-
6905MHz	Pass	9.72	-11.57	-10.90	-10.77	-11.05	-5.11	4.61	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-
6905MHz	Pass	9.72	-11.36	-10.88	-10.62	-11.01	-5.03	4.69	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

PSD

5985MHz

02/11/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

PSD

7025MHz

05/11/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

PSD

6025MHz

02/11/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

PSD

6025MHz

02/11/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

PSD

6985MHz

05/11/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_4TX

PSD

6985MHz

05/11/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

PSD

6105MHz

06/11/2024

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
10
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.35	-5.35	-11.84	-11.04	-10.74	-11.63


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

PSD

6105MHz

06/11/2024

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
10.31
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.35	-5.35	-11.62	-10.97	-10.93	-11.76


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 2_4TX

PSD

6105MHz

05/11/2024

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
10.31
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.37	-5.37	-11.82	-10.96	-10.86	-11.69


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

PSD

6905MHz

05/11/2024

CF (Hz)
6.905G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
10
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.16	-5.16	-11.23	-11.34	-10.71	-11.23


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX

PSD

6905MHz

05/11/2024

CF (Hz)
6.905G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
10.31
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.11	-5.11	-11.57	-10.90	-10.77	-11.05


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

PSD

6905MHz

05/11/2024

CF (Hz)
6.905G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
10.31
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.03	-5.03	-11.36	-10.88	-10.62	-11.01

Test Mode: Mode 10

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
6.525-6.875GHz	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX	-5.75	4.87
6.875-7.125GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	-6.01	4.79
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX	-6.00	4.80

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-
7025MHz	Pass	10.80	-12.13	-12.52	-11.29	-12.08	-6.01	4.79	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX	-	-	-	-	-	-	-	-	-
6985MHz	Pass	10.80	-12.40	-12.20	-11.50	-10.80	-6.00	4.80	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-
6985MHz	Pass	10.80	-12.61	-12.39	-11.94	-10.96	-6.13	4.67	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-
6905MHz	Pass	10.62	-12.18	-11.61	-10.82	-10.59	-5.75	4.87	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-	-
6905MHz	Pass	10.62	-12.13	-11.83	-11.20	-10.84	-5.90	4.72	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-
6905MHz	Pass	10.62	-12.54	-12.43	-11.79	-12.05	-6.55	4.07	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

PSD

7025MHz

14/01/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

PSD

6985MHz

14/01/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_2_4TX

PSD

6985MHz

14/01/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU_2_4TX

PSD

6905MHz

14/01/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 1_4TX

PSD

6905MHz

14/01/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

PSD

6905MHz

14/01/2025






Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	PK	416.06M	42.94	46.00	-3.06	Horizontal

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
QP	39.7M	32.87	40.00	-7.13	-11.25	3	Vertical	12	1.00	-	44.12	19.23	1.07	31.55		
PK	81.41M	35.34	40.00	-4.66	-17.05	3	Vertical	187	1.50	-	52.39	13.25	1.42	31.72		
PK	123.12M	39.59	43.50	-3.91	-11.87	3	Vertical	360	1.25	"Worst"	51.46	18.19	1.69	31.75		
QP	129.91M	37.11	43.50	-6.39	-12.04	3	Vertical	7	1.00	-	49.15	17.98	1.73	31.75		
PK	190.05M	38.72	43.50	-4.78	-14.71	3	Vertical	245	1.25	-	53.43	14.98	2.08	31.77		
PK	303.54M	41.49	46.00	-4.51	-9.91	3	Vertical	313	1.00	-	51.40	19.28	2.66	31.85		

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
QP	137.67M	36.26	43.50	-7.24	-12.50	3	Horizontal	60	1.50	-	48.76	17.47	1.78	31.75		
PK	166.77M	38.38	43.50	-5.12	-14.00	3	Horizontal	211	2.00	-	52.38	15.83	1.94	31.77		
QP	253.1M	37.26	46.00	-8.74	-10.79	3	Horizontal	87	1.50	-	48.05	18.62	2.41	31.82		
QP	279.29M	41.78	46.00	-4.22	-10.50	3	Horizontal	267	1.50	-	52.28	18.79	2.54	31.83		
QP	303.54M	39.79	46.00	-6.21	-9.91	3	Horizontal	279	1.00	-	49.70	19.28	2.66	31.85		
PK	416.06M	42.94	46.00	-3.06	-6.57	3	Horizontal	271	1.00	"Worst"	49.51	22.31	3.13	32.01		




Test Mode: Mode 1

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1.(MCS0)_4TX	Pass	RMS	5.9215G	68.17	68.20	-0.03	3	Horizontal	304	3.00	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 92
01-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9249G	76.36	88.20	-11.84	67.26	3	Vertical	38	1.00	-	34.10	7.44	32.44			
RMS	5.9225G	61.59	68.20	-6.61	52.49	3	Vertical	38	1.00	-	34.10	7.44	32.44			
PK	5.9621G	114.22	Inf	-Inf	105.09	3	Vertical	38	1.00	-	34.10	7.47	32.44			
RMS	5.9574G	103.94	Inf	-Inf	94.81	3	Vertical	38	1.00	-	34.10	7.47	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 92
01-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9228G	83.71	88.20	-4.49	74.61	3	Horizontal	304	3.00	-	34.10	7.44	32.44			
RMS	5.9215G	68.17	68.20	-0.03	59.07	3	Horizontal	304	3.00	-	34.10	7.44	32.44			
PK	5.9611G	123.33	Inf	-Inf	114.20	3	Horizontal	304	3.00	-	34.10	7.47	32.44			
RMS	5.9611G	113.59	Inf	-Inf	104.46	3	Horizontal	304	3.00	-	34.10	7.47	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 92
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9083G	61.36	74.00	-12.64	55.73	3	Vertical	336	3.00	-	38.70	12.27	45.34			
AV	11.9081G	50.81	54.00	-3.19	45.18	3	Vertical	336	3.00	-	38.70	12.27	45.34			
PK	17.87116G	63.96	74.00	-10.04	51.19	3	Vertical	263	1.80	-	42.90	14.19	44.32			
AV	17.86508G	53.05	54.00	-0.95	40.37	3	Vertical	263	1.80	-	42.81	14.19	44.32			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 92
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91282G	63.28	74.00	-10.72	57.65	3	Horizontal	317	2.80	-	38.70	12.27	45.34			
AV	11.9108G	53.71	54.00	-0.29	48.08	3	Horizontal	317	2.80	-	38.70	12.27	45.34			
PK	17.8631G	63.65	74.00	-10.35	51.00	3	Horizontal	303	1.58	-	42.78	14.19	44.32			
AV	17.87G	52.99	54.00	-1.01	40.24	3	Horizontal	303	1.58	-	42.88	14.19	44.32			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_V_4TX
Setting 92
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.82008G	61.42	83.54	-22.12	52.15	1	Vertical	296	1.80	-	39.10	17.35	47.18			
AV	23.82G	50.66	63.54	-12.88	41.39	1	Vertical	296	1.80	-	39.10	17.35	47.18			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 92
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81384G	65.29	83.54	-18.25	56.03	1	Horizontal	356	1.52	-	39.10	17.34	47.18			
AV	23.82384G	53.90	63.54	-9.64	44.63	1	Horizontal	356	1.52	-	39.10	17.35	47.18			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 98
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38904G	60.68	74.00	-13.32	54.96	3	Vertical	323	2.52	-	38.72	12.57	45.57			
AV	12.38872G	50.38	54.00	-3.62	44.66	3	Vertical	323	2.52	-	38.72	12.57	45.57			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 98
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38498G	63.44	74.00	-10.56	57.71	3	Horizontal	318	2.72	-	38.73	12.57	45.57			
AV	12.39006G	53.81	54.00	-0.19	48.09	3	Horizontal	318	2.72	-	38.72	12.57	45.57			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_V_4TX
Setting 98
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58388G	52.93	83.54	-30.61	49.48	1	Vertical	143	1.69	-	37.80	15.27	49.62			
AV	18.58868G	41.88	63.54	-21.66	38.43	1	Vertical	143	1.69	-	37.80	15.27	49.62			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_Y_4TX
Setting 98
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58196G	51.36	83.54	-32.18	47.91	1	Horizontal	304	1.80	-	37.80	15.27	49.62			
AV	18.58692G	38.95	63.54	-24.59	35.50	1	Horizontal	304	1.80	-	37.80	15.27	49.62			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 108
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82988G	68.59	88.20	-19.61	61.22	3	Vertical	27	1.00	-	39.82	12.81	45.26			
RMS	12.83028G	58.42	68.20	-9.78	51.05	3	Vertical	27	1.00	-	39.82	12.81	45.26			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 108
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83158G	75.26	88.20	-12.94	67.88	3	Horizontal	318	2.86	-	39.83	12.81	45.26			
RMS	12.82648G	65.11	68.20	-3.09	57.75	3	Horizontal	318	2.86	-	39.81	12.81	45.26			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2498G	57.10	83.54	-26.44	53.37	1	Vertical	6	1.86	-	38.00	15.24	49.51			
AV	19.24492G	47.22	63.54	-16.32	43.51	1	Vertical	6	1.86	-	37.98	15.24	49.51			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24508G	56.36	83.54	-27.18	52.65	1	Horizontal	324	2.10	-	37.98	15.24	49.51			
AV	19.24188G	47.07	63.54	-16.47	43.36	1	Horizontal	324	2.10	-	37.97	15.24	49.50			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 81
01-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	77.86	88.20	-10.34	68.76	3	Vertical	7	2.45	-	34.10	7.44	32.44			
RMS	5.922G	64.93	68.20	-3.27	55.83	3	Vertical	7	2.45	-	34.10	7.44	32.44			
PK	5.982G	114.45	Inf	-Inf	105.30	3	Vertical	7	2.45	-	34.10	7.49	32.44			
RMS	5.9768G	104.72	Inf	-Inf	95.58	3	Vertical	7	2.45	-	34.10	7.48	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 81
01-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9208G	78.76	88.20	-9.44	69.66	3	Horizontal	303	3.00	-	34.10	7.44	32.44			
RMS	5.9212G	66.87	68.20	-1.33	57.77	3	Horizontal	303	3.00	-	34.10	7.44	32.44			
PK	5.9764G	122.13	Inf	-Inf	112.99	3	Horizontal	303	3.00	-	34.10	7.48	32.44			
RMS	5.9764G	111.00	Inf	-Inf	101.86	3	Horizontal	303	3.00	-	34.10	7.48	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 81
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92876G	58.97	74.00	-15.03	53.32	3	Vertical	0	1.16	-	38.70	12.29	45.34			
AV	11.9311G	48.89	54.00	-5.11	43.24	3	Vertical	0	1.16	-	38.70	12.29	45.34			
PK	17.89516G	61.22	74.00	-12.78	48.10	3	Vertical	328	2.00	-	43.23	14.20	44.31			
AV	17.9024G	50.27	54.00	-3.73	37.05	3	Vertical	328	2.00	-	43.33	14.20	44.31			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 81
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9332G	61.43	74.00	-12.57	55.78	3	Horizontal	314	2.80	-	38.70	12.29	45.34			
AV	11.93598G	50.41	54.00	-3.59	44.76	3	Horizontal	314	2.80	-	38.70	12.29	45.34			
PK	17.90208G	61.72	74.00	-12.28	48.51	3	Horizontal	142	1.80	-	43.32	14.20	44.31			
AV	17.89338G	50.51	54.00	-3.49	37.41	3	Horizontal	142	1.80	-	43.21	14.20	44.31			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 81
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.85352G	55.09	83.54	-28.45	45.80	1	Vertical	295	1.80	-	39.09	17.36	47.16			
AV	23.86232G	43.56	63.54	-19.98	34.28	1	Vertical	295	1.80	-	39.08	17.36	47.16			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 81
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85096G	55.73	83.54	-27.81	46.43	1	Horizontal	307	1.80	-	39.10	17.36	47.16			
AV	23.8548G	44.53	63.54	-19.01	35.24	1	Horizontal	307	1.80	-	39.09	17.36	47.16			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Y_4TX
Setting 108
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41296G	60.81	74.00	-13.19	55.10	3	Vertical	322	2.90	-	38.70	12.59	45.58			
AV	12.4106G	48.85	54.00	-5.15	43.15	3	Vertical	322	2.90	-	38.70	12.58	45.58			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 108
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.41402G	62.07	74.00	-11.93	56.36	3	Horizontal	326	2.74	-	38.70	12.59	45.58			
AV	12.40882G	51.62	54.00	-2.38	45.92	3	Horizontal	326	2.74	-	38.70	12.58	45.58			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62636G	53.43	83.54	-30.11	49.90	1	Vertical	325	1.39	-	37.85	15.27	49.59			
AV	18.62124G	43.58	63.54	-19.96	40.07	1	Vertical	325	1.39	-	37.84	15.27	49.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61756G	54.63	83.54	-28.91	51.12	1	Horizontal	22	1.65	-	37.84	15.27	49.60			
AV	18.61748G	42.47	63.54	-21.07	38.97	1	Horizontal	22	1.65	-	37.83	15.27	49.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 108
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81468G	66.89	88.20	-21.31	59.61	3	Vertical	22	2.19	-	39.76	12.80	45.28			
RMS	12.81452G	56.91	68.20	-11.29	49.63	3	Vertical	22	2.19	-	39.76	12.80	45.28			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 108
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81184G	72.31	88.20	-15.89	65.04	3	Horizontal	318	2.91	-	39.75	12.80	45.28			
RMS	12.80656G	61.27	68.20	-6.93	54.03	3	Horizontal	318	2.91	-	39.73	12.80	45.29			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2134G	58.78	83.54	-24.76	55.18	1	Vertical	224	1.67	-	37.85	15.24	49.49			
AV	19.21356G	47.51	63.54	-16.03	43.91	1	Vertical	224	1.67	-	37.85	15.24	49.49			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.20028G	54.51	83.54	-29.03	50.95	1	Horizontal	322	1.65	-	37.80	15.24	49.48			
AV	19.20556G	44.45	63.54	-19.09	40.87	1	Horizontal	322	1.65	-	37.82	15.24	49.48			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 84
01-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	75.58	88.20	-12.62	66.48	3	Vertical	360	2.35	-	34.10	7.44	32.44			
RMS	5.923G	64.42	68.20	-3.78	55.32	3	Vertical	360	2.35	-	34.10	7.44	32.44			
PK	6.0026G	111.40	Inf	-Inf	102.23	3	Vertical	360	2.35	-	34.11	7.50	32.44			
RMS	6.0226G	101.95	Inf	-Inf	92.73	3	Vertical	360	2.35	-	34.15	7.51	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 84
01-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9214G	78.65	88.20	-9.55	69.55	3	Horizontal	301	3.00	-	34.10	7.44	32.44			
RMS	5.9214G	66.85	68.20	-1.35	57.75	3	Horizontal	301	3.00	-	34.10	7.44	32.44			
PK	5.9866G	118.03	Inf	-Inf	108.88	3	Horizontal	301	3.00	-	34.10	7.49	32.44			
RMS	5.9962G	108.50	Inf	-Inf	99.34	3	Horizontal	301	3.00	-	34.10	7.50	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 84
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97834G	57.72	74.00	-16.28	52.03	3	Vertical	360	1.00	-	38.70	12.34	45.35			
AV	11.97894G	47.05	54.00	-6.95	41.36	3	Vertical	360	1.00	-	38.70	12.34	45.35			
PK	17.95924G	62.64	74.00	-11.36	48.77	3	Vertical	341	1.60	-	43.94	14.22	44.29			
AV	17.95286G	50.45	54.00	-3.55	36.61	3	Vertical	341	1.60	-	43.91	14.22	44.29			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 84
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96112G	58.46	74.00	-15.54	52.79	3	Horizontal	313	2.78	-	38.70	12.32	45.35			
AV	11.9665G	48.13	54.00	-5.87	42.45	3	Horizontal	313	2.78	-	38.70	12.33	45.35			
PK	17.94942G	62.05	74.00	-11.95	48.23	3	Horizontal	356	1.80	-	43.89	14.22	44.29			
AV	17.95406G	50.62	54.00	-3.38	36.77	3	Horizontal	356	1.80	-	43.92	14.22	44.29			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_V_4TX
Setting 84
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9264G	53.07	83.54	-30.47	43.82	1	Vertical	296	1.80	-	39.00	17.38	47.13			
AV	23.92728G	41.63	63.54	-21.91	32.38	1	Vertical	296	1.80	-	39.00	17.38	47.13			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_V_4TX
Setting 84
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.934G	51.96	83.54	-31.58	42.70	1	Horizontal	307	1.72	-	39.00	17.38	47.12			
AV	23.95848G	42.03	63.54	-21.51	32.73	1	Horizontal	307	1.72	-	39.02	17.39	47.11			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 108
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45014G	57.89	74.00	-16.11	52.18	3	Vertical	324	2.95	-	38.70	12.61	45.60			
AV	12.4498G	47.84	54.00	-6.16	42.13	3	Vertical	324	2.95	-	38.70	12.61	45.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 108
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44174G	60.30	74.00	-13.70	54.60	3	Horizontal	309	2.69	-	38.70	12.60	45.60			
AV	12.44164G	49.11	54.00	-4.89	43.41	3	Horizontal	309	2.69	-	38.70	12.60	45.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68716G	53.89	83.54	-29.65	50.27	1	Vertical	211	1.61	-	37.90	15.27	49.55			
AV	18.67716G	43.68	63.54	-19.86	40.07	1	Vertical	211	1.61	-	37.90	15.27	49.56			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.69236G	52.15	83.54	-31.39	48.53	1	Horizontal	321	1.72	-	37.90	15.27	49.55			
AV	18.69244G	42.87	63.54	-20.67	39.25	1	Horizontal	321	1.72	-	37.90	15.27	49.55			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 108
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76192G	66.38	88.20	-21.82	59.39	3	Vertical	320	3.00	-	39.55	12.78	45.34			
RMS	12.76748G	55.72	68.20	-12.48	48.70	3	Vertical	320	3.00	-	39.57	12.78	45.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 108
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76184G	68.50	88.20	-19.70	61.51	3	Horizontal	316	2.91	-	39.55	12.78	45.34			
RMS	12.76678G	58.34	68.20	-9.86	51.32	3	Horizontal	316	2.91	-	39.57	12.78	45.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.14868G	56.77	83.54	-26.77	52.97	1	Vertical	224	1.59	-	38.00	15.24	49.44			
AV	19.15196G	46.67	63.54	-16.87	42.88	1	Vertical	224	1.59	-	37.99	15.24	49.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16764G	51.25	83.54	-32.29	47.53	1	Horizontal	20	1.80	-	37.93	15.24	49.45			
AV	19.17268G	41.31	63.54	-22.23	37.62	1	Horizontal	20	1.80	-	37.91	15.24	49.46			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 89
01-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	75.05	88.20	-13.15	65.95	3	Vertical	0	2.49	-	34.10	7.44	32.44			
RMS	5.925G	64.37	68.20	-3.83	55.27	3	Vertical	0	2.49	-	34.10	7.44	32.44			
PK	6.0818G	110.94	Inf	-Inf	101.69	3	Vertical	0	2.49	-	34.14	7.54	32.43			
RMS	6.0826G	102.20	Inf	-Inf	92.96	3	Vertical	0	2.49	-	34.13	7.54	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 89
01-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	75.93	88.20	-12.27	66.83	3	Horizontal	298	3.00	-	34.10	7.44	32.44			
RMS	5.9234G	67.26	68.20	-0.94	58.16	3	Horizontal	298	3.00	-	34.10	7.44	32.44			
PK	6.0562G	116.84	Inf	-Inf	107.55	3	Horizontal	298	3.00	-	34.19	7.53	32.43			
RMS	6.0866G	107.32	Inf	-Inf	98.08	3	Horizontal	298	3.00	-	34.13	7.54	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 89
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04982G	58.91	74.00	-15.09	53.01	3	Vertical	345	2.84	-	38.90	12.39	45.39			
AV	12.04912G	47.48	54.00	-6.52	41.58	3	Vertical	345	2.84	-	38.90	12.39	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 89
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05012G	59.43	74.00	-14.57	53.53	3	Horizontal	45	2.41	-	38.90	12.39	45.39			
AV	12.05004G	48.26	54.00	-5.74	42.36	3	Horizontal	45	2.41	-	38.90	12.39	45.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 89
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.08444G	47.62	83.54	-35.92	44.19	1	Vertical	349	1.63	-	37.61	15.30	49.48			
AV	18.0946G	36.61	63.54	-26.93	33.13	1	Vertical	349	1.63	-	37.67	15.30	49.49			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_V_4TX
Setting 89
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.0922G	47.61	83.54	-35.93	44.14	1	Horizontal	307	1.80	-	37.65	15.30	49.48			
AV	18.0914G	36.67	63.54	-26.87	33.20	1	Horizontal	307	1.80	-	37.65	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 108
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3709G	57.04	74.00	-16.96	51.28	3	Vertical	0	1.12	-	38.76	12.56	45.56			
AV	12.3613G	46.18	54.00	-7.82	40.40	3	Vertical	0	1.12	-	38.78	12.56	45.56			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 108
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36102G	57.95	74.00	-16.05	52.16	3	Horizontal	325	2.96	-	38.78	12.56	45.55			
AV	12.37052G	47.35	54.00	-6.65	41.59	3	Horizontal	325	2.96	-	38.76	12.56	45.56			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57132G	52.55	83.54	-30.99	49.11	1	Vertical	146	1.57	-	37.80	15.27	49.63			
AV	18.57244G	41.92	63.54	-21.62	38.48	1	Vertical	146	1.57	-	37.80	15.27	49.63			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.53724G	50.07	83.54	-33.47	46.65	1	Horizontal	323	1.64	-	37.80	15.27	49.65			
AV	18.56732G	39.57	63.54	-23.97	36.13	1	Horizontal	323	1.64	-	37.80	15.27	49.63			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 108
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69006G	62.87	74.00	-11.13	56.15	3	Vertical	24	2.25	-	39.40	12.74	45.42			
AV	12.68984G	51.86	54.00	-2.14	45.14	3	Vertical	24	2.25	-	39.40	12.74	45.42			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 108
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.6819G	64.01	74.00	-9.99	57.31	3	Horizontal	317	2.90	-	39.40	12.73	45.43			
AV	12.69716G	53.75	54.00	-0.25	47.02	3	Horizontal	317	2.90	-	39.40	12.74	45.41			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0514G	51.77	83.54	-31.77	47.99	1	Vertical	235	1.80	-	37.90	15.25	49.37			
AV	19.0478G	41.64	63.54	-21.90	37.86	1	Vertical	235	1.80	-	37.90	15.25	49.37			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.04316G	52.92	83.54	-30.62	49.13	1	Horizontal	323	1.52	-	37.91	15.25	49.37			
AV	19.04324G	42.31	63.54	-21.23	38.52	1	Horizontal	323	1.52	-	37.91	15.25	49.37			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 96
01-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	77.51	88.20	-10.69	68.41	3	Vertical	360	2.37	-	34.10	7.44	32.44			
RMS	5.9226G	67.67	68.20	-0.53	58.57	3	Vertical	360	2.37	-	34.10	7.44	32.44			
PK	6.2618G	110.05	Inf	-Inf	100.50	3	Vertical	360	2.37	-	34.30	7.66	32.41			
RMS	6.0674G	100.93	Inf	-Inf	91.66	3	Vertical	360	2.37	-	34.17	7.53	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 96
01-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	78.96	88.20	-9.24	69.86	3	Horizontal	315	1.91	-	34.10	7.44	32.44			
RMS	5.9226G	67.92	68.20	-0.28	58.82	3	Horizontal	315	1.91	-	34.10	7.44	32.44			
PK	6.1386G	113.37	Inf	-Inf	104.05	3	Horizontal	315	1.91	-	34.18	7.56	32.42			
RMS	6.137G	104.06	Inf	-Inf	94.75	3	Horizontal	315	1.91	-	34.17	7.56	32.42			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 96
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.22G	56.90	74.00	-17.10	50.90	3	Vertical	41	1.80	-	39.00	12.48	45.48			
AV	12.20872G	46.61	54.00	-7.39	40.61	3	Vertical	41	1.80	-	39.00	12.47	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_V_4TX
Setting 96
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.2176G	58.78	74.00	-15.22	52.78	3	Horizontal	317	2.96	-	39.00	12.48	45.48			
AV	12.20246G	46.97	54.00	-7.03	40.97	3	Horizontal	317	2.96	-	39.00	12.47	45.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 96
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.29796G	48.33	83.54	-35.21	45.02	1	Vertical	22	1.81	-	37.60	15.29	49.58			
AV	18.30292G	36.22	63.54	-27.32	32.92	1	Vertical	22	1.81	-	37.61	15.28	49.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 96
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.29748G	48.25	83.54	-35.29	44.94	1	Horizontal	318	1.78	-	37.60	15.29	49.58			
AV	18.327G	38.09	63.54	-25.45	34.76	1	Horizontal	318	1.78	-	37.65	15.28	49.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 108
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.5256G	57.67	74.00	-16.33	51.67	3	Vertical	132	1.76	-	38.95	12.65	45.60			
AV	12.52328G	47.02	54.00	-6.98	41.02	3	Vertical	132	1.76	-	38.95	12.65	45.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 108
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.53402G	59.00	74.00	-15.00	52.97	3	Horizontal	325	2.75	-	38.97	12.65	45.59			
AV	12.53906G	48.21	54.00	-5.79	42.17	3	Horizontal	325	2.75	-	38.98	12.65	45.59			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.7998G	50.36	83.54	-33.18	46.68	1	Vertical	330	1.76	-	37.90	15.26	49.48			
AV	18.79996G	40.57	63.54	-22.97	36.89	1	Vertical	330	1.76	-	37.90	15.26	49.48			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79116G	51.40	83.54	-32.14	47.72	1	Horizontal	5	1.80	-	37.90	15.26	49.48			
AV	18.79876G	41.10	63.54	-22.44	37.42	1	Horizontal	5	1.80	-	37.90	15.26	49.48			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 108
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87128G	62.94	88.20	-25.26	55.38	3	Vertical	26	3.00	-	39.94	12.83	45.21			
RMS	12.86974G	52.17	68.20	-16.03	44.62	3	Vertical	26	3.00	-	39.94	12.83	45.22			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 108
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87102G	64.64	88.20	-23.56	57.08	3	Horizontal	40	2.62	-	39.94	12.83	45.21			
RMS	12.87076G	54.95	68.20	-13.25	47.39	3	Horizontal	40	2.62	-	39.94	12.83	45.21			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2958G	57.19	83.54	-26.35	53.67	1	Vertical	21	1.80	-	37.82	15.24	49.54			
AV	19.30564G	47.01	63.54	-16.53	43.53	1	Vertical	21	1.80	-	37.80	15.23	49.55			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30516G	60.41	83.54	-23.13	56.93	1	Horizontal	35	1.82	-	37.80	15.23	49.55			
AV	19.305G	50.69	63.54	-12.85	47.21	1	Horizontal	35	1.82	-	37.80	15.23	49.55			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 108
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.95284G	63.30	88.20	-24.90	55.44	3	Vertical	345	2.95	-	40.10	12.88	45.12			
RMS	12.94822G	52.87	68.20	-15.33	45.02	3	Vertical	345	2.95	-	40.10	12.88	45.13			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 108
01-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.9453G	65.98	88.20	-22.22	58.14	3	Horizontal	315	2.64	-	40.09	12.88	45.13			
RMS	12.95082G	56.02	68.20	-12.18	48.17	3	Horizontal	315	2.64	-	40.10	12.88	45.13			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42124G	58.71	83.54	-24.83	55.29	1	Vertical	30	1.80	-	37.82	15.23	49.63			
AV	19.42148G	47.31	63.54	-16.23	43.90	1	Vertical	30	1.80	-	37.81	15.23	49.63			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4238G	56.68	83.54	-26.86	53.28	1	Horizontal	39	2.01	-	37.80	15.23	49.63			
AV	19.42396G	46.42	63.54	-17.12	43.02	1	Horizontal	39	2.01	-	37.80	15.23	49.63			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 108
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.031G	63.64	88.20	-24.56	55.78	3	Vertical	352	2.23	-	39.98	12.92	45.04			
RMS	13.02602G	53.70	68.20	-14.50	45.83	3	Vertical	352	2.23	-	40.00	12.92	45.05			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Y_4TX
Setting 108
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03104G	67.26	88.20	-20.94	59.40	3	Horizontal	32	2.86	-	39.98	12.92	45.04			
RMS	13.03102G	56.80	68.20	-11.40	48.94	3	Horizontal	32	2.86	-	39.98	12.92	45.04			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.53996G	55.05	83.54	-28.49	51.76	1	Vertical	303	1.81	-	37.72	15.22	49.65			
AV	19.5446G	45.91	63.54	-17.63	42.62	1	Vertical	303	1.81	-	37.71	15.22	49.64			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.545G	56.64	83.54	-26.90	53.35	1	Horizontal	335	1.82	-	37.71	15.22	49.64			
AV	19.545G	47.05	63.54	-16.49	43.76	1	Horizontal	335	1.82	-	37.71	15.22	49.64			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6445MHz_TX

EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88808G	57.34	88.20	-30.86	49.72	3	Vertical	38	1.73	-	39.98	12.84	45.20			
RMS	12.8879G	48.39	68.20	-19.81	40.77	3	Vertical	38	1.73	-	39.98	12.84	45.20			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX



EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.89303G	65.37	88.20	-22.83	57.72	3	Horizontal	314	2.68	-	39.99	12.85	45.19			
RMS	12.88526G	53.66	68.20	-14.54	46.05	3	Horizontal	314	2.68	-	39.97	12.84	45.20			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.32388G	54.84	83.54	-28.70	51.37	1	Vertical	313	1.42	-	37.80	15.23	49.56			
AV	19.33372G	45.35	63.54	-18.19	41.89	1	Vertical	313	1.42	-	37.80	15.23	49.57			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.32196G	56.01	83.54	-27.53	52.54	1	Horizontal	36	1.81	-	37.80	15.23	49.56			
AV	19.32508G	45.88	63.54	-17.66	42.41	1	Horizontal	36	1.81	-	37.80	15.23	49.56			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.96475G	61.04	88.20	-27.16	53.16	3	Vertical	348	2.96	-	40.10	12.89	45.11			
RMS	12.97195G	52.27	68.20	-15.93	44.38	3	Vertical	348	2.96	-	40.10	12.89	45.10			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.97291G	66.24	88.20	-21.96	58.35	3	Horizontal	312	2.66	-	40.10	12.89	45.10			
RMS	12.97576G	54.22	68.20	-13.98	46.33	3	Horizontal	312	2.66	-	40.10	12.89	45.10			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.44636G	54.70	83.54	-28.84	51.40	1	Vertical	30	1.80	-	37.71	15.23	49.64			
AV	19.45628G	44.11	63.54	-19.43	40.82	1	Vertical	30	1.80	-	37.71	15.23	49.65			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.45764G	58.17	83.54	-25.37	54.87	1	Horizontal	18	1.93	-	37.72	15.23	49.65			
AV	19.44124G	47.93	63.54	-15.61	44.60	1	Horizontal	18	1.93	-	37.74	15.23	49.64			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.05297G	62.80	88.20	-25.40	55.01	3	Vertical	19	1.21	-	39.89	12.93	45.03			
RMS	13.05216G	50.94	68.20	-17.26	43.14	3	Vertical	19	1.21	-	39.90	12.93	45.03			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05618G	64.45	88.20	-23.75	56.64	3	Horizontal	317	2.84	-	39.89	12.94	45.02			
RMS	13.05147G	55.73	68.20	-12.47	47.93	3	Horizontal	317	2.84	-	39.90	12.93	45.03			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.56988G	55.75	83.54	-27.79	52.45	1	Vertical	271	1.74	-	37.70	15.22	49.62			
AV	19.57972G	45.60	63.54	-17.94	42.29	1	Vertical	271	1.74	-	37.70	15.22	49.61			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.58492G	53.46	83.54	-30.08	50.15	1	Horizontal	306	1.80	-	37.70	15.22	49.61			
AV	19.56516G	42.99	63.54	-20.55	39.70	1	Horizontal	306	1.80	-	37.70	15.22	49.63			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94473G	58.44	88.20	-29.76	50.61	3	Vertical	349	2.97	-	40.09	12.87	45.13			
RMS	12.93693G	48.60	68.20	-19.60	40.80	3	Vertical	349	2.97	-	40.07	12.87	45.14			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.92931G	60.40	88.20	-27.80	52.62	3	Horizontal	35	2.32	-	40.06	12.87	45.15			
RMS	12.9342G	49.98	68.20	-18.22	42.18	3	Horizontal	35	2.32	-	40.07	12.87	45.14			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.41156G	53.88	83.54	-29.66	50.42	1	Vertical	32	1.80	-	37.85	15.23	49.62			
AV	19.40156G	42.39	63.54	-21.15	38.88	1	Vertical	32	1.80	-	37.89	15.23	49.61			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6465MHz_TX

EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.3874G	58.54	83.54	-25.00	55.04	1	Horizontal	208	1.81	-	37.87	15.23	49.60			
AV	19.41316G	47.55	63.54	-15.99	44.09	1	Horizontal	208	1.81	-	37.85	15.23	49.62			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.09717G	61.62	88.20	-26.58	53.84	3	Vertical	41	1.80	-	39.81	12.96	44.99			
RMS	13.1014G	52.20	68.20	-16.00	44.42	3	Vertical	41	1.80	-	39.81	12.96	44.99			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09723G	65.36	88.20	-22.84	57.58	3	Horizontal	317	2.90	-	39.81	12.96	44.99			
RMS	13.10164G	54.77	68.20	-13.43	46.99	3	Horizontal	317	2.90	-	39.81	12.96	44.99			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6545MHz_TX

EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61684G	53.98	83.54	-29.56	50.64	1	Vertical	1	1.70	-	37.70	15.22	49.58			
AV	19.623G	41.92	63.54	-21.62	38.58	1	Vertical	1	1.70	-	37.70	15.22	49.58			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz_TX




EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.64708G	54.88	83.54	-28.66	51.52	1	Horizontal	72	1.80	-	37.70	15.22	49.56			
AV	19.65236G	43.92	63.54	-19.62	40.56	1	Horizontal	72	1.80	-	37.70	15.22	49.56			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 108
01-C-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9908G	57.53	88.20	-30.67	49.61	3	Vertical	168	1.35	-	40.10	12.90	45.08			
RMS	12.9899G	47.10	68.20	-21.10	39.18	3	Vertical	168	1.35	-	40.10	12.90	45.08			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 108
01-C-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9956G	58.23	88.20	-29.97	50.30	3	Horizontal	360	1.27	-	40.10	12.90	45.07			
RMS	12.98905G	46.81	68.20	-21.39	38.89	3	Horizontal	360	1.27	-	40.10	12.90	45.08			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6505MHz_TX

EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.52732G	51.88	83.54	-31.66	48.57	1	Vertical	28	1.52	-	37.75	15.22	49.66			
AV	19.52996G	41.71	63.54	-21.83	38.41	1	Vertical	28	1.52	-	37.74	15.22	49.66			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.52284G	54.77	83.54	-28.77	51.46	1	Horizontal	345	1.93	-	37.75	15.22	49.66			
AV	19.53228G	43.14	63.54	-20.40	39.83	1	Horizontal	345	1.93	-	37.74	15.22	49.65			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6585MHz_TX

EUT_V_4TX
Setting 108
01-C-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1865G	57.21	88.20	-30.99	49.12	3	Vertical	183	1.38	-	40.00	13.01	44.92			
RMS	13.18745G	46.68	68.20	-21.52	38.59	3	Vertical	183	1.38	-	40.00	13.01	44.92			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




EUT Y_4TX
Setting 108
01-C-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.14875G	56.74	88.20	-31.46	48.70	3	Horizontal	251	1.74	-	40.00	12.99	44.95				
RMS	13.19165G	46.88	68.20	-21.32	38.78	3	Horizontal	251	1.74	-	40.00	13.01	44.91				

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6585MHz_TX

EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.7622G	50.95	83.54	-32.59	47.50	1	Vertical	13	1.39	-	37.70	15.21	49.46			
AV	19.7702G	39.21	63.54	-24.33	35.76	1	Vertical	13	1.39	-	37.70	15.21	49.46			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.7658G	51.37	83.54	-32.17	47.92	1	Horizontal	157	1.87	-	37.70	15.21	49.46			
AV	19.75004G	41.02	63.54	-22.52	37.58	1	Horizontal	157	1.87	-	37.70	15.21	49.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 108
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07234G	66.11	88.20	-22.09	58.32	3	Vertical	1	2.64	-	39.86	12.94	45.01			
RMS	13.0673G	55.38	68.20	-12.82	47.58	3	Vertical	1	2.64	-	39.87	12.94	45.01			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 108
01-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07164G	68.73	88.20	-19.47	60.94	3	Horizontal	316	2.82	-	39.86	12.94	45.01			
RMS	13.072G	59.63	68.20	-8.57	51.84	3	Horizontal	316	2.82	-	39.86	12.94	45.01			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60652G	55.80	83.54	-27.74	52.47	1	Vertical	158	1.80	-	37.70	15.22	49.59			
AV	19.60628G	44.86	63.54	-18.68	41.53	1	Vertical	158	1.80	-	37.70	15.22	49.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60924G	55.99	83.54	-27.55	52.66	1	Horizontal	242	1.80	-	37.70	15.22	49.59			
AV	19.60428G	45.62	63.54	-17.92	42.29	1	Horizontal	242	1.80	-	37.70	15.22	49.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_Y_4TX
Setting 108
04-H-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38025G	47.59	74.00	-26.41	60.29	3	Vertical	310	1.80	-	40.06	11.73	64.49			
AV	13.39966G	34.68	54.00	-19.32	47.30	3	Vertical	310	1.80	-	40.10	11.73	64.45			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_Y_4TX
Setting 108
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39573G	47.96	74.00	-26.04	60.60	3	Horizontal	58	2.91	-	40.09	11.73	64.46			
AV	13.39015G	34.87	54.00	-19.13	47.53	3	Horizontal	58	2.91	-	40.08	11.73	64.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_Y_4TX
Setting 108
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07003G	62.18	83.54	-21.36	58.37	1	Vertical	278	2.50	-	37.80	15.26	49.25			
AV	20.07138G	50.07	63.54	-13.47	46.26	1	Vertical	278	2.50	-	37.80	15.26	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_Y_4TX
Setting 108
04-H-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07378G	61.89	83.54	-21.65	58.08	1	Horizontal	37	1.69	-	37.80	15.26	49.25			
AV	20.07021G	50.19	63.54	-13.35	46.38	1	Horizontal	37	1.69	-	37.80	15.26	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Y_4TX
Setting 108
01-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.74928G	59.59	88.20	-28.61	50.07	3	Vertical	360	1.80	-	40.70	13.31	44.49			
RMS	13.74934G	50.61	68.20	-17.59	41.09	3	Vertical	360	1.80	-	40.70	13.31	44.49			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74277G	53.92	88.20	-34.28	44.39	3	Horizontal	234	1.80	-	40.71	13.31	44.49			
RMS	13.75354G	43.28	68.20	-24.92	33.75	3	Horizontal	234	1.80	-	40.69	13.32	44.48			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62772G	55.86	83.54	-27.68	51.33	1	Vertical	28	1.63	-	37.90	15.70	49.07			
AV	20.6278G	45.64	63.54	-17.90	41.11	1	Vertical	28	1.63	-	37.90	15.70	49.07			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.63204G	57.33	83.54	-26.21	52.79	1	Horizontal	28	1.70	-	37.90	15.71	49.07			
AV	20.62692G	48.69	63.54	-14.85	44.16	1	Horizontal	28	1.70	-	37.90	15.70	49.07			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13645G	66.56	88.20	-21.64	58.59	3	Vertical	43	1.80	-	39.95	12.98	44.96			
RMS	13.13117G	57.28	68.20	-10.92	49.34	3	Vertical	43	1.80	-	39.92	12.98	44.96			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13513G	68.32	88.20	-19.88	60.36	3	Horizontal	313	2.77	-	39.94	12.98	44.96			
RMS	13.14044G	58.80	68.20	-9.40	50.81	3	Horizontal	313	2.77	-	39.96	12.98	44.95			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69844G	52.12	83.54	-31.42	48.72	1	Vertical	330	1.80	-	37.70	15.22	49.52			
AV	19.687G	42.00	63.54	-21.54	38.61	1	Vertical	330	1.80	-	37.70	15.22	49.53			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69332G	56.18	83.54	-27.36	52.78	1	Horizontal	136	1.50	-	37.70	15.22	49.52			
AV	19.685G	45.85	63.54	-17.69	42.46	1	Horizontal	136	1.50	-	37.70	15.22	49.53			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6685MHz_TX

EUT_V_4TX
Setting 95
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37066G	59.99	74.00	-14.01	72.73	3	Vertical	29	1.82	-	40.04	11.73	64.51			
AV	13.37105G	51.36	54.00	-2.64	64.10	3	Vertical	29	1.82	-	40.04	11.73	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 95
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37126G	62.59	74.00	-11.41	75.33	3	Horizontal	44	2.84	-	40.04	11.73	64.51			
AV	13.37138G	53.96	54.00	-0.04	66.70	3	Horizontal	44	2.84	-	40.04	11.73	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 95
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05155G	52.49	83.54	-31.05	48.71	1	Vertical	120	2.53	-	37.80	15.24	49.26			
AV	20.06298G	43.60	63.54	-19.94	39.80	1	Vertical	120	2.53	-	37.80	15.25	49.25			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 95
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05155G	52.49	83.54	-31.05	48.71	1	Horizontal	255	2.01	-	37.80	15.24	49.26			
AV	20.06298G	43.60	63.54	-19.94	39.80	1	Horizontal	255	2.01	-	37.80	15.25	49.25			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_Y_4TX
Setting 108
01-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7664G	61.03	88.20	-27.17	51.51	3	Vertical	24	1.80	-	40.67	13.32	44.47			
RMS	13.76643G	51.94	68.20	-16.26	42.42	3	Vertical	24	1.80	-	40.67	13.32	44.47			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7748G	62.38	88.20	-25.82	52.87	3	Horizontal	330	3.00	-	40.65	13.33	44.47			
RMS	13.76937G	52.84	68.20	-15.36	43.33	3	Horizontal	330	3.00	-	40.66	13.32	44.47			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.67356G	53.53	83.54	-30.01	48.94	1	Vertical	60	2.05	-	37.90	15.74	49.05			
AV	20.66788G	42.17	63.54	-21.37	37.59	1	Vertical	60	2.05	-	37.90	15.73	49.05			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.66276G	59.60	83.54	-23.94	55.03	1	Horizontal	156	1.91	-	37.90	15.73	49.06			
AV	20.66292G	49.39	63.54	-14.15	44.82	1	Horizontal	156	1.91	-	37.90	15.73	49.06			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.2587G	62.14	74.00	-11.86	53.92	3	Vertical	20	2.34	-	40.03	13.05	44.86			
AV	13.2582G	51.33	54.00	-2.67	43.11	3	Vertical	20	2.34	-	40.03	13.05	44.86			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.2605G	63.22	74.00	-10.78	54.99	3	Horizontal	318	2.85	-	40.04	13.05	44.86			
AV	13.25425G	53.47	54.00	-0.53	45.27	3	Horizontal	318	2.85	-	40.02	13.04	44.86			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.865G	54.84	83.54	-28.70	51.31	1	Vertical	245	1.56	-	37.70	15.21	49.38			
AV	19.88116G	43.12	63.54	-20.42	39.58	1	Vertical	245	1.56	-	37.70	15.21	49.37			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.865G	56.26	83.54	-27.28	52.73	1	Horizontal	115	1.55	-	37.70	15.21	49.38			
AV	19.88788G	45.59	63.54	-17.95	42.04	1	Horizontal	115	1.55	-	37.70	15.21	49.36			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
01-C-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4159G	59.25	88.20	-28.95	50.45	3	Vertical	35	1.80	-	40.40	13.13	44.73			
RMS	13.4232G	47.89	68.20	-20.31	39.03	3	Vertical	35	1.80	-	40.44	13.14	44.72			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
01-C-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4276G	58.32	88.20	-29.88	49.43	3	Horizontal	360	1.80	-	40.47	13.14	44.72			
RMS	13.41965G	47.82	68.20	-20.38	39.00	3	Horizontal	360	1.80	-	40.42	13.13	44.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11852G	56.12	83.54	-27.42	52.27	1	Vertical	203	1.74	-	37.80	15.29	49.24			
AV	20.12428G	44.00	63.54	-19.54	40.14	1	Vertical	203	1.74	-	37.80	15.30	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.12364G	58.59	83.54	-24.95	54.73	1	Horizontal	296	1.38	-	37.80	15.30	49.24			
AV	20.12956G	46.14	63.54	-17.40	42.28	1	Horizontal	296	1.38	-	37.80	15.30	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 108
01-C-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.5596G	59.55	88.20	-28.65	50.02	3	Vertical	286	1.36	-	40.94	13.21	44.62			
RMS	13.5518G	48.81	68.20	-19.39	39.23	3	Vertical	286	1.36	-	40.99	13.21	44.62			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 108
01-C-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57865G	59.57	88.20	-28.63	50.12	3	Horizontal	83	1.48	-	40.83	13.22	44.60			
RMS	13.5917G	48.73	68.20	-19.47	39.35	3	Horizontal	83	1.48	-	40.75	13.23	44.60			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.37444G	53.80	83.54	-29.74	49.62	1	Vertical	76	1.76	-	37.85	15.50	49.17			
AV	20.36852G	43.61	63.54	-19.93	39.43	1	Vertical	76	1.76	-	37.86	15.49	49.17			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.10908G	56.53	83.54	-27.01	52.68	1	Horizontal	204	1.39	-	37.80	15.29	49.24			
AV	20.13108G	45.37	63.54	-18.17	41.51	1	Horizontal	204	1.39	-	37.80	15.30	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 108
01-C-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75405G	59.57	88.20	-28.63	50.04	3	Vertical	155	1.80	-	40.69	13.32	44.48			
RMS	13.7329G	48.58	68.20	-19.62	39.05	3	Vertical	155	1.80	-	40.73	13.30	44.50			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 108
01-C-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7328G	59.78	88.20	-28.42	50.25	3	Horizontal	157	1.84	-	40.73	13.30	44.50			
RMS	13.7362G	48.91	68.20	-19.29	39.36	3	Horizontal	157	1.84	-	40.73	13.31	44.49			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.58772G	56.62	83.54	-34.92	44.14	1	Vertical	351	1.70	-	37.90	15.67	49.09			
AV	20.58868G	46.01	63.54	-25.53	33.53	1	Vertical	351	1.70	-	37.90	15.67	49.09			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6865MHz_TX

EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6142G	58.78	83.54	-24.76	54.27	1	Horizontal	99	1.44	-	37.90	15.69	49.08			
AV	20.59084G	48.12	63.54	-15.42	43.64	1	Horizontal	99	1.44	-	37.90	15.67	49.09			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 108
01-C-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3268G	58.60	74.00	-15.40	50.07	3	Vertical	211	2.27	-	40.25	13.08	44.80			
AV	13.3338G	48.31	54.00	-5.69	39.75	3	Vertical	211	2.27	-	40.27	13.09	44.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 108
01-C-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3096G	59.90	74.00	-14.10	51.43	3	Horizontal	339	1.80	-	40.22	13.07	44.82			
AV	13.343G	48.37	54.00	-5.63	39.78	3	Horizontal	339	1.80	-	40.29	13.09	44.79			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9926G	52.38	83.54	-31.16	48.75	1	Vertical	120	1.88	-	37.71	15.20	49.28			
AV	19.99436G	41.08	63.54	-22.46	37.44	1	Vertical	120	1.88	-	37.71	15.20	49.27			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.98676G	56.04	83.54	-27.50	52.39	1	Horizontal	45	1.84	-	37.73	15.20	49.28			
AV	19.99572G	45.28	63.54	-18.26	41.64	1	Horizontal	45	1.84	-	37.71	15.20	49.27			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz_TX

EUT_Y_4TX
Setting 108
01-C-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.6263G	58.74	88.20	-29.46	49.36	3	Vertical	1	1.56	-	40.70	13.25	44.57			
RMS	13.6384G	48.39	68.20	-19.81	39.00	3	Vertical	1	1.56	-	40.70	13.25	44.56			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 108
01-C-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.6513G	58.98	88.20	-29.22	49.57	3	Horizontal	190	1.66	-	40.70	13.26	44.55			
RMS	13.6744G	48.28	68.20	-19.92	38.80	3	Horizontal	190	1.66	-	40.75	13.27	44.54			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.48492G	52.12	83.54	-31.42	47.77	1	Vertical	56	1.89	-	37.90	15.59	49.14			
AV	20.48724G	41.55	63.54	-21.99	37.20	1	Vertical	56	1.89	-	37.90	15.59	49.14			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.45724G	53.68	83.54	-29.86	49.36	1	Horizontal	56	1.92	-	37.90	15.57	49.15			
AV	20.4934G	42.65	63.54	-20.89	38.30	1	Horizontal	56	1.92	-	37.90	15.59	49.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 108
01-C-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4696G	58.87	88.20	-29.33	49.75	3	Vertical	266	1.51	-	40.64	13.16	44.68			
RMS	13.4842G	47.77	68.20	-20.43	38.60	3	Vertical	266	1.51	-	40.67	13.17	44.67			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 108
01-C-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.502G	58.15	88.20	-30.05	48.92	3	Horizontal	265	1.52	-	40.71	13.18	44.66			
RMS	13.4782G	47.97	68.20	-20.23	38.82	3	Horizontal	265	1.52	-	40.66	13.17	44.68			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6745MHz_TX

EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.251G	50.49	83.54	-33.05	46.49	1	Vertical	206	1.95	-	37.80	15.40	49.20			
AV	20.23652G	39.90	63.54	-23.64	35.92	1	Vertical	206	1.95	-	37.80	15.39	49.21			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.21532G	52.09	83.54	-31.45	48.13	1	Horizontal	294	1.80	-	37.80	15.37	49.21			
AV	20.25076G	41.92	63.54	-21.62	37.92	1	Horizontal	294	1.80	-	37.80	15.40	49.20			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 75
01-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8018G	105.46	Inf	-Inf	94.08	3	Vertical	342	3.00	-	36.00	7.98	32.60			
RMS	6.7616G	95.87	Inf	-Inf	84.47	3	Vertical	342	3.00	-	36.00	7.97	32.57			
PK	7.1462G	73.72	88.20	-14.48	61.68	3	Vertical	342	3.00	-	36.78	7.95	32.69			
RMS	7.1264G	62.61	68.20	-5.59	50.70	3	Vertical	342	3.00	-	36.66	7.95	32.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 75
01-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7994G	110.74	Inf	-Inf	99.36	3	Horizontal	303	2.44	-	36.00	7.98	32.60			
RMS	6.794G	100.68	Inf	-Inf	89.30	3	Horizontal	303	2.44	-	36.00	7.98	32.60			
PK	7.1384G	77.74	88.20	-10.46	65.76	3	Horizontal	303	2.44	-	36.73	7.95	32.70			
RMS	7.1336G	67.32	68.20	-0.88	55.37	3	Horizontal	303	2.44	-	36.70	7.95	32.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_V_4TX
Setting 75
01-C-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79755G	60.80	88.20	-27.40	51.31	3	Vertical	233	1.63	-	40.60	13.34	44.45			
RMS	13.7907G	47.92	68.20	-20.28	38.42	3	Vertical	233	1.63	-	40.62	13.34	44.46			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_V_4TX
Setting 75
01-C-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79755G	59.74	88.20	-28.46	50.25	3	Horizontal	160	1.49	-	40.60	13.34	44.45			
RMS	13.80285G	48.99	68.20	-19.21	39.50	3	Horizontal	160	1.49	-	40.60	13.34	44.45			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_Y_4TX
Setting 75
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.69772G	49.53	83.54	-34.01	44.91	1	Vertical	355	2.00	-	37.90	15.76	49.04			
AV	20.72004G	38.55	63.54	-24.99	33.90	1	Vertical	355	2.00	-	37.90	15.78	49.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz_TX

EUT_Y_4TX
Setting 75
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.70244G	50.36	83.54	-33.18	45.73	1	Horizontal	334	1.97	-	37.90	15.76	49.03			
AV	20.727G	39.34	63.54	-24.20	34.68	1	Horizontal	334	1.97	-	37.90	15.78	49.02			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78694G	64.65	88.20	-23.55	55.15	3	Vertical	26	1.67	-	40.63	13.33	44.46			
RMS	13.7918G	54.41	68.20	-13.79	44.91	3	Vertical	26	1.67	-	40.62	13.34	44.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6895MHz_TX

EUT_Y_4TX
Setting 108
01-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78643G	65.50	88.20	-22.70	56.00	3	Horizontal	43	1.80	-	40.63	13.33	44.46			
RMS	13.79153G	55.45	68.20	-12.75	45.95	3	Horizontal	43	1.80	-	40.62	13.34	44.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6834G	59.39	83.54	-24.15	54.78	1	Vertical	358	1.77	-	37.90	15.75	49.04			
AV	20.69092G	48.42	63.54	-15.12	43.81	1	Vertical	358	1.77	-	37.90	15.75	49.04			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6895MHz_TX

EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.70268G	60.01	83.54	-23.53	55.38	1	Horizontal	21	1.66	-	37.90	15.76	49.03			
AV	20.68292G	49.82	63.54	-13.72	45.21	1	Horizontal	21	1.66	-	37.90	15.75	49.04			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.9912G	68.15	88.20	-20.05	58.14	3	Vertical	32	2.06	-	40.88	13.45	44.32			
RMS	13.99087G	58.58	68.20	-9.62	48.57	3	Vertical	32	2.06	-	40.88	13.45	44.32			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.99081G	69.27	88.20	-18.93	59.27	3	Horizontal	298	2.79	-	40.88	13.44	44.32			
RMS	13.98853G	59.86	68.20	-8.34	49.86	3	Horizontal	298	2.79	-	40.88	13.44	44.32			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9854G	71.03	83.54	-12.51	65.96	1	Vertical	122	1.80	-	37.97	15.99	48.89			
AV	20.98532G	59.74	63.54	-3.80	54.67	1	Vertical	122	1.80	-	37.97	15.99	48.89			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98796G	66.86	83.54	-16.68	61.78	1	Horizontal	328	1.53	-	37.98	15.99	48.89			
AV	20.98292G	56.80	63.54	-6.74	51.73	1	Horizontal	328	1.53	-	37.97	15.99	48.89			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 83
01-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0894G	118.32	Inf	-Inf	106.63	3	Vertical	23	3.00	-	36.46	7.95	32.72			
RMS	7.094G	108.20	Inf	-Inf	96.48	3	Vertical	23	3.00	-	36.48	7.95	32.71			
PK	7.125G	77.17	88.20	-11.03	65.27	3	Vertical	23	3.00	-	36.65	7.95	32.70			
RMS	7.125G	62.78	68.20	-5.42	50.88	3	Vertical	23	3.00	-	36.65	7.95	32.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT Y_4TX
Setting 83
01-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0886G	123.30	Inf	-Inf	111.62	3	Horizontal	302	2.38	-	36.45	7.95	32.72			
RMS	7.0888G	114.11	Inf	-Inf	102.42	3	Horizontal	302	2.38	-	36.46	7.95	32.72			
PK	7.129G	84.08	88.20	-4.12	72.16	3	Horizontal	302	2.38	-	36.67	7.95	32.70			
RMS	7.1288G	67.76	68.20	-0.44	55.84	3	Horizontal	302	2.38	-	36.67	7.95	32.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 83
01-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18967G	68.35	88.20	-19.85	58.55	3	Vertical	30	1.80	-	40.90	13.47	44.57			
RMS	14.18991G	57.38	68.20	-10.82	47.58	3	Vertical	30	1.80	-	40.90	13.47	44.57			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX

EUT_V_4TX
Setting 83
01-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19045G	69.02	88.20	-19.18	59.22	3	Horizontal	354	2.24	-	40.90	13.47	44.57			
RMS	14.19075G	59.88	68.20	-8.32	50.08	3	Horizontal	354	2.24	-	40.90	13.47	44.57			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX

EUT_V_4TX
Setting 83
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.26972G	70.37	83.54	-13.17	64.96	1	Vertical	334	1.80	-	38.04	16.22	48.85			
AV	21.28444G	57.71	63.54	-5.83	52.26	1	Vertical	334	1.80	-	38.07	16.23	48.85			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 83
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28316G	70.20	83.54	-13.34	64.75	1	Horizontal	37.8	1.66	-	38.07	16.23	48.85			
AV	21.28316G	56.38	63.54	-7.16	50.93	1	Horizontal	37.8	1.66	-	38.07	16.23	48.85			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85165G	62.01	88.20	-26.19	52.44	3	Vertical	24	1.80	-	40.61	13.37	44.41			
RMS	13.85135G	52.20	68.20	-16.00	42.63	3	Vertical	24	1.80	-	40.61	13.37	44.41			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85198G	64.72	88.20	-23.48	55.15	3	Horizontal	328	1.80	-	40.61	13.37	44.41			
RMS	13.85675G	54.79	68.20	-13.41	45.20	3	Horizontal	328	1.80	-	40.63	13.37	44.41			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6925MHz_TX

EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77772G	56.28	83.54	-27.26	51.56	1	Vertical	188	1.84	-	37.90	15.82	49.00			
AV	20.77108G	45.16	63.54	-18.38	40.44	1	Vertical	188	1.84	-	37.90	15.82	49.00			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6925MHz_TX

EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77532G	59.61	83.54	-23.93	54.89	1	Horizontal	18	1.74	-	37.90	15.82	49.00			
AV	20.77508G	49.50	63.54	-14.04	44.78	1	Horizontal	18	1.74	-	37.90	15.82	49.00			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00136G	66.32	88.20	-21.88	56.28	3	Vertical	30	2.09	-	40.90	13.45	44.31			
RMS	14.01117G	56.30	68.20	-11.90	46.30	3	Vertical	30	2.09	-	40.88	13.45	44.33			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7005MHz_TX

EUT_V_4TX
Setting 108
01-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.01303G	69.48	88.20	-18.72	59.49	3	Horizontal	316	3.00	-	40.87	13.45	44.33			
RMS	14.0076G	58.67	68.20	-9.53	48.66	3	Horizontal	316	3.00	-	40.88	13.45	44.32			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.02436G	66.81	83.54	-16.73	61.67	1	Vertical	336	1.80	-	38.00	16.02	48.88			
AV	21.0294G	56.01	63.54	-7.53	50.87	1	Vertical	336	1.80	-	38.00	16.02	48.88			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7005MHz_TX

EUT_Y_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01764G	64.58	83.54	-18.96	59.45	1	Horizontal	358	1.66	-	38.00	16.01	48.88			
AV	21.0126G	52.88	63.54	-10.66	47.75	1	Horizontal	358	1.66	-	38.00	16.01	48.88			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 68
01-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.102G	112.93	Inf	-Inf	101.18	3	Vertical	360	2.77	-	36.51	7.95	32.71			
RMS	7.0772G	102.19	Inf	-Inf	90.55	3	Vertical	360	2.77	-	36.41	7.95	32.72			
PK	7.1314G	81.42	88.20	-6.78	69.48	3	Vertical	360	2.77	-	36.69	7.95	32.70			
RMS	7.1268G	64.20	68.20	-4.00	52.29	3	Vertical	360	2.77	-	36.66	7.95	32.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 68
01-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0732G	118.72	Inf	-Inf	107.10	3	Horizontal	306	2.37	-	36.39	7.95	32.72			
RMS	7.0736G	108.42	Inf	-Inf	96.80	3	Horizontal	306	2.37	-	36.39	7.95	32.72			
PK	7.1288G	83.87	88.20	-4.33	71.95	3	Horizontal	306	2.37	-	36.67	7.95	32.70			
RMS	7.1286G	68.17	68.20	-0.03	56.25	3	Horizontal	306	2.37	-	36.67	7.95	32.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 68
01-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1703G	60.76	88.20	-27.44	50.93	3	Vertical	27	1.80	-	40.90	13.47	44.54			
RMS	14.17117G	49.54	68.20	-18.66	39.71	3	Vertical	27	1.80	-	40.90	13.47	44.54			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 68
01-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.17321G	62.08	88.20	-26.12	52.26	3	Horizontal	353	2.30	-	40.90	13.47	44.55			
RMS	14.17606G	50.55	68.20	-17.65	40.73	3	Horizontal	353	2.30	-	40.90	13.47	44.55			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 68
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.239G	56.28	83.54	-27.26	50.92	1	Vertical	181	1.68	-	38.02	16.19	48.85			
AV	21.24492G	45.96	63.54	-17.58	40.60	1	Vertical	181	1.68	-	38.01	16.20	48.85			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 68
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.24868G	58.33	83.54	-25.21	52.98	1	Horizontal	35	1.73	-	38.00	16.20	48.85			
AV	21.26196G	46.35	63.54	-17.19	40.97	1	Horizontal	35	1.73	-	38.02	16.21	48.85			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 108
01-C-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.86905G	59.54	88.20	-28.66	49.88	3	Vertical	182	1.71	-	40.68	13.38	44.40			
RMS	13.8734G	48.80	68.20	-19.40	39.13	3	Vertical	182	1.71	-	40.69	13.38	44.40			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 108
01-C-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8994G	59.74	88.20	-28.46	49.92	3	Horizontal	51	1.36	-	40.80	13.40	44.38			
RMS	13.891G	48.86	68.20	-19.34	39.10	3	Horizontal	51	1.36	-	40.76	13.39	44.39			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.85444G	58.95	83.54	-24.59	54.13	1	Vertical	32	1.47	-	37.90	15.88	48.96			
AV	20.81068G	48.10	63.54	-15.44	43.33	1	Vertical	32	1.47	-	37.90	15.85	48.98			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_V_4TX
Setting 108
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.82288G	59.41	83.54	-24.13	54.62	1	Horizontal	45	1.51	-	37.90	15.86	48.97			
AV	20.86348G	48.26	63.54	-15.28	43.42	1	Horizontal	45	1.51	-	37.90	15.89	48.95			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX



EUT_Y_4TX
Setting 74
01-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0318G	109.41	Inf	-Inf	97.96	3	Vertical	25	1.06	-	36.23	7.96	32.74			
RMS	7.037G	100.38	Inf	-Inf	88.91	3	Vertical	25	1.06	-	36.25	7.96	32.74			
PK	7.1274G	70.31	88.20	-17.89	58.40	3	Vertical	25	1.06	-	36.66	7.95	32.70			
RMS	7.1274G	59.49	68.20	-8.71	47.58	3	Vertical	25	1.06	-	36.66	7.95	32.70			