


















Appendix C: Maximum conducted output power

Test Result Channel Power

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	15.47	100.00	0.00	15.47	≤23.98	PASS
11A	Ant1	5200	15.99	100.00	0.00	15.99	≤23.98	PASS
11A	Ant1	5240	15.84	100.00	0.00	15.84	≤23.98	PASS
11A	Ant1	5745	14.48	100.00	0.00	14.48	≤30.00	PASS
11A	Ant1	5785	14.69	100.00	0.00	14.69	≤30.00	PASS
11A	Ant1	5825	14.76	100.00	0.00	14.76	≤30.00	PASS
11N20SISO	Ant1	5180	14.72	100.00	0.00	14.72	≤23.98	PASS
11N20SISO	Ant1	5200	14.82	100.00	0.00	14.82	≤23.98	PASS
11N20SISO	Ant1	5240	14.57	100.00	0.00	14.57	≤23.98	PASS
11N20SISO	Ant1	5745	13.92	100.00	0.00	13.92	≤30.00	PASS
11N20SISO	Ant1	5785	13.65	100.00	0.00	13.65	≤30.00	PASS
11N20SISO	Ant1	5825	13.74	100.00	0.00	13.74	≤30.00	PASS
11N40SISO	Ant1	5190	12.78	100.00	0.00	12.78	≤23.98	PASS
11N40SISO	Ant1	5230	12.70	100.00	0.00	12.70	≤23.98	PASS
11N40SISO	Ant1	5755	11.61	100.00	0.00	11.61	≤30.00	PASS
11N40SISO	Ant1	5795	11.73	100.00	0.00	11.73	≤30.00	PASS
11AC20SISO	Ant1	5180	15.07	100.00	0.00	15.07	≤23.98	PASS
11AC20SISO	Ant1	5200	14.79	100.00	0.00	14.79	≤23.98	PASS
11AC20SISO	Ant1	5240	14.60	100.00	0.00	14.60	≤23.98	PASS
11AC20SISO	Ant1	5745	12.68	100.00	0.00	12.68	≤30.00	PASS

11AC20SI SO	Ant1	5785	12.84	100.00	0.00	12.84	≤30.00	PASS
11AC20SI SO	Ant1	5825	12.92	100.00	0.00	12.92	≤30.00	PASS
11AC40SI SO	Ant1	5190	12.66	100.00	0.00	12.66	≤23.98	PASS
11AC40SI SO	Ant1	5230	12.57	100.00	0.00	12.57	≤23.98	PASS
11AC40SI SO	Ant1	5755	11.81	100.00	0.00	11.81	≤30.00	PASS
11AC40SI SO	Ant1	5795	11.80	100.00	0.00	11.80	≤30.00	PASS
11AC80SI SO	Ant1	5210	12.24	100.00	0.00	12.24	≤23.98	PASS
11AC80SI SO	Ant1	5775	11.64	100.00	0.00	11.64	≤30.00	PASS

Note: The Duty Cycle Factor is compensated in the graph.

Test Graphs Channel Power

