

Choose certainty. Add value.

Report On

EMC Testing of the SRT Marine Technology Ltd AtoN TRS-418-0003

COMMERCIAL-IN-CONFIDENCE

Document 75917597 Report 09 Issue 2

November 2012



TÜV SÜD Product Service, Octagon House, Concorde Way, Segensworth North, Fareham, Hampshire, United Kingdom, PO15 5RL Tel: +44 (0) 1489 558100. Website: <u>www.tuv-sud.co.uk</u>

COMMERCIAL-IN-CONFIDENCE

REPORT ON

EMC Testing of the SRT Marine Technology Ltd AtoN TRS-418-0003

Document 75917597 Report 09 Issue 2

November 2012

PREPARED FOR

SRT Marine Technology Ltd Wireless House, Westfield Ind Est., Midsomer Norton Bath United Kingdom BA3 4BS

EMC Engineer

PREPARED BY

APPROVED BY

KF Archer Authorised Signatory

DATED

12 November 2012

This report has been up-issued to Issue 2 to correct the model number.





CONTENTS

Section

Page No

1	REPORT SUMMARY	3
1.1 1.2 1.3 1.4 1.5 1.6 1.7	Introduction Brief Summary of Results Declaration of Build Status Product Information Test Conditions Deviations From the Standard Modification Record	5 7 8 10 10 10
2	TEST DETAILS	. 11
2.1 2.2 2.3 2.4 2.5	Conducted Emissions (DC Power Port) Immunity to Radio Frequency Common Mode (DC power port) Immunity to Radio Frequency Common Mode (Signal, Control and Telecommunications Pol Immunity to Radio Frequency Electromagnetic Field (Enclosure Port) Immunity to Fast Transient Bursts Common Mode (Signal, Control and Telecommunications	17 rt)19 21
2.6 2.7	Port) Immunity to Interruptions (DC Power Port) Immunity to Electrostatic Discharge (Enclosure Port)	. 26
3	TEST EQUIPMENT USED	. 31
3.1 3.2	Test Equipment Used Measurement Uncertainty	
4	PHOTOGRAPHS	. 35
4.1 4.2	Photographs of Equipment Under Test (EUT) Test Set Up Photographs	
5	ACCREDITATION, DISCLAIMERS AND COPYRIGHT	. 40
5.1	Accreditation, Disclaimers and Copyright	. 41



SECTION 1

REPORT SUMMARY

EMC Testing of the SRT Marine Technology Ltd AtoN TRS-418-0003



1.1 INTRODUCTION

The information contained in this report is intended to show verification of the SRT Marine Technology Ltd, AtoN TRS-418-0003 to the requirements of IEC 60945: C1 2008.

Objective	To perform Electromagnetic Compatibility (EMC) Qualification Approval Testing to determine the Equipment Under Test's (EUT's) compliance with the Test Specification, for the series of tests carried out.
Manufacturer	SRT Marine Technology Limited
Model Number(s)	TRS-418-0003
Customer Declared Variant(s)	TR-418-0001
Part No(s)	TRS-418-0003 & TR-418-0001
Serial Number(s)	P216FTU-30, P216FTU-39
Software Version	080200.00.09.11
Number of Samples Tested	2
Test Specification/Issue/Date	IEC 60945: C1 2008
Incoming Release Date	Declaration of Build Status 12 October 2012
Order Number Date	POR003047 22 March 2012
Start of Test	09 October 2012
Finish of Test	01 November 2012
Name of Engineer(s)	P Joynson A R Hubbard
Related Document(s)	
	CISPR 16-1-2 : 2006 CISPR 16-1-2 : 2006 CISPR 16-1-4 : 2006 IEC 61000-4-6 : 2006 IEC 61000-4-3 : 2006 IEC 61000-4-11 : 2004 IEC 61000-4-2 : 2001

IEC 61000-4-4 : 2004 + A1 : 2010



1.2 BRIEF SUMMARY OF RESULTS

A brief summary of results in accordance with IEC 60945: C1 2008.is shown below.

Configura	ation 1 - As suppli	ed				
Section	Spec Clause	Test Description	Mode	Mod State	Result	Base Standard
		Conducted Emissions (AC Dever Dert)	No GPS signal, waiting to TX		N/A	CISPR 16-1-2
	Table 5, 9.2		GPS signal present and TX		N/A	- CISPR 10-1-2
2.1	Table 5, 9.2	Conducted Emissions (DC Power Port)	No GPS signal, waiting to TX	0	Pass	CISPR 16-1-2
2.1	Table 5, 9.2		GPS signal present and TX	0	Pass	- CISPR 10-1-2
	Table 5, 9.3	Enclosure Port Magnetic Emissions Field Strength	No GPS signal, waiting to TX		N/R	- CISPR 16-1-2
	1 4016 5, 9.5		GPS signal present and TX		N/R	
Table	Table 5, 9.3	Table 5, 9.3 Radiated Emissions (Enclosure Port)	No GPS signal, waiting to TX		N/R	- CISPR 16-1-4
		Radiated Emissions (Enclosure Port)	GPS signal present and TX		N/R	CISPR 10-1-4
Table	Table 6, 10.2		No GPS signal, waiting to TX		N/A	
	Table 6, 10.3 Immunity to Radio Frequency Common Mode (AC Power Port)	minumity to Radio Frequency Common Mode (AC Power Port)	GPS signal present and TX		N/A	
2.2	Table 6, 10.2	Table 6, 10.3 Immunity to Radio Frequency Common Mode (DC Power Port)	No GPS signal, waiting to TX	0	Pass	IEC 61000-4-6
2.2			GPS signal present and TX	0	Pass	120 01000-4-0
2.3 Tab	Table 6, 10.3	Immunity to Radio Frequency Common Mode (Signal, Control and	No GPS signal, waiting to TX	0	Pass	IEC 61000-4-6
		Telecommunications Port)	GPS signal present and TX	0	Pass	1000-4-0
2.4 Ta		Immunity to Radio Frequency Electromagnetic Field (Enclosure Port)	No GPS signal, waiting to TX	0	Pass	IEC 61000-4-3
	Table 6, 10.4		GPS signal present and TX	0	Pass	

Document 75917597 Report 09 Issue 2

Page 5 of 41



Configura	ation 1 - As suppli	ed				
Section	Spec Clause	Test Description	Mode	Mod State	Result	Base Standard
	Table 6, 10 F	Immunity to Fact Transient Durate Common Made (AC Dever Dert)	No GPS signal, waiting to TX		N/A	IEC 61000-4-4
	Table 6, 10.5	Immunity to Fast Transient Bursts Common Mode (AC Power Port)	GPS signal present and TX		N/A	TEC 61000-4-4
2.5	Table 6, 10.5	Immunity to Fast Transient Bursts Common Mode (Signal, Control and	No GPS signal, waiting to TX	0	Pass	IEC 61000-4-4
2.5		Telecommunications Port)	GPS signal present and TX	0	Pass	TEC 61000-4-4
	Table 6, 10.6	Immunity to Surges (AC Dower Dort)	No GPS signal, waiting to TX		N/A	
	Table 6, 10.6	Immunity to Surges (AC Power Port)	GPS signal present and TX	1	N/A	IEC 61000-4-5
			No GPS signal, waiting to TX		N/A	- IEC 61000-4-11
	Table 6, 10.7	Immunity to Power Supply Short Term Variation (AC Power Ports)	GPS signal present and TX		N/A	
		Internetite to Internetices (AC Device Device	No GPS signal, waiting to TX		N/A	
	Table 6, 10.8	Immunity to Interruptions (AC Power Port)	GPS signal present and TX	N/A	N/A	- IEC 61000-4-11
2.6	Table 6, 10.9	Immunity to Interruptions (DC Device Dert)	No GPS signal, waiting to TX	0	Pass	
2.0		Table 6, 10.8 Immunity to Interruptions (DC Power Port)	GPS signal present and TX	0	Pass	- IEC 61000-4-11
0.7	T-11-0.40.0		No GPS signal, waiting to TX	0	Pass	150 04000 4 0
2.7	Table 6, 10.9	Immunity to Electrostatic Discharge (Enclosure Port)	GPS signal present and TX	d 0 Pass		IEC 61000-4-2

N/A – Not Applicable; N/R – Not Requested; N/T – Not Tested

1.3 DECLARATION OF BUILD STATUS

Manufacturer	SRT Marine Ltd	
Country of origin	United Kingdom	
UK Agent	SRT Marine Ltd	
Technical Description	AtoN (Aids to Navigation)	
Model No	TRS & TR	
Part No	418-0003 & 418-0001	
Serial No	Sample 1- P216-FTU-20, Sample 2- P216-FTU-21, Sample 3- P216-FTU-30.	
Drawing Number	418-0003 & 418-0001	
Build Status	Mod 11 (supplied)	
Software Issue	080200.00.09.11	
IC ID	7075A-4180003	
FCC ID	<u>UYW-418-0003</u>	
Signature	\$	
	Richard McMahon	
Date	12 th October 2012	

Note: This document has been prepared to enable manufacturers with no mechanism for producing their own Declaration of Build Status, to declare the build state of the equipment submitted for test.

No responsibility will be accepted by TÜV Product Service as to the accuracy of the information declared in this document by the manufacturer.

1.4 **PRODUCT INFORMATION**

1.4.1 Technical Description

The Equipment Under Test (EUT) was a SRT Marine Technology Ltd, AtoN TRS-418-0003 as shown in the photograph below. A full technical description can be found in the manufacturer's documentation.



Equipment Under Test (AtoN)

1.4.2 Test Configuration

Configuration 1: EUT

The EUT was powered by a 24V DC supply for all tests with the exception of DC voltage interrupts that was performed at the lower voltage range of 12V DC.

A GPS simulator was used for mode 2. A class A AIS receiver was connected to a laptop to monitor and record all transmission data (AIVDM and AIVDO).

1.4.3 EUT Cable / Port Identification

Port	Max Cable Length specified	Usage	Туре	Screened
Power / Data	1.5m	DC / Data	Multi-core	Yes

1.4.4 Modes of Operation

Mode 1 - No GPS signal, waiting to TX

Mode 2 - GPS signal present and TX

1.4.5 Monitoring of Performance

The EUT was monitored via a class A AIS receiver connected to a laptop and all transmission data was recorded.

1.4.6 Performance Criteria

IEC 60945

Performance criterion A: the EUT shall continue to operate as intended during and after the test. No degradation of performance or loss of function is allowed, as defined in the relevant equipment standard and in the technical specification published by the manufacturer.

Performance criterion B: the EUT shall continue to operate as intended after the test. No degradation of performance or loss of function is allowed, as defined in the relevant equipment standard and in the technical specification published by the manufacturer. During the test, degradation or loss of function or performance which is self-recoverable is however, allowed, but no change of actual operating state or stored data is allowed.

Performance criterion C: temporary degradation or loss of function or performance is allowed during the test, provided the function is self-recoverable, or can be restored at the end of the test by the operation of the controls, as defined in the relevant equipment standard and in the technical specification published by the manufacturer.

1.5 TEST CONDITIONS

For all tests the EUT was set up in accordance with the relevant test standard and to represent typical operating conditions. Tests were applied with the EUT situated in a shielded enclosure, test laboratories or an open test area as appropriate.

The EUT was powered from a 24V DC supply.

Test Results

EN 60945, Clause 5.3 states:

The measured test results shall be compared with the corresponding acceptable performance limits and the EUT shall pass the test only if the measured performance margin is favourable and greater than the measurement uncertainty. The test report shall show, for each test measurement, the test result, its associated measurement uncertainty, the acceptable performance limits, and the acceptable performance margin, as applicable.

The tests detailed in this report met the above test requirements.

1.6 DEVIATIONS FROM THE STANDARD

No deviations from the applicable test standards or test plan were made during testing.

1.7 MODIFICATION RECORD

No modifications were made to the EUT during testing.

SECTION 2

TEST DETAILS

EMC Testing of the SRT Marine Technology Ltd AtoN TRS-418-0003

2.1 CONDUCTED EMISSIONS (DC POWER PORT)

2.1.1 Specification Reference

IEC 60945. Table 5, Clause 9.2

2.1.2 Equipment Under Test

AtoN, S/N: P216FTU030.

2.1.3 Date of Test and Modification State

12 to 19 October 2012 - Modification State 0

2.1.4 Test Equipment Used

The major items of test equipment used for the above tests are identified in Section 3.1.

2.1.5 Test Method and Operating Modes

The test was applied in accordance with the test method requirements of CISPR 16-1-2.

The test was performed with the EUT in the following configurations and modes of operation:

Configuration 1 - Mode 1 - Mode 2

2.1.6 Environmental Conditions

	12 October 2012	19 October 2012
Ambient Temperature	19.8°C	18°C
Relative Humidity	44%	48%
Atmospheric Pressure	1006mbar	1002mbar

2.1.7 Test Results


For the period of test the EUT met the requirements of IEC 60945 for Conducted Emissions (DC Power Port)

The EUT was powered by 24V DC

The test results are shown below.


Configuration 1 - Mode 1

+24V DC Line Results



Frequency (MHz)	QP Level (dBuV)	QP Limit (dBuV)	QP Margin (dBuV)
0.020	50.2	84.6	-34.4
0.960	45.2	50.0	-4.8
2.880	39.8	50.0	-10.2
5.280	41.5	50.0	-8.5
5.585	41.7	50.0	-8.3
5.970	42.1	50.0	-7.9
19.200	43.6	50.0	-6.4


OV DC Line Results



Frequency (MHz)	QP Level (dBuV)	QP Limit (dBuV)	QP Margin (dBuV)
0.020	43.4	84.6	-41.2
0.960	46.6	50.0	-3.4
5.085	34.4	50.0	-15.6
5.510	35.5	50.0	-14.5
5.890	29.5	50.0	-20.5
10.559	41.2	50.0	-8.8
20.161	40.6	50.0	-9.4
22.081	40.6	50.0	-9.4


Configuration 1 - Mode 2

+24V DC Line Results



Frequency (MHz)	QP Level (dBuV)	QP Limit (dBuV)	QP Margin (dBuV)
0.022	54.3	82.5	-28.2
0.032	49.0	76.2	-27.3
0.083	40.5	60.1	-19.6
0.093	40.8	58.2	-17.4
0.149	33.1	50.1	-16.9
0.960	44.9	50.0	-5.1
2.880	39.7	50.0	-10.3
5.660	30.5	50.0	-19.5
6.010	29.9	50.0	-20.1
29.759	41.2	50.0	-8.8

OV DC Line Results



Frequency (MHz)	QP Level (dBuV)	QP Limit (dBuV)	QP Margin (dBuV)
0.025	51.7	80.3	-28.6
0.035	48.6	74.7	-26.2
0.960	43.9	50.0	-6.1
2.880	39.2	50.0	-10.8
5.625	35.4	50.0	-14.6
10.559	38.3	50.0	-11.7
25.919	39.0	50.0	-11.0
29.759	39.7	50.0	-10.3

2.2 IMMUNITY TO RADIO FREQUENCY COMMON MODE (DC POWER PORT)

2.2.1 Specification Reference

IEC 60945. Table 6, Clause 10.3

2.2.2 Equipment Under Test

AtoN, S/N: P216FTU030

2.2.3 Date of Test and Modification State

09 October 2012 - Modification State 0

2.2.4 Test Equipment Used

The major items of test equipment used for the above tests are identified in Section 3.1.

2.2.5 Test Method and Operating Modes

The test was applied in accordance with the test method requirements of IEC 61000-4-6.

The test was performed with the EUT in the following configurations and modes of operation:

Configuration 1 - Mode 1 - Mode 2

2.2.6 Environmental Conditions

	09 October 2012
Ambient Temperature	21.3°C
Relative Humidity	47%
Atmospheric Pressure	1010mbar

2.2.7 Test Results

For the period of test the EUT continued to operate as intended and therefore met the requirements of IEC 60945 for Immunity to Radio Frequency Common Mode (DC Power Port).

Note that this test was performed using an EM Clamp to the combined Power/Control Cable.

The applied test levels are shown below.

Port Under Test	Test Level (Vrms)	Freq. Range	Modulation/Freq Depth	Step Size	Dwell Time	Coupling Method	Interference Return Path	Result
Power/ Control	3V	150kHz to 80MHz	AM, 400Hz, 80%	1%	3 s	EM Clamp	None	Pass
Power/ Control	10V	Spot Frequencies	AM, 400Hz, 80%	1%	3 s	EM Clamp	None	Pass
Spot Freq	Spot Frequencies: 2 MHz, 3 MHz, 4 MHz, 6,2 MHz, 8,2 MHz, 12,6 MHz, 16,5 MHz, 18,8 MHz, 22 MHz and 25 MHz.							

Configuration 1 - Mode 1

Configuration 1 - Mode 2

Port Under Test	Test Level (Vrms)	Freq. Range	Modulation/Freq Depth	Step Size	Dwell Time	Coupling Method	Interference Return Path	Result
Power/ Control	3V	150kHz to 80MHz	AM, 400Hz, 80%	1%	3 s	EM Clamp	None	Pass
Power/ Control	10V	Spot Frequencies	AM, 400Hz, 80%	1%	3 s	EM Clamp	None	Pass
Spot Freq	Spot Frequencies: 2 MHz, 3 MHz, 4 MHz, 6,2 MHz, 8,2 MHz, 12,6 MHz, 16,5 MHz, 18,8 MHz, 22 MHz and 25 MHz.							

2.3 IMMUNITY TO RADIO FREQUENCY COMMON MODE (SIGNAL, CONTROL AND TELECOMMUNICATIONS PORT)

2.3.1 Specification Reference

IEC 60945. Table 6, Clause 10.3

2.3.2 Equipment Under Test

AtoN, S/N: P216FTU030

2.3.3 Date of Test and Modification State

09 October 2012 - Modification State 0

2.3.4 Test Equipment Used

The major items of test equipment used for the above tests are identified in Section 3.1.

2.3.5 Test Method and Operating Modes

The test was applied in accordance with the test method requirements of IEC 61000-4-6.

The test was performed with the EUT in the following configurations and modes of operation:

Configuration 1 - Mode 1 - Mode 2

2.3.6 Environmental Conditions

	09 October 2012
Ambient Temperature	21.3°C
Relative Humidity	47%
Atmospheric Pressure	1010mbar

2.3.7 Test Results

For the period of test the EUT continued to operate as intended and therefore met the requirements of IEC 60945 for Immunity to Radio Frequency Common Mode (Signal, Control and Telecommunications Port).

The applied test levels are shown below.

Configuration 1 - Mode 1

Port Under Test	Test Level (Vrms)	Freq. Range	Modulation/Freq Depth	Step Size	Dwell Time	Coupling Method	Interference Return Path	Result
Power/ Control	3V	150kHz to 80MHz	AM, 400Hz, 80%	1%	3 s	EM Clamp	None	Pass
Power/ Control	10V	Spot Frequencies	AM, 400Hz, 80%	1%	3 s	EM Clamp	None	Pass
Spot Freq	Spot Frequencies: 2 MHz, 3 MHz, 4 MHz, 6,2 MHz, 8,2 MHz, 12,6 MHz, 16,5 MHz, 18,8 MHz, 22 MHz and 25 MHz.							

Configuration 1 - Mode 2

Port Under Test	Test Level (Vrms)	Freq. Range	Modulation/Freq Depth	Step Size	Dwell Time	Coupling Method	Interference Return Path	Result
Power/ Control	3V	150kHz to 80MHz	AM, 400Hz, 80%	1%	3 s	EM Clamp	None	Pass
Power/ Control	10V	Spot Frequencies	AM, 400Hz, 80%	1%	3 s	EM Clamp	None	Pass
Spot Freq	Spot Frequencies: 2 MHz, 3 MHz, 4 MHz, 6,2 MHz, 8,2 MHz, 12,6 MHz, 16,5 MHz, 18,8 MHz, 22 MHz and 25 MHz.							

2.4 IMMUNITY TO RADIO FREQUENCY ELECTROMAGNETIC FIELD (ENCLOSURE PORT)

2.4.1 Specification Reference

IEC 60945. Table 6, Clause 10.4

2.4.2 Equipment Under Test

AtoN, S/N: P216FTU030, P216FTU039

2.4.3 Date of Test and Modification State

10 October to 01 November 2012 - Modification State 0

2.4.4 Test Equipment Used

The major items of test equipment used for the above tests are identified in Section 3.1.

2.4.5 Test Method and Operating Modes

The test was applied in accordance with the test method requirements of IEC 61000-4-3.

The test was performed with the EUT in the following configurations and modes of operation:

Configuration 1 - Mode 1 - Mode 2

2.4.6 Environmental Conditions

	10 October 2012	23 October 2012	24 October 2012
Ambient Temperature	22.9°C	22°C	23°C
Relative Humidity	45%	52%	40%
Atmospheric Pressure	1010mbar	1017mbar	1017mbar
	31 October 2012	01 November 2012	
Ambient Temperature	19°C	21°C	
Relative Humidity	42%	41%	
Atmospheric Pressure	1017mbar	997mbar	

2.4.7 Test Results

For the period of test the EUT continued to operate as intended and therefore met the requirements of IEC 60945 for Immunity to Radio Frequency Electromagnetic Field (Enclosure Port).

The applied test levels are shown below.

Configuration 1 - Mode	1
------------------------	---

Amplitude	Frequency	400Hz					
Modulation	Depth	80%					
Stepped Frequency Increments		1% with respect to last momentary frequency					
Dwell Time		3 Seconds (80-1000MHz) 9 seconds (1-2GHz)					
Frequency Range	e (MHz)	80 – 1000					
Field Strength (V/	m)	10 + MU					
Frequency Range	e (MHz)	1000 – 2000					
Field Strength (V/m)		10 + MU					
		Result					
Orientation of EU	Г	Vertical Polarisation	Horizontal Polarisation				
Front (inc cables)		Pass	Pass				
Right		Pass	Pass				
Rear		Pass	Pass				
Left		Pass	Pass				
Тор		Pass	Pass				

Configuration 1 - Mode 2

Amplitude	Frequency	400Hz						
Modulation	Depth	80%						
Stepped Frequency Increments		1% with respect to last momentary frequency						
Dwell Time		3 Seconds (80-1000MHz) 9 seconds (1-2GHz)						
Frequency Range	e (MHz)	80 – 1000						
Field Strength (V/	m)	10 + MU						
Frequency Range (MHz)		1000 – 2000						
Field Strength (V/m)		10 + MU						
		Result						
Orientation of EU	Г	Vertical Polarisation	Horizontal Polarisation					
Front (inc cables)		Pass	Pass					
Right		Pass	Pass					
Rear		Pass	Pass					
Left		Pass	Pass					
Тор		Pass	Pass					

2.5 IMMUNITY TO FAST TRANSIENT BURSTS COMMON MODE (SIGNAL, CONTROL AND TELECOMMUNICATIONS PORT)

2.5.1 Specification Reference

IEC 60945. Table 6, Clause 10.5

2.5.2 Equipment Under Test

AtoN, S/N: P216FTU030

2.5.3 Date of Test and Modification State

11 October 2012 - Modification State 0

2.5.4 Test Equipment Used

The major items of test equipment used for the above tests are identified in Section 3.1.

2.5.5 Test Method and Operating Modes

The test was applied in accordance with the test method requirements of IEC 61000-4-4.

The test was performed with the EUT in the following configurations and modes of operation:

Configuration 1 - Mode 1 - Mode 2

2.5.6 Environmental Conditions

	11 October 2012
Ambient Temperature	25.2°C
Relative Humidity	47.4%
Atmospheric Pressure	997mbar

2.5.7 Test Results

For the period of test the EUT continued to operate as intended and therefore met the requirements of IEC 60945 for Immunity to Fast Transient Bursts Common Mode (Signal, Control and Telecommunications Port).

The applied test levels are shown below.

Configuration 1	-	Mode 1
------------------------	---	--------

Cables Under Test	Test Level (±kV)	Repetition Rate (kHz)	Test Duration (seconds)	Coupling Method	Result
Power/ Control	0.5	5	4 each polarity	Capacitive Clamp	Pass
Power/ Control	1.0	5	4 each polarity	Capacitive Clamp	Pass

Configuration 1 - Mode 2

Cables Under Test	Test Level (±kV)	Repetition Rate (kHz)	Test Duration (minutes)	Coupling Method	Result
Power/ Control	0.5	5	4 each polarity	Capacitive Clamp	Pass
Power/ Control	1.0	5	4 each polarity	Capacitive Clamp	Pass

2.6 IMMUNITY TO INTERRUPTIONS (DC POWER PORT)

2.6.1 Specification Reference

IEC 60945. Table 6, Clause 10.8

2.6.2 Equipment Under Test

AtoN, S/N: P216FTU030

2.6.3 Date of Test and Modification State

11 October 2012 - Modification State 0

2.6.4 Test Equipment Used

The major items of test equipment used for the above tests are identified in Section 3.1.

2.6.5 Test Method and Operating Modes

The test was applied in accordance with the test method requirements of IEC 61000-4-11.

The test was performed with the EUT in the following configurations and modes of operation:

Configuration 1 - Mode 1 - Mode 2

2.6.6 Environmental Conditions

	11 October 2012
Ambient Temperature	25.2°C
Relative Humidity	47.4%
Atmospheric Pressure	997mbar

2.6.7 Test Results

For the period of test the EUT continued to operate as intended and therefore met the requirements of IEC 60945 for Immunity to Interruptions (DC Power Port).

The applied test levels are shown below.

Configuration 1 - Mode 1

Operating Voltage - Vnom	Operating Frequency	Duration	Duration		Result
V	Hz	Periods	ms		
12V DC	N/A	N/A	1000	С	Pass

Configuration 1 - Mode 2

Operating Voltage - Vnom	Operating Frequency	Duration	Duration		Result
V	Hz	Periods	ms		
12V DC	N/A	N/A	1000	С	Pass

2.7 IMMUNITY TO ELECTROSTATIC DISCHARGE (ENCLOSURE PORT)

2.7.1 Specification Reference

IEC 60945. Table 6, Clause 10.9

2.7.2 Equipment Under Test

AtoN, S/N: P216FTU030

2.7.3 Date of Test and Modification State

11 October 2012 - Modification State 0

2.7.4 Test Equipment Used

The major items of test equipment used for the above tests are identified in Section 3.1.

2.7.5 Test Method and Operating Modes

The test was applied in accordance with the test method requirements of IEC 61000-4-2.

The test was performed with the EUT in the following configurations and modes of operation:

Configuration 1 - Mode 1 - Mode 2

2.7.6 Environmental Conditions

	11 October 2012
Ambient Temperature	26.5°C
Relative Humidity	45.35 - 45.5%
Atmospheric Pressure	995mbar

2.7.7 Test Results

For the period of test the EUT continued to operate as intended and therefore met the requirements of IEC 60945 for Immunity to Electrostatic Discharge (Enclosure Port).

The applied test levels are shown below.

Configuration 1 - Mode 1

			Contact Discharges (kV)									Air	Disch	arge ((kV)		
		2	2	2	4	6	6	8	3	4	2	4	4	8	3	1	5
Tes	st Points	+	-	+	-	+	-	+	-	+	-	+	-	+	-	+	-
Ho	rizontal Coupling Plane	✓	~	~	✓	~	✓	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Vei	rtical Coupling Plane	~	~	~	~	~	~	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
А	Fixing Screws	√*	√*	√*	√*	√*	√*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
В	Fixing Screws	√*	√*	√*	√*	√*	√*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
С	Bird Deflectors	√*	√*	√*	√*	√*	√*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
D	Cables	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	√*	√*	√*	√*	√*	√*	N/A	N/A
Е	Case Seams	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	√*	√*	√*	√*	√*	√*	N/A	N/A
F	Case Seams	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	√*	√*	√*	√*	√*	√*	N/A	N/A
G	Case Seams	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	√*	√*	√*	√*	√*	√*	N/A	N/A

Configuration 1 - Mode 2

			Contact Discharges (kV)									Air	Disch	arge (kV)		
		2	2	2	4	(6	8	3	2	2	4	4	8	3	1	5
Tes	st Points	+	-	+	-	+	-	+	-	+	-	+	-	+	-	+	-
Ho	rizontal Coupling Plane	~	✓	✓	~	~	~	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Ve	rtical Coupling Plane	~	~	~	~	~	~	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
А	Fixing Screws	√*	√*	√*	√*	√*	√*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
в	Fixing Screws	√*	√*	√*	√*	√*	√*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
С	Bird Deflectors	√*	√*	√*	√*	√*	√*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
D	Cables	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	√*	√*	√*	√*	√*	√*	N/A	N/A
Е	Case Seams	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	√*	√*	√*	√*	√*	∕*	N/A	N/A
F	Case Seams	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	√*	√*	√*	√*	√*	√*	N/A	N/A
G	Case Seams	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	∕*	√*	√*	√*	√*	√*	N/A	N/A


Key to Results

✓ The EUT's performance was not impaired at this test point when the ESD pulse was applied.

 \checkmark^* No discharge occurred at this test point when the ESD pulse was applied.

N/A Test not applicable as defined in the specification.

ESD TEST POINTS – CONFIGURATION 1



SECTION 3

TEST EQUIPMENT USED

3.1 TEST EQUIPMENT USED

List of absolute measuring and other principal items of test equipment.

Instrument	Manufacturer	Type No.	TE No.	Calibration Period (months)	Calibration Due
Section 2.1 EMC - Cond	ucted Emissions		•		
3 Phase Artificial Mains Network (LISN)	Rohde & Schwarz	ESH2-Z5	16	12	17-Apr-2013
3 phase LISN	Rohde & Schwarz	ESH2-Z5	323	12	13-Jan-2013
Transient Limiter	Hewlett Packard	11947A	1032	12	28-Jun-2013
Screened Room (2)	Rainford	Rainford	1542	-	TU
Screened Room (5)	Rainford	Rainford	1545	36	25-Dec-2013
Test Receiver	Rohde & Schwarz	ESIB40	1934	12	25-Oct-2012
Transient Limiter	Hewlett Packard	11947A	2377	12	20-Dec-2012
Termination (50ohm)	JFW	50T-054	3952	12	13-Jun-2013
Section 2.3 & 2.3 EMC -				_	-
Load (50ohm)	Diamond Antenna	DL-30N	217	12	8-May-2013
Calibration Fixture (x2)	MEB Messelektronik	KEMZ-801	229	-	TU
EMI RF Generator	Schaffner	NSG2070-400	2215	12	12-Jul-2013
Attenuator (3dB, 20W)	Aeroflex / Weinschel	23-03-34	3162	12	27-Jun-2013
EM Clamp	Teseq	KEMZ 801S	3373	-	TU
CDN, 16A, switchable M2 or M3	Teseq	CDN M016	3666	12	12-Oct-2012
Attenuator	Teseq	ATN 6075	3979	12	3-Aug-2013
Section 2.7 EMC - Electr	rostatic Discharges	1		•	•
ESD Simulator	Schaffner	NSG 435+SL 171-504	552	12	22-Aug-2013
Digital Multimeter	Iso-tech	IDM-101	2895	12	18-Apr-2013
Section 2.5 EMC - Fast	Fransient Bursts				-
Capacitive Coupling Clamp	Omiran	EFTC 105	298	-	TU
Conducted Immunity Test System	Schaffner	BEST EMC	1935	12	4-Nov-2012
Section 2.4 EMC - Radia	ted Immunity	1		•	•
Load (50ohm, 30W)	Weinschel	50T-054	275	-	TU
Directional Coupler	Amp Research	DC6180	283	-	TU
Antenna (Bilog)	Schaffner	CBL6143	316	-	TU
Antenna	Schaffner	CBL6143	322	-	TU
Termination (50ohm)	Meca	405-1	718	12	13-Jun-2013
Power Meter	Rohde & Schwarz	NRVD	748	-	TU
Screened Room (1)	Rainford	Rainford	1541	-	TU
Screened Room (2)	Rainford	Rainford	1542	-	TU
CW TWT (1-2.5GHz)	Thorn	PTC6341	2069	-	TU
Laser Powered Electric Field Sensor	Dare Development	RadiSense VI - CTR1001A	2149	12	2-Aug-2013
RF Power Amplifier	Amp Research	250W1000A	2844	-	TU
Amplifier (250W, 80MHz	Amp Research	250W1000A	3029	-	TU

- 1GHz)					
Signal Generator, 9kHz to 6GHz	Rohde & Schwarz	SMB 100A	3499	12	29-May- 2013
Microwave Amplifier 1GHz - 2.5GHz; 500W;	Thorn	PTC6440	3736	-	TU
CW					
Power Sensor; 100kHz - 6GHz/500pW - 20mW	Rohde & Schwarz	NRV-Z4	3815	-	TU
Power Sensor: 100kHz - 6GHz/100pW - 20mW	Rohde & Schwarz	NRV-Z4	3816	-	TU
Section 2.6 EMC - Voltage	ge Dips, Interruption	s and Variations			
DC Power Supply	Hewlett Packard	6269B	742	-	TU
All Sections - Used As E	UT Drive Equipment	t			
Attenuator 30dB 250W	Weinschel	45-30-43	382	12	7-Feb-2013
Attenuator 20dB 250W	Weinschel	45-20-43	388	12	27-Jun-2013
GPS/SBAS Simulator	Spirent	STR4500	3056	-	TU
Attenuator (30dB, 250W)	Weinschel	45-30-43	3071	12	14-Jun-2013

TU – Traceability Unscheduled OP MON – Output Monitored with Calibrated Equipment

3.2 MEASUREMENT UNCERTAINTY

For a 95% confidence level, the measurement uncertainties for defined systems are:-

Test Discipline	Frequency / Parameter	MU
Radiated Emissions, Bilog Antenna, AOATS	30MHz to 1GHz Amplitude	5.2dB*
Radiated Emissions, Horn Antenna, AOATS	1GHz to 40GHz Amplitude	6.3dB*
Conducted Emissions, LISN	150kHz to 30MHz Amplitude	3.2dB*
Conducted Emissions, ISN	150kHz to 30MHz Amplitude	2.1dB
Substitution Antenna, Radiated Field	30MHz to 18GHz Amplitude	2.6dB
Discontinuous Interference	150kHz to 30MHz Amplitude	3.0dB*
Interference Power	30MHz to 300MHz Amplitude	3.0dB*
Radiated E-Field Susceptibility	10MHz to 6GHz Test Amplitude	2.0dB†
Conducted Susceptibility RF	50kHz to 1000MHz Amplitude EM Clamp Method of Test CDN Method of Test BCI Clamp Method of Test Direct Injection Method of Test	3.1dB• 1.2dB• 1.1dB• 1.2dB•
Conducted Susceptibility LF	DC to 150kHz	1.0%†
Power Frequency Magnetic Field	50Hz/60Hz Amplitude	0.45%
Magnetic Emissions	9kHz to 30MHz Amplitude	3.4dB*
Magnetic Field/Flux iaw EN 50366	10Hz to 400kHz	2.64%
Harmonics and Flicker	The test was applied using proprietary equipment that meets the requirements of EN 61000-3-2 and EN 61000-3-3	_
Mains Voltage Variations and Interrupts	The test was applied using proprietary equipment that meets the requirements of EN 61000-4-11	_
Fast Transient Burst	The test was applied using proprietary equipment that meets the requirements of EN 61000-4-4	_
Electrostatic Discharge	The test was applied using proprietary equipment that meets the requirements of EN 61000-4-2	_
Surge	The test was applied using proprietary equipment that meets the requirements of EN 61000-4-5	_
Vehicle Transients	The test was applied using proprietary equipment that meets the requirements of ISO 7637-1 and 2	_
Compass Safe Distance	Azimuth Accuracy	0.10°


Worst case error for both Time and Frequency measurement 12 parts in 10⁶.

- * In accordance with CISPR 16-4-2
- † In accordance with UKAS Lab 34
- In accordance with EN 61000-4-6: 2009

SECTION 4


PHOTOGRAPHS

4.1 PHOTOGRAPHS OF EQUIPMENT UNDER TEST (EUT)




SRT Marine Technology Ltd AtoN

4.2 TEST SET UP PHOTOGRAPHS




Conducted Emissions (DC Power Port)




Immunity to Radio Frequency Common Mode (Signal, Control and Telecommunications Port)


Document 75917597 Report 09 Issue 1



Immunity to Radio Frequency Electromagnetic Field (Enclosure Port)



Immunity to Fast Transient Bursts Common Mode (Signal, Control and Telecommunications Port)



Immunity to Interruptions (DC Power Port)



Immunity to Electrostatic Discharge (Enclosure Port)

Document 75917597 Report 09 Issue 1

SECTION 5

ACCREDITATION, DISCLAIMERS AND COPYRIGHT

5.1 ACCREDITATION, DISCLAIMERS AND COPYRIGHT



This report relates only to the actual item/items tested.

Our UKAS Accreditation does not cover opinions and interpretations and any expressed are outside the scope of our UKAS Accreditation.

Results of tests not covered by our UKAS Accreditation Schedule are marked NUA (Not UKAS Accredited).

This report must not be reproduced, except in its entirety, without the written permission of TÜV SÜD Product Service

© 2012 TÜV SÜD Product Service