

hp

REF -20.0 dBm

AT 10 dB

Based on 50% duty cycle

PEAK

LOG

10

dB/

$$\text{Average Factor} = \frac{50}{100}$$

$$= 0.5 \text{ or } -6.0 \text{ dB}$$

WA SB

SC VS

CORR



CENTER 433.933 MHz

SPAN 0 Hz

#RES BW 100 kHz

#VBW 100 kHz

#SWP 100 msec

REF -20.0 dBm

AT 10 dB

РЕДК

LOG


10

dB/

WA SB

SC VS

CORR



Pulse Train : 50% duty cycle

CENTER 433.933 MHz

SPAN 0 Hz

#RES BW 100 KHz

#VBW 100 KHz

```
#SWP 50.0 msec
```

HP

REF -20.0 dBm

AT 10 dB

MKR 366.25 msec

Transmission Duration

-26.31 dBm

PEAK

LOG


10

dB/

WA SB

SC VS

CORR



CENTER 433.933 MHz

SPAN 0 Hz

#RES BW 100 kHz

#VBW 100 kHz

#SWP 500 msec

HP

REF -20.0 dBm

AT 10 dB

MKR 37.625 sec

.16 dB

Silent Period
~~Transmission Duration~~ RRU

PEAK

LOG


10

dB/

WA SB

SC VS

CORR



CENTER 433.933 MHz

SPAN 0 Hz

#RES BW 100 kHz

#VBW 100 kHz

#SWP 50.0 sec