

Report No.: SEWM2303000098RG04

Rev.: 01 Page: 1 of 7

TEST REPORT

Application No.: SEWM2303000098RG

Applicant: EBSCO Industries Inc., DBA PRADCO Outdoor Brands **Address of Applicant:** 2600 Corporate Drive., Suite 250 Birmingham,AL.35242

Manufacturer: SERCOMM CORPORATION

Address of Manufacturer: 8F, 3-1, YuanQu St., NanKang, Taipei 115, Taiwan

EUT Description: EDGE PRO **Model No.:** MCG-14080

Trade Mark: MOULTRIE MOBILE
FCC ID: 2AJQ6MCG-14080
Standards: 47 CFR Part 2.1091

FCC KDB 447498 D01 v06

 Date of Receipt:
 2023/03/30

 Date of Issue:
 2023/04/21

Test Result: PASS*

Authorized Signature:

Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: SEWM2303000098RG04

Rev.: 01 Page: 2 of 7

1 Version

Revision Record						
Version	Chapter	Date	Modifier	Remark		
01		2023/04/21		Original		

Prepared By	Nick Hu		
	(Nick Hu) / Test Engineer		
Checked By	well wei'		
	(Well Wei) / Reviewer		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ss.com

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Ploti Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2303000098RG04

Rev.: 01 Page: 3 of 7

Contents

1	Ver	rsion	2
		neral Information	
		Client Information Test Facility	
	2.3	General Description of EUT	5
3	RF	Exposure Evaluation	6
		RF Exposure Compliance Requirement	
		.1 Limits	
		.3 FUT RF Exposure Evaluation	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf, for electronic format documents subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adtention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜裔1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2303000098RG04

Rev.: 01 Page: 4 of 7

2 General Information

2.1 Client Information

Applicant:	EBSCO Industries Inc., DBA PRADCO Outdoor Brands		
Address of Applicant: 2600 Corporate Drive., Suite 250 Birmingham,AL.35242			
Manufacturer:	SERCOMM CORPORATION		
Address of Manufacturer:	8F, 3-1, YuanQu St., NanKang, Taipei 115, Taiwan		

2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327





Report No.: SEWM2303000098RG04

Rev.: 01 Page: 5 of 7

2.3 General Description of EUT

EUT Description:	EDGE PRO							
Model No.:	MCG-14080							
Trade Mark:	MOULTRIE MOBIL	MOULTRIE MOBILE						
Hardware Version:	V1.0	V1.0						
Software Version:	V1.2.01	V1.2.01						
Antenna Type:	Fixed External Ante	enna						
	WCDMA Band II:	3.57dBi (Ant0)	WCDMA Band IV:	3.57dBi (Ant0)				
	WCDMA Band V:	-0.38dBi (Ant0)						
	LTE Band 2:	3.57dBi (Ant0)	LTE Band 4:	3.57dBi (Ant0)				
	LTE Band 5:	-0.38dBi (Ant0)	LTE Band 12:	-1.43dBi (Ant0)				
Antenna Gain:	LTE Band 13:	-0.38dBi (Ant0)	LTE Band 25:	3.57dBi (Ant0)				
	LTE Band 26:	-0.38dBi (Ant0)						
	BLE:	4.89dBi (Ant0)						
	Note:							
	The antenna gain a manufacturer.	re derived from the g	ain information report	provided by the				

Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2303000098RG04

Rev.: 01 Page: 6 of 7

3 RF Exposure Evaluation

3.1 RF Exposure Compliance Requirement

3.1.1 Limits

Frequency range Electric field strength (V/m)		Magnetic field strength (A/m)	Power density (mW/cm2)	Averaging time (minutes)					
(A) Limits for Occupational/Controlled Exposures									
0.3-3.0	614	1.63	*(100)	6					
3.0-30	1842/f	4.89/f	*(900/f2)	6					
30-300	61.4	0.163	1.0	6					
300-1500	1	1	f/300	6					
1500-100,000	1	1	5	6					
(B) Limits for General Population/Uncontrolled Exposure									
0.3-1.34	614	1.63	*(100)	30					
1.34-30	824/f	2.19/f	*(180/f2)	30					
30-300	27.5	0.073	0.2	30					
300-1500	/	1	f/1500	30					
1500-100,000	1	1	1.0	30					

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: $Pd = (Pout*G)/(4*Pi*R^2)$

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed worled a vailable on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sapx and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.sapx tkention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of illent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content on preaarance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the sesults shown in this test report refer only to the sample(s) setzed and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980

^{*=}Plane-wave equivalent power density



Report No.: SEWM2303000098RG04

Rev.: Page: 7 of 7

3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

3.1.3 EUT RF Exposure Evaluation

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	Max Conducte d Average Output Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	conclusio n
WCDMA Band II	1852.4	3.57	25.00	28.57	33.00	0.1431	1.0000	Pass
WCDMA Band IV	1712.4	3.57	25.00	28.57	30.00	0.1431	1.0000	Pass
WCDMA Band V	826.4	-0.38	25.00	22.47	38.45	0.0576	0.5509	Pass
LTE Band 2	1850.7	3.57	25.00	28.57	33.00	0.1431	1.0000	Pass
LTE Band 4	1710.7	3.57	25.00	28.57	30.00	0.1431	1.0000	Pass
LTE Band 5	824.7	-0.38	25.00	22.47	38.45	0.0576	0.5498	Pass
LTE Band 12	699.7	-1.43	25.00	21.42	34.77	0.0453	0.4665	Pass
LTE Band 13	779.5	-0.38	25.00	22.47	34.77	0.0576	0.5197	Pass
LTE Band 25	1850.7	3.57	25.00	28.57	33.00	0.1431	1.0000	Pass
LTE Band 26(814-824)	814.7	-0.38	25.00	22.47	NA	0.0576	0.5431	Pass
LTE Band 26(824-849)	824.7	-0.38	25.00	22.47	38.45	0.0576	0.5498	Pass
BLE	2402.0	4.89	6.00	10.89	30.00	0.0024	1.0000	Pass

---End of Report---



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980