
















Band edge measurements


Test Result


TestMode	Antenna	ChName	Freq (MHz)	RefLevel[dBm /100KHz]	Result[dBm /100KHz]	Limit[dBm /100KHz]	Verdict
11B-CDD	Ant0	Low	2412	8.16	-34.3	≤ -11.84	PASS
	Ant2	Low	2412	8.07	-34.25	≤ -11.93	PASS
	Ant0	High	2462	8.77	-45.63	≤ -11.23	PASS
	Ant2	High	2462	8.45	-45.82	≤ -11.55	PASS
11G-CDD	Ant0	Low	2412	8.03	-23.32	≤ -11.97	PASS
	Ant2	Low	2412	7.94	-23.76	≤ -12.06	PASS
	Ant0	High	2462	8.28	-30.83	≤ -11.72	PASS
	Ant2	High	2462	7.86	-29.5	≤ -12.14	PASS
11AX20MIMO	Ant0	Low	2412	6.21	-24.85	≤ -13.79	PASS
	Ant2	Low	2412	5.59	-24.54	≤ -14.41	PASS
	Ant0	High	2462	5.37	-29.92	≤ -14.63	PASS
	Ant2	High	2462	5.97	-27.91	≤ -14.03	PASS
11AX40MIMO	Ant0	Low	2422	3.26	-28.74	≤ -16.74	PASS
	Ant2	Low	2422	3.65	-26.79	≤ -16.35	PASS
	Ant0	High	2452	3.58	-25.76	≤ -16.42	PASS
	Ant2	High	2452	3.93	-23.94	≤ -16.07	PASS





Test Graphs






















Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [Mhz]	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict
11B-CDD	Ant0	2412	30~1000	8.16	-55.6	≤-11.84	PASS
			1000~26500	8.16	-50.4	≤-11.84	PASS
	Ant2	2412	30~1000	8.07	-55.91	≤-11.93	PASS
			1000~26500	8.07	-45.66	≤-11.93	PASS
	Ant0	2437	30~1000	8.30	-56.05	≤-11.7	PASS
			1000~26500	8.30	-51.34	≤-11.7	PASS
	Ant2	2437	30~1000	8.66	-55.97	≤-11.34	PASS
			1000~26500	8.66	-47.38	≤-11.34	PASS
	Ant0	2462	30~1000	8.77	-55.75	≤-11.23	PASS
			1000~26500	8.77	-50.68	≤-11.23	PASS
	Ant2	2462	30~1000	8.45	-55.78	≤-11.55	PASS
			1000~26500	8.45	-48.93	≤-11.55	PASS
11G-CDD	Ant0	2412	30~1000	8.03	-55.41	≤-11.97	PASS
			1000~26500	8.03	-51.51	≤-11.97	PASS
	Ant2	2412	30~1000	7.94	-56.07	≤-12.06	PASS
			1000~26500	7.94	-51.15	≤-12.06	PASS
	Ant0	2437	30~1000	7.95	-56.15	≤-12.05	PASS
			1000~26500	7.95	-50.08	≤-12.05	PASS
	Ant2	2437	30~1000	7.79	-56.54	≤-12.21	PASS
			1000~26500	7.79	-51	≤-12.21	PASS
	Ant0	2462	30~1000	8.28	-55.91	≤-11.72	PASS
			1000~26500	8.28	-51.47	≤-11.72	PASS
	Ant2	2462	30~1000	7.86	-55.28	≤-12.14	PASS
			1000~26500	7.86	-50.35	≤-12.14	PASS
11AX20MIMO	Ant0	2412	30~1000	6.21	-55.88	≤-13.79	PASS
			1000~26500	6.21	-51.07	≤-13.79	PASS
	Ant2	2412	30~1000	5.59	-54.9	≤-14.41	PASS
			1000~26500	5.59	-50.89	≤-14.41	PASS
	Ant0	2437	30~1000	7.11	-56.17	≤-12.89	PASS
			1000~26500	7.11	-51.07	≤-12.89	PASS
	Ant2	2437	30~1000	6.59	-56.02	≤-13.41	PASS
			1000~26500	6.59	-50.57	≤-13.41	PASS
	Ant0	2462	30~1000	5.37	-55.78	≤-14.63	PASS





			1000~26500	5.37	-50.57	≤ -14.63	PASS
	Ant2	2462	30~1000	5.97	-56.05	≤ -14.03	PASS
11AX40MIMO		2422	1000~26500	5.97	-49.71	≤ -14.03	PASS
			30~1000	3.26	-56.43	≤ -16.74	PASS
	Ant2	2422	30~1000	3.65	-56.13	≤ -16.35	PASS
			1000~26500	3.65	-50.82	≤ -16.35	PASS
	Ant0	2437	30~1000	3.50	-56.27	≤ -16.5	PASS
			1000~26500	3.50	-50.77	≤ -16.5	PASS
	Ant2	2437	30~1000	3.73	-56.2	≤ -16.27	PASS
			1000~26500	3.73	-51.26	≤ -16.27	PASS
	Ant0	2452	30~1000	3.58	-55.54	≤ -16.42	PASS
			1000~26500	3.58	-51.08	≤ -16.42	PASS
	Ant2	2452	30~1000	3.93	-55.39	≤ -16.07	PASS
			1000~26500	3.93	-50.48	≤ -16.07	PASS





Test Graphs






































































<802.11ax Partial RU>


Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant0	2412	26Tone	RU0	-8.99	≤8.00	PASS
			52Tone	RU37	-8.65	≤8.00	PASS
			106Tone	RU53	-8.59	≤8.00	PASS
	Ant2	2412	26Tone	RU0	-9.52	≤8.00	PASS
			52Tone	RU37	-9.59	≤8.00	PASS
			106Tone	RU53	-9.18	≤8.00	PASS
	total	2412	26Tone	RU0	-6.24	≤8.00	PASS
			52Tone	RU37	-6.08	≤8.00	PASS
			106Tone	RU53	-5.86	≤8.00	PASS
	Ant0	2437	26Tone	RU0	-9.17	≤8.00	PASS
			52Tone	RU37	-8.51	≤8.00	PASS
			106Tone	RU53	-8.93	≤8.00	PASS
	Ant2	2437	26Tone	RU0	-8.91	≤8.00	PASS
			52Tone	RU37	-8.7	≤8.00	PASS
			106Tone	RU53	-9.02	≤8.00	PASS
	total	2437	26Tone	RU0	-6.03	≤8.00	PASS
			52Tone	RU37	-5.59	≤8.00	PASS
			106Tone	RU53	-5.96	≤8.00	PASS
	Ant0	2462	26Tone	RU8	-8.95	≤8.00	PASS
			52Tone	RU40	-8.5	≤8.00	PASS
			106Tone	RU54	-8.87	≤8.00	PASS
	Ant2	2462	26Tone	RU8	-8.68	≤8.00	PASS
			52Tone	RU40	-8.17	≤8.00	PASS
			106Tone	RU54	-8.46	≤8.00	PASS
	total	2462	26Tone	RU8	-5.80	≤8.00	PASS
			52Tone	RU40	-5.32	≤8.00	PASS
			106Tone	RU54	-5.65	≤8.00	PASS




Test Graphs






11AX20MIMO_Ant0_2412_106Tone_RU53



Date: 16 AUG 2024 06:27:49


11AX20MIMO_Ant2_2412_26Tone_RU0



Date: 16 AUG 2024 05:55:44




11AX20MIMO_Ant2_2412_52Tone_RU37





Date: 16.AUG.2024 06:00:01


11AX20MIMO_Ant2_2412_106Tone_RU53




Date: 16.AUG.2024 06:28:39













11AX20MIMO_Ant0_2462_106Tone_RU54



Date: 16 AUG 2024 06:35:54


11AX20MIMO_Ant2_2462_26Tone_RU8



Date: 16 AUG 2024 06:32:18




11AX20MIMO_Ant2_2462_52Tone_RU40



Date: 16 AUG 2024 06:34:56


11AX20MIMO_Ant2_2462_106Tone_RU54



Date: 16 AUG 2024 06:36:06




Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.507	40.27	-15.73	56.00	30.20	-0.15	10.22	QP
2	0.507	30.37	-15.63	46.00	20.30	-0.15	10.22	Average
3	1.255	39.80	-16.20	56.00	29.89	-0.18	10.09	QP
4	1.255	32.00	-14.00	46.00	22.09	-0.18	10.09	Average
5	1.433	41.10	-14.90	56.00	31.21	-0.19	10.08	QP
6	1.433	32.00	-14.00	46.00	22.11	-0.19	10.08	Average
7	1.689	41.09	-14.91	56.00	31.20	-0.19	10.08	QP
8	1.689	31.19	-14.81	46.00	21.30	-0.19	10.08	Average
9	1.908	40.19	-15.81	56.00	30.30	-0.19	10.08	QP
10 *	1.908	32.39	-13.61	46.00	22.50	-0.19	10.08	Average
11	15.146	40.63	-19.37	60.00	29.60	-0.18	11.21	QP
12	15.146	33.63	-16.37	50.00	22.60	-0.18	11.21	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jake zhou	Relative Humidity :	52~ 56 %
		Temperature :	22~25℃

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	CDD 0+2	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	CDD 0+2	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	CDD 0+2	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	CDD 0+2	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	CDD 0+2	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	CDD 0+2	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	CDD 0+2	802.11ax HE20	01	2412	MCS0	Full	-
Mode 8	2400-2483.5	CDD 0+2	802.11ax HE20	06	2437	MCS0	Full	-
Mode 9	2400-2483.5	CDD 0+2	802.11ax HE20	11	2462	MCS0	Full	-
Mode 10	2400-2483.5	CDD 0+2	802.11ax HE20	01	2412	MCS0	RU26/0	-
Mode 11	2400-2483.5	CDD 0+2	802.11ax HE20	01	2412	MCS0	RU52/37	-
Mode 12	2400-2483.5	CDD 0+2	802.11ax HE20	01	2412	MCS0	RU106/53	-
Mode 13	2400-2483.5	CDD 0+2	802.11ax HE20	11	2462	MCS0	RU26/8	-
Mode 14	2400-2483.5	CDD 0+2	802.11ax HE20	11	2462	MCS0	RU52/40	-
Mode 15	2400-2483.5	CDD 0+2	802.11ax HE20	11	2462	MCS0	RU106/54	-
Mode 16	2400-2483.5	CDD 0+2	802.11ax HE40	03	2422	MCS0	Full	-
Mode 17	2400-2483.5	CDD 0+2	802.11ax HE40	06	2437	MCS0	Full	-
Mode 18	2400-2483.5	CDD 0+2	802.11ax HE40	09	2452	MCS0	Full	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2386.44	39.98	54.00	-14.02	V	AVERAGE	Pass	Band Edge
1	802.11b	01	4824.00	50.85	54.00	-3.15	V	AVERAGE	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
2	802.11b	06	7311.00	48.88	54.00	-5.12	V	AVERAGE	Pass	Harmonic
3	802.11b	11	2485.42	39.60	54.00	-14.40	V	AVERAGE	Pass	Band Edge
3	802.11b	11	7386.00	45.87	54.00	-8.13	V	AVERAGE	Pass	Harmonic
4	802.11g	01	2389.43	48.75	54.00	-5.25	V	AVERAGE	Pass	Band Edge
4	802.11g	01	4824.00	39.83	54.00	-14.17	V	AVERAGE	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
5	802.11g	06	7311.00	43.01	54.00	-10.99	V	AVERAGE	Pass	Harmonic
6	802.11g	11	2483.50	46.37	54.00	-7.63	V	AVERAGE	Pass	Band Edge
6	802.11g	11	7386.00	42.80	54.00	-11.20	V	AVERAGE	Pass	Harmonic
7	802.11ax HE20	01	2387.48	46.23	54.00	-7.77	V	AVERAGE	Pass	Band Edge
7	802.11ax HE20	01	7236.00	46.29	71.89	-25.60	H	Peak	Pass	Harmonic
8	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
8	802.11ax HE20	06	7311.00	37.55	54.00	-16.45	V	AVERAGE	Pass	Harmonic
9	802.11ax HE20	11	2483.50	47.27	54.00	-6.73	V	AVERAGE	Pass	Band Edge
9	802.11ax HE20	11	7386.00	39.97	54.00	-14.03	V	AVERAGE	Pass	Harmonic
10	802.11ax HE20	01	2389.82	31.10	54.00	-22.90	V	AVERAGE	Pass	Band Edge
10	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
11	802.11ax HE20	01	2389.56	31.84	54.00	-22.16	V	AVERAGE	Pass	Band Edge
11	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
12	802.11ax HE20	01	2389.04	56.27	74.00	-17.73	H	PEAK	Pass	Band Edge
12	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
13	802.11ax HE20	11	2488.48	37.79	54.00	-16.21	V	AVERAGE	Pass	Band Edge
13	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
14	802.11ax HE20	11	2483.50	38.17	54.00	-15.83	V	AVERAGE	Pass	Band Edge
14	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
15	802.11ax HE20	11	2483.62	61.67	74.00	-12.33	V	PEAK	Pass	Band Edge
15	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
16	802.11ax HE40	03	2385.14	49.50	54.00	-4.50	V	AVERAGE	Pass	Band Edge
16	802.11ax HE40	03	7266.00	43.51	74.00	-30.49	V	PEAK	Pass	Harmonic
17	802.11ax HE40	06	2389.56	46.39	54.00	-7.61	V	AVERAGE	Pass	Band Edge
17	802.11ax HE40	06	7311.00	42.85	74.00	-31.15	V	PEAK	Pass	Harmonic
18	802.11ax HE40	09	2483.50	50.73	54.00	-3.27	V	AVERAGE	Pass	Band Edge
18	802.11ax HE40	09	7356.00	42.28	74.00	-31.72	H	PEAK	Pass	Harmonic



Mode	1																																																																																							
	Band Edge																																																																																							
	2400-2483.5_802.11b_CH01_2412MHz																																																																																							
ANT	CDD 0+2																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2380.20</td><td>50.07</td><td>74.00</td><td>-23.93</td><td>41.90</td><td>31.88</td><td>7.15</td><td>36.86</td><td>6.00</td><td>312</td><td>125 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2380.20	50.07	74.00	-23.93	41.90	31.88	7.15	36.86	6.00	312	125 PEAK	Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>103.91</td><td>-----</td><td>-----</td><td>95.43</td><td>32.14</td><td>7.20</td><td>36.86</td><td>6.00</td><td>312</td><td>125 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	103.91	-----	-----	95.43	32.14	7.20	36.86	6.00	312	125 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2380.20	50.07	74.00	-23.93	41.90	31.88	7.15	36.86	6.00	312	125 PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2412.00	103.91	-----	-----	95.43	32.14	7.20	36.86	6.00	312	125 PEAK																																																																													
Avg	Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.44</td><td>38.52</td><td>54.00</td><td>-15.48</td><td>30.30</td><td>31.92</td><td>7.16</td><td>36.86</td><td>6.00</td><td>312</td><td>125 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2386.44	38.52	54.00	-15.48	30.30	31.92	7.16	36.86	6.00	312	125 AVERAGE	Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>99.44</td><td>-----</td><td>-----</td><td>90.96</td><td>32.14</td><td>7.20</td><td>36.86</td><td>6.00</td><td>312</td><td>125 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	99.44	-----	-----	90.96	32.14	7.20	36.86	6.00	312	125 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2386.44	38.52	54.00	-15.48	30.30	31.92	7.16	36.86	6.00	312	125 AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2412.00	99.44	-----	-----	90.96	32.14	7.20	36.86	6.00	312	125 AVERAGE																																																																													





Mode	1																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																		
ANT	CDD 0+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.05</td><td>51.31</td><td>74.00</td><td>-22.69</td><td>43.09</td><td>31.92</td><td>7.16</td><td>36.86</td><td>6.00</td><td>100</td><td>216</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.05	51.31	74.00	-22.69	43.09	31.92	7.16	36.86	6.00	100	216	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>105.81</td><td>-----</td><td>-----</td><td>97.33</td><td>32.14</td><td>7.20</td><td>36.86</td><td>6.00</td><td>100</td><td>216</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.81	-----	-----	97.33	32.14	7.20	36.86	6.00	100	216
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2386.05	51.31	74.00	-22.69	43.09	31.92	7.16	36.86	6.00	100	216	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	105.81	-----	-----	97.33	32.14	7.20	36.86	6.00	100	216	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.44</td><td>39.98</td><td>54.00</td><td>-14.02</td><td>31.76</td><td>31.92</td><td>7.16</td><td>36.86</td><td>6.00</td><td>100</td><td>216</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.44	39.98	54.00	-14.02	31.76	31.92	7.16	36.86	6.00	100	216	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>101.30</td><td>-----</td><td>-----</td><td>92.82</td><td>32.14</td><td>7.20</td><td>36.86</td><td>6.00</td><td>100</td><td>216</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.30	-----	-----	92.82	32.14	7.20	36.86	6.00	100	216
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2386.44	39.98	54.00	-14.02	31.76	31.92	7.16	36.86	6.00	100	216	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	101.30	-----	-----	92.82	32.14	7.20	36.86	6.00	100	216	AVERAGE																																																																																							





Mode	1																																																																																																																																		
	Harmonic																																																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																																		
ANT	CDD 0+2																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																												
Peak Avg																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 4824.00</td><td>44.99</td><td>74.00</td><td>-29.01</td><td>65.54</td><td>34.40</td><td>10.29</td><td>65.24</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2 7236.00</td><td>46.71</td><td>76.06</td><td>-29.35</td><td>65.48</td><td>35.83</td><td>12.66</td><td>67.26</td><td>0.00</td><td>--</td><td>-- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 4824.00	44.99	74.00	-29.01	65.54	34.40	10.29	65.24	0.00	--	-- Peak	2 7236.00	46.71	76.06	-29.35	65.48	35.83	12.66	67.26	0.00	--	-- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 4824.00</td><td>53.03</td><td>74.00</td><td>-20.97</td><td>73.58</td><td>34.40</td><td>10.29</td><td>65.24</td><td>0.00</td><td>289</td><td>255 PEAK</td></tr><tr><td>2 4824.00</td><td>50.85</td><td>54.00</td><td>-3.15</td><td>71.40</td><td>34.40</td><td>10.29</td><td>65.24</td><td>0.00</td><td>289</td><td>255 AVERAGE</td></tr><tr><td>3 7236.00</td><td>53.37</td><td>79.40</td><td>-26.03</td><td>72.14</td><td>35.83</td><td>12.66</td><td>67.26</td><td>0.00</td><td>--</td><td>-- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 4824.00	53.03	74.00	-20.97	73.58	34.40	10.29	65.24	0.00	289	255 PEAK	2 4824.00	50.85	54.00	-3.15	71.40	34.40	10.29	65.24	0.00	289	255 AVERAGE	3 7236.00	53.37	79.40	-26.03	72.14	35.83	12.66	67.26	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1 4824.00	44.99	74.00	-29.01	65.54	34.40	10.29	65.24	0.00	--	-- Peak																																																																																																																									
2 7236.00	46.71	76.06	-29.35	65.48	35.83	12.66	67.26	0.00	--	-- Peak																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1 4824.00	53.03	74.00	-20.97	73.58	34.40	10.29	65.24	0.00	289	255 PEAK																																																																																																																									
2 4824.00	50.85	54.00	-3.15	71.40	34.40	10.29	65.24	0.00	289	255 AVERAGE																																																																																																																									
3 7236.00	53.37	79.40	-26.03	72.14	35.83	12.66	67.26	0.00	--	-- Peak																																																																																																																									
100K Ref Level																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2412.00</td><td>96.06</td><td>74.00</td><td>22.06</td><td>87.58</td><td>32.14</td><td>7.20</td><td>36.86</td><td>6.00</td><td>300</td><td>130 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 2412.00	96.06	74.00	22.06	87.58	32.14	7.20	36.86	6.00	300	130 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2412.00</td><td>99.40</td><td>74.00</td><td>25.40</td><td>90.92</td><td>32.14</td><td>7.20</td><td>36.86</td><td>6.00</td><td>100</td><td>200 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 2412.00	99.40	74.00	25.40	90.92	32.14	7.20	36.86	6.00	100	200 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1 2412.00	96.06	74.00	22.06	87.58	32.14	7.20	36.86	6.00	300	130 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1 2412.00	99.40	74.00	25.40	90.92	32.14	7.20	36.86	6.00	100	200 PEAK																																																																																																																									





Mode	1																																																																																																																																																																																									
	LF																																																																																																																																																																																									
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																																																																																									
ANT	CDD 0+2																																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																																			
QP																																																																																																																																																																																										
	<table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 p</td><td>41.64</td><td>31.36</td><td>-8.64</td><td>40.00</td><td>44.80</td><td>18.49</td><td>0.90</td><td>32.83</td><td>--- --- Peak</td></tr><tr><td>2</td><td>149.31</td><td>22.63</td><td>-20.87</td><td>43.50</td><td>36.45</td><td>17.10</td><td>1.79</td><td>32.71</td><td>--- --- Peak</td></tr><tr><td>3</td><td>322.94</td><td>20.31</td><td>-25.69</td><td>46.00</td><td>31.06</td><td>19.44</td><td>2.65</td><td>32.84</td><td>--- --- Peak</td></tr><tr><td>4</td><td>556.71</td><td>24.70</td><td>-21.30</td><td>46.00</td><td>28.64</td><td>26.04</td><td>3.25</td><td>33.23</td><td>--- --- Peak</td></tr><tr><td>5</td><td>742.95</td><td>28.62</td><td>-17.38</td><td>46.00</td><td>29.59</td><td>28.20</td><td>4.05</td><td>33.22</td><td>--- --- Peak</td></tr><tr><td>6</td><td>993.21</td><td>31.73</td><td>-22.27</td><td>54.00</td><td>27.68</td><td>30.58</td><td>4.67</td><td>31.20</td><td>--- --- Peak</td></tr></table>							Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		1 p	41.64	31.36	-8.64	40.00	44.80	18.49	0.90	32.83	--- --- Peak	2	149.31	22.63	-20.87	43.50	36.45	17.10	1.79	32.71	--- --- Peak	3	322.94	20.31	-25.69	46.00	31.06	19.44	2.65	32.84	--- --- Peak	4	556.71	24.70	-21.30	46.00	28.64	26.04	3.25	33.23	--- --- Peak	5	742.95	28.62	-17.38	46.00	29.59	28.20	4.05	33.22	--- --- Peak	6	993.21	31.73	-22.27	54.00	27.68	30.58	4.67	31.20	--- --- Peak	<table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>30.00</td><td>21.31</td><td>-18.69</td><td>40.00</td><td>28.68</td><td>24.68</td><td>0.76</td><td>32.81</td><td>--- --- Peak</td></tr><tr><td>2</td><td>148.34</td><td>25.10</td><td>-18.40</td><td>43.50</td><td>38.86</td><td>17.16</td><td>1.79</td><td>32.71</td><td>--- --- Peak</td></tr><tr><td>3</td><td>443.22</td><td>24.13</td><td>-21.87</td><td>46.00</td><td>31.35</td><td>22.72</td><td>3.12</td><td>33.06</td><td>--- --- Peak</td></tr><tr><td>4</td><td>644.98</td><td>26.32</td><td>-19.68</td><td>46.00</td><td>29.59</td><td>26.28</td><td>3.72</td><td>33.27</td><td>--- --- Peak</td></tr><tr><td>5 p</td><td>734.22</td><td>28.81</td><td>-17.19</td><td>46.00</td><td>30.07</td><td>27.93</td><td>4.03</td><td>33.22</td><td>--- --- Peak</td></tr><tr><td>6</td><td>975.75</td><td>31.46</td><td>-22.54</td><td>54.00</td><td>27.27</td><td>30.94</td><td>4.64</td><td>31.39</td><td>--- --- Peak</td></tr></table>							Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB		1	30.00	21.31	-18.69	40.00	28.68	24.68	0.76	32.81	--- --- Peak	2	148.34	25.10	-18.40	43.50	38.86	17.16	1.79	32.71	--- --- Peak	3	443.22	24.13	-21.87	46.00	31.35	22.72	3.12	33.06	--- --- Peak	4	644.98	26.32	-19.68	46.00	29.59	26.28	3.72	33.27	--- --- Peak	5 p	734.22	28.81	-17.19	46.00	30.07	27.93	4.03	33.22	--- --- Peak	6	975.75	31.46	-22.54	54.00	27.27	30.94	4.64	31.39	--- --- Peak
		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																	
	Freq	Level	Limit	Level	Factor	Loss	Factor																																																																																																																																																																																			
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																																																																																																																																		
	1 p	41.64	31.36	-8.64	40.00	44.80	18.49	0.90	32.83	--- --- Peak																																																																																																																																																																																
	2	149.31	22.63	-20.87	43.50	36.45	17.10	1.79	32.71	--- --- Peak																																																																																																																																																																																
	3	322.94	20.31	-25.69	46.00	31.06	19.44	2.65	32.84	--- --- Peak																																																																																																																																																																																
	4	556.71	24.70	-21.30	46.00	28.64	26.04	3.25	33.23	--- --- Peak																																																																																																																																																																																
	5	742.95	28.62	-17.38	46.00	29.59	28.20	4.05	33.22	--- --- Peak																																																																																																																																																																																
6	993.21	31.73	-22.27	54.00	27.68	30.58	4.67	31.20	--- --- Peak																																																																																																																																																																																	
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																		
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																																																																																																																																			
1	30.00	21.31	-18.69	40.00	28.68	24.68	0.76	32.81	--- --- Peak																																																																																																																																																																																	
2	148.34	25.10	-18.40	43.50	38.86	17.16	1.79	32.71	--- --- Peak																																																																																																																																																																																	
3	443.22	24.13	-21.87	46.00	31.35	22.72	3.12	33.06	--- --- Peak																																																																																																																																																																																	
4	644.98	26.32	-19.68	46.00	29.59	26.28	3.72	33.27	--- --- Peak																																																																																																																																																																																	
5 p	734.22	28.81	-17.19	46.00	30.07	27.93	4.03	33.22	--- --- Peak																																																																																																																																																																																	
6	975.75	31.46	-22.54	54.00	27.27	30.94	4.64	31.39	--- --- Peak																																																																																																																																																																																	







Mode	1	
	18-25G	
	2400-2483.5_802.11b_CH01_2412MHz	
ANT	CDD 0+2	
Pol.	Horizontal	Vertical
Peak Avg		







		2																																																																																																					
Mode		Harmonic																																																																																																					
		2400-2483.5_802.11b_CH06_2437MHz																																																																																																					
ANT		CDD 0+2																																																																																																					
Pol.		Horizontal						Vertical																																																																																															
Peak Avg																																																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>42.38</td><td>74.00</td><td>-31.62</td><td>62.67</td><td>34.60</td><td>10.34</td><td>65.23</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>48.25</td><td>74.00</td><td>-25.75</td><td>67.09</td><td>35.81</td><td>12.78</td><td>67.43</td><td>0.00</td><td>378</td><td>179</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>43.15</td><td>54.00</td><td>-10.85</td><td>61.99</td><td>35.82</td><td>12.77</td><td>67.43</td><td>0.00</td><td>378</td><td>179</td><td>AVERAGE</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4874.00	42.38	74.00	-31.62	62.67	34.60	10.34	65.23	0.00	--	--	PEAK	2	7311.00	48.25	74.00	-25.75	67.09	35.81	12.78	67.43	0.00	378	179	PEAK	3	7311.00	43.15	54.00	-10.85	61.99	35.82	12.77	67.43	0.00	378	179	AVERAGE												
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																												
1	4874.00	42.38	74.00	-31.62	62.67	34.60	10.34	65.23	0.00	--	--	PEAK																																																																																											
2	7311.00	48.25	74.00	-25.75	67.09	35.81	12.78	67.43	0.00	378	179	PEAK																																																																																											
3	7311.00	43.15	54.00	-10.85	61.99	35.82	12.77	67.43	0.00	378	179	AVERAGE																																																																																											
																																																																																																							
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>51.06</td><td>74.00</td><td>-22.94</td><td>71.35</td><td>34.60</td><td>10.34</td><td>65.23</td><td>0.00</td><td>283</td><td>74</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>48.88</td><td>54.00</td><td>-5.12</td><td>69.17</td><td>34.60</td><td>10.34</td><td>65.23</td><td>0.00</td><td>283</td><td>74</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>52.89</td><td>74.00</td><td>-21.11</td><td>71.73</td><td>35.81</td><td>12.78</td><td>67.43</td><td>0.00</td><td>266</td><td>55</td><td>PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>48.88</td><td>54.00</td><td>-5.12</td><td>67.73</td><td>35.80</td><td>12.78</td><td>67.43</td><td>0.00</td><td>266</td><td>55</td><td>AVERAGE</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4874.00	51.06	74.00	-22.94	71.35	34.60	10.34	65.23	0.00	283	74	PEAK	2	4874.00	48.88	54.00	-5.12	69.17	34.60	10.34	65.23	0.00	283	74	AVERAGE	3	7311.00	52.89	74.00	-21.11	71.73	35.81	12.78	67.43	0.00	266	55	PEAK	4	7311.00	48.88	54.00	-5.12	67.73	35.80	12.78	67.43	0.00	266	55	AVERAGE
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																												
1	4874.00	51.06	74.00	-22.94	71.35	34.60	10.34	65.23	0.00	283	74	PEAK																																																																																											
2	4874.00	48.88	54.00	-5.12	69.17	34.60	10.34	65.23	0.00	283	74	AVERAGE																																																																																											
3	7311.00	52.89	74.00	-21.11	71.73	35.81	12.78	67.43	0.00	266	55	PEAK																																																																																											
4	7311.00	48.88	54.00	-5.12	67.73	35.80	12.78	67.43	0.00	266	55	AVERAGE																																																																																											





Mode	3																																																							
	Band Edge																																																							
	2400-2483.5_802.11b_CH11_2462MHz																																																							
ANT	CDD 0+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2492.32</td><td>51.48</td><td>74.00</td><td>-22.52</td><td>42.38</td><td>32.60</td><td>7.35</td><td>36.85</td><td>6.00</td><td>301</td><td>123</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.32	51.48	74.00	-22.52	42.38	32.60	7.35	36.85	6.00	301	123	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2492.32	51.48	74.00	-22.52	42.38	32.60	7.35	36.85	6.00	301	123	PEAK																																												
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2490.04</td><td>38.52</td><td>54.00</td><td>-15.48</td><td>29.43</td><td>32.60</td><td>7.34</td><td>36.85</td><td>6.00</td><td>301</td><td>123</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.04	38.52	54.00	-15.48	29.43	32.60	7.34	36.85	6.00	301	123	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2490.04	38.52	54.00	-15.48	29.43	32.60	7.34	36.85	6.00	301	123	AVERAGE																																												
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>104.95</td><td>-----</td><td>-----</td><td>95.91</td><td>32.60</td><td>7.29</td><td>36.85</td><td>6.00</td><td>301</td><td>123</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.95	-----	-----	95.91	32.60	7.29	36.85	6.00	301	123	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	104.95	-----	-----	95.91	32.60	7.29	36.85	6.00	301	123	PEAK																																												
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>100.45</td><td>-----</td><td>-----</td><td>91.41</td><td>32.60</td><td>7.29</td><td>36.85</td><td>6.00</td><td>301</td><td>123</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.45	-----	-----	91.41	32.60	7.29	36.85	6.00	301	123	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	100.45	-----	-----	91.41	32.60	7.29	36.85	6.00	301	123	AVERAGE																																												







Mode	3																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																			
ANT	CDD 0+2																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.70</td><td>51.93</td><td>74.00</td><td>-22.07</td><td>42.82</td><td>32.60</td><td>7.36</td><td>36.85</td><td>6.00</td><td>135</td><td>289</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.70	51.93	74.00	-22.07	42.82	32.60	7.36	36.85	6.00	135	289	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>107.52</td><td>-----</td><td>-----</td><td>98.48</td><td>32.60</td><td>7.29</td><td>36.85</td><td>6.00</td><td>135</td><td>289</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.52	-----	-----	98.48	32.60	7.29	36.85	6.00	135	289	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2499.70	51.93	74.00	-22.07	42.82	32.60	7.36	36.85	6.00	135	289	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	107.52	-----	-----	98.48	32.60	7.29	36.85	6.00	135	289	PEAK																																																																																								
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.42</td><td>39.60</td><td>54.00</td><td>-14.40</td><td>30.52</td><td>32.60</td><td>7.33</td><td>36.85</td><td>6.00</td><td>135</td><td>289</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.42	39.60	54.00	-14.40	30.52	32.60	7.33	36.85	6.00	135	289	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.08</td><td>-----</td><td>-----</td><td>94.04</td><td>32.60</td><td>7.29</td><td>36.85</td><td>6.00</td><td>135</td><td>289</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.08	-----	-----	94.04	32.60	7.29	36.85	6.00	135	289	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2485.42	39.60	54.00	-14.40	30.52	32.60	7.33	36.85	6.00	135	289	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	103.08	-----	-----	94.04	32.60	7.29	36.85	6.00	135	289	AVERAGE																																																																																								







Mode	3																																																																																																																																																								
	Harmonic																																																																																																																																																								
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																																								
ANT	CDD 0+2																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.50</td><td>44.38</td><td>74.00</td><td>-29.62</td><td>64.78</td><td>34.65</td><td>10.40</td><td>65.45</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7384.50</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>65.66</td><td>35.78</td><td>12.88</td><td>67.26</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4924.50	44.38	74.00	-29.62	64.78	34.65	10.40	65.45	0.00	--	--	Peak	2	7384.50	47.06	74.00	-26.94	65.66	35.78	12.88	67.26	0.00	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.50</td><td>46.46</td><td>74.00</td><td>-27.54</td><td>66.86</td><td>34.65</td><td>10.40</td><td>65.45</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>50.46</td><td>74.00</td><td>-23.54</td><td>69.04</td><td>35.79</td><td>12.88</td><td>67.25</td><td>0.00</td><td>260</td><td>61</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>45.87</td><td>54.00</td><td>-8.13</td><td>64.47</td><td>35.78</td><td>12.88</td><td>67.26</td><td>0.00</td><td>260</td><td>61</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4924.50	46.46	74.00	-27.54	66.86	34.65	10.40	65.45	0.00	--	--	Peak	2	7386.00	50.46	74.00	-23.54	69.04	35.79	12.88	67.25	0.00	260	61	PEAK	3	7386.00	45.87	54.00	-8.13	64.47	35.78	12.88	67.26	0.00	260	61	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																														
1	4924.50	44.38	74.00	-29.62	64.78	34.65	10.40	65.45	0.00	--	--	Peak																																																																																																																																													
2	7384.50	47.06	74.00	-26.94	65.66	35.78	12.88	67.26	0.00	--	--	Peak																																																																																																																																													
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																														
1	4924.50	46.46	74.00	-27.54	66.86	34.65	10.40	65.45	0.00	--	--	Peak																																																																																																																																													
2	7386.00	50.46	74.00	-23.54	69.04	35.79	12.88	67.25	0.00	260	61	PEAK																																																																																																																																													
3	7386.00	45.87	54.00	-8.13	64.47	35.78	12.88	67.26	0.00	260	61	AVERAGE																																																																																																																																													



Mode	4																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																		
ANT	CDD 0+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.61</td><td>56.50</td><td>74.00</td><td>-17.50</td><td>48.27</td><td>31.93</td><td>7.16</td><td>36.86</td><td>6.00</td><td>300</td><td>300</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2387.61	56.50	74.00	-17.50	48.27	31.93	7.16	36.86	6.00	300	300	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>103.75</td><td>-----</td><td>-----</td><td>95.27</td><td>32.14</td><td>7.20</td><td>36.86</td><td>6.00</td><td>300</td><td>300</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	103.75	-----	-----	95.27	32.14	7.20	36.86	6.00	300	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2387.61	56.50	74.00	-17.50	48.27	31.93	7.16	36.86	6.00	300	300	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2412.00	103.75	-----	-----	95.27	32.14	7.20	36.86	6.00	300	300	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.35</td><td>43.24</td><td>54.00</td><td>-10.76</td><td>35.02</td><td>31.92</td><td>7.16</td><td>36.86</td><td>6.00</td><td>300</td><td>300</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2387.35	43.24	54.00	-10.76	35.02	31.92	7.16	36.86	6.00	300	300	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>95.28</td><td>-----</td><td>-----</td><td>86.80</td><td>32.14</td><td>7.20</td><td>36.86</td><td>6.00</td><td>300</td><td>300</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	95.28	-----	-----	86.80	32.14	7.20	36.86	6.00	300	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2387.35	43.24	54.00	-10.76	35.02	31.92	7.16	36.86	6.00	300	300	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2412.00	95.28	-----	-----	86.80	32.14	7.20	36.86	6.00	300	300	AVERAGE																																																																																							



Mode	4																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																		
ANT	CDD 0+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>60.61</td><td>74.00</td><td>-13.39</td><td>52.37</td><td>31.94</td><td>7.16</td><td>36.86</td><td>6.00</td><td>300</td><td>279</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	60.61	74.00	-13.39	52.37	31.94	7.16	36.86	6.00	300	279	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>110.66</td><td>-----</td><td>-----</td><td>102.14</td><td>32.17</td><td>7.21</td><td>36.86</td><td>6.00</td><td>300</td><td>279</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.66	-----	-----	102.14	32.17	7.21	36.86	6.00	300	279
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.43	60.61	74.00	-13.39	52.37	31.94	7.16	36.86	6.00	300	279	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	110.66	-----	-----	102.14	32.17	7.21	36.86	6.00	300	279	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>48.75</td><td>54.00</td><td>-5.25</td><td>40.51</td><td>31.94</td><td>7.16</td><td>36.86</td><td>6.00</td><td>300</td><td>279</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	48.75	54.00	-5.25	40.51	31.94	7.16	36.86	6.00	300	279	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.90</td><td>-----</td><td>-----</td><td>93.38</td><td>32.17</td><td>7.21</td><td>36.86</td><td>6.00</td><td>300</td><td>279</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.90	-----	-----	93.38	32.17	7.21	36.86	6.00	300	279
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.43	48.75	54.00	-5.25	40.51	31.94	7.16	36.86	6.00	300	279	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	101.90	-----	-----	93.38	32.17	7.21	36.86	6.00	300	279	AVERAGE																																																																																							



	4																																																																																																																																										
Mode	Harmonic																																																																																																																																										
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																																																										
ANT	CDD 0+2																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>40.75</td><td>74.00</td><td>-33.25</td><td>61.30</td><td>34.40</td><td>10.29</td><td>65.24</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7236.00</td><td>47.09</td><td>74.95</td><td>-27.86</td><td>65.86</td><td>35.83</td><td>12.66</td><td>67.26</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	40.75	74.00	-33.25	61.30	34.40	10.29	65.24	0.00	--	--	PEAK	2	7236.00	47.09	74.95	-27.86	65.86	35.83	12.66	67.26	0.00	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>73.54</td><td>34.40</td><td>10.29</td><td>65.24</td><td>0.00</td><td>284</td><td>67</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>39.83</td><td>54.00</td><td>-14.17</td><td>60.36</td><td>34.40</td><td>10.30</td><td>65.23</td><td>0.00</td><td>284</td><td>67</td><td>AVERAGE</td></tr><tr><td>3</td><td>7236.00</td><td>53.49</td><td>80.99</td><td>-27.50</td><td>72.26</td><td>35.83</td><td>12.66</td><td>67.26</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	52.99	74.00	-21.01	73.54	34.40	10.29	65.24	0.00	284	67	PEAK	2	4824.00	39.83	54.00	-14.17	60.36	34.40	10.30	65.23	0.00	284	67	AVERAGE	3	7236.00	53.49	80.99	-27.50	72.26	35.83	12.66	67.26	0.00	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4824.00	40.75	74.00	-33.25	61.30	34.40	10.29	65.24	0.00	--	--	PEAK																																																																																																																															
2	7236.00	47.09	74.95	-27.86	65.86	35.83	12.66	67.26	0.00	--	--	Peak																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4824.00	52.99	74.00	-21.01	73.54	34.40	10.29	65.24	0.00	284	67	PEAK																																																																																																																															
2	4824.00	39.83	54.00	-14.17	60.36	34.40	10.30	65.23	0.00	284	67	AVERAGE																																																																																																																															
3	7236.00	53.49	80.99	-27.50	72.26	35.83	12.66	67.26	0.00	--	--	Peak																																																																																																																															
100K Ref Level	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>94.95</td><td>74.00</td><td>20.95</td><td>86.49</td><td>32.12</td><td>7.20</td><td>36.86</td><td>6.00</td><td>300</td><td>122</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	94.95	74.00	20.95	86.49	32.12	7.20	36.86	6.00	300	122	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>100.99</td><td>74.00</td><td>26.99</td><td>92.47</td><td>32.17</td><td>7.21</td><td>36.86</td><td>6.00</td><td>100</td><td>79</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	100.99	74.00	26.99	92.47	32.17	7.21	36.86	6.00	100	79	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	2412.00	94.95	74.00	20.95	86.49	32.12	7.20	36.86	6.00	300	122	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	2412.00	100.99	74.00	26.99	92.47	32.17	7.21	36.86	6.00	100	79	PEAK																																																																																																																															