

Shenzhen Toby Technology Co., Ltd.

Report No.: TBR-C-202401-0043-63

Page: 1 of 21

DFS Test Report

FCC ID: 2A762-W3M

IC: 31926-W3M

TBR-C-202401-0043-63 Report No.

Applicant Tianjian Group Co., Ltd.

Equipment Under Test (EUT)

EUT Name : IP CAMERA

T-CP8040LF-W3M Model No.

Series Model No. : Please see to page 4

Brand Name WESECUU/Noahtec/YESKAMO

Sample ID 202401-0043-3-1# & 202401-0043-3-2#

Receipt Date 2024-01-17

2024-01-17 to 2024-03-06 **Test Date**

2024-03-06 **Issue Date**

FCC Part 15 Subpart E 15.407 **Standards**

RSS-247 Issue 3 August 2023

KDB 905462 D02 UNII DFS Compliance Procedures New Rules v02 KDB 905462 D03 UNII Clients Without Radar Detection New Rules v01r02

Test Method ANSI C63.10:2013

Conclusions **PASS**

In the configuration tested, the EUT complied with the standards specified above

Tested By

Reviewed By

: TNAN SU Approved By

This report details the results of the testing carried out on one sample. The results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in the report.

TB-RF-074-1.0



Contents

COI	NTENTS	2		
1.	GENERAL INFORMATION ABOUT EUT			
	1.1 Client Information	4		
	1.2 General Description of EUT (Equipment Unde			
	1.5 Test Facility			
2.	TEST SOFTWARE	7		
3.	TEST EQUIPMENT	8		
4.	U-NII DFS RULE REQUIREMENTS	9		
	4.1. Applicability of DFS requirements			
	4.2. Test Limits and Radar Signal Parameters	10		
5.	CALIBRATION OF RADAR WAVEFORM			
	5.1. Test Procedure	15		
	5.2. Conducted Calibration Test Setup	16		
	5.3. Deviation from Test Standard	16		
	5.4. Radar Waveform Calibration Result	16		
6.	U-NII DFS TESTING	17		
	6.1. Test Procedure	17		
	6.2. Test Setup			
7.	TESTING RESULTS	18		
	7.1. Summary of Test Results	18		
	7.2. DFS Detection Threshold	18		
	7.3. Channel Closing Transmission Time	19		



Report No.: TBR-C-202401-0043-63 Page: 3 of 21

Revision History

TOBY
Part of the Cotecna Group

Report No.	Version	Description	Issued Date
TBR-C-202401-0043-63	Rev.01	Initial issue of report	2024-03-06
	1110		a Turk
Distriction of the second			000
The state of the s	Ann Co	33	The state of the s
D TUDE		mB_{ij}	
COLUMN !			BULL
	300	WORR WORR	
Wind in		and the same of th	THE STATE OF THE S
	1	Will will be the second	
	TORY		



1. General Information about EUT

1.1 Client Information

Applicant : Tianjian Group Co.,L		Tianjian Group Co.,Ltd.	
Address : 501, No.9, Nuclear Power Industrial Park, Fumin Community Fucheng Street, Longhua District, Shenzhen, China		501, No.9, Nuclear Power Industrial Park, Fumin Community, Fucheng Street, Longhua District, Shenzhen, China	
Manufacturer		Tianjian Group Co.,Ltd.	
Address		501, No.9, Nuclear Power Industrial Park, Fumin Community, Fucheng Street, Longhua District, Shenzhen, China	

1.2 General Description of EUT (Equipment Under Test)

	_	
EUT Name		IP CAMERA
HVIN	:	T-CP8040LF-W3M For ISED
Models No.		T-CP8010TF-W3M,T-CP8020TF-W2Z, T-CP8042LF-W3M, T-CP8043LF-W5M, T-CP8044LF-W3M,T-CP8050LF-W3M, T-CP8052LF-W3M, T-CP8053LF-W5M, T-CP8054LF-W3M, T-CP8060LF-W3M, T-CP8060LV-W3B, T-CP8062LF-W3M, T-CP8070LF-W3M, T-CP8072LF-W3M, T-CP8076LF-W3M, T-CP8080LF-W5M, T-CP8082LF-W3M, T-T-CP8090LF-W3M, T-CP8092LF-W5M,T-CP8095LF-W5M, T-CP8096LF-W3M, T-CP80XXLF-WXX,T-CP9006TF-W3M,T-CP9026TF-W3M, T-CP90XXTF-WXX, T-CL6020LF-W44J,T-CL6021SF-W44J, T-CL7020LF-W44J, T-CL70XXLF-WXX For FCC& ISED
Model Different		All these models are identical in the same PCB, layout and electrical circuit, the only difference is different customers, different model name.
Operating Frequency Band		
TPC		⊠ No ☐ Yes
Power Rating	:	Input: DC 5V/1A
Software Version		V4.6.10
Hardware Version Note		V276
		This device was functioned as a ☐Master ☐Slave device with radar detection ☐Slave device without radar detection



Page: 5 of 21

Note:

(1) For a more detailed features description, please refer to the manufacturer's specifications or the User's Manual.

(2) Antenna information provided by the manufacturer.

Brand	Model Name	Antenna Type	Gain (dBi)	
Dianu		Antenna Type	Ant.1	
U-NII-2A	N/A	EDC	3.85	
U-NII-2C	N/A	FPC	4.08	



Page: 6 of 21

(3) Channel List:

Frequency Band	Channel No.	Frequency	Channel No.	Frequency
	52	5260 MHz	60	5300 MHz
5260~5320 MHz	54	5270 MHz	62	5310MHz
(U-NII-2A)	56	5280MHz	64	5320 MHz
	58	5290MHz		

For 20 MHz Bandwidth, use channel 52, 56, 60, 64. For 40 MHz Bandwidth, use channel 54, 62. For 80 MHz Bandwidth, use channel 58.

Frequency Band	Channel No.	Frequency	Channel No.	Frequency
	100	5500 MHz	124	5620 MHz
	102	5510 MHz	126	5630 MHz
	104	5520 MHz	128	5640 MHz
	106	5530 MHz	132	5660 MHz
5500~5720 MHz	108	5540 MHz	134	5670 MHz
(U-NII-2C)	110	5550 MHz	136	5680 MHz
	112	5560 MHz	138	5690 MHz
	116	5580 MHz	140	5700 MHz
	118	5590 MHz	142	5710 MHz
	120	5600 MHz	144	5720 MHz
	122	5610 MHz		

For 20 MHz Bandwidth, use channel 100, 104, 108, 112, 116, 120, 124, 128, 132, 136, 140, 144

For 40 MHz Bandwidth, use channel 102, 110, 118, 126, 134, 142

For 80 MHz Bandwidth, use channel 106, 122, 138

Note: For the protection of Environment, the 5600-5650MHz band restricted in Canada. So the CH 188/120/122/124/126/128 was restricted use in Canada.



Page: 7 of 21

1.5 Test Facility

The testing report were performed by the Shenzhen Toby Technology Co., Ltd., in their facilities located at 1/F., Building 6, Rundongsheng Industrial Zone, Longzhu, Xixiang, Bao'an District, Shenzhen, Guangdong, China. At the time of testing, the following bodies accredited the Laboratory:

CNAS (L5813)

The Laboratory has been accredited by CNAS to ISO/IEC 17025: 2017 General Requirements for the Competence of Testing and Calibration Laboratories for the competence in the field of testing. And the Registration No.: CNAS L5813.

A2LA Certificate No.: 4750.01

The laboratory has been accredited by American Association for Laboratory Accreditation(A2LA) to ISO/IEC 17025: 2017 General Requirements for the Competence of Testing and Calibration Laboratories for the technical competence in the field of Electrical Testing. And the A2LA Certificate No.: 4750.01.FCC Accredited Test Site Number: 854351. Designation Number: CN1223.

IC Registration No.: (11950A)

The Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing. The site registration: Site# 11950A. CAB identifier: CN0056.

2. Test Software

Test Item	Test Software	Manufacturer	Version No.	
RF Conducted	MTS-8310	MWRFtest	V2.0.0.0	
Measurement	W13-0310	WWWITEST	V2.0.0.0	
RF Test System	JS1120	Tonscend	V3.2.22	





3. Test Equipment

Antenna Conducted Emission						
Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Cal. Due Date	
Spectrum Analyzer	Agilent	E4407B	MY45106456	Jun. 20, 2023	Jun. 19, 2024	
Spectrum Analyzer	Rohde & Schwarz	FSV40-N	102197	Jun. 20, 2023	Jun. 19, 2024	
MXA Signal Analyzer	KEYSIGHT	N9020B	MY60110172	Aug. 30, 2023	Aug. 29, 2024	
MXA Signal Analyzer	Agilent	N9020A	MY47380425	Aug. 30, 2023	Aug. 29, 2024	
Vector Signal Generator	Agilent	N5182A	MY50141294	Aug. 30, 2023	Aug. 29, 2024	
Analog Signal Generator	Agilent	N5181A	MY48180463	Aug. 30, 2023	Aug. 29, 2024	
Vector Signal Generator	KEYSIGHT	N5182B	MY59101429	Aug. 30, 2023	Aug. 29, 2024	
Analog Signal Generator	KEYSIGHT	N5173B	MY61252685	Aug. 30, 2023	Aug. 29, 2024	
	DARE!! Instruments	RadiPowerRPR3006W	17I00015SNO26	Aug. 30, 2023	Aug. 29, 2024	
DE D	DARE!! Instruments	RadiPowerRPR3006W	17I00015SNO29	Aug. 30, 2023	Aug. 29, 2024	
RF Power Sensor	DARE!! Instruments	RadiPowerRPR3006W	17I00015SNO31	Aug. 30, 2023	Aug. 29, 2024	
	DARE!! Instruments	RadiPowerRPR3006W	17I00015SNO33	Aug. 30, 2023	Aug. 29, 2024	
RF Control Unit	Tonsced	JS0806-1	21C8060380	N/A	N/A	
RF Control Unit	Tonsced	JS0806-2	21F8060439	Aug. 30, 2023	Aug. 29, 2024	
Power Control Box	Tonsced	JS0806-4ADC	21C8060387	N/A	N/A	
Wideband Radio Comunication Tester	Rohde & Schwarz	CMW500	144382	Aug. 30, 2023	Aug. 29, 2024	
Universal Radio Communication Tester	Rohde&Schwarz	CMW500	168796	Feb. 23, 2024	Feb. 22, 2025	
Temperature and Humidity Chamber	ZhengHang	ZH-QTH-1500	ZH2107264	Jun. 20, 2023	Jun. 19, 2024	



Page: 9 of 21

4. U-NII DFS Rule Requirements

4.1. Applicability of DFS requirements

The manufacturer shall state whether the UUT is capable of operating as a Master and/or a Client. If the UUT is capable of operating in more than one operating mode then each operating mode shall be tested separately. See tables 1 and 2 for the applicability of DFS requirements for each of the operational modes.

Table 1: Applicability of DFS requirements prior to use a channel

	Operational Mode			
Requirement	□Master	⊠Client without radar detection	☐Client with radar detection	
Non-Occupancy Period	1	Not required	*	
DFS Detection Threshold	*	Not required	~	
Channel Availability Check Time	N V	Not required	Not required	
Uniform Spreading	1	Not required	Not required	
U-NII Detection Bandwidth	/	Not required	1	

Table 2: Applicability of DFS requirements during normal operation

	Operational Mode			
Requirement	☐ Master	⊠Client without radar detection	☐Client with radar detection	
DFS Detection Threshold	1	Not required	1	
Channel Closing Transmission Time		08 1	Myrs.	
Channel Move Time	(\)	1	1	
U-NII Detection Bandwidth	V 600	Not required	W	



Page: 10 of 21

Additional requirements for devices with multiple bandwidth modes	☐Master Device or Client with Radar Detection	⊠Client without Detection
Detection Bandwidth and	All BW modes must be	Not required
Statistical Performance Check	tested	The state of the s
Channel Move Time and	Test using widest BW	Test using widest BW
Channel Closing Transmission	mode available	mode available
Time		
All other tests	Any single BW mode	Not required

Note: Frequencies selected for statistical performance check (section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the bonded 20MHz channels and the channel center frequency.

4.2. Test Limits and Radar Signal Parameters

DETECTION THRESHOLD VALUES

Table 5: DFS Detection Thresholds for Master Devices and Client Devices with Radar Detection.

Mariana Tarana M.B.	Value (See Notes 1 and 2)		
Maximum Transmit Power			
EIRP≥ 200 milliwatt	-64 dBm		
EIRP < 200 milliwatt and	-62 dBm		
Power pectral density < 10 dBm/MHz			
EIRP < 200 milliwatt that do not meet the	G4 dPm		
power spectral density requirement	-64 dBm		

Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna.

Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.

Note3: EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.





Page: 11 of 21

Table 6: DFS Response Requirement Values

Parameter	Value
Non-occupancy period	Minimum 30 minutes
Channel Availability Check Time	60 seconds
Channel Move Time	10 seconds See Note 1.
Channel Closing Transmission Time	200 milliseconds + an aggregate of 60 milliseconds over remaining 10 second period. See Notes 1 and 2.
U-NII Detection Bandwidth	Minimum 100% of the UNII 99% transmission power bandwidth. See Note 3.

Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

Note 2: The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.

Note 3: During the U-NII Detection Bandwidth detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.





Page: 12 of 21

PARAMETERS OF DFS TEST SIGNALS

Step intervals of 0.1 microsecond for Pulse Width, 1 microsecond for PRI, 1 MHz for chirp width and 1 for the number of pulses will be utilized for the random determination of specific test waveforms.

Table 7: Short Pulse Radar Test Waveforms.

Radar	Pulse	PRI	Number of Pulses	Minimum	Minimum			
Type	Width	(µsec)		Percentage of	Number			
	(µsec)			Successful	of			
				Detection	Trials			
0	1	1428	18	See Note 1	See Note			
					1			
1	1	Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a Test B: 15 unique PRI values randomly selected within the range of 518-3066 µsec, with a minimum increment of 1 µsec, excluding PRI values selected in Test A	Roundup $ \begin{cases} \left(\frac{1}{360}\right) \\ \left(\frac{19 \cdot 10^6}{\text{PRI}_{\mu \text{sec}}}\right) \end{cases} $	60%	30			
2	1-5	150-230	23-29	60%	30			
3	6-10	200-500	16-18	60%	30			
4	11-20	200-500	12-16	60%	30			
Aggregate	80%	120						
	Note 1. Short Dulca Dadar Type 0 should be used for the detection handwidth test, channel move							

Note 1: Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests.

A minimum of 30 unique waveforms are required for each of the Short Pulse Radar Types 2 through 4. If more than 30 waveforms are used for Short Pulse Radar Types 2 through 4, then each additional waveform must also be unique and not repeated from the previous waveforms. If more than 30 waveforms are used for Short Pulse Radar Type 1, then each additional waveform is generated with Test B and must also be unique and not repeated from the previous waveforms in Tests A or B.





Table 7a: Pulse Repetition Intervals Values for Test A.

Pulse Repetition Frequency Number	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)		
1	1930.5	518		
2	1858.7	538		
3	1792.1	558		
4	1730.1	578		
5	1672.2	598		
6	1618.1	618		
7	1567.4	638		
8	1519.8	658		
9	1474.9	678		
10	1432.7	698		
11	1392.8	718		
12	1355	738		
13	1319.3	758		
14	1285.3	778		
15	1253.1	798		
16	1222.5	818		
17	1193.3	838		
18	1165.6	858		
19	1139	878		
20	1113.6	898		
21	1089.3	918		
22	1066.1	938		
23	326.2	3066		

Table 8: Long Pulse Radar Test Waveform

dar pe	Pulse Width (µsec)	Chirp Width (MHz)	PRI (μsec)	Number of Pulses per Burst	Number of Bursts	Minimum Percentage of Successful Detection	Minimum Number of Trials
5	50-100	5-20	1000-2000	1-3	8-20	80%	30



Page: 14 of 21

The parameters for this waveform are randomly chosen (The center frequency for each of the 30 trials of the Bin 5 radar shall be randomly selected within 80% of the Occupied Bandwidth.) Thirty unique waveforms are required for the Long Pulse Radar Type waveforms. If more than 30 waveforms are used for the Long Pulse Radar Type waveforms, then each additional waveform must also be unique and not repeated from the previous waveforms.

Table 9: Frequency Hopping Radar Test Waveform

Rad Typ		Pulse Width (µsec)	Chirp Width (MHz)	PRI (µsec)	Number of Pulses per Burst	Number of Bursts	Minimum Percentage of Successful Detection	Minimum Number of Trials
6	1	1	333	9	0.333	300	70%	30




Page: 15 of 21

5. Calibration of Radar Waveform

5.1. Test Procedure

 A 50 ohm load is connected in place of the spectrum analyzer, and the spectrum analyzer is connected in place of the master device and the signal generator is set to CW mode. The amplitude of the signal generator is adjusted to yield a level of –62 dBm as measured on the spectrum analyzer.


- 2. Without changing any of the instrument settings, the spectrum analyer is reconnected to the Common port of the Spectrum Analyzer Combiner/Divider. Measure the amplitude and calculate the difference from –62 dBm. Adjust the Reference Level Offset of the spectrum analyzer to this difference.
- 3. The spectrum analyzer displays the level of the signal generator as received at the antenna ports of the Master Device. The interference detection threshold may be varied from the calibrated value of –62 dBm and the spectrum analyzer will still indicate the level as received by the Master Device.
- 4. Set the signal generator to produce a radar waveform, trigger a burst manually and measure the level on the spectrum analyzer. Readjust the amplitude of the signal generator as required so that the peak level of the waveform is at a displayed level equal to the required or desired interference detection threshold. Separate signal generator amplitude settings are determined as required for each radar type.





Page: 16 of 21

5.2. Conducted Calibration Test Setup



5.3. Deviation from Test Standard

No Deviation

5.4. Radar Waveform Calibration Result




Page: 17 of 21

6. U-NII DFS Testing

6.1. Test Procedure

- 1. Master device and client device are set up by conduction method as the following configuration.
- 2. The client device is connected to notebook and to access a IP address on wireless connection with the master device.
- 3. Then the master device is connected to another notebook to access a IP address.
- 4. Finally, let the two IP addresses run traffic with each other through the Run flow software "Lan test" to reach 17% channel loading as below:

6.2. Test Setup



Page: 18 of 21

7. Testing Results

7.1. Summary of Test Results

Clause	Test Parameter	Remarks	Pass/Fail	
15.407	DFS Detection Threshold	No Applicable	N/A	
15.407	Channel Availability Check Time	Not Applicable	N/A	
15.407	Channel Move Time	Applicable	Pass	
15.407	Channel Closing Transmission Time	Applicable	Pass	
15.407	Non- Occupancy Period	Not Applicable	N/A	
15.407	15.407 Uniform Spreading		N/A	
15.407	U-NII Detection Bandwidth	Not Applicable	N/A	

The EUT is slave equipment, it need a master device when testing.

Master with injection at the Master. (Radar Test Waveforms are injected into the Master)

7.2. DFS Detection Threshold

Calibration:

The EUT is slave equipment and it with a max gain is 4.08 dBi.

For a detection threshold level of -62dBm and the master (Brand: ZTE, Model: ZXHN H389A,

FCC ID: Q78-ZXHNH389A) antenna gain is 3dBi, required detection threshold is

-59.00dBm=(-62+3.0)dBm.

Note: Maximum Transmit Power is less than 200milliwatt in this report, so detection threshold level is -62dBm.



Report No.: TBR-C-202401-0043-63 Page: 19 of 21


7.3. Channel Closing Transmission Time

Channel Closing Transmission Time and Channel Move Time Result								
Test Mode	Frequency[MHz]	CCTT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict		
11AX40SISO	5270	200+14.3	200+60	835.9	10000	PASS		
	5510	200+13	200+60	868.4	10000	PASS		






Page: 20 of 21





TOBY Part of the Cotecno Group

Page: 21 of 21



----END OF THE REPORT-----