

Made in Germany, 79689 Maulburg		Endress+Hauser 	
Micropilot		IP68 / 66 NEMA 4X / 6P	
Order code: FMR67		FCC ID LCGFMR6XEF	
Ser. no.: 12345678901234			
Ext. ord. cd.: FMR62-AAAAAAGPA5CGJ1			
14...35 V DC / 2-wire 4...20 mA HART		Date: 2016-12	
Tp max.: 80°C MWP: 3bar / 43 psi M20x1.5 / M16x1.5 Ta: -40...+80 °C Ta > 60 °C: $T \geq T_a + 20 K$ Mat.: FKM, PTFE, 316L			
FW: 01.00.00 Dev.Rev.: 1 ex works			
0700  			
 → 		 X = if modification see sep. label Patents → 	

Made in Germany, 79689 Maulburg		Endress+Hauser 	
Micropilot		IP68 / 66 NEMA 4X / 6P	
Order code: FMR60		FCC ID LCGFMR6XEF	
Ser. no.: 12345678901234			
Ext. ord. cd.: FMR60-AAAAAAGAA3XJG			
14...35 V DC / 2-wire 4...20 mA HART		Date: 2016-12	
Tp max.: 80°C MWP: 3bar / 43 psi M20x1.5 / M16x1.5 Ta: -40...+80 °C Ta > 60 °C: $T \geq T_a + 20 K$ Mat.: FKM, Aramid, PTFE, 316L, PP			
FW: 01.00.00 Dev.Rev.: 1 ex works			
0700  			
 → 		 X = if modification see sep. label Patents → 	

Made in Germany, 79689 Maulburg		Endress+Hauser 	
Micropilot		IP68 / 66 NEMA 4X / 6P	
Order code: FMR62		FCC ID LCGFMR6XEF	
Ser. no.: 12345678901234			
Ext. ord. cd.: FMR62-AAAAAAGFA5GGJ			
14...35 V DC / 2-wire 4...20 mA HART		Date: 2016-12	
Tp max.: 80°C MWP: 3bar / 43 psi M20x1.5 / M16x1.5 Ta: -40...+80 °C Ta > 60 °C: $T \geq T_a + 20 K$ Mat.: FKM, PEEK, 316L			
FW: 01.00.00 Dev.Rev.: 1 ex works			
0700  			
 → 		 X = if modification see sep. label Patents → 	

Made in Germany, 79689 Maulburg		Endress+Hauser 	
Micropilot		IP68 / 66 NEMA 4X / 6P	
Order code: FMR60		MODEL FMR60 IC:2519A-6EF	
Ser. no.: 12345678901234			
Ext. ord. cd.: FMR60-CAAAAAGAA3XJG			
 14...35 V DC / 2-wire  4...20 mA HART			
Tp max.: 80°C MWP: 3bar / 43 psi  M20x1.5 / M16x1.5 Ta: -40...+80 °C Ta > 60 °C: $T \geq T_a + 20 \text{ K}$  Mat.: FKM, Aramid, PTFE, 316L, PP			
FW: 01.00.00 Dev.Rev.: 1 ex works		 → 	
0700		 X = if modification see sep. label Patents →  	
 		Date: 2016-12	

Made in Germany, 79689 Maulburg		Endress+Hauser 	
Micropilot		IP68 / 66 NEMA 4X / 6P	
Order code: FMR62		MODEL FMR62F IC:2519A-6EF	
Ser. no.: 12345678901234			
Ext. ord. cd.: FMR62-CAAAAAGFA5GGJ			
 14...35 V DC / 2-wire  4...20 mA HART			
Tp max.: 80°C MWP: 3bar / 43 psi  M20x1.5 / M16x1.5 Ta: -40...+80 °C Ta > 60 °C: $T \geq T_a + 20 \text{ K}$  Mat.: FKM, PEEK, 316L			
FW: 01.00.00 Dev.Rev.: 1 ex works		 → 	
0700		 X = if modification see sep. label Patents →  	
 		Date: 2016-12	

Made in Germany, 79689 Maulburg		Endress+Hauser 	
Micropilot		IP68 / 66 NEMA 4X / 6P	
Order code: FMR67		MODEL FMR67 IC:2519A-6EF	
Ser. no.: 12345678901234			
Ext. ord. cd.: FMR62-CAAAAAGPA5CGJ1			
 14...35 V DC / 2-wire  4...20 mA HART			
Tp max.: 80°C MWP: 3bar / 43 psi  M20x1.5 / M16x1.5 Ta: -40...+80 °C Ta > 60 °C: $T \geq T_a + 20 \text{ K}$  Mat.: FKM, PTFE, 316L			
FW: 01.00.00 Dev.Rev.: 1 ex works		 → 	
0700		 X = if modification see sep. label Patents →  	
 		Date: 2016-12	

