

Cinch Systems, Inc.
12075 43 ST NE Suite 300
St. Michael, MN 55376
763-497-1064

25 July 2014

TUV SUD BABT
Octagon House,
Concorde Way
Segensworth Rd N,
Fareham
PO15 5RL

Subject: SAR Evaluation Exemption Compliance information

FCC KDB 447498 D01v05 Clause 4.3.1.1 SAR test exemption criteria

FCC ID: 2ABBZ-RF-SDWS-HW

Portable Exposure SAR Exemption

Per FCC KDB 447498 D01 RF Exposure v05r01

Maximum e.r.p. power = 79.13 dBuV/m pk at 3 meters = 0.01497192 mW
 $f_{\text{(GHz)}} = 0.345$

A test separation distance of 5 mm has been applied to the SAR test exclusion calculation.

$$\left[\frac{(\text{max. power of channel, including tune-up tolerance, mW})}{(\text{min. test separation distance, mm})} \right] \cdot [\sqrt{f_{\text{(GHz)}}}] \leq 3.0$$

$f_{\text{(GHz)}}$ is the RF channel transmit frequency in GHz

Power and distance are rounded to the nearest mW and mm before calculation¹⁷


The result is rounded to one decimal place for comparison

[Ref: Clause 4.3.1.1]

$$\left[\frac{(0.01497192 \text{ mW})}{(5, \text{ mm})} \right] \cdot [\sqrt{0.345_{\text{(GHz)}}}] \leq 3.0$$
$$0.00175 \leq 3.0$$

Therefore, the device meets the FCC SAR exemption requirements.

Yours sincerely,



Company Officer: Joel C. Christianson

Telephone Number: 763-497-1064

Email: joel.christianson@cinchsystems.com