

Product Name: UC Phone	Report No: FCC022022-5527RF14
Product Model: CP-8832	Security Classification: Open
Version: V1.0	Total Page:5

TIRT Testing Report



Prepared By:	Checked By:	Approved By:	A circular blue stamp with the text "TIRT Technology Service Co., Ltd." around the perimeter and "TIRT Shenzhen" in the center.
Stone Tang	Randy Lv	Daniel Chen	
Stone Tang	Randy Lv	Daniel chen	

FCC RF EXPOSURE REPORT

FCC ID: LDK88322678

Project No. : 022022-5527
Equipment : UC Phone
Brand Name : Cisco
Test Model : CP-8832
Series Model : N/A
Applicant : Cisco Systems Inc
Address : 125 West Tasman Drive San Jose, CA 95134-1706 United States
Manufacturer : Cisco Systems Inc
Address : 125 West Tasman Drive San Jose, CA 95134-1706 United States
Factory 1 : Shenzhen Fulian Fugui Precision Industry Co., Ltd. Communication & Network Solution Business Group
Address 1 : 3/F, D10 Building, F8d Area Foxconn Science and Technology Industrial Park, East side of Min Qing Road, Longhua Street Longhua District, Shenzhen Guangdong 518109 China
Factory 2 : Fuyu Precision Component Company Limited
Address 2 : Lot M1 and Lot F, Quang Chau Industrial Park, VanTrung Commune, Viet Yen District, Bac Giang Province, 26171, Vietnam
Date of Receipt : 2022.06.24
Date of Test : 2022.06.25 ~ 2022.10.17
Issued Date : 2022.10.25
Report Version : V1.0
Test Sample : Engineering Sample No.: 20220624018684
Standard(s) : FCC Guidelines for Human Exposure IEEE C95.1 & FCC Part 2.1091
FCC Title 47 Part 2.1091

- The test result referred exclusively to the presented test model /sample.
- Without written approval of TIRT Inc. the test report shall not reproduced except in full.

Add: 101,3 # Factory Building, Gongjin Electronics Shatin Community, Kengzi Street,
Pingshan District, Shenzhen, China

TEL: +86-0755-27087573

REPORT ISSUED HISTORY

Report No.	Version	Description	Issued Date	Note
FCC022022-5527RF14	V1.0	Original Report.	2022.10.25	Valid

1. TEST FACILITY

Company:	Beijing TIRT Technology Service Co.,Ltd Shenzhen
Address:	101, 3 # Factory Building, Gongjin Electronics Shatin Community, Kengzi Street, Pingshan District, Shenzhen, China
CNAS Registration Number:	CNAS L14158
A2LA Registration Number:	6049.01
FCC Accredited Lab. Designation Number:	CN1309
FCC Test Firm Registration Number:	825524
Telephone:	+86-0755-27087573

2. MPE CALCULATION METHOD

Calculation Method of RF Safety Distance:

$$S = \frac{PG}{4\pi r^2} = \frac{EIRP}{4\pi r^2}$$

where:

S = power density

P = power input to the antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna

Table for Filed Antenna:

For 2.4GHz:

Ant.	Brand	P/N	Antenna Type	Connector	Gain (dBi)
1	 Shanghai Amphero Antenna	CI8226-15-000-R	PCB	IPEX	4.1

Note:

The antenna gain is provided by the manufacturer.

For 5GHz:

Ant.	Brand	P/N	Antenna Type	Connector	Gain (dBi)
1	 Shanghai Amphero Antenna	CI8226-15-000-R	PCB	IPEX	4.8

Note:

The antenna gain is provided by the manufacturer.

3. TEST RESULTS

For 2.4GHz:

Antenna Gain (dBi)	Antenna Gain (numeric)	Max. Output Power (dBm)	Max. Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
4.1	2.5704	23.98	250.0345	0.12792	1	Complies

For 5GHz:

Antenna Gain (dBi)	Antenna Gain (numeric)	Max. Output Power (dBm)	Max. Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
4.8	3.0200	21.57	143.5489	0.08629	1	Complies

For DECT:

Antenna Gain (dBi)	Antenna Gain (numeric)	Max. Turn up Power (dBm)	Max. Turn up Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
-0.4	0.9120	3.5	2.2387	0.00041	1	Complies

For the max simultaneous transmission MPE:

Ratio		Total	Limit of Ratio	Test Result
2.4GHz	DECT			
0.12792	0.00041	0.12833	1	Complies

Note: The calculated distance is 20 cm.

End of Test Report