

Report Number : FR4O0971D

|                |            |                    |       |    |
|----------------|------------|--------------------|-------|----|
| Test Engineer: | Alex Lee   | Temperature:       | 21~25 | °C |
| Test Date:     | 2014/12/12 | Relative Humidity: | 51~54 | %  |

**TEST RESULTS DATA**  
**26dB and 99% OBW**

| Band I |           |     |         |             |                     |       |                       |       |                                    |       |                                   |       |      |
|--------|-----------|-----|---------|-------------|---------------------|-------|-----------------------|-------|------------------------------------|-------|-----------------------------------|-------|------|
| Mod.   | Data Rate | NTX | Channel | Freq. (MHz) | 99% Bandwidth (MHz) |       | 26 dB Bandwidth (MHz) |       | IC 99% Bandwidth Power Limit (dBm) |       | IC 99% Bandwidth EIRP Limit (dBm) |       | Note |
|        |           |     |         |             | Ant 1               | Ant 2 | Ant 1                 | Ant 2 | Ant 1                              | Ant 2 | Ant 1                             | Ant 2 |      |
| 11a    | 6Mbps     | 1   | 36      | 5180        |                     | 17.80 |                       | 27.65 | -                                  |       | 22.50                             |       |      |
| 11a    | 6Mbps     | 1   | 44      | 5220        |                     | 17.65 |                       | 25.50 | -                                  |       | 22.47                             |       |      |
| 11a    | 6Mbps     | 1   | 48      | 5240        |                     | 18.35 |                       | 28.15 | -                                  |       | 22.64                             |       |      |
| HT20   | MCS0      | 1   | 36      | 5180        |                     | 18.50 |                       | 27.80 | -                                  |       | 22.67                             |       |      |
| HT20   | MCS0      | 1   | 44      | 5220        |                     | 18.45 |                       | 27.90 | -                                  |       | 22.66                             |       |      |
| HT20   | MCS0      | 1   | 48      | 5240        |                     | 18.60 |                       | 28.60 | -                                  |       | 22.70                             |       |      |
| HT40   | MCS0      | 1   | 38      | 5190        |                     | 36.10 |                       | 45.09 | -                                  |       | 23.01                             |       |      |
| HT40   | MCS0      | 1   | 46      | 5230        |                     | 36.20 |                       | 52.65 | -                                  |       | 23.01                             |       |      |

**TEST RESULTS DATA**  
**Average Power Table**

| FCC Band I |           |   |            |             |                  |       |                               |       |     |                                 |       |          |       |           |
|------------|-----------|---|------------|-------------|------------------|-------|-------------------------------|-------|-----|---------------------------------|-------|----------|-------|-----------|
| Mod.       | Data Rate | N | Tx Channel | Freq. (MHz) | Duty Factor (dB) |       | Average Conducted Power (dBm) |       |     | FCC Conducted Power Limit (dBm) |       | DG (dBi) |       | Pass/Fail |
|            |           |   |            |             | Ant 1            | Ant 2 | Ant 1                         | Ant 2 | SUM | Ant 1                           | Ant 2 | Ant 1    | Ant 2 |           |
| 11a        | 6Mbps     | 1 | 36         | 5180        | 4.90             | 4.90  | 15.54                         | 15.71 | -   | 24.00                           | 24.00 | 4.50     | 4.50  | Pass      |
| 11a        | 6Mbps     | 1 | 44         | 5220        | 4.90             | 4.90  | 15.58                         | 15.82 |     | 24.00                           | 24.00 | 4.50     | 4.50  | Pass      |
| 11a        | 6Mbps     | 1 | 48         | 5240        | 4.90             | 4.90  | 15.40                         | 15.56 |     | 24.00                           | 24.00 | 4.50     | 4.50  | Pass      |
| HT20       | MCS0      | 1 | 36         | 5180        | 4.77             | 4.77  | 15.71                         | 15.54 |     | 24.00                           | 24.00 | 4.50     | 4.50  | Pass      |
| HT20       | MCS0      | 1 | 44         | 5220        | 4.77             | 4.77  | 15.35                         | 15.53 |     | 24.00                           | 24.00 | 4.50     | 4.50  | Pass      |
| HT20       | MCS0      | 1 | 48         | 5240        | 4.77             | 4.77  | 15.28                         | 15.48 |     | 24.00                           | 24.00 | 4.50     | 4.50  | Pass      |
| HT40       | MCS0      | 1 | 38         | 5190        | 5.17             | 5.17  | 11.48                         | 11.76 |     | 24.00                           | 24.00 | 4.50     | 4.50  | Pass      |
| HT40       | MCS0      | 1 | 46         | 5230        | 5.17             | 5.17  | 16.60                         | 16.98 |     | 24.00                           | 24.00 | 4.50     | 4.50  | Pass      |

**TEST RESULTS DATA**  
**Power Spectral Density**

| FCC Band I |           |   |            |             |                  |       |                                 |       |     |                             |       |          |       |            |
|------------|-----------|---|------------|-------------|------------------|-------|---------------------------------|-------|-----|-----------------------------|-------|----------|-------|------------|
| Mod.       | Data Rate | N | Tx Channel | Freq. (MHz) | Duty Factor (dB) |       | Average Power Density (dBm/MHz) |       |     | Average PSD Limit (dBm/MHz) |       | DG (dBi) |       | Pass /Fail |
|            |           |   |            |             | Ant 1            | Ant 2 | Ant 1                           | Ant 2 | SUM | Ant 1                       | Ant 2 | Ant 1    | Ant 2 |            |
| 11a        | 6Mbps     | 1 | 36         | 5180        | 4.90             | 4.90  |                                 | 5.17  | -   | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| 11a        | 6Mbps     | 1 | 44         | 5220        | 4.90             | 4.90  |                                 | 5.35  |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| 11a        | 6Mbps     | 1 | 48         | 5240        | 4.90             | 4.90  |                                 | 5.18  |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| HT20       | MCS0      | 1 | 36         | 5180        | 4.77             | 4.77  |                                 | 4.81  |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| HT20       | MCS0      | 1 | 44         | 5220        | 4.77             | 4.77  |                                 | 5.36  |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| HT20       | MCS0      | 1 | 48         | 5240        | 4.77             | 4.77  |                                 | 4.93  |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| HT40       | MCS0      | 1 | 38         | 5190        | 5.17             | 5.17  |                                 | -3.04 |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| HT40       | MCS0      | 1 | 46         | 5230        | 5.17             | 5.17  |                                 | 3.51  |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |

**TEST RESULTS DATA**  
**26dB and 99% OBW**

| Band II |           |     |         |             |                     |       |                       |       |                                    |       |                                   |       |                                      |       |      |
|---------|-----------|-----|---------|-------------|---------------------|-------|-----------------------|-------|------------------------------------|-------|-----------------------------------|-------|--------------------------------------|-------|------|
| Mod.    | Data Rate | Ntx | Channel | Freq. (MHz) | 99% Bandwidth (MHz) |       | 26 dB Bandwidth (MHz) |       | IC 99% Bandwidth Power Limit (dBm) |       | IC 99% Bandwidth EIRP Limit (dBm) |       | FCC 26dB Bandwidth Power Limit (dBm) |       | Note |
|         |           |     |         |             | Ant 1               | Ant 2 | Ant 1                 | Ant 2 | Ant 1                              | Ant 2 | Ant 1                             | Ant 2 | Ant 1                                | Ant 2 |      |
| 11a     | 6Mbps     | 1   | 52      | 5260        |                     | 17.50 |                       | 25.50 |                                    | 23.43 |                                   | 29.43 |                                      | 23.98 |      |
| 11a     | 6Mbps     | 1   | 60      | 5300        |                     | 17.35 |                       | 26.35 |                                    | 23.39 |                                   | 29.39 |                                      | 23.98 |      |
| 11a     | 6Mbps     | 1   | 64      | 5320        |                     | 17.40 |                       | 25.50 |                                    | 23.41 |                                   | 29.41 |                                      | 23.98 |      |
| HT20    | MCS0      | 1   | 52      | 5260        |                     | 18.75 |                       | 28.10 |                                    | 23.73 |                                   | 29.73 |                                      | 23.98 |      |
| HT20    | MCS0      | 1   | 60      | 5300        |                     | 18.60 |                       | 27.95 |                                    | 23.70 |                                   | 29.70 |                                      | 23.98 |      |
| HT20    | MCS0      | 1   | 64      | 5320        |                     | 18.55 |                       | 28.30 |                                    | 23.68 |                                   | 29.68 |                                      | 23.98 |      |
| HT40    | MCS0      | 1   | 54      | 5270        |                     | 36.50 |                       | 54.81 |                                    | 23.98 |                                   | 30.00 |                                      | 23.98 |      |
| HT40    | MCS0      | 1   | 62      | 5310        |                     | 35.90 |                       | 45.36 |                                    | 23.98 |                                   | 30.00 |                                      | 23.98 |      |

**TEST RESULTS DATA**  
**Average Power Table**

| FCC Band II |           |   |            |             |                  |       |                               |       |     |                                 |       |          |       |           |
|-------------|-----------|---|------------|-------------|------------------|-------|-------------------------------|-------|-----|---------------------------------|-------|----------|-------|-----------|
| Mod.        | Data Rate | N | Tx Channel | Freq. (MHz) | Duty Factor (dB) |       | Average Conducted Power (dBm) |       |     | FCC Conducted Power Limit (dBm) |       | DG (dBi) |       | Pass/Fail |
|             |           |   |            |             | Ant 1            | Ant 2 | Ant 1                         | Ant 2 | SUM | Ant 1                           | Ant 2 | Ant 1    | Ant 2 |           |
| 11a         | 6Mbps     | 1 | 52         | 5260        | 4.90             | 4.90  | 13.20                         | 13.30 | -   |                                 | 23.98 | 4.50     | 4.50  | Pass      |
| 11a         | 6Mbps     | 1 | 60         | 5300        | 4.90             | 4.90  | 12.94                         | 13.48 |     |                                 | 23.98 | 4.50     | 4.50  | Pass      |
| 11a         | 6Mbps     | 1 | 64         | 5320        | 4.90             | 4.90  | 12.98                         | 13.28 |     |                                 | 23.98 | 4.50     | 4.50  | Pass      |
| HT20        | MCS0      | 1 | 52         | 5260        | 4.77             | 4.77  | 13.12                         | 13.44 |     |                                 | 23.98 | 4.50     | 4.50  | Pass      |
| HT20        | MCS0      | 1 | 60         | 5300        | 4.77             | 4.77  | 13.27                         | 13.87 |     |                                 | 23.98 | 4.50     | 4.50  | Pass      |
| HT20        | MCS0      | 1 | 64         | 5320        | 4.77             | 4.77  | 12.79                         | 13.37 |     |                                 | 23.98 | 4.50     | 4.50  | Pass      |
| HT40        | MCS0      | 1 | 54         | 5270        | 5.17             | 5.17  | 16.86                         | 17.20 |     |                                 | 23.98 | 4.50     | 4.50  | Pass      |
| HT40        | MCS0      | 1 | 62         | 5310        | 5.17             | 5.17  | 11.80                         | 12.22 |     |                                 | 23.98 | 4.50     | 4.50  | Pass      |

**TEST RESULTS DATA**  
**Power Spectral Density**

| Band II |           |     |         |             |                  |       |                                 |       |     |                             |       |          |       |            |
|---------|-----------|-----|---------|-------------|------------------|-------|---------------------------------|-------|-----|-----------------------------|-------|----------|-------|------------|
| Mod.    | Data Rate | Ntx | Channel | Freq. (MHz) | Duty Factor (dB) |       | Average Power Density (dBm/MHz) |       |     | Average PSD Limit (dBm/MHz) |       | DG (dBi) |       | Pass /Fail |
|         |           |     |         |             | Ant 1            | Ant 2 | Ant 1                           | Ant 2 | SUM | Ant 1                       | Ant 2 | Ant 1    | Ant 2 |            |
| 11a     | 6Mbps     | 1   | 52      | 5260        | 4.90             | 4.90  |                                 | 1.84  | -   | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| 11a     | 6Mbps     | 1   | 60      | 5300        | 4.90             | 4.90  |                                 | 2.31  |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| 11a     | 6Mbps     | 1   | 64      | 5320        | 4.90             | 4.90  |                                 | 1.67  |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| HT20    | MCS0      | 1   | 52      | 5260        | 4.77             | 4.77  |                                 | 1.70  |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| HT20    | MCS0      | 1   | 60      | 5300        | 4.77             | 4.77  |                                 | 2.09  |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| HT20    | MCS0      | 1   | 64      | 5320        | 4.77             | 4.77  |                                 | 1.64  |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| HT40    | MCS0      | 1   | 54      | 5270        | 5.17             | 5.17  |                                 | 2.94  |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| HT40    | MCS0      | 1   | 62      | 5310        | 5.17             | 5.17  |                                 | -2.54 |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |

**TEST RESULTS DATA**  
**26dB and 99% OBW**

| Band III |           |     |         |             |                     |       |                       |       |                                    |       |                                   |       |                                      |       |      |
|----------|-----------|-----|---------|-------------|---------------------|-------|-----------------------|-------|------------------------------------|-------|-----------------------------------|-------|--------------------------------------|-------|------|
| Mod.     | Data Rate | NtX | Channel | Freq. (MHz) | 99% Bandwidth (MHz) |       | 26 dB Bandwidth (MHz) |       | IC 99% Bandwidth Power Limit (dBm) |       | IC 99% Bandwidth EIRP Limit (dBm) |       | FCC 26dB Bandwidth Power Limit (dBm) |       | Note |
|          |           |     |         |             | Ant 1               | Ant 2 | Ant 1                 | Ant 2 | Ant 1                              | Ant 2 | Ant 1                             | Ant 2 | Ant 1                                | Ant 2 |      |
| 11a      | 6Mbps     | 1   | 100     | 5500        |                     | 17.50 |                       | 27.05 |                                    | 23.43 |                                   | 29.43 |                                      | 23.98 |      |
| 11a      | 6Mbps     | 1   | 116     | 5580        |                     | 19.05 |                       | 33.35 |                                    | 23.80 |                                   | 29.80 |                                      | 23.98 |      |
| 11a      | 6Mbps     | 1   | 140     | 5700        |                     | 17.25 |                       | 25.30 |                                    | 23.37 |                                   | 29.37 |                                      | 23.98 |      |
| HT20     | MCS0      | 1   | 100     | 5500        |                     | 18.85 |                       | 29.20 |                                    | 23.75 |                                   | 29.75 |                                      | 23.98 |      |
| HT20     | MCS0      | 1   | 116     | 5580        |                     | 18.75 |                       | 28.60 |                                    | 23.73 |                                   | 29.73 |                                      | 23.98 |      |
| HT20     | MCS0      | 1   | 140     | 5700        |                     | 18.50 |                       | 27.80 |                                    | 23.67 |                                   | 29.67 |                                      | 23.98 |      |
| HT40     | MCS0      | 1   | 102     | 5510        |                     | 36.00 |                       | 44.64 |                                    | 23.98 |                                   | 30.00 |                                      | 23.98 |      |
| HT40     | MCS0      | 1   | 110     | 5550        |                     | 36.50 |                       | 57.69 |                                    | 23.98 |                                   | 30.00 |                                      | 23.98 |      |
| HT40     | MCS0      | 1   | 134     | 5670        |                     | 36.10 |                       | 48.15 |                                    | 23.98 |                                   | 30.00 |                                      | 23.98 |      |



**TEST RESULTS DATA**  
**Average Power Table**

| FCC Band III |           |   |            |             |                  |       |                               |       |     |                                 |       |          |       |           |
|--------------|-----------|---|------------|-------------|------------------|-------|-------------------------------|-------|-----|---------------------------------|-------|----------|-------|-----------|
| Mod.         | Data Rate | N | Tx Channel | Freq. (MHz) | Duty Factor (dB) |       | Average Conducted Power (dBm) |       |     | FCC Conducted Power Limit (dBm) |       | DG (dBi) |       | Pass/Fail |
|              |           |   |            |             | Ant 1            | Ant 2 | Ant 1                         | Ant 2 | SUM | Ant 1                           | Ant 2 | Ant 1    | Ant 2 |           |
| 11a          | 6Mbps     | 1 | 100        | 5500        | 4.90             | 4.90  | 14.30                         | 14.52 | -   |                                 | 23.98 | 4.50     | 4.50  | Pass      |
| 11a          | 6Mbps     | 1 | 116        | 5580        | 4.90             | 4.90  | 17.50                         | 18.44 |     |                                 | 23.98 | 4.50     | 4.50  | Pass      |
| 11a          | 6Mbps     | 1 | 140        | 5700        | 4.90             | 4.90  | 11.82                         | 11.94 |     |                                 | 23.98 | 4.50     | 4.50  | Pass      |
| HT20         | MCS0      | 1 | 100        | 5500        | 4.77             | 4.77  | 14.06                         | 14.93 |     |                                 | 23.98 | 4.50     | 4.50  | Pass      |
| HT20         | MCS0      | 1 | 116        | 5580        | 4.77             | 4.77  | 17.24                         | 17.52 |     |                                 | 23.98 | 4.50     | 4.50  | Pass      |
| HT20         | MCS0      | 1 | 140        | 5700        | 4.77             | 4.77  | 11.76                         | 12.19 |     |                                 | 23.98 | 4.50     | 4.50  | Pass      |
| HT40         | MCS0      | 1 | 102        | 5510        | 5.17             | 5.17  | 11.52                         | 11.28 |     |                                 | 23.98 | 4.50     | 4.50  | Pass      |
| HT40         | MCS0      | 1 | 110        | 5550        | 5.17             | 5.17  | 15.78                         | 16.74 |     |                                 | 23.98 | 4.50     | 4.50  | Pass      |
| HT40         | MCS0      | 1 | 134        | 5670        | 5.17             | 5.17  | 12.56                         | 12.83 |     |                                 | 23.98 | 4.50     | 4.50  | Pass      |

**TEST RESULTS DATA**  
**Power Spectral Density**

| Band III |           |     |         |             |                  |       |                                 |       |     |                             |       |          |       |            |
|----------|-----------|-----|---------|-------------|------------------|-------|---------------------------------|-------|-----|-----------------------------|-------|----------|-------|------------|
| Mod.     | Data Rate | Ntx | Channel | Freq. (MHz) | Duty Factor (dB) |       | Average Power Density (dBm/MHz) |       |     | Average PSD Limit (dBm/MHz) |       | DG (dBi) |       | Pass /Fail |
|          |           |     |         |             | Ant 1            | Ant 2 | Ant 1                           | Ant 2 | SUM | Ant 1                       | Ant 2 | Ant 1    | Ant 2 |            |
| 11a      | 6Mbps     | 1   | 100     | 5500        | 4.90             | 4.90  |                                 | 3.18  | -   | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| 11a      | 6Mbps     | 1   | 116     | 5580        | 4.90             | 4.90  |                                 | 6.91  |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| 11a      | 6Mbps     | 1   | 140     | 5700        | 4.90             | 4.90  |                                 | 0.06  |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| HT20     | MCS0      | 1   | 100     | 5500        | 4.77             | 4.77  |                                 | 2.86  |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| HT20     | MCS0      | 1   | 116     | 5580        | 4.77             | 4.77  |                                 | 5.95  |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| HT20     | MCS0      | 1   | 140     | 5700        | 4.77             | 4.77  |                                 | -0.43 |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| HT40     | MCS0      | 1   | 102     | 5510        | 5.17             | 5.17  |                                 | -0.42 |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| HT40     | MCS0      | 1   | 110     | 5550        | 5.17             | 5.17  |                                 | 2.90  |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |
| HT40     | MCS0      | 1   | 134     | 5670        | 5.17             | 5.17  |                                 | -1.98 |     | 11.00                       | 11.00 | 4.50     | 4.50  | Pass       |

**TEST RESULTS DATA**  
**Frequency Stability**

| Band I |           |     |        |             |                        |                           |                           |                  |             |      |
|--------|-----------|-----|--------|-------------|------------------------|---------------------------|---------------------------|------------------|-------------|------|
| Mod.   | Data Rate | NTX | Channe | Freq. (MHz) | Center Frequency (MHz) | Frequency Deviation (MHz) | Frequency Stability (ppm) | Temperature (°C) | Voltage (V) | Note |
| 11a    | 6Mbps     | 1   | 36     | 5180        | 5180.000               | 0.000                     | 0.00                      | 20               | 108         |      |
| 11a    | 6Mbps     | 1   | 36     | 5180        | 5180.000               | 0.000                     | 0.00                      | 20               | 132         |      |
| 11a    | 6Mbps     | 1   | 36     | 5180        | 5180.000               | 0.000                     | 0.00                      | 20               | 120         |      |
| 11a    | 6Mbps     | 1   | 36     | 5180        | 5180.000               | 0.000                     | 0.00                      | -30              | 120         |      |
| 11a    | 6Mbps     | 1   | 36     | 5180        | 5180.000               | 0.000                     | 0.00                      | 50               | 120         |      |

| Band II |           |     |        |             |                        |                           |                           |                  |             |      |
|---------|-----------|-----|--------|-------------|------------------------|---------------------------|---------------------------|------------------|-------------|------|
| Mod.    | Data Rate | NTX | Channe | Freq. (MHz) | Center Frequency (MHz) | Frequency Deviation (MHz) | Frequency Stability (ppm) | Temperature (°C) | Voltage (V) | Note |
| 11a     | 6Mbps     | 1   | 64     | 5320        | 5320.000               | 0.000                     | 0.00                      | 20               | 108         |      |
| 11a     | 6Mbps     | 1   | 64     | 5320        | 5320.000               | 0.000                     | 0.00                      | 20               | 132         |      |
| 11a     | 6Mbps     | 1   | 64     | 5320        | 5320.000               | 0.000                     | 0.00                      | 20               | 120         |      |
| 11a     | 6Mbps     | 1   | 64     | 5320        | 5320.000               | 0.000                     | 0.00                      | -30              | 120         |      |
| 11a     | 6Mbps     | 1   | 64     | 5320        | 5320.000               | 0.000                     | 0.00                      | 50               | 120         |      |

| Band III |           |     |        |             |                        |                           |                           |                  |             |      |
|----------|-----------|-----|--------|-------------|------------------------|---------------------------|---------------------------|------------------|-------------|------|
| Mod.     | Data Rate | NTX | Channe | Freq. (MHz) | Center Frequency (MHz) | Frequency Deviation (MHz) | Frequency Stability (ppm) | Temperature (°C) | Voltage (V) | Note |
| 11a      | 6Mbps     | 1   | 100    | 5500        | 5500.000               | 0.000                     | 0.00                      | 20               | 108         |      |
| 11a      | 6Mbps     | 1   | 100    | 5500        | 5500.000               | 0.000                     | 0.00                      | 20               | 132         |      |
| 11a      | 6Mbps     | 1   | 100    | 5500        | 5500.000               | 0.000                     | 0.00                      | 20               | 120         |      |
| 11a      | 6Mbps     | 1   | 100    | 5500        | 5500.000               | 0.000                     | 0.00                      | -30              | 120         |      |
| 11a      | 6Mbps     | 1   | 100    | 5500        | 5500.000               | 0.000                     | 0.00                      | 50               | 120         |      |