

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220600025005

Page: 1 of 14

RF Exposure Report

Application No.: FYCR2206000250AT

Applicant: INNOVATIVE TECHNOLOGY ELECTRONICS LLC

Address of Applicant: 3513 Brighton Blvd Suite 570 Denver Colorado 80216 United States

Manufacturer: Shenzhen Antexin Technology Co., Ltd.

Address of Manufacturer: 4th Floor Bldg 2, Fuxingda Industrial Park, Lanzhu East Road, Longtian St,

Pingshan District Shenzhen, Guangdong, China 518118

Factory: Shenzhen Antexin Technology Co., Ltd.

Address of Factory: 4th Floor Bldg 2, Fuxingda Industrial Park, Lanzhu East Road, Longtian St,

Pingshan District Shenzhen, Guangdong, China 518118

Equipment Under Test (EUT):

EUT Name: Portable Bluetooth Speaker

Model No.: VPB-400-BLK, VPB-400-SLV, VPB-400-BLK-INT, VPB-400-SLV-INT, VPB-

400xxxx (where "x" can be 0-9, A-Z, "-" or blank and means color code of unit), VPB-400xxxxyyyy (where "x" can be 0-9, A-Z, "-" or blank and means color code of unit; and where "y" can be A-Z and means Market Code)

*

Please refer to section 2 of this report which indicates which model was

actually tested and which were electrically identical.

Trade Mark: VICTROLA

FCC ID: 2AFHW-VPB400

Standard(s): 47 CFR PART 1, Subpart I, Section 1.1310 47 CFR PART 2, Subpart J, Section 2.1091

Date of Receipt: 2022-06-24

Date of Test: 2022-07-15 to 2022-09-01

Date of Issue: 2022-09-14

Test Result: Pass*

Winkey Wang EMC Technical Manager

WinkeyWang



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdishird, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

^{*} In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220600025005

Page: 2 of 14

	Revision Record								
Version	Version Chapter Date Modifie								
01		2022-09-14		Original					

Authorized for issue by:		
	Tree Zhan	
	Tree Zhan/Project Engineer	
	WinkeyWarg	
	Winkey Wang/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is devised the formation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. On the content or 30 check the autheriticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220600025005

Page: 3 of 14

2 Evaluation Summary

Radio Spectrum Matter Part										
Item	Standard	Method	Requirement	Result						
RF Exposure	47 CFR PART 1, Subpart I, Section 1.1310	KDB 680106 D01 TCB Workshop Presentation November 2019 RF Exposure	CFR 47 Part 1.1310	Pass						

Declaration of EUT Family Grouping:

Model No.: VPB-400-BLK, VPB-400-SLV, VPB-400-BLK-INT, VPB-400-SLV-INT, VPB-400xxxx (where "x" can be 0-9, A-Z, "-" or blank and means color code of unit), VPB-400xxxxyyyy (where "x" can be 0-9, A-Z, "-" or blank and means color code of unit; and where "y" can be A-Z and means Market Code)

Only the model VPB-400-BLK was tested, since according to the declaration from the applicant, the electrical circuit design, PCB layout, components used and internal wiring and functions were identical for the above models, with only difference on the color, model No., brand name for trading purpose.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220600025005

Page: 4 of 14

3 Contents

		Pa	age
1	Cov	er Page	1
2	Eval	uation Summary	3
3	Con	tents	4
4		eral Information	
	4.1	Details of E.U.T.	5
	4.2	Description of Support Units	
	4.3	Test modes description:	
	4.4 Mea	asurement Uncertainty	7
5	Equi	ipments Used during Test	7
	5.1	Evaluating Location	8
	5.2	Facility	
	5.3	Deviation from Standards	
	5.4	Abnormalities from Standard Conditions	
	5.5	Test Block Diagram	9
6	Test	Results	10
	6.1	RF Exposure test	10
	6.1.1	E.U.T. Operation	
	6.1.2	·	
7	Pho	tographs- RF exposure Setup photos	14



Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220600025005

Page: 5 of 14

4 General Information

4.1 Details of E.U.T.

Power supply:	Rechargeable battery DC7.4V,4400mAh
	Adapter Model: GKYZB0200050US
	Input:AC100-240V 50/60Hz 0.5A MAX
	Output: DC5V 2000mA
Cable(s):	Type-C USB cable:30cm unshielded
Operation frequency:	111.8kHz to 145.2kHz
Modulation type:	Load modulation
Antenna type:	Loop Antenna

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.				
Mobile Phone	Nexus	MRA58K	REF. No.SEA16P00				
iPhone 8	Apple	A1863	REF. No.SEA16J00				
Mobile Phone	SAMSUNG	SM-G9810	REF. No.SEA16K00				
Mobile Phone	SAMSUNG	SM-G9500	REF. No.SEA16J00				
E-loading	SGS	N/A	REF. No.SEA42A00				





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220600025005

Page: 6 of 14

4.3 Test modes description:

Pre-scan / Final test	Mode Code	Description					
Pre-scan	08	Charge mode_Keep the EUT charging(5W)					
Pre-scan	09	Charge mode_Keep the EUT charging(7.5W)					
Final test	10	Charge mode_Keep the EUT charging(10W)					
Final test	11	Charge mode_Keep the EUT charging(10W) while BT Bluetooth works simultaneously.					





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220600025005

Page: 7 of 14

4.4 Measurement Uncertainty

Test Item	Measurement Uncertainty		
RF Exposure Evaluation	MF: 0.13dB, EF: 0.4dB		

5 Equipments Used during Test

RF Exposure					
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
3m Semi- Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12
Electric and Magnetic Field Probe - Analyzer(3kHz-30MHz)	Narda	EHP-200AC	SEM022-20	2022/4/2	2023/4/1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, example (50 hose headed).



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220600025005

Page: 8 of 14

5.1 Evaluating Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark,Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

5.2 Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220600025005

Page: 9 of 14


5.3 Deviation from Standards

None

5.4 Abnormalities from Standard Conditions

None

5.5 Test Block Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: CARP Receber(#Massas.com.")



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220600025005

Page: 10 of 14

6 Test Results

6.1 RF Exposure test

Test Requirement: 47 CFR PART 1, Subpart I, Section 1.1310

Measurement Distance: 15cm

Limit:

According to FCC Part1.1310: The criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency (RF) radiation as specified in Part1.1307(b)

TABLE 1—LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

Frequency range (MHz)	ncy range Electric field strength (V/m) Magnetic field strength (A/m)		Power density (mW/cm²)	Averaging time (minutes)
	(A) Limits for Occ	cupational/Controlled Ex	posures	
0.3-3.0	*(100)	6		
3.0-30	1842/f	4.89/f	*(900/f²)	6
30-300	61.4	0.163	1.0	6
300-1500	/	/	f/300	6
1500-100,000	/	/	5	6
	(B) Limits for Genera	l Population/Uncontrolle	ed Exposure	
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f²)	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	f/1500	30
1500-100,000	/	/	1.0	30

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

According to IEEE C95.3:2002 section 5.5.1.1, The power density S at a point on the axis at a distance d from a transmitting antenna is given by the Friis free-space transmission formula

$$S = \frac{PG}{4\pi d^2}$$

 $S = power density (mW/cm^2)$

P = the net power delivered to the antenna (mW)

G = gain of the antenna in linear scale

d = distance between observation point and center of the radiator (cm)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

^{*=}Plane-wave equivalent power density



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220600025005

Page: 11 of 14

6.1.1 E.U.T. Operation

Operating Environment:

Temperature: 23.4 °C Humidity: 55.6% RH Atmospheric Pressure: 1020 mbar

EUT Operation:

This device has been tested with unload, half-load and full load, and the device has been tested with load at zero charge, intermediate charge, and full charge.

Remark: Both configuration which specified in the manual were pre-scan during the test, only the worst case data are shown in the test report. The worst case configuration please refer to the setup photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220600025005

Page: 12 of 14

6.1.2 Measurement Data

Test mode:10

Input Voltage=DC 5V; The max output power =10W for each coil.

Magnetic Field Emissions

Operation frequency	Test Distance (cm)	Test Position	Prol	be Measure Re	50 % Limit (A/m)	10 % Limit (A/m)		
			unload	Half load	full load			
125 kHz	15	Side 1	0.071	0.080	0.098	0.815		
which is the worst		Side 2	0.061	0.075	0.085		0.163	
case within the		Side 3	0.073	0.086	0.099			
		Side 4	0.055	0.062	0.074			
operation frequency range		Тор	0.065	0.074	0.093			

Magnetic Field Emissions

Operation	Test Distance	Toot	Probe Measure Result(A/m)			50 % Limit	10 % Limit
Operation frequency	(cm)	Test Position	zero charge	intermediate charge	full charge	(A/m)	(A/m)
125 kHz	15	Side 1	0.091	0.077	0.061	0.815	
which is the worst		Side 2	0.078	0.066	0.052		0.163
case within the		Side 3	0.095	0.080	0.063		
		Side 4	0.074	0.062	0.049		
operation frequency range		Тор	0.087	0.073	0.058		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220600025005

Page: 13 of 14

Test mode:11

Input Voltage=DC 5V; The max output power =10W while BT Bluetooth works simultaneously.

Magnetic Field Emissions

Operation frequency					sult	50 % Limit (A/m)	10 % Limit (A/m)
			unload	Half load	full load		
125 kHz which is the worst case within the operation frequency range	15	Side 1	0.074	0.082	0.099	0.815	0.163
		Side 2	0.063	0.076	0.086		
		Side 3	0.077	0.087	0.103		
		Side 4	0.056	0.068	0.075		
		Тор	0.068	0.078	0.095		

Magnetic Field Emissions

Operation frequency	Test Distance	Test Position	Probe Measure Result(A/m)			50 % Limit	10 % Limit
	(cm)		zero charge	intermediate charge	full charge	(A/m)	(A/m)
125 kHz which is the worst case within the operation frequency range	15	Side 1	0.093	0.078	0.063	0.815	0.163
		Side 2	0.081	0.068	0.054		
		Side 3	0.096	0.084	0.065		
		Side 4	0.077	0.063	0.053		
		Тор	0.092	0.075	0.061		





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220600025005

Page: 14 of 14

7 Photographs- RF exposure Setup photos

Refer to Appendix - RF Exposure Setup Photo for FYCR2206000250AT

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Ferms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of is intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,