




11.4.2. Test Graphs

































REPORT NO.: 4791009906-1-RF-3


Page 116 of 147

11.5. APPENDIX E: BAND EDGE MEASUREMENTS 11.5.1. Test Result


Test Mode	Antenna	ChName	Frequency [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
	Ant0	Low	2412	0.71	-45.53	≤-29.29	PASS
11B	Ant1	Low	2412	3.52	-43.22	≤-26.48	PASS
116	Ant0	High	2462	4.08	-45.99	≤-25.92	PASS
	Ant1	High	2462	3.02	-46.04	≤-26.98	PASS
	Ant0	Low	2412	-0.75	-39.21	≤-30.75	PASS
11G	Ant1	Low	2412	1.58	-38.38	≤-28.42	PASS
	Ant0	High	2462	1.81	-45.39	≤-28.19	PASS
	Ant1	High	2462	1.61	-45.81	≤-28.39	PASS
11N20MIMO	Ant0	Low	2412	-2.13	-36.41	≤-32.13	PASS
	Ant1	Low	2412	0.77	-33.77	≤-29.23	PASS
	Ant0	High	2462	-0.17	-46.01	≤-30.17	PASS
	Ant1	High	2462	1.59	-44.18	≤-28.41	PASS
11N40MIMO	Ant0	Low	2422	-1.16	-39.73	≤-31.16	PASS
	Ant1	Low	2422	-0.08	-37.29	≤-30.08	PASS
	Ant0	High	2452	-1.09	-38.53	≤-31.09	PASS
	Ant1	High	2452	-1.45	-35.46	≤-31.45	PASS




11.5.2. Test Graphs





















REPORT NO.: 4791009906-1-RF-3

Page 122 of 147

11.6. APPENDIX F: CONDUCTED SPURIOUS EMISSION 11.6.1. Test Result

			FreqRange	Result	Limit	
Test Mode	Antenna	Frequency[MHz]	[Mhz]	[dBm]	[dBm]	Verdict
			Reference	3.71		PASS
	Ant0	2412	30~1000	-54.11	≤-26.29	PASS
			1000~26500	-53.73	≤-26.29	PASS
			Reference	3.46		PASS
	Ant1	2412	30~1000	-55.47	≤-26.54	PASS
			1000~26500	-53.08	≤-26.54	PASS
		2437	Reference	4.12		PASS
	Ant0		30~1000	-54.82	≤-25.88	PASS
11B			1000~26500	-53.1	≤-25.88	PASS
110		1	Reference	3.34		PASS
	Ant1	2437	30~1000	-55.05	≤-26.66	PASS
			1000~26500	-53.66	≤-26.66	PASS
			Reference	3.88		PASS
	Ant0	2462	30~1000	-54.8	≤-26.12	PASS
			1000~26500	-54.21	≤-26.12	PASS
			Reference	3.37		PASS
	Ant1	2462	30~1000	-54.73	≤-26.63	PASS
			1000~26500	-53.39	≤-26.63	PASS
			Reference	-0.79		PASS
	Ant0	2412	30~1000	-54.9	≤-30.79	PASS
			1000~26500	-54.16	≤-30.79	PASS
			Reference	1.67		PASS
	Ant1	2412	30~1000	-55.77	≤-28.33	PASS
			1000~26500	-53.28	≤-28.33	PASS
			Reference	1.92		PASS
	Ant0	2437	30~1000	-54.43	≤-28.08	PASS
11G			1000~26500	-53.82	≤-28.08	PASS
	A 4.4	0.407	Reference	0.72		PASS
	Ant1	2437	30~1000	-55.19	≤-29.28	PASS PASS
		2462	1000~26500 Reference	-53.97 1.84	≤-29.28 	PASS
	Ant0		30~1000	-55.46	<u></u> ≤-28.16	PASS
			1000~26500	-53.46	≤-28.16	PASS
			Reference	1.74	<u></u>	PASS
	Ant1	2462	30~1000	-54.75	≤-28.26	PASS
			1000~26500	-52.28	≤-28.26	PASS
			Reference	-0.80		PASS
	Ant0	2412	30~1000	-55.43	≤-30.8	PASS
	7 1110		1000~26500	-53.87	≤-30.8	PASS
			Reference	2.09		PASS
441/001/11/10	Ant1		30~1000	-55.34	≤-27.91	PASS
			1000~26500	-53.48	≤-27.91	PASS
	Ant0	2437	Reference	1.49		PASS
			30~1000	-55.25	≤-28.51	PASS
			1000~26500	-53.42	≤-28.51	PASS
11N20MIMO	Ant1	2437	Reference	1.93		PASS
			30~1000	-55.85	≤-28.07	PASS
			1000~26500	-52.65	≤-28.07	PASS
	Ant0	2462	Reference	1.49		PASS
			30~1000	-55.57	≤-28.51	PASS
			1000~26500	-53.76	≤-28.51	PASS
	Ant1	2462	Reference	0.15		PASS
			30~1000	-55.67	≤-29.85	PASS
			1000~26500	-53.54	≤-29.85	PASS
			Reference	-1.33		PASS
11N40MIMO	Ant0	2422	30~1000	-55.59	≤-31.33	PASS
11141510111110			1000~26500	-53.45	≤-31.33	PASS
	Ant1	2422	Reference	-0.38		PASS




REPORT NO.: 4791009906-1-RF-3 Page 123 of 147


			30~1000	-55.1	≤-30.38	PASS
			1000~26500	-53.33	≤-30.38	PASS
			Reference	ference -0.87		PASS
	Ant0	2437	30~1000	-55.29	≤-30.87	PASS
			1000~26500 -53.71	≤-30.87	PASS	
			Reference	-0.13		PASS
	Ant1	2437	30~1000	-54.92	≤-30.13	PASS
			1000~26500	-52.88	≤-30.13	PASS
	Ant0		Reference	-0.85	PASS	
		2452	30~1000	-55.15	≤-30.85	PASS
			1000~26500	-53.61	≤-30.85	PASS
	Ant1		Reference	0.03		PASS
		2452	30~1000	-55.88	≤-29.97	PASS
			1000~26500	-53.49	≤-29.97	PASS




11.6.2. Test Graphs







































































































REPORT NO.: 4791009906-1-RF-3

Page 145 of 147

11.7. APPENDIX G: DUTY CYCLE 11.7.1. Test Result

Test Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
11B	8.17	8.67	0.9423	94.23	0.26	0.12	1
11G	1.35	1.85	0.7297	72.97	1.37	0.74	1
11N20MIMO	1.27	1.77	0.7175	71.75	1.44	0.79	1
11N40MIMO	0.63	1.13	0.5575	55.75	2.54	1.59	2

Note:

Duty Cycle Correction Factor=10log (1/x).


Where: x is Duty Cycle (Linear)


Where: T is On Time

If that calculated VBW is not available on the analyzer then the next higher value should be used.



11.7.2. Test Graphs





END OF REPORT