

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 5

1 RF Power Output

Rx Power Output							
Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	
QPSK	824.7	20407	1.4	1	0	22.70	
				1	3	22.76	
				1	5	22.73	
				3	0	22.71	
				3	1	22.77	
				3	3	22.68	
	6	0		21.81			
	836.5	20525		1	0	22.80	
				1	3	22.91	
				1	5	22.89	
				3	0	22.92	
				3	1	22.83	
				3	3	22.85	
	6	0		21.90			
	848.3	20643		1	0	23.05	
				1	3	23.08	
				1	5	22.97	
				3	0	22.98	
				3	1	23.04	
				3	3	22.96	
	6	0		22.07			
	16QAM	824.7		20407	1	0	21.97
					1	3	22.18
					1	5	22.00
3					0	21.81	
3					1	21.88	
3					3	21.83	
6		0		20.92			
836.5		20525		1	0	22.05	
				1	3	22.14	
				1	5	22.23	
				3	0	21.90	
				3	1	21.93	
				3	3	21.94	
6		0		20.99			
848.3		20643		1	0	22.30	
				1	3	22.29	
				1	5	22.30	
				3	0	21.85	
				3	1	21.97	
				3	3	21.96	
6		0		21.10			

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	824.7	20407	1.4	1	0	21.09
				1	3	21.33
				1	5	21.26
				3	0	20.96
				3	1	21.05
				3	3	20.99
				6	0	19.86
	836.5	20525		1	0	20.73
				1	3	20.86
				1	5	20.76
				3	0	20.97
				3	1	21.09
				3	3	21.12
				6	0	20.02
	848.3	20643		1	0	20.96
				1	3	20.99
				1	5	20.90
				3	0	21.11
				3	1	21.16
				3	3	21.15
				6	0	19.99

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	825.5	20415	3	1	0	22.91
				1	8	22.86
				1	14	22.90
				8	0	21.95
				8	4	21.98
				8	7	21.93
				15	0	21.91
	836.5	20525		1	0	22.98
				1	8	23.12
				1	14	23.03
				8	0	22.05
				8	4	22.13
				8	7	22.09
				15	0	22.00
	847.5	20635		1	0	23.13
				1	8	23.19
				1	14	23.16
				8	0	22.18
				8	4	22.20
				8	7	22.17
				15	0	22.09
16QAM	825.5	20415	1	0	22.54	
			1	8	22.51	
			1	14	22.55	
			8	0	21.04	
			8	4	21.08	
			8	7	21.05	
			15	0	20.98	
	836.5	20525	1	0	22.19	
			1	8	22.41	
			1	14	22.25	
			8	0	21.01	
			8	4	21.08	
			8	7	21.05	
			15	0	21.04	
	847.5	20635	1	0	22.43	
			1	8	22.43	
			1	14	22.38	
			8	0	21.20	
			8	4	21.14	
			8	7	21.15	
			15	0	21.22	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	825.5	20415	3	1	0	21.26
				1	8	21.18
				1	14	21.24
				8	0	20.19
				8	4	20.14
				8	7	20.17
				15	0	19.97
	836.5	20525		1	0	20.82
				1	8	20.95
				1	14	20.91
				8	0	19.97
				8	4	20.10
				8	7	20.07
				15	0	20.13
	847.5	20635		1	0	21.10
				1	8	21.04
				1	14	20.98
				8	0	20.13
				8	4	20.19
				8	7	20.17
				15	0	20.28

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	826.5	20425	5	1	0	22.70
				1	12	22.51
				1	24	22.72
				12	0	21.78
				12	7	21.80
				12	13	21.78
				25	0	21.79
	836.5	20525		1	0	22.79
				1	12	22.82
				1	24	23.00
				12	0	21.88
				12	7	21.96
				12	13	22.01
				25	0	21.90
	846.5	20625		1	0	22.89
				1	12	22.99
				1	24	22.96
				12	0	21.99
				12	7	22.04
				12	13	22.11
				25	0	21.99
16QAM	826.5	20425	1	0	22.00	
			1	12	21.82	
			1	24	21.97	
			12	0	20.79	
			12	7	20.79	
			12	13	20.81	
			25	0	20.79	
	836.5	20525	1	0	22.30	
			1	12	22.20	
			1	24	22.43	
			12	0	20.82	
			12	7	20.88	
			12	13	20.94	
			25	0	20.85	
	846.5	20625	1	0	22.33	
			1	12	22.35	
			1	24	22.38	
			12	0	20.99	
			12	7	20.98	
			12	13	21.07	
			25	0	21.05	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	826.5	20425	5	1	0	20.74
				1	12	20.63
				1	24	20.80
				12	0	19.78
				12	7	19.72
				12	13	19.77
				25	0	19.75
	836.5	20525		1	0	21.19
				1	12	21.20
				1	24	21.28
				12	0	19.98
				12	7	19.97
				12	13	20.14
				25	0	19.98
	846.5	20625		1	0	21.27
				1	12	21.22
				1	24	21.34
				12	0	20.11
				12	7	20.13
				12	13	20.20
				25	0	20.07

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	
QPSK	829	20450	10	1	0	22.62	
				1	25	22.67	
				1	49	22.64	
				25	0	21.79	
				25	12	21.86	
				25	25	21.85	
				50	0	21.90	
	836.5	20525		1	0	22.82	
				1	25	22.82	
				1	49	22.98	
				25	0	21.95	
				25	12	22.02	
				25	25	21.99	
				50	0	22.01	
	844	20600		1	0	23.07	
				1	25	22.95	
				1	49	22.99	
				25	0	21.98	
				25	12	22.06	
				25	25	22.15	
				50	0	22.02	
	16QAM	829		20450	1	0	22.55
					1	25	22.37
					1	49	22.79
25					0	20.71	
25					12	20.91	
25					25	20.91	
50					0	20.89	
836.5		20525		1	0	22.48	
				1	25	22.95	
			1	49	22.99		
			25	0	20.98		
			25	12	20.98		
			25	25	21.05		
			50	0	20.84		
844		20600	1	0	22.16		
			1	25	22.26		
			1	49	22.45		
			25	0	21.12		
			25	12	21.04		
			25	25	21.13		
			50	0	21.01		

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	829	20450	10	1	0	21.15
				1	25	21.00
				1	49	21.36
				25	0	19.83
				25	12	19.98
				25	25	19.92
				50	0	19.97
	836.5	20525		1	0	21.20
				1	25	21.42
				1	49	21.53
				25	0	19.98
				25	12	19.96
				25	25	20.06
				50	0	19.95
	844	20600		1	0	21.10
				1	25	20.91
				1	49	21.15
				25	0	20.07
				25	12	20.24
				25	25	20.21
				50	0	20.08

2 Occupied Bandwidth

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)					
						QPSK		16-QAM		64-QAM	
5	824.7	20407	1.4	6	0	1.082	Fig.1	1.082	Fig.2	1.076	Fig.3
	836.5	20525		6	0	1.082	Fig.4	1.082	Fig.5	1.082	Fig.6
	848.3	20643		6	0	1.082	Fig.7	1.082	Fig.8	1.076	Fig.9
	825.5	20415	3	15	0	2.683	Fig.10	2.683	Fig.11	2.696	Fig.12
	836.5	20525		15	0	2.683	Fig.13	2.683	Fig.14	2.683	Fig.15
	847.5	20635		15	0	2.683	Fig.16	2.683	Fig.17	2.683	Fig.18
	826.5	20425	5	25	0	4.472	Fig.19	4.472	Fig.20	4.472	Fig.21
	836.5	20525		25	0	4.472	Fig.22	4.472	Fig.23	4.472	Fig.24
	846.5	20625		25	0	4.472	Fig.25	4.472	Fig.26	4.472	Fig.27
	829	20450	10	50	0	8.944	Fig.28	8.944	Fig.29	8.944	Fig.30
	836.5	20525		50	0	8.987	Fig.31	8.944	Fig.32	8.944	Fig.33
	844	20600		50	0	8.944	Fig.34	8.944	Fig.35	8.944	Fig.36




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5

































Fig.6











3 Emission Bandwidth

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)					
						QPSK		16-QAM		64-QAM	
5	824.7	20407	1.4	6	0	1.216	Fig.1	1.216	Fig.2	1.210	Fig.3
	836.5	20525		6	0	1.216	Fig.4	1.222	Fig.5	1.204	Fig.6
	848.3	20643		6	0	1.210	Fig.7	1.210	Fig.8	1.222	Fig.9
	825.5	20415	3	15	0	2.904	Fig.10	2.891	Fig.11	2.944	Fig.12
	836.5	20525		15	0	2.918	Fig.13	2.904	Fig.14	2.904	Fig.15
	847.5	20635		15	0	2.918	Fig.16	2.918	Fig.17	2.944	Fig.18
	826.5	20425	5	25	0	4.863	Fig.19	4.863	Fig.20	4.863	Fig.21
	836.5	20525		25	0	4.906	Fig.22	4.863	Fig.23	4.841	Fig.24
	846.5	20625		25	0	4.841	Fig.25	4.884	Fig.26	4.841	Fig.27
	829	20450	10	50	0	9.725	Fig.28	9.551	Fig.29	9.682	Fig.30
	836.5	20525		50	0	9.595	Fig.31	9.595	Fig.32	9.682	Fig.33
	844	20600		50	0	9.595	Fig.34	9.551	Fig.35	9.638	Fig.36




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

4 Peak-Average Ratio

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	QPSK	16-QAM	64-QAM
5	824.7	20407	1.4	1	5	Fig.1	Fig.2	Fig.3
	824.7	20407		6	0	Fig.4	Fig.5	Fig.6
	836.5	20525		1	5	Fig.7	Fig.8	Fig.9
	836.5	20525		6	0	Fig.10	Fig.11	Fig.12
	848.3	20643		1	5	Fig.13	Fig.14	Fig.15
	848.3	20643		6	0	Fig.16	Fig.17	Fig.18
	825.5	20415	3	1	14	Fig.19	Fig.20	Fig.21
	825.5	20415		15	0	Fig.22	Fig.23	Fig.24
	836.5	20525		1	14	Fig.25	Fig.26	Fig.27
	836.5	20525		15	0	Fig.28	Fig.29	Fig.30
	847.5	20635		1	14	Fig.31	Fig.32	Fig.33
	847.5	20635		15	0	Fig.34	Fig.35	Fig.36
	826.5	20425	5	1	24	Fig.37	Fig.38	Fig.39
	826.5	20425		25	0	Fig.40	Fig.41	Fig.42
	836.5	20525		1	24	Fig.43	Fig.44	Fig.45
	836.5	20525		25	0	Fig.46	Fig.47	Fig.48
	846.5	20625		1	24	Fig.49	Fig.50	Fig.51
	846.5	20625		25	0	Fig.52	Fig.53	Fig.54
	829	20450	10	1	49	Fig.55	Fig.56	Fig.57
	829	20450		50	0	Fig.58	Fig.59	Fig.60
	836.5	20525		1	49	Fig.61	Fig.62	Fig.63
	836.5	20525		50	0	Fig.64	Fig.65	Fig.66
	844	20600		1	49	Fig.67	Fig.68	Fig.69
	844	20600		50	0	Fig.70	Fig.71	Fig.72




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
5	829	20450	10	1	0	Fig.1
	836.5	20525		1	0	Fig.2
	844	20600		1	0	Fig.3




Fig.1




Fig.2










Fig.3

6 Band Edges Compliance

Band Edges Compliance						
Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
5	824.7	20407	1.4	1	0	Fig.1
				6	0	Fig.2
		20643		1	5	Fig.3
				6	0	Fig.4
	825.5	20415	3	1	0	Fig.5
				15	0	Fig.6
		20635		1	14	Fig.7
				15	0	Fig.8
	826.5	20425	5	1	0	Fig.9
				25	0	Fig.10
		20625		1	24	Fig.11
				25	0	Fig.12
	829	20450	10	1	0	Fig.13
				50	0	Fig.14
		20600		1	49	Fig.15
				50	0	Fig.16






Fig.7




Fig.8




Fig.9




Fig.10




Fig.11








Fig.12



7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band5 Low Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-10	NV	-0.003	0.001	0.001	-0.001	---	---
0	NV	0.001	0.002	-0.001	0.000	---	---
+10	NV	-1.211	0.002	0.002	-0.001	---	---
+20	NV	0.012	0.001	0.000	0.002	---	---
+30	NV	-0.002	0.002	-0.001	-0.001	---	---
+40	NV	-0.002	0.002	0.002	-0.001	---	---
+50	NV	-0.001	0.000	-0.001	-0.003	---	---
+20	LV	0.018	0.001	-0.001	-0.002	---	---
+20	HV	-0.023	0.003	0.002	-0.002	---	---

Temperature(°C)	Voltage	Test Result (ppm) Band5 High Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-10	NV	-0.003	0.002	0.001	0.000	---	---
0	NV	-0.005	0.001	0.001	0.000	---	---
+10	NV	-0.006	0.002	0.002	0.000	---	---
+20	NV	0.002	0.000	0.002	-0.001	---	---
+30	NV	-0.008	0.001	0.000	-0.002	---	---
+40	NV	0.023	0.002	0.000	-0.001	---	---
+50	NV	0.002	0.003	0.001	0.001	---	---
+20	LV	0.003	0.002	0.002	0.001	---	---
+20	HV	0.014	0.000	0.003	-0.001	---	---

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	824.7	20407	1.4	1	0	22.70	13.35	0.022	
				1	3	22.76	13.41	0.022	
				1	5	22.73	13.38	0.022	
				3	0	22.71	13.36	0.022	
				3	1	22.77	13.42	0.022	
				3	3	22.68	13.33	0.022	
	6	0		21.81	12.46	0.018			
	836.5	20525		1	0	22.80	13.45	0.022	
				1	3	22.91	13.56	0.023	
				1	5	22.89	13.54	0.023	
				3	0	22.92	13.57	0.023	
				3	1	22.83	13.48	0.022	
				3	3	22.85	13.50	0.022	
	6	0		21.90	12.55	0.018			
	848.3	20643		1	0	23.05	13.70	0.023	
				1	3	23.08	13.73	0.024	
				1	5	22.97	13.62	0.023	
				3	0	22.98	13.63	0.023	
				3	1	23.04	13.69	0.023	
				3	3	22.96	13.61	0.023	
	16QAM	824.7		20407	6	0	22.07	12.72	0.019
					1	0	21.97	12.62	0.018
					1	3	22.18	12.83	0.019
					1	5	22.00	12.65	0.018
3					0	21.81	12.46	0.018	
3					1	21.88	12.53	0.018	
3		3		21.83	12.48	0.018			
6		0		20.92	11.57	0.014			
836.5		20525		1	0	22.05	12.70	0.019	
				1	3	22.14	12.79	0.019	
				1	5	22.23	12.88	0.019	
				3	0	21.90	12.55	0.018	
				3	1	21.93	12.58	0.018	
				3	3	21.94	12.59	0.018	
6		0		20.99	11.64	0.015			
848.3		20643		1	0	22.30	12.95	0.020	
				1	3	22.29	12.94	0.020	
				1	5	22.30	12.95	0.020	
				3	0	21.85	12.50	0.018	
				3	1	21.97	12.62	0.018	
				3	3	21.96	12.61	0.018	
6		0		21.10	11.75	0.015			

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	824.7	20407	1.4	1	0	21.09	11.74	0.015
				1	3	21.33	11.98	0.016
				1	5	21.26	11.91	0.016
				3	0	20.96	11.61	0.014
				3	1	21.05	11.70	0.015
				3	3	20.99	11.64	0.015
				6	0	19.86	10.51	0.011
	836.5	20525		1	0	20.73	11.38	0.014
				1	3	20.86	11.51	0.014
				1	5	20.76	11.41	0.014
				3	0	20.97	11.62	0.015
				3	1	21.09	11.74	0.015
				3	3	21.12	11.77	0.015
				6	0	20.02	10.67	0.012
	848.3	20643		1	0	20.96	11.61	0.014
				1	3	20.99	11.64	0.015
				1	5	20.90	11.55	0.014
				3	0	21.11	11.76	0.015
				3	1	21.16	11.81	0.015
				3	3	21.15	11.80	0.015
				6	0	19.99	10.64	0.012

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	825.5	20415	3	1	0	22.91	13.56	0.023
				1	8	22.86	13.51	0.022
				1	14	22.90	13.55	0.023
				8	0	21.95	12.60	0.018
				8	4	21.98	12.63	0.018
				8	7	21.93	12.58	0.018
				15	0	21.91	12.56	0.018
	836.5	20525		1	0	22.98	13.63	0.023
				1	8	23.12	13.77	0.024
				1	14	23.03	13.68	0.023
				8	0	22.05	12.70	0.019
				8	4	22.13	12.78	0.019
				8	7	22.09	12.74	0.019
				15	0	22.00	12.65	0.018
	847.5	20635		1	0	23.13	13.78	0.024
				1	8	23.19	13.84	0.024
				1	14	23.16	13.81	0.024
				8	0	22.18	12.83	0.019
				8	4	22.20	12.85	0.019
				8	7	22.17	12.82	0.019
				15	0	22.09	12.74	0.019
16QAM	825.5	20415		1	0	22.54	13.19	0.021
				1	8	22.51	13.16	0.021
				1	14	22.55	13.20	0.021
				8	0	21.04	11.69	0.015
				8	4	21.08	11.73	0.015
				8	7	21.05	11.70	0.015
				15	0	20.98	11.63	0.015
	836.5	20525		1	0	22.19	12.84	0.019
				1	8	22.41	13.06	0.020
				1	14	22.25	12.90	0.019
				8	0	21.01	11.66	0.015
				8	4	21.08	11.73	0.015
				8	7	21.05	11.70	0.015
				15	0	21.04	11.69	0.015
	847.5	20635		1	0	22.43	13.08	0.020
				1	8	22.43	13.08	0.020
				1	14	22.38	13.03	0.020
				8	0	21.20	11.85	0.015
				8	4	21.14	11.79	0.015
				8	7	21.15	11.80	0.015
				15	0	21.22	11.87	0.015

Modulation	Carrier frequern cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	825.5	20415	3	1	0	21.26	11.91	0.016
				1	8	21.18	11.83	0.015
				1	14	21.24	11.89	0.015
				8	0	20.19	10.84	0.012
				8	4	20.14	10.79	0.012
				8	7	20.17	10.82	0.012
				15	0	19.97	10.62	0.012
	836.5	20525		1	0	20.82	11.47	0.014
				1	8	20.95	11.60	0.014
				1	14	20.91	11.56	0.014
				8	0	19.97	10.62	0.012
				8	4	20.10	10.75	0.012
				8	7	20.07	10.72	0.012
				15	0	20.13	10.78	0.012
	847.5	20635		1	0	21.10	11.75	0.015
				1	8	21.04	11.69	0.015
				1	14	20.98	11.63	0.015
				8	0	20.13	10.78	0.012
				8	4	20.19	10.84	0.012
				8	7	20.17	10.82	0.012
				15	0	20.28	10.93	0.012

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	826.5	20425	5	1	0	22.70	13.35	0.022	
				1	12	22.51	13.16	0.021	
				1	24	22.72	13.37	0.022	
				12	0	21.78	12.43	0.017	
				12	7	21.80	12.45	0.018	
				12	13	21.78	12.43	0.017	
	25	0		21.79	12.44	0.018			
	836.5	20525		1	0	22.79	13.44	0.022	
				1	12	22.82	13.47	0.022	
				1	24	23.00	13.65	0.023	
				12	0	21.88	12.53	0.018	
				12	7	21.96	12.61	0.018	
				12	13	22.01	12.66	0.018	
	25	0		21.90	12.55	0.018			
	846.5	20625		1	0	22.89	13.54	0.023	
				1	12	22.99	13.64	0.023	
				1	24	22.96	13.61	0.023	
				12	0	21.99	12.64	0.018	
				12	7	22.04	12.69	0.019	
				12	13	22.11	12.76	0.019	
	25	0		21.99	12.64	0.018			
	16QAM	826.5		20425	1	0	22.00	12.65	0.018
					1	12	21.82	12.47	0.018
					1	24	21.97	12.62	0.018
12					0	20.79	11.44	0.014	
12					7	20.79	11.44	0.014	
12					13	20.81	11.46	0.014	
25		0		20.79	11.44	0.014			
836.5		20525		1	0	22.30	12.95	0.020	
				1	12	22.20	12.85	0.019	
				1	24	22.43	13.08	0.020	
				12	0	20.82	11.47	0.014	
				12	7	20.88	11.53	0.014	
				12	13	20.94	11.59	0.014	
25		0		20.85	11.50	0.014			
846.5		20625		1	0	22.33	12.98	0.020	
				1	12	22.35	13.00	0.020	
				1	24	22.38	13.03	0.020	
				12	0	20.99	11.64	0.015	
				12	7	20.98	11.63	0.015	
				12	13	21.07	11.72	0.015	
25		0		21.05	11.70	0.015			

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	826.5	20425	5	1	0	20.74	11.39	0.014
				1	12	20.63	11.28	0.013
				1	24	20.80	11.45	0.014
				12	0	19.78	10.43	0.011
				12	7	19.72	10.37	0.011
				12	13	19.77	10.42	0.011
				25	0	19.75	10.40	0.011
	836.5	20525		1	0	21.19	11.84	0.015
				1	12	21.20	11.85	0.015
				1	24	21.28	11.93	0.016
				12	0	19.98	10.63	0.012
				12	7	19.97	10.62	0.012
				12	13	20.14	10.79	0.012
				25	0	19.98	10.63	0.012
	846.5	20625		1	0	21.27	11.92	0.016
				1	12	21.22	11.87	0.015
				1	24	21.34	11.99	0.016
				12	0	20.11	10.76	0.012
				12	7	20.13	10.78	0.012
				12	13	20.20	10.85	0.012
				25	0	20.07	10.72	0.012

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	829	20450	10	1	0	22.62	13.27	0.021	
				1	25	22.67	13.32	0.021	
				1	49	22.64	13.29	0.021	
				25	0	21.79	12.44	0.018	
				25	12	21.86	12.51	0.018	
				25	25	21.85	12.50	0.018	
	50	0		21.90	12.55	0.018			
	836.5	20525		1	0	22.82	13.47	0.022	
				1	25	22.82	13.47	0.022	
				1	49	22.98	13.63	0.023	
				25	0	21.95	12.60	0.018	
				25	12	22.02	12.67	0.018	
				25	25	21.99	12.64	0.018	
	50	0		22.01	12.66	0.018			
	844	20600		1	0	23.07	13.72	0.024	
				1	25	22.95	13.60	0.023	
				1	49	22.99	13.64	0.023	
				25	0	21.98	12.63	0.018	
				25	12	22.06	12.71	0.019	
				25	25	22.15	12.80	0.019	
	16QAM	829		20450	50	0	22.02	12.67	0.018
					1	0	22.55	13.20	0.021
					1	25	22.37	13.02	0.020
					1	49	22.79	13.44	0.022
25					0	20.71	11.36	0.014	
25					12	20.91	11.56	0.014	
25		25		20.91	11.56	0.014			
50		0		20.89	11.54	0.014			
836.5		20525		1	0	22.48	13.13	0.021	
				1	25	22.95	13.60	0.023	
				1	49	22.99	13.64	0.023	
				25	0	20.98	11.63	0.015	
				25	12	20.98	11.63	0.015	
				25	25	21.05	11.70	0.015	
50		0		20.84	11.49	0.014			
844		20600		1	0	22.16	12.81	0.019	
				1	25	22.26	12.91	0.020	
				1	49	22.45	13.10	0.020	
				25	0	21.12	11.77	0.015	
				25	12	21.04	11.69	0.015	
				25	25	21.13	11.78	0.015	
50		0		21.01	11.66	0.015			

Modulation	Carrier frequern cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	829	20450	10	1	0	21.15	11.80	0.015
				1	25	21.00	11.65	0.015
				1	49	21.36	12.01	0.016
				25	0	19.83	10.48	0.011
				25	12	19.98	10.63	0.012
				25	25	19.92	10.57	0.011
				50	0	19.97	10.62	0.012
	836.5	20525		1	0	21.20	11.85	0.015
				1	25	21.42	12.07	0.016
				1	49	21.53	12.18	0.017
				25	0	19.98	10.63	0.012
				25	12	19.96	10.61	0.012
				25	25	20.06	10.71	0.012
				50	0	19.95	10.60	0.011
	844	20600		1	0	21.10	11.75	0.015
				1	25	20.91	11.56	0.014
				1	49	21.15	11.80	0.015
				25	0	20.07	10.72	0.012
				25	12	20.24	10.89	0.012
				25	25	20.21	10.86	0.012
				50	0	20.08	10.73	0.012