

东莞市金赞智能科技有限公司

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED



DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

SPECIFICATION FOR APPROVAL

CUSTOMER:	_____
	A02180305069
CUST P/N:	_____
	J30-000019-001
K C P/N:	_____
	20.5*41*0.08*105P*10TS*10MM
D E S E :	_____
	21 February 2024
D A T E :	_____
	A.0
VERSION :	_____

ACCEPTANCE STAMP

PREPARED BY	MERCHANDISER	ENGINEER CHECKED BY	PRODUCTION CHECKDED BY	APPROVED BY
Yunfan Wang				

Address: No2 Xisha Road Shijie Guangdong 523290 Guangdong China

FiI No: KC-JZ-09-008

东莞市金赞智能科技有限公司

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

Specification


CUST P/N

3-122DX01010AA-001

Des. ,

20.5*43*0.08*105P*10TS*20

1. OVERALL DIMENSIONS OF PRODUCTS):



A	B	C	D	E	F	G	H	I
5.3±0.5	20.5±0.5	41±1	44+0/-1	3±1	10±1	1.25MAX	3.85MAX	10±2

Remark:H is total thickness ,release paper excluded.

Turns	Wire Diameter	Winding Direction	Lead wire Intersect Yes/Not	Coil front/reverse Paste
10	0.08*105 USTC Wire	CCW	YES	reverse Paste

PREPARED BY	ENGINEER CHECKED BY	PRODUCTION CHECKED BY
Yunfan Wang	胡志军	高海峰

Address: No2 Xisha Road Shijie Guangdong 523290 Guangdong China

FilNo: KC-JZ-09-008

东莞市金赞智能科技有限公司

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

Specification

CUST P/N

3-122DX01010AA-001

Des. ,

20.5*43*0.08*105P*10TS*20

2. ELECTRICAL CHARACTERISTICS :

TEMPERATURE: $25 \pm 10^{\circ}\text{C}$, RELATIVE HUMIDITY: $65 \pm 10\%$

NO.	ITEM	TERMINAL	VALUE	TEST FREQUENCY	TEST EQUIPMENTS
1	IND	S-F	6.3 uH $\pm 10\%$	100 KHZ/V	LCZ METER 1062

3. BILL OF MATERIALS :

NO.	Material name	Description	Material Code
1	Copper Wire	0.08*105 Strand USTC Wire	SBX-2U-F-0011
2	Ferrite Core	G44+0/-1*5.3*0.8H ± 0.1	GCP-T-0084
3	EVA Tape	42*5.3*1.5H	
4	Epoxy Glue	JS-E7202	E7202W
5	Kapton Tape	8mm	JRM
6	Tin rod	Lead-free Tin	TIN

PREPARED BY

ENGINEER CHECKED BY

PRODUCTION CHECKED BY

Yunfan Wang

胡志军

王海波

Address: No2 Xisha Road Shijie Guangdong 523290 Guangdong China

FilNo: KC-JZ-09-008