

Report No.: SEWM2311000473RG01

Rev.: 01

Page: 79 of 115

Test Band = LTE 2A_4A_ TM1
Test Channel = Low

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolovity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3702	53.74	-45.51	29.98	-57.05	-13.00	44.05	124	3	Horizontal
2	5553	53.66	-45.15	32.97	-53.78	-13.00	40.78	253	179	Horizontal
3	7404.3600	63.71	-43.40	36.49	-38.46	-13.00	25.46	296	360	Horizontal
4	8555.4500	37.41	-41.46	37.66	-61.65	-13.00	48.65	241	104	Horizontal
5	10266.5400	33.44	-39.23	38.83	-62.22	-13.00	49.22	155	299	Horizontal
6	11977.6300	30.91	-37.51	38.95	-62.92	-13.00	49.92	126	360	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3702	59.14	-45.51	29.98	-51.65	-13.00	38.65	203	88	Vertical
2	5553	58.56	-45.15	32.97	-48.88	-13.00	35.88	247	240	Vertical
3	7404	67.21	-43.40	36.49	-34.96	-13.00	21.96	186	269	Vertical
4	8555.4500	37.52	-41.46	37.66	-61.54	-13.00	48.54	214	192	Vertical
5	10266.5400	33.99	-39.23	38.83	-61.67	-13.00	48.67	186	360	Vertical
6	11977.6300	30.90	-37.51	38.95	-62.93	-13.00	49.93	219	3	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **CERCHIE AUTHORITION FOR THE PROPRINT OF THE PROPRI

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 80 of 115

Test Band = LTE 2A_4A_ TM1 Test Channel = Mid

Final	Data List									
NO	Frequency	Reading	Factor	A E [- D / 1	Level	Limit	Margin	Height	Angle	Dalarita
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3742.1800	51.24	-45.68	30.12	-59.58	-13.00	46.58	100	287	Horizontal
2	5613	54.86	-45.04	33.07	-52.37	-13.00	39.37	217	196	Horizontal
3	7484.25	62.13	-43.18	36.45	-39.86	-13.00	26.86	308	196	Horizontal
4	8617.9500	36.92	-41.40	37.78	-61.96	-13.00	48.96	284	316	Horizontal
5	10341.5400	33.85	-39.06	38.85	-61.62	-13.00	48.62	136	226	Horizontal
6	12065.1300	31.42	-37.44	39.02	-62.26	-13.00	49.26	243	287	Horizontal

Final	l Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3742.1800	57.60	-45.68	30.12	-53.22	-13.00	40.22	178	74	Vertical
2	5613	59.06	-45.04	33.07	-48.17	-13.00	35.17	324	253	Vertical
3	7484.25	66.05	-43.18	36.45	-35.94	-13.00	22.94	148	118	Vertical
4	8617.9500	36.69	-41.40	37.78	-62.19	-13.00	49.19	285	3	Vertical
5	10341.5400	34.09	-39.06	38.85	-61.38	-13.00	48.38	162	298	Vertical
6	12065.1300	31.44	-37.44	39.02	-62.24	-13.00	49.24	147	149	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 81 of 115

Test Band = LTE 2A_4A_ TM1 Test Channel = High

Final	Data List									
NO	Frequency	Reading	Factor	A E [- D / 1	Level	Limit	Margin	Height	Angle	Dalarita
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3782.1800	49.84	-45.85	30.27	-61.00	-13.00	48.00	258	285	Horizontal
2	5673	55.20	-44.91	33.29	-51.68	-13.00	38.68	172	194	Horizontal
3	7564.3600	58.32	-43.00	36.41	-43.54	-13.00	30.54	163	360	Horizontal
4	8680.4500	38.18	-41.62	37.88	-60.82	-13.00	47.82	238	285	Horizontal
5	10416.5400	33.65	-38.97	38.88	-61.71	-13.00	48.71	255	148	Horizontal
6	12152.6300	32.31	-37.42	39.09	-61.28	-13.00	48.28	179	299	Horizontal

Final	l Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3782.1800	58.16	-45.85	30.27	-52.68	-13.00	39.68	175	118	Vertical
2	5673.2700	53.85	-44.91	33.29	-53.03	-13.00	40.03	263	128	Vertical
3	7564.3600	62.05	-43.00	36.41	-39.81	-13.00	26.81	284	96	Vertical
4	8680.4500	37.83	-41.62	37.88	-61.17	-13.00	48.17	156	104	Vertical
5	10416.5400	33.60	-38.97	38.88	-61.76	-13.00	48.76	177	360	Vertical
6	12152.6300	31.99	-37.42	39.09	-61.60	-13.00	48.60	159	360	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Jiangsu) Pllot Fiee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区河胜路(号的6号广房南部 鄉編: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 82 of 115

Test Band = LTE 2A_5A_ TM1 Test Channel = Low

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[«ID /»»]	Level	Limit	Margin	Height	Angle	Dolovity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1649.1800	28.10	-24.82	25.37	-66.61	-13.00	53.61	298	128	Horizontal
2	2473.7700	33.05	-23.55	27.68	-58.07	-13.00	45.07	276	147	Horizontal
3	3298.3600	42.29	-46.45	29.56	-69.86	-13.00	56.86	238	148	Horizontal
4	3702	53.27	-45.51	29.98	-57.52	-13.00	44.52	214	285	Horizontal
5	5553	55.13	-45.15	32.97	-52.31	-13.00	39.31	152	194	Horizontal
6	7404.3600	64.46	-43.40	36.49	-37.71	-13.00	24.71	165	357	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1649.1800	27.61	-24.82	25.37	-67.10	-13.00	54.10	287	356	Vertical
2	2473.7700	34.09	-23.55	27.68	-57.03	-13.00	44.03	145	4	Vertical
3	3298.3600	42.63	-46.45	29.56	-69.52	-13.00	56.52	165	3	Vertical
4	3702	61.19	-45.51	29.98	-49.60	-13.00	36.60	253	117	Vertical
5	5553	58.14	-45.15	32.97	-49.30	-13.00	36.30	274	209	Vertical
6	7404.3600	65.08	-43.40	36.49	-37.09	-13.00	24.09	186	271	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Testilic Company Accessing American Company American Company Accessing American Company A

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 83 of 115

Test Band = LTE 2A_5A_ TM1 Test Channel = Mid

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dalawitu
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1664.1800	28.92	-24.78	25.38	-65.75	-13.00	52.75	177	312	Horizontal
2	2496.2700	28.24	-23.54	27.76	-62.80	-13.00	49.80	149	108	Horizontal
3	3328.3600	41.73	-46.41	29.52	-70.42	-13.00	57.42	256	360	Horizontal
4	3742.1800	50.37	-45.68	30.12	-60.45	-13.00	47.45	283	289	Horizontal
5	5613	55.10	-45.04	33.07	-52.13	-13.00	39.13	147	196	Horizontal
6	7484.25	63.17	-43.18	36.45	-38.82	-13.00	25.82	125	353	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1664.1800	28.05	-24.78	25.38	-66.62	-13.00	53.62	256	304	Vertical
2	2496.2700	28.45	-23.54	27.76	-62.59	-13.00	49.59	328	58	Vertical
3	3328.3600	42.11	-46.41	29.52	-70.04	-13.00	57.04	147	240	Vertical
4	3742.1800	57.46	-45.68	30.12	-53.36	-13.00	40.36	176	91	Vertical
5	5613	58.19	-45.04	33.07	-49.04	-13.00	36.04	214	212	Vertical
6	7484.25	65.86	-43.18	36.45	-36.13	-13.00	23.13	138	136	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Testilic Company Accessing American Company American Company Accessing American Company A

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Bangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 84 of 115

Test Band = LTE 2A_5A_ TM1 Test Channel = High

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dalawitu
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1679.1800	28.65	-24.75	25.38	-65.98	-13.00	52.98	139	312	Horizontal
2	2518.7700	28.93	-23.40	27.83	-61.90	-13.00	48.90	248	331	Horizontal
3	3358.3600	42.00	-46.35	29.48	-70.13	-13.00	57.13	175	151	Horizontal
4	3782.1800	49.38	-45.85	30.27	-61.46	-13.00	48.46	168	284	Horizontal
5	5673	55.34	-44.91	33.29	-51.54	-13.00	38.54	241	14	Horizontal
6	7564.3600	59.23	-43.00	36.41	-42.63	-13.00	29.63	122	358	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1679.1800	28.25	-24.75	25.38	-66.38	-13.00	53.38	274	280	Vertical
2	2518.7700	28.46	-23.40	27.83	-62.37	-13.00	49.37	184	301	Vertical
3	3358.3600	41.98	-46.35	29.48	-70.15	-13.00	57.15	165	359	Vertical
4	3782.1800	57.98	-45.85	30.27	-52.86	-13.00	39.86	192	120	Vertical
5	5673	56.53	-44.91	33.29	-50.35	-13.00	37.35	135	271	Vertical
6	7564.3600	62.38	-43.00	36.41	-39.48	-13.00	26.48	238	120	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com

South of No. 6 Plans, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 85 of 115

Test Band = LTE 2A_7A_ TM1 Test Channel = Low

Final	Data List									
NO	Frequency	Reading	Factor	A E [- D / 1	Level	Limit	Margin	Height	Angle	Dalarita
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3702	53.90	-45.51	29.98	-56.89	-25.00	31.89	178	284	Horizontal
2	5553	57.15	-45.15	32.97	-50.29	-25.00	25.29	259	194	Horizontal
3	7404.3600	63.66	-43.40	36.49	-38.51	-25.00	13.51	263	357	Horizontal
4	12505.4500	32.88	-36.99	39.18	-60.19	-25.00	35.19	124	134	Horizontal
5	15006.5400	30.04	-34.65	39.21	-60.66	-25.00	35.66	175	240	Horizontal
6	17507.6300	32.78	-34.95	39.22	-58.21	-25.00	33.21	228	44	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ.Γ.(«ID./»»]	Level	Limit	Margin	Height	Angle	Delevit
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3702	61.11	-45.51	29.98	-49.68	-25.00	24.68	208	123	Vertical
2	5553	58.50	-45.15	32.97	-48.94	-25.00	23.94	179	242	Vertical
3	7404	67.84	-43.40	36.49	-34.33	-25.00	9.33	266	270	Vertical
4	12505.4500	32.59	-36.99	39.18	-60.48	-25.00	35.48	289	273	Vertical
5	15006.5400	30.33	-34.65	39.21	-60.37	-25.00	35.37	242	360	Vertical
6	17507.6300	32.71	-34.95	39.22	-58.28	-25.00	33.28	156	358	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Testilic Company Accessing American Company American Company Accessing American Company A

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 86 of 115

Test Band = LTE 2A_7A_ TM1 Test Channel = Mid

Final	Data List									
NO	Frequency	Reading	Factor	A E [- D / 1	Level	Limit	Margin	Height	Angle	Dalarita
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3742.1800	51.23	-45.68	30.12	-59.59	-25.00	34.59	284	285	Horizontal
2	5613	58.75	-45.04	33.07	-48.48	-25.00	23.48	174	196	Horizontal
3	7484.25	63.18	-43.18	36.45	-38.81	-25.00	13.81	155	360	Horizontal
4	12630.4500	32.73	-37.33	39.33	-60.53	-25.00	35.53	169	360	Horizontal
5	15156.5400	30.57	-34.37	39.01	-60.05	-25.00	35.05	256	118	Horizontal
6	17682.6300	33.50	-33.89	40.06	-55.59	-25.00	30.59	241	343	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dolovity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3742.1800	57.58	-45.68	30.12	-53.24	-25.00	28.24	242	90	Vertical
2	5613	61.44	-45.04	33.07	-45.79	-25.00	20.79	189	213	Vertical
3	7484.25	66.70	-43.18	36.45	-35.29	-25.00	10.29	237	121	Vertical
4	12630.4500	32.43	-37.33	39.33	-60.83	-25.00	35.83	156	287	Vertical
5	15156.5400	29.99	-34.37	39.01	-60.63	-25.00	35.63	228	360	Vertical
6	17682.6300	33.65	-33.89	40.06	-55.44	-25.00	30.44	176	4	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Testilic Company Accessing American Company American Company Accessing American Company A

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 87 of 115

Test Band = LTE 2A_7A_ TM1 Test Channel = High

Final	Data List									
NO	Frequency	Reading	Factor	A E [- D /]	Level	Limit	Margin	Height	Angle	Dalarita
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3782.1800	49.63	-45.85	30.27	-61.21	-25.00	36.21	158	284	Horizontal
2	5673	57.69	-44.91	33.29	-49.19	-25.00	24.19	276	194	Horizontal
3	7564.3600	60.18	-43.00	36.41	-41.68	-25.00	16.68	233	353	Horizontal
4	12755.4500	32.62	-36.76	39.55	-59.85	-25.00	34.85	295	209	Horizontal
5	15306.5400	31.37	-34.36	38.82	-59.43	-25.00	34.43	265	359	Horizontal
6	17857.6300	33.73	-34.56	41.24	-54.85	-25.00	29.85	221	118	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Delevit
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3782.1800	58.59	-45.85	30.27	-52.25	-25.00	27.25	179	300	Vertical
2	5673.2700	54.95	-44.91	33.29	-51.93	-25.00	26.93	238	90	Vertical
3	7564.3600	62.15	-43.00	36.41	-39.71	-25.00	14.71	214	135	Vertical
4	12755.4500	32.32	-36.76	39.55	-60.15	-25.00	35.15	156	225	Vertical
5	15306.5400	30.77	-34.36	38.82	-60.03	-25.00	35.03	248	332	Vertical
6	17857.6300	33.99	-34.56	41.24	-54.59	-25.00	29.59	188	74	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 88 of 115

Test Band = LTE 2A_12A_ TM1 Test Channel = Low

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dalawitu
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1399.1800	29.00	-25.24	25.62	-65.88	-13.00	52.88	284	301	Horizontal
2	2098.7700	30.32	-24.20	26.99	-62.15	-13.00	49.15	159	311	Horizontal
3	2798.3600	29.28	-22.56	28.48	-60.07	-13.00	47.07	226	263	Horizontal
4	3782.25	49.45	-45.85	30.27	-61.39	-13.00	48.39	135	285	Horizontal
5	5673	56.15	-44.91	33.29	-50.73	-13.00	37.73	287	59	Horizontal
6	7564.5	59.69	-43.00	36.41	-42.17	-13.00	29.17	145	3	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1399.1800	28.87	-25.24	25.62	-66.01	-13.00	53.01	209	294	Vertical
2	2098.7700	29.79	-24.20	26.99	-62.68	-13.00	49.68	226	275	Vertical
3	2798.3600	29.28	-22.56	28.48	-60.07	-13.00	47.07	284	304	Vertical
4	3782.25	58.52	-45.85	30.27	-52.32	-13.00	39.32	156	118	Vertical
5	5673	59.13	-44.91	33.29	-47.75	-13.00	34.75	237	285	Vertical
6	7564.5	63.94	-43.00	36.41	-37.92	-13.00	24.92	142	118	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Testilic Company Accessing American Company American Company Accessing American Company A

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Jiangsu) Pllot Fiee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区河胜路(号的6号广房南部 鄉編: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 89 of 115

Test Band = LTE 2A_12A_ TM1 Test Channel = Mid

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Delevit
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1406.1800	29.92	-25.24	25.61	-64.96	-13.00	51.96	177	117	Horizontal
2	2109.2700	30.39	-24.19	27.02	-62.04	-13.00	49.04	285	304	Horizontal
3	2812.3600	28.91	-22.61	28.54	-60.43	-13.00	47.43	196	68	Horizontal
4	3782.25	49.12	-45.85	30.27	-61.72	-13.00	48.72	235	300	Horizontal
5	5673	55.67	-44.91	33.29	-51.21	-13.00	38.21	214	148	Horizontal
6	7564.5	60.49	-43.00	36.41	-41.37	-13.00	28.37	134	359	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1406.1800	30.20	-25.24	25.61	-64.68	-13.00	51.68	216	256	Vertical
2	2109.2700	29.91	-24.19	27.02	-62.52	-13.00	49.52	229	285	Vertical
3	2812.3600	29.05	-22.61	28.54	-60.29	-13.00	47.29	328	77	Vertical
4	3782.25	58.23	-45.85	30.27	-52.61	-13.00	39.61	145	314	Vertical
5	5673	56.59	-44.91	33.29	-50.29	-13.00	37.29	168	298	Vertical
6	7564.5	64.58	-43.00	36.41	-37.28	-13.00	24.28	227	117	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 90 of 115

Test Band = LTE 2A_12A_ TM1 Test Channel = High

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1413.1800	29.02	-25.23	25.60	-65.87	-13.00	52.87	285	285	Horizontal
2	2119.7700	29.85	-24.18	27.06	-62.53	-13.00	49.53	175	330	Horizontal
3	2826.3600	28.84	-22.67	28.60	-60.49	-13.00	47.49	269	304	Horizontal
4	3782.1800	50.06	-45.85	30.27	-60.78	-13.00	47.78	305	282	Horizontal
5	5673.2700	54.46	-44.91	33.29	-52.42	-13.00	39.42	184	194	Horizontal
6	7564.3600	60.56	-43.00	36.41	-41.30	-13.00	28.30	126	360	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1413.1800	29.08	-25.23	25.60	-65.81	-13.00	52.81	159	282	Vertical
2	2119.7700	29.59	-24.18	27.06	-62.79	-13.00	49.79	286	282	Vertical
3	2826.3600	28.68	-22.67	28.60	-60.65	-13.00	47.65	314	174	Vertical
4	3782.1800	58.12	-45.85	30.27	-52.72	-13.00	39.72	182	88	Vertical
5	5673	57.89	-44.91	33.29	-48.99	-13.00	35.99	206	255	Vertical
6	7564.3600	63.42	-43.00	36.41	-38.44	-13.00	25.44	177	121	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 91 of 115

Test Band = LTE 2A_13A_ TM1 Test Channel = Low

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[«ID /»»]	Level	Limit	Margin	Height	Angle	Dolovity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1554.6800	28.14	-25.03	25.41	-66.74	-13.00	53.74	157	135	Horizontal
2	2332.0200	27.95	-23.58	27.41	-63.48	-13.00	50.48	218	323	Horizontal
3	3125.25	50.32	-46.14	29.56	-61.52	-13.00	48.52	293	74	Horizontal
4	3702	53.02	-45.51	29.98	-57.77	-13.00	44.77	264	317	Horizontal
5	5553	54.68	-45.15	32.97	-52.76	-13.00	39.76	158	195	Horizontal
6	7404	62.55	-43.40	36.49	-39.62	-13.00	26.62	144	360	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ.Γ.(-ID /1	Level	Limit	Margin	Height	Angle	Delevit :
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1554.6800	27.98	-25.03	25.41	-66.90	-13.00	53.90	211	20	Vertical
2	2332.0200	27.85	-23.58	27.41	-63.58	-13.00	50.58	296	357	Vertical
3	3124.5	46.48	-46.15	29.56	-65.37	-13.00	52.37	235	59	Vertical
4	3702	59.75	-45.51	29.98	-51.04	-13.00	38.04	144	118	Vertical
5	5553	57.36	-45.15	32.97	-50.08	-13.00	37.08	152	256	Vertical
6	7404.3600	64.96	-43.40	36.49	-37.21	-13.00	24.21	149	255	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 92 of 115

Test Band = LTE 2A_13A_ TM1 Test Channel = Mid

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[«ID /»»]	Level	Limit	Margin	Height	Angle	Dolovity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1559.6800	28.33	-25.02	25.40	-66.55	-13.00	53.55	282	303	Horizontal
2	2339.5200	28.00	-23.58	27.41	-63.43	-13.00	50.43	194	79	Horizontal
3	3125.25	50.50	-46.14	29.56	-61.34	-13.00	48.34	216	74	Horizontal
4	3742.1800	50.12	-45.68	30.12	-60.70	-13.00	47.70	255	284	Horizontal
5	5613	54.50	-45.04	33.07	-52.73	-13.00	39.73	126	167	Horizontal
6	7484.25	62.53	-43.18	36.45	-39.46	-13.00	26.46	201	353	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1559.6800	27.90	-25.02	25.40	-66.98	-13.00	53.98	162	175	Vertical
2	2339.5200	28.08	-23.58	27.41	-63.35	-13.00	50.35	264	183	Vertical
3	3125.25	46.99	-46.14	29.56	-64.85	-13.00	51.85	135	59	Vertical
4	3742.1800	56.58	-45.68	30.12	-54.24	-13.00	41.24	206	74	Vertical
5	5613	57.79	-45.04	33.07	-49.44	-13.00	36.44	229	239	Vertical
6	7484.25	65.77	-43.18	36.45	-36.22	-13.00	23.22	168	120	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Testilic Company Accessing American Company American Company Accessing American Company A

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 93 of 115

Test Band = LTE 2A_13A_ TM1 Test Channel = High

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dalawitu
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1564.6800	27.90	-25.01	25.40	-66.97	-13.00	53.97	184	312	Horizontal
2	2347.0200	28.10	-23.58	27.41	-63.32	-13.00	50.32	259	312	Horizontal
3	3125.25	50.72	-46.14	29.56	-61.12	-13.00	48.12	163	74	Horizontal
4	3782.1800	48.50	-45.85	30.27	-62.34	-13.00	49.34	225	283	Horizontal
5	5673	54.39	-44.91	33.29	-52.49	-13.00	39.49	140	194	Horizontal
6	7564.3600	59.55	-43.00	36.41	-42.31	-13.00	29.31	296	360	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1564.6800	28.02	-25.01	25.40	-66.85	-13.00	53.85	238	280	Vertical
2	2347.0200	27.86	-23.58	27.41	-63.56	-13.00	50.56	197	97	Vertical
3	3125.25	46.94	-46.14	29.56	-64.90	-13.00	51.90	210	4	Vertical
4	3782.1800	58.31	-45.85	30.27	-52.53	-13.00	39.53	265	127	Vertical
5	5673	56.42	-44.91	33.29	-50.46	-13.00	37.46	126	293	Vertical
6	7564.3600	60.07	-43.00	36.41	-41.79	-13.00	28.79	257	121	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Testilic Company Accessing American Company American Company Accessing American Company A

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 94 of 115

Test Band = LTE 2A_14A_ TM1 Test Channel = Low

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dalawitu
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1576.6800	28.46	-24.98	25.38	-66.40	-13.00	53.40	214	154	Horizontal
2	2365.0200	28.09	-23.57	27.42	-63.32	-13.00	50.32	277	96	Horizontal
3	3153.3600	41.77	-45.98	29.60	-69.87	-13.00	56.87	195	176	Horizontal
4	3702.1800	46.49	-45.51	29.98	-64.30	-13.00	51.30	263	283	Horizontal
5	5553.2700	51.16	-45.15	32.97	-56.28	-13.00	43.28	218	194	Horizontal
6	7404.3600	62.65	-43.40	36.49	-39.52	-13.00	26.52	129	359	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1576.6800	28.03	-24.98	25.38	-66.83	-13.00	53.83	228	180	Vertical
2	2365.0200	28.34	-23.57	27.42	-63.07	-13.00	50.07	159	176	Vertical
3	3153.3600	42.04	-45.98	29.60	-69.60	-13.00	56.60	306	14	Vertical
4	3702	60.56	-45.51	29.98	-50.23	-13.00	37.23	258	91	Vertical
5	5553.2700	56.61	-45.15	32.97	-50.83	-13.00	37.83	146	227	Vertical
6	7404.3600	66.75	-43.40	36.49	-35.42	-13.00	22.42	217	120	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Jiangsu) Pllot Fiee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区河胜路(号的6号广房南部 鄉編: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 95 of 115

Test Band = LTE 2A_14A_ TM1 Test Channel = Mid

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dalawitu
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1581.6800	28.19	-24.97	25.37	-66.66	-13.00	53.66	185	331	Horizontal
2	2372.5200	28.29	-23.57	27.43	-63.12	-13.00	50.12	176	302	Horizontal
3	3163.3600	42.35	-45.93	29.62	-69.22	-13.00	56.22	238	359	Horizontal
4	3742.1800	51.53	-45.68	30.12	-59.29	-13.00	46.29	195	284	Horizontal
5	5613	55.51	-45.04	33.07	-51.72	-13.00	38.72	206	194	Horizontal
6	7484.25	62.59	-43.18	36.45	-39.40	-13.00	26.40	244	195	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1581.6800	28.23	-24.97	25.37	-66.62	-13.00	53.62	245	301	Vertical
2	2372.5200	28.36	-23.57	27.43	-63.05	-13.00	50.05	166	105	Vertical
3	3163.3600	42.23	-45.93	29.62	-69.34	-13.00	56.34	293	104	Vertical
4	3742.1800	56.88	-45.68	30.12	-53.94	-13.00	40.94	287	88	Vertical
5	5613	58.35	-45.04	33.07	-48.88	-13.00	35.88	156	224	Vertical
6	7484.25	65.82	-43.18	36.45	-36.17	-13.00	23.17	220	118	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com

South of No. 6 Plans, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 96 of 115

Test Band = LTE 2A_14A_ TM1 Test Channel = High

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1586.6800	28.69	-24.95	25.37	-66.15	-13.00	53.15	299	117	Horizontal
2	2380.0200	28.21	-23.57	27.43	-63.19	-13.00	50.19	177	312	Horizontal
3	3173.3600	41.80	-45.87	29.64	-69.70	-13.00	56.70	184	122	Horizontal
4	3782.1800	48.44	-45.85	30.27	-62.40	-13.00	49.40	163	288	Horizontal
5	5673	56.18	-44.91	33.29	-50.70	-13.00	37.70	254	148	Horizontal
6	7564.3600	61.53	-43.00	36.41	-40.33	-13.00	27.33	142	360	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1586.6800	28.84	-24.95	25.37	-66.00	-13.00	53.00	246	292	Vertical
2	2380.0200	28.48	-23.57	27.43	-62.92	-13.00	49.92	231	282	Vertical
3	3173.3600	42.24	-45.87	29.64	-69.26	-13.00	56.26	153	360	Vertical
4	3782.1800	59.10	-45.85	30.27	-51.74	-13.00	38.74	203	313	Vertical
5	5673	57.64	-44.91	33.29	-49.24	-13.00	36.24	308	225	Vertical
6	7564.3600	62.14	-43.00	36.41	-39.72	-13.00	26.72	147	121	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com

South of No. 6 Plans, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 97 of 115

Test Band = LTE 2A_17A_ TM1 Test Channel = Low

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dalawitu
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1409.1800	27.65	-25.23	25.61	-67.24	-13.00	54.24	295	116	Horizontal
2	2113.7700	28.75	-24.18	27.04	-63.66	-13.00	50.66	167	128	Horizontal
3	2818.3600	27.98	-22.63	28.56	-61.35	-13.00	48.35	241	19	Horizontal
4	3702	52.94	-45.51	29.98	-57.85	-13.00	44.85	266	316	Horizontal
5	5553	55.68	-45.15	32.97	-51.76	-13.00	38.76	259	195	Horizontal
6	7404.3600	62.53	-43.40	36.49	-39.64	-13.00	26.64	135	357	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1409.1800	27.30	-25.23	25.61	-67.59	-13.00	54.59	209	206	Vertical
2	2113.7700	28.22	-24.18	27.04	-64.19	-13.00	51.19	286	303	Vertical
3	2818.3600	27.94	-22.63	28.56	-61.39	-13.00	48.39	244	341	Vertical
4	3702	60.96	-45.51	29.98	-49.83	-13.00	36.83	172	120	Vertical
5	5553	59.52	-45.15	32.97	-47.92	-13.00	34.92	163	255	Vertical
6	7404.3600	64.96	-43.40	36.49	-37.21	-13.00	24.21	315	271	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Testilic Company Accessing American Company American Company Accessing American Company A

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 98 of 115

Test Band = LTE 2A_17A_ TM1 Test Channel = Mid

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dalawitu
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1411.1800	27.86	-25.23	25.60	-67.03	-13.00	54.03	178	341	Horizontal
2	2116.7700	28.87	-24.18	27.05	-63.52	-13.00	50.52	259	331	Horizontal
3	2822.3600	28.13	-22.65	28.58	-61.20	-13.00	48.20	263	67	Horizontal
4	3742.1800	50.02	-45.68	30.12	-60.80	-13.00	47.80	171	287	Horizontal
5	5613	56.91	-45.04	33.07	-50.32	-13.00	37.32	140	195	Horizontal
6	7484.25	64.76	-43.18	36.45	-37.23	-13.00	24.23	216	358	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1411.1800	27.67	-25.23	25.60	-67.22	-13.00	54.22	193	187	Vertical
2	2116.7700	28.58	-24.18	27.05	-63.81	-13.00	50.81	246	194	Vertical
3	2822.3600	28.08	-22.65	28.58	-61.25	-13.00	48.25	287	332	Vertical
4	3742.1800	57.20	-45.68	30.12	-53.62	-13.00	40.62	148	88	Vertical
5	5613	59.85	-45.04	33.07	-47.38	-13.00	34.38	189	256	Vertical
6	7484.25	67.25	-43.18	36.45	-34.74	-13.00	21.74	211	120	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Testilic Company Accessing American Company American Company Accessing American Company A

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 99 of 115

Test Band = LTE 2A_17A_ TM1 Test Channel = High

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dalawitu
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1413.1800	28.28	-25.23	25.60	-66.61	-13.00	53.61	177	301	Horizontal
2	2119.7700	29.20	-24.18	27.06	-63.18	-13.00	50.18	149	304	Horizontal
3	2826.3600	28.34	-22.67	28.60	-60.99	-13.00	47.99	255	357	Horizontal
4	3782.1800	48.85	-45.85	30.27	-61.99	-13.00	48.99	135	299	Horizontal
5	5673	58.43	-44.91	33.29	-48.45	-13.00	35.45	214	192	Horizontal
6	7564.3600	61.65	-43.00	36.41	-40.21	-13.00	27.21	185	360	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ.Γ.(«ID./»»]	Level	Limit	Margin	Height	Angle	Delevit :
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1413.1800	28.19	-25.23	25.60	-66.70	-13.00	53.70	130	281	Vertical
2	2119.7700	28.65	-24.18	27.06	-63.73	-13.00	50.73	263	281	Vertical
3	2826.3600	27.72	-22.67	28.60	-61.61	-13.00	48.61	233	342	Vertical
4	3782.1800	58.32	-45.85	30.27	-52.52	-13.00	39.52	157	314	Vertical
5	5673	59.11	-44.91	33.29	-47.77	-13.00	34.77	241	286	Vertical
6	7564.3600	63.91	-43.00	36.41	-37.95	-13.00	24.95	189	74	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Testilic Company Accessing American Company American Company Accessing American Company A

South of No. 6 Plans, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 100 of 115

Test Band = LTE 2A_30A_ TM1 Test Channel = Low

Final	Data List									
NO	Frequency	Reading	Factor	A E [- D / 1	Level	Limit	Margin	Height	Angle	Daladte
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3459.75	45.06	-46.27	29.48	-66.98	-40.00	26.98	215	0	Horizontal
2	4449.75	44.38	-45.77	31.56	-65.09	-40.00	25.09	136	91	Horizontal
3	5910	43.35	-44.96	33.96	-62.91	-40.00	22.91	215	240	Horizontal
4	6863.25	43.10	-44.13	35.92	-60.37	-40.00	20.37	144	181	Horizontal
5	11025	38.11	-37.87	39.08	-55.95	-40.00	15.95	185	300	Horizontal
6	12611.25	38.30	-37.51	39.30	-55.17	-40.00	15.17	196	3	Horizontal

Fina	l Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/∞1	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	4269.75	44.26	-45.61	31.24	-65.37	-40.00	25.37	165	91	Vertical
2	4896.75	44.53	-45.53	32.59	-63.67	-40.00	23.67	174	330	Vertical
3	5712.75	42.83	-44.84	33.43	-63.84	-40.00	23.84	165	212	Vertical
4	6978.75	42.80	-43.67	36.05	-60.07	-40.00	20.07	129	195	Vertical
5	8100.75	40.86	-41.37	37.05	-58.72	-40.00	18.72	188	135	Vertical
6	9370.5	40.95	-39.95	38.47	-55.79	-40.00	15.79	103	346	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Testilic Company Accessing American Company American Company Accessing American Company A

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 101 of 115

Test Band = LTE 2A_30A_ TM1 Test Channel = Mid

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[«ID /»»]	Level	Limit	Margin	Height	Angle	Dalawitu
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	4281	43.66	-45.58	31.27	-65.92	-40.00	25.92	145	286	Horizontal
2	4892.25	44.58	-45.53	32.58	-63.63	-40.00	23.63	186	330	Horizontal
3	6755.25	43.10	-44.01	35.75	-60.42	-40.00	20.42	251	90	Horizontal
4	8391.75	41.82	-41.50	37.32	-57.62	-40.00	17.62	146	0	Horizontal
5	10699.5	37.41	-37.88	39.14	-56.59	-40.00	16.59	192	74	Horizontal
6	11316.75	38.26	-37.41	39.11	-55.30	-40.00	15.30	130	301	Horizontal

Final	l Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/1	Level	Limit	Margin	Height	Angle	Delevit
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3930	45.17	-46.21	30.64	-65.66	-40.00	25.66	254	303	Vertical
2	5221.5	44.00	-45.24	32.97	-63.53	-40.00	23.53	136	182	Vertical
3	6057	42.99	-44.61	34.15	-62.73	-40.00	22.73	251	303	Vertical
4	7803.75	41.90	-42.33	36.78	-58.90	-40.00	18.90	188	210	Vertical
5	9334.5	40.92	-40.09	38.44	-55.98	-40.00	15.98	196	32	Vertical
6	12719.25	37.81	-36.71	39.49	-54.67	-40.00	14.67	188	136	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Testilic Company Accessing American Company American Company Accessing American Company A

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 • 苏州 • 中国 (江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 102 of 115

Test Band = LTE 2A_30A_ TM1 Test Channel = High

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolovity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3968.25	44.45	-46.12	30.73	-66.20	-40.00	26.20	254	193	Horizontal
2	4556.25	44.07	-45.69	31.67	-65.21	-40.00	25.21	156	212	Horizontal
3	5335.5	43.77	-45.16	32.86	-63.79	-40.00	23.79	236	348	Horizontal
4	7848.75	41.75	-42.56	36.84	-59.23	-40.00	19.23	258	193	Horizontal
5	10707	37.57	-37.93	39.15	-56.48	-40.00	16.48	195	274	Horizontal
6	13713	38.33	-36.19	40.04	-53.08	-40.00	13.08	175	193	Horizontal

Final	l Data List									
NO	Frequency	Reading	Factor	Λ [[e]D /ee]	Level	Limit	Margin	Height	Angle	Delevit
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	4382.25	43.44	-45.77	31.47	-66.12	-40.00	26.12	245	166	Vertical
2	4891.5	44.45	-45.53	32.58	-63.76	-40.00	23.76	165	122	Vertical
3	6372	42.98	-44.45	34.56	-62.17	-40.00	22.17	281	18	Vertical
4	7854.75	41.94	-42.59	36.84	-59.07	-40.00	19.07	174	31	Vertical
5	11261.25	37.90	-37.41	39.11	-55.66	-40.00	15.66	166	91	Vertical
6	12718.5	37.96	-36.71	39.49	-54.52	-40.00	14.52	219	183	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, reseall: CAP Descheck@ass.com.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Jiangsu) Pllot Fiee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区河胜路(号的6号广房南部 鄉編: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 103 of 115

Test Band = LTE 2A_38A_ TM1
Test Channel = Low

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3702.1800	49.94	-45.51	29.98	-60.85	-25.00	35.85	273	284	Horizontal
2	5553.2700	55.78	-45.15	32.97	-51.66	-25.00	26.66	125	149	Horizontal
3	7404.3600	64.68	-43.40	36.49	-37.49	-25.00	12.49	287	351	Horizontal
4	12855.4500	33.80	-36.99	39.69	-58.76	-25.00	33.76	149	360	Horizontal
5	15426.5400	32.35	-33.99	38.67	-58.23	-25.00	33.23	221	352	Horizontal
6	17997.6300	32.32	-34.58	42.23	-55.28	-25.00	30.28	243	360	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3702	61.96	-45.51	29.98	-48.83	-25.00	23.83	184	122	Vertical
2	5553.2700	59.75	-45.15	32.97	-47.69	-25.00	22.69	166	257	Vertical
3	7404.3600	66.99	-43.40	36.49	-35.18	-25.00	10.18	302	270	Vertical
4	12855.4500	33.06	-36.99	39.69	-59.50	-25.00	34.50	197	74	Vertical
5	15426.5400	31.61	-33.99	38.67	-58.97	-25.00	33.97	145	270	Vertical
6	17997.6300	32.49	-34.58	42.23	-55.11	-25.00	30.11	258	75	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Company Com

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Kangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜商1号的6号广房南部 鄉編: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 104 of 115

Test Band = LTE 2A_38A_ TM1 Test Channel = Mid

Final	Data List									
NO	Frequency	Reading	Factor	A E [- D /]	Level	Limit	Margin	Height	Angle	Dalarita
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3742.1800	48.49	-45.68	30.12	-62.33	-25.00	37.33	208	104	Horizontal
2	5613	56.49	-45.04	33.07	-50.74	-25.00	25.74	149	360	Horizontal
3	7484.25	58.18	-43.18	36.45	-43.81	-25.00	18.81	225	13	Horizontal
4	10344.3600	36.06	-39.05	38.85	-59.41	-25.00	34.41	168	134	Horizontal
5	12930.4500	33.45	-37.18	39.76	-59.23	-25.00	34.23	278	14	Horizontal
6	15516.5000	31.38	-35.30	38.55	-60.63	-25.00	35.63	142	209	Horizontal

Final	l Data List									
NO	Frequency	Reading	Factor	Λ.Γ.(«ID./»»]	Level	Limit	Margin	Height	Angle	Delevit
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3742.1800	52.31	-45.68	30.12	-58.51	-25.00	33.51	201	75	Vertical
2	5613	59.10	-45.04	33.07	-48.13	-25.00	23.13	285	104	Vertical
3	7484.25	64.61	-43.18	36.45	-37.38	-25.00	12.38	196	120	Vertical
4	10344.3600	35.80	-39.05	38.85	-59.67	-25.00	34.67	132	351	Vertical
5	12930.4500	32.92	-37.18	39.76	-59.76	-25.00	34.76	223	312	Vertical
6	15516.5000	30.97	-35.30	38.55	-61.04	-25.00	36.04	151	351	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Testilic Company Accessing American Company American Company Accessing American Company A

South of No. 6 Plans, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.:

Page: 105 of 115

Test Band = LTE 2A_38A_ TM1 Test Channel = High

Final	Data List									
NO	Frequency	Reading	Factor	A E [- D / 1	Level	Limit	Margin	Height	Angle	Dalarita
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3782.1800	50.42	-45.85	30.27	-60.42	-25.00	35.42	177	118	Horizontal
2	5673	56.47	-44.91	33.29	-50.41	-25.00	25.41	288	360	Horizontal
3	7564.3600	52.33	-43.00	36.41	-49.53	-25.00	24.53	196	135	Horizontal
4	10404.3600	34.50	-39.00	38.86	-60.90	-25.00	35.90	263	255	Horizontal
5	13005.4500	32.78	-37.31	39.83	-59.96	-25.00	34.96	254	73	Horizontal
6	15606.5400	31.52	-34.87	38.43	-60.18	-25.00	35.18	140	4	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ.Γ.(«ID./»»]	Level	Limit	Margin	Height	Angle	Delevit
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3782.1800	55.27	-45.85	30.27	-55.57	-25.00	30.57	157	104	Vertical
2	5673	59.96	-44.91	33.29	-46.92	-25.00	21.92	142	103	Vertical
3	7564.3600	61.60	-43.00	36.41	-40.26	-25.00	15.26	266	120	Vertical
4	10404.3600	35.01	-39.00	38.86	-60.39	-25.00	35.39	182	341	Vertical
5	13005.4500	32.98	-37.31	39.83	-59.76	-25.00	34.76	306	194	Vertical
6	15606.5400	31.17	-34.87	38.43	-60.53	-25.00	35.53	259	103	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, reseall: CAP Descheck@ass.com.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 106 of 115

Test Band = LTE 2A_41A_ TM1 Test Channel = Low

Final	Data List									
NO	Frequency	Reading	Factor	A E [- D /]	Level	Limit	Margin	Height	Angle	Dalarita
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3702	53.89	-45.51	29.98	-56.90	-25.00	31.90	175	359	Horizontal
2	5553.2700	51.76	-45.15	32.97	-55.68	-25.00	30.68	219	3	Horizontal
3	7404.3600	56.12	-43.40	36.49	-46.05	-25.00	21.05	238	3	Horizontal
4	9988.3600	35.08	-39.25	38.47	-60.96	-25.00	35.96	172	314	Horizontal
5	12485.4500	31.95	-37.04	39.16	-61.19	-25.00	36.19	226	360	Horizontal
6	14982.5400	30.80	-34.64	39.26	-59.84	-25.00	34.84	195	352	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dolovity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3702	54.57	-45.51	29.98	-56.22	-25.00	31.22	289	149	Vertical
2	5553	57.43	-45.15	32.97	-50.01	-25.00	25.01	179	269	Vertical
3	7404.3600	62.71	-43.40	36.49	-39.46	-25.00	14.46	265	105	Vertical
4	9988.3600	35.77	-39.25	38.47	-60.27	-25.00	35.27	241	29	Vertical
5	12485.4500	32.88	-37.04	39.16	-60.26	-25.00	35.26	153	134	Vertical
6	14982.5400	30.84	-34.64	39.26	-59.80	-25.00	34.80	203	255	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Testilic Company Accessing American Company American Company Accessing American Company A

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Kangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜商1号的6号广房南部 鄉編: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 107 of 115

Test Band = LTE 2A_41A_ TM1 Test Channel = Mid

Final	Data List									
NO	Frequency	Reading	Factor	A E [- D /]	Level	Limit	Margin	Height	Angle	Dalarita
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3742.1800	48.66	-45.68	30.12	-62.16	-25.00	37.16	214	118	Horizontal
2	5613	54.84	-45.04	33.07	-52.39	-25.00	27.39	188	360	Horizontal
3	7484.25	57.25	-43.18	36.45	-44.74	-25.00	19.74	165	165	Horizontal
4	10336.3600	34.46	-39.06	38.84	-61.02	-25.00	36.02	235	359	Horizontal
5	12920.4500	32.07	-37.16	39.75	-60.60	-25.00	35.60	172	343	Horizontal
6	15504.5400	30.61	-35.35	38.57	-61.43	-25.00	36.43	226	360	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dolovity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3742.1800	53.08	-45.68	30.12	-57.74	-25.00	32.74	180	135	Vertical
2	5613	60.37	-45.04	33.07	-46.86	-25.00	21.86	246	104	Vertical
3	7484.25	64.12	-43.18	36.45	-37.87	-25.00	12.87	193	118	Vertical
4	10336.3600	34.97	-39.06	38.84	-60.51	-25.00	35.51	254	195	Vertical
5	12920.4500	32.40	-37.16	39.75	-60.27	-25.00	35.27	171	73	Vertical
6	15504.5400	30.57	-35.35	38.57	-61.47	-25.00	36.47	206	239	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com

South of No. 6 Plans, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.:

Page: 108 of 115

Test Band = LTE 2A_41A_ TM1 Test Channel = High

Final	Data List									
NO	Frequency	Reading	Factor	A E [- D /]	Level	Limit	Margin	Height	Angle	Dalarita
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3782.1800	49.83	-45.85	30.27	-61.01	-25.00	36.01	216	120	Horizontal
2	5673	57.14	-44.91	33.29	-49.74	-25.00	24.74	233	120	Horizontal
3	7564.3600	54.46	-43.00	36.41	-47.40	-25.00	22.40	282	353	Horizontal
4	10510.3600	34.57	-38.77	38.97	-60.48	-25.00	35.48	194	134	Horizontal
5	13137.9500	31.80	-37.08	39.89	-60.64	-25.00	35.64	274	286	Horizontal
6	15765.5400	28.59	-33.25	38.24	-61.67	-25.00	36.67	150	4	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dolovity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3782.1800	53.89	-45.85	30.27	-56.95	-25.00	31.95	170	103	Vertical
2	5673.2700	59.15	-44.91	33.29	-47.73	-25.00	22.73	294	103	Vertical
3	7564.3600	61.89	-43.00	36.41	-39.97	-25.00	14.97	124	103	Vertical
4	10510.3600	34.37	-38.77	38.97	-60.68	-25.00	35.68	185	360	Vertical
5	13137.9500	31.49	-37.08	39.89	-60.95	-25.00	35.95	207	194	Vertical
6	15765.5400	28.98	-33.25	38.24	-61.28	-25.00	36.28	157	194	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, reseall: CAP Descheck@ass.com.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 109 of 115

Test Band = LTE 2A_66A_ TM1 Test Channel = Low

Final	Data List									
NO	Frequency	Reading	Factor	A E [- D / 1	Level	Limit	Margin	Height	Angle	Dalasita
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3702	54.48	-45.51	29.98	-56.31	-13.00	43.31	178	359	Horizontal
2	5553	51.06	-45.15	32.97	-56.38	-13.00	43.38	219	360	Horizontal
3	7404	55.59	-43.40	36.49	-46.58	-13.00	33.58	266	13	Horizontal
4	8510.4500	38.13	-41.59	37.56	-61.16	-13.00	48.16	284	180	Horizontal
5	10212.5400	33.53	-39.45	38.81	-62.36	-13.00	49.36	145	208	Horizontal
6	11914.6300	31.07	-37.18	38.88	-62.49	-13.00	49.49	163	208	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dolovity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3702	54.19	-45.51	29.98	-56.60	-13.00	43.60	284	117	Vertical
2	5553	56.17	-45.15	32.97	-51.27	-13.00	38.27	175	120	Vertical
3	7404.3600	62.08	-43.40	36.49	-40.09	-13.00	27.09	192	117	Vertical
4	8510.4500	37.09	-41.59	37.56	-62.20	-13.00	49.20	266	343	Vertical
5	10212.5400	33.66	-39.45	38.81	-62.23	-13.00	49.23	284	270	Vertical
6	11914.6300	30.82	-37.18	38.88	-62.74	-13.00	49.74	156	360	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Testilic Company Accessing American Company American Company Accessing American Company A

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 110 of 115

Test Band = LTE 2A_66A_ TM1 Test Channel = Mid

Final	Data List									
NO	Frequency	Reading	Factor	A E [- D / 1	Level	Limit	Margin	Height	Angle	Dalada
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3742.1800	47.15	-45.68	30.12	-63.67	-13.00	50.67	287	283	Horizontal
2	5613	55.57	-45.04	33.07	-51.66	-13.00	38.66	152	4	Horizontal
3	7484.25	55.99	-43.18	36.45	-46.00	-13.00	33.00	136	14	Horizontal
4	8635.4500	38.08	-41.46	37.81	-60.83	-13.00	47.83	246	149	Horizontal
5	10362.5400	34.00	-39.04	38.85	-61.45	-13.00	48.45	295	359	Horizontal
6	12089.6300	31.01	-37.37	39.04	-62.58	-13.00	49.58	162	353	Horizontal

Final	l Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Delevit
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3742.1800	50.95	-45.68	30.12	-59.87	-13.00	46.87	219	73	Vertical
2	5613	58.99	-45.04	33.07	-48.24	-13.00	35.24	255	105	Vertical
3	7484.25	62.15	-43.18	36.45	-39.84	-13.00	26.84	176	88	Vertical
4	8635.4500	37.29	-41.46	37.81	-61.62	-13.00	48.62	274	225	Vertical
5	10362.5400	34.21	-39.04	38.85	-61.24	-13.00	48.24	186	357	Vertical
6	12089.6300	31.57	-37.37	39.04	-62.02	-13.00	49.02	235	360	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Testilic Company Accessing American Company American Company Accessing American Company A

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Biangsu) Plot Free Trade Zone 中国 - 苏州 - 中国 (江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 111 of 115

Test Band = LTE 2A_66A_ TM1 Test Channel = High

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3782.1800	48.09	-45.85	30.27	-62.75	-13.00	49.75	122	105	Horizontal
2	5673	53.57	-44.91	33.29	-53.31	-13.00	40.31	254	359	Horizontal
3	7564.3600	52.18	-43.00	36.41	-49.68	-13.00	36.68	306	357	Horizontal
4	8760.4500	37.70	-41.42	38.02	-60.97	-13.00	47.97	219	360	Horizontal
5	10512.5400	33.41	-38.76	38.97	-61.64	-13.00	48.64	324	164	Horizontal
6	12262.6300	31.63	-37.44	39.11	-61.96	-13.00	48.96	152	59	Horizontal

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3782.1800	52.90	-45.85	30.27	-57.94	-13.00	44.94	177	328	Vertical
2	5673	60.25	-44.91	33.29	-46.63	-13.00	33.63	184	104	Vertical
3	7564.3600	60.18	-43.00	36.41	-41.68	-13.00	28.68	165	118	Vertical
4	8760.4500	37.28	-41.42	38.02	-61.39	-13.00	48.39	295	313	Vertical
5	10512.5400	33.05	-38.76	38.97	-62.00	-13.00	49.00	184	255	Vertical
6	12262.6300	32.34	-37.44	39.11	-61.25	-13.00	48.25	160	343	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, Chine (Kangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜商1号的6号广房南部 鄉編: 215000



Report No.: SEWM2311000473RG01

Rev.:

Page: 112 of 115

Test Band = LTE 2A_71A_ TM1 Test Channel = Low

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dalawitu
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1328.1800	27.98	-24.80	25.61	-66.47	-13.00	53.47	288	301	Horizontal
2	1992.2700	28.90	-24.48	26.60	-64.24	-13.00	51.24	174	331	Horizontal
3	2656.3600	29.13	-22.84	28.21	-60.76	-13.00	47.76	156	292	Horizontal
4	3702	53.60	-45.51	29.98	-57.19	-13.00	44.19	295	359	Horizontal
5	5553	51.89	-45.15	32.97	-55.55	-13.00	42.55	135	4	Horizontal
6	7404	56.08	-43.40	36.49	-46.09	-13.00	33.09	244	4	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1328.1800	27.15	-24.80	25.61	-67.30	-13.00	54.30	280	183	Vertical
2	1992.2700	27.96	-24.48	26.60	-65.18	-13.00	52.18	144	18	Vertical
3	2656.3600	28.61	-22.84	28.21	-61.28	-13.00	48.28	216	3	Vertical
4	3702	55.59	-45.51	29.98	-55.20	-13.00	42.20	289	120	Vertical
5	5553	55.57	-45.15	32.97	-51.87	-13.00	38.87	297	120	Vertical
6	7404	62.82	-43.40	36.49	-39.35	-13.00	26.35	241	120	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 113 of 115

Test Band = LTE 2A_71A_ TM1 Test Channel = Mid

Final	Data List									
NO	Frequency	Reading	Factor	Λ Γ[-ID/]	Level	Limit	Margin	Height	Angle	Dalawitu
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1348.1800	28.10	-24.92	25.61	-66.47	-13.00	53.47	248	331	Horizontal
2	2022.2700	29.04	-24.41	26.72	-63.91	-13.00	50.91	185	311	Horizontal
3	2696.3600	28.98	-22.85	28.28	-60.85	-13.00	47.85	162	322	Horizontal
4	3742.1800	47.71	-45.68	30.12	-63.11	-13.00	50.11	324	91	Horizontal
5	5613	52.08	-45.04	33.07	-55.15	-13.00	42.15	172	360	Horizontal
6	7484.25	53.84	-43.18	36.45	-48.15	-13.00	35.15	236	4	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1348.1800	27.45	-24.92	25.61	-67.12	-13.00	54.12	187	29	Vertical
2	2022.2700	27.99	-24.41	26.72	-64.96	-13.00	51.96	156	2	Vertical
3	2696.3600	28.15	-22.85	28.28	-61.68	-13.00	48.68	247	242	Vertical
4	3742.1800	51.86	-45.68	30.12	-58.96	-13.00	45.96	156	104	Vertical
5	5613	58.26	-45.04	33.07	-48.97	-13.00	35.97	282	120	Vertical
6	7484.25	62.81	-43.18	36.45	-39.18	-13.00	26.18	162	120	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Testilic Company Accessing American Company American Company Accessing American Company A

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2311000473RG01

Rev.: 01

Page: 114 of 115

Test Band = LTE 2A_71A_ TM1 Test Channel = High

Final	Data List									
NO.	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolovity
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1358.1800	28.61	-24.98	25.61	-66.02	-13.00	53.02	199	321	Horizontal
2	2037.2700	30.35	-24.37	26.77	-62.51	-13.00	49.51	306	310	Horizontal
3	2716.3600	28.99	-22.80	28.32	-60.75	-13.00	47.75	314	310	Horizontal
4	3782.1800	46.88	-45.85	30.27	-63.96	-13.00	50.96	282	225	Horizontal
5	5673	52.74	-44.91	33.29	-54.14	-13.00	41.14	156	360	Horizontal
6	7564.3600	51.66	-43.00	36.41	-50.20	-13.00	37.20	226	360	Horizontal

Final	Data List									
NO.	Frequency	Reading	Factor	Λ [[dD/m]	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1358.1800	27.89	-24.98	25.61	-66.74	-13.00	53.74	271	332	Vertical
2	2037.2700	27.75	-24.37	26.77	-65.11	-13.00	52.11	149	284	Vertical
3	2716.3600	28.15	-22.80	28.32	-61.59	-13.00	48.59	215	254	Vertical
4	3782.1800	54.41	-45.85	30.27	-56.43	-13.00	43.43	168	313	Vertical
5	5673	58.83	-44.91	33.29	-48.05	-13.00	35.05	287	88	Vertical
6	7564.3600	60.84	-43.00	36.41	-41.02	-13.00	28.02	142	269	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWM2311000473RG01

Rev.:

Page: 115 of 115

Frequency Stability

Test Result

Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Verdict
Band2	20MHz	QPSK	18900	100RB#0	VL	NT	-0.10	-0.000053	PASS
Band2	20MHz	QPSK	18900	100RB#0	VN	NT	-12.40	-0.006596	PASS
Band2	20MHz	QPSK	18900	100RB#0	VH	NT	0.00	0.000000	PASS

Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Verdict
Band2	20MHz	QPSK	18900	100RB#0	NV	-30	-5.30	-0.002819	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	-20	-4.80	-0.002553	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	-10	0.10	0.000053	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	0	2.70	0.001436	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	10	3.40	0.001809	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	20	-1.20	-0.000638	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	30	1.50	0.000798	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	40	6.60	0.003511	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	50	0.60	0.000319	PASS

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CND.Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980 sgs.china@sgs.com