



SHENZHEN HANYANG ANTENNA DESIGN CO. LTD.

Antenna test report

Project name : **M50 Dongle**

Measuring program : **Genreal Test System (GTS.)**

testing equipment : **Agilent E5071C**

Test engineer : **Yin Xin**



The gain standard of EIRP is mainly the implementation standard of Active DUT Test.

Date : **2023-08-31**

Testing Environment



SHENZHEN HANYANG ANTENNA DESIGN CO. LTD.
D.




ANT SIZE




SHENZHEN HANYANG ANTENNA DESIGN CO., LTD.



RayZone1800 Test Setup







Passive test data



SHENZHEN HANYANG ANTENNA DESIGN CO. LTD.
D.

2.4G			
Freq	Efficiency_dB	Gain_dBi	Efficiency_Pcent_%
2400	-6.69	-2.97	21.45
2410	-6.51	-2.78	22.31
2420	-6.48	-2.7	22.5
2430	-6.61	-2.8	21.82
2440	-6.8	-2.97	20.88
2450	-7.09	-3.22	19.55
2460	-7.5	-3.52	17.77
2470	-7.95	-3.91	16.03
2480	-8.47	-4.42	14.21
2490	-8.98	-4.84	12.66
2500	-9.38	-5.16	11.54












3D Radiation pattern



SHENZHEN HANYANG ANTENNA DESIGN CO. LTD.

2450MHz





SHENZHEN HANYANG ANTENNA DESIGN CO., LTD.

5G

Welcome calls consultations, negotiations and guidance come!

Thank you

地址：深圳市宝安区前进路宝运达物流信息大厦**12A**层。
电话：**0755-23069700**

汉阳天线 版权所有 Copyright ©2014-2024 Shenzhen Hanyang Antenna Design Co., Ltd. All rights reserved.