
Thank you for purchasing our Qi2.0 magnetic wireless charger product, this product is a desktop magnetic wireless charger, which allows you to easily experience the fun of wireless charging, before using this product, please read the instruction manual carefully and keep it properly for reference.

x1

Qi2.0 Magnetic Wireless Charger User Manual

Name Magnetic Wireless Charger Model A18 Output Power 15W/10W/7.5W/5W 5V/2A.9V/3A (OC2.0 or PD2.0 protocol) Input Voltage Output Voltage 5-12V Output Current Max-1600mA Charging Method Electromagnetic Induction Input Port Type-C 15W max. energy efficiency 80% Charging Distance 0-4mm 110-205KHz,360KHz Operating Frequency



Frequently Asked Questions The cell phone is not charging when you put it on? It may be that the cell phone is not aligned with the charging Ine cell profile is not charging when you put roln?
Inter solution the cell profile on a diagned with the charging through the cell profile of a diagned with the charging through the cell profile of the second seco charging standby power consumption, it is recommended to reduce the phone standby program, or the adapter is not up to 5V/2A or more, please choose a regular adapter.

 1. Do not pull the power cord forcefully to avoid the power cord breaking or falling off.
2. Please do not use a case with metal back or a case with thickness greater than 4mm.
3. Do not put metal sundries or magnetic cards on the b) hot put metal sufficiency of magnetic cards of the charging pad, which may cause metal heating, magnetic card damage, charger damage or other abnormalities.
The receiving coil of the phone supporting wireless

charging is usually located at the center of the phone.

charging is usually located at the center of the phone, please place to center of the phone in the center of the charging plate to get a better charging experience. 5: If the receiving coor it ransmitting board stops charging due to overheating during use, please remove the charging device and try charging again after it cools down. 6: The up of the thermal experiment is to cool for charger will could be current when it cools down. Charger will cold the current when it gets abnormally hot. Please contact us if any damage occurs.

FCC STATEMENT :

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: This device may not causeharmful interference, and
This device must accept any interference received, including interference that may cause undesired operation. Warning:Changes or modifications not expressly approved by the party sible forcompliance could void the user's authority to operate th equipment

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful Inits are despired to provide reasonable protection agains failment interference in relational installation. This equipment percentais uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause hamful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one ormore of the following measures: Reorient or relocate the receiving antenna. Increase the separation between the equip Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult the dealer or an experienced

FCC Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.