



Global Telecom Solutions Sector

APPLICANT: MOTOROLA


TRANSCIVER TYPE: IHET5BL1

SC4812T @ 800 MHz CDMA BTS


INTERNAL PHOTOS EXHIBIT

List of Internal Photographs


NO.	PHOTOGRAPH
01	MPC Front
02	MPC Back
03	GLI2 Front
04	GLI2 Back
05	BBX Front
06	BBX Back
07	MCC Front
08	MCC Back
09	CCD Front
10	CCD Back
11	CCD Front with Cover
12	CSM2 Front
13	CSM2 Back
14	LPA Front
15	LPA Back
16	LPA without Cover
17	Power Supply Front
18	Power Supply Back
19	CIO Front
20	CIO Back
21	Switch Card Front
22	Switch Card Back
23	AMR Front
24	AMR Back
25	HSO Front
26	HSO Back
27	SPAN I/O Front
28	SPAN I/O Back
29	RGD Front
30	RGD Back
31	LFR Front
32	LFR Back




IHET5BL1
SC4812T @ 800MHz
MPC Front




IHET5BL1
SC4812T @ 800MHz
MPC Back




IHET5BL1
SC4812T @ 800MHz
GLI2 Front



**IHET5BL1
SC4812T @ 800MHz
GLI2 Back**




IHET5BL1
SC4812T @ 800MHz
BBX Front




IHET5BL1
SC4812T @ 800MHz
BBX Back



**IHET5BL1
SC4812T @ 800MHz
MCC Front**



IHET5BL1
SC4812T @ 800MHz
MCC Back



IHET5BL1
SC4812T @ 800MHz
CCD Front