



RSE TX above 1GHz _Radio 1


Appendix D.1

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5670MHz	Pass	PK	5.6772G	106.55	Inf	-Inf	3	Horizontal	60	2.11	-
5670MHz	Pass	PK	5.7294G	58.15	68.20	-10.05	3	Horizontal	60	2.11	-
5670MHz	Pass	AV	11.35296G	45.11	54.00	-8.89	3	Vertical	147	1.64	-
5670MHz	Pass	PK	11.34968G	56.54	74.00	-17.46	3	Vertical	147	1.64	-
5670MHz	Pass	AV	11.34952G	44.96	54.00	-9.04	3	Horizontal	328	1.82	-
5670MHz	Pass	PK	11.32368G	56.31	74.00	-17.69	3	Horizontal	328	1.82	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.724G	99.62	Inf	-Inf	3	Vertical	234	2.27	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.466G	56.26	68.20	-11.94	3	Vertical	234	2.27	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.707G	109.52	Inf	-Inf	3	Vertical	234	2.27	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.887G	58.36	68.20	-9.84	3	Vertical	234	2.27	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.705G	96.21	Inf	-Inf	3	Horizontal	60	2.20	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.461G	55.84	68.20	-12.36	3	Horizontal	60	2.20	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.712G	106.66	Inf	-Inf	3	Horizontal	60	2.20	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.909G	58.17	68.20	-10.03	3	Horizontal	60	2.20	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4136G	45.05	54.00	-8.95	3	Vertical	4	2.06	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41888G	56.50	74.00	-17.50	3	Vertical	4	2.06	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40168G	45.12	54.00	-8.88	3	Horizontal	124	1.15	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.418G	56.78	74.00	-17.22	3	Horizontal	124	1.15	-
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.46G	48.99	54.00	-5.01	3	Vertical	168	2.53	-
5530MHz	Pass	AV	5.52G	95.68	Inf	-Inf	3	Vertical	168	2.53	-
5530MHz	Pass	PK	5.469G	61.40	68.20	-6.80	3	Vertical	168	2.53	-
5530MHz	Pass	PK	5.512G	106.68	Inf	-Inf	3	Vertical	168	2.53	-
5530MHz	Pass	PK	5.776G	57.12	68.20	-11.08	3	Vertical	168	2.53	-
5530MHz	Pass	AV	5.46G	46.33	54.00	-7.67	3	Horizontal	197	2.57	-
5530MHz	Pass	AV	5.538G	91.69	Inf	-Inf	3	Horizontal	197	2.57	-
5530MHz	Pass	PK	5.468G	58.47	68.20	-9.73	3	Horizontal	197	2.57	-
5530MHz	Pass	PK	5.543G	102.86	Inf	-Inf	3	Horizontal	197	2.57	-
5530MHz	Pass	PK	5.741G	56.94	68.20	-11.26	3	Horizontal	197	2.57	-
5530MHz	Pass	AV	11.0488G	45.26	54.00	-8.74	3	Vertical	166	2.23	-
5530MHz	Pass	PK	11.048G	56.84	74.00	-17.16	3	Vertical	166	2.23	-
5530MHz	Pass	AV	11.09424G	45.35	54.00	-8.65	3	Horizontal	39	1.07	-
5530MHz	Pass	PK	11.07136G	56.75	74.00	-17.25	3	Horizontal	39	1.07	-
5610MHz	Pass	AV	5.459G	45.75	54.00	-8.25	3	Vertical	158	2.51	-
5610MHz	Pass	AV	5.601G	95.53	Inf	-Inf	3	Vertical	158	2.51	-
5610MHz	Pass	PK	5.466G	57.76	68.20	-10.44	3	Vertical	158	2.51	-
5610MHz	Pass	PK	5.613G	106.29	Inf	-Inf	3	Vertical	158	2.51	-
5610MHz	Pass	PK	5.743G	58.43	68.20	-9.77	3	Vertical	158	2.51	-
5610MHz	Pass	AV	5.458G	45.49	54.00	-8.51	3	Horizontal	204	2.74	-
5610MHz	Pass	AV	5.6G	92.74	Inf	-Inf	3	Horizontal	204	2.74	-
5610MHz	Pass	PK	5.465G	57.54	68.20	-10.66	3	Horizontal	204	2.74	-
5610MHz	Pass	PK	5.603G	103.21	Inf	-Inf	3	Horizontal	204	2.74	-
5610MHz	Pass	PK	5.833G	56.96	68.20	-11.24	3	Horizontal	204	2.74	-
5610MHz	Pass	AV	11.03632G	45.44	54.00	-8.56	3	Vertical	342	2.47	-
5610MHz	Pass	PK	11.04384G	56.55	74.00	-17.45	3	Vertical	342	2.47	-
5610MHz	Pass	AV	11.07872G	45.36	54.00	-8.64	3	Horizontal	265	1.55	-
5610MHz	Pass	PK	11.0264G	56.71	74.00	-17.29	3	Horizontal	265	1.55	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	45.31	54.00	-8.69	3	Vertical	235	2.15	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.701G	96.12	Inf	-Inf	3	Vertical	235	2.15	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	55.59	68.20	-12.61	3	Vertical	235	2.15	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.701G	106.82	Inf	-Inf	3	Vertical	235	2.15	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.856G	58.19	68.20	-10.01	3	Vertical	235	2.15	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	45.26	54.00	-8.74	3	Horizontal	58	2.19	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.702G	92.71	Inf	-Inf	3	Horizontal	58	2.19	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	56.01	68.20	-12.19	3	Horizontal	58	2.19	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.707G	103.28	Inf	-Inf	3	Horizontal	58	2.19	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.875G	57.98	68.20	-10.22	3	Horizontal	58	2.19	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.364G	45.30	54.00	-8.70	3	Vertical	351	1.12	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34176G	56.81	74.00	-17.19	3	Vertical	351	1.12	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3984G	45.39	54.00	-8.61	3	Horizontal	204	1.72	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41248G	57.20	74.00	-16.80	3	Horizontal	204	1.72	-

802.11a_Nss1,(6Mbps)_2TX

08/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	45.38	54.00	-8.62	9.10	3	Vertical	167	2.66	-	36.28	31.64	6.83	29.37
AV	5.5042G	102.95	Inf	-Inf	9.28	3	Vertical	167	2.66	-	93.67	31.80	6.85	29.37
PK	5.47G	66.79	68.20	-1.41	9.14	3	Vertical	167	2.66	-	57.65	31.68	6.83	29.37
PK	5.504G	111.59	Inf	-Inf	9.28	3	Vertical	167	2.66	-	102.31	31.80	6.85	29.37

802.11a_Nss1,(6Mbps)_2TX

08/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	44.85	54.00	-9.15	9.09	3	Horizontal	54	2.11	-	35.76	31.63	6.83	29.37
AV	5.5024G	98.60	Inf	-Inf	9.28	3	Horizontal	54	2.11	-	89.32	31.80	6.85	29.37
PK	5.4684G	61.88	68.20	-6.32	9.13	3	Horizontal	54	2.11	-	52.75	31.67	6.83	29.37
PK	5.5024G	106.48	Inf	-Inf	9.28	3	Horizontal	54	2.11	-	97.20	31.80	6.85	29.37

802.11a_Nss1,(6Mbps)_2TX

08/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00058G	44.17	54.00	-9.83	18.53	3	Vertical	95	2.05	-	25.64	40.20	9.25	30.92
PK	11.0033G	56.18	74.00	-17.82	18.52	3	Vertical	95	2.05	-	37.66	40.19	9.25	30.92

802.11a_Nss1,(6Mbps)_2TX

08/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00422G	44.19	54.00	-9.81	18.52	3	Horizontal	196	1.64	-	25.67	40.19	9.25	30.92
PK	10.99698G	56.57	74.00	-17.43	18.52	3	Horizontal	196	1.64	-	38.05	40.19	9.25	30.92

802.11a_Nss1,(6Mbps)_2TX

08/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	45.13	54.00	-8.87	9.10	3	Vertical	166	2.23	-	36.03	31.64	6.83	29.37
AV	5.5794G	105.06	Inf	-Inf	9.38	3	Vertical	166	2.23	-	95.68	31.86	6.89	29.37
PK	5.466G	56.94	68.20	-11.26	9.12	3	Vertical	166	2.23	-	47.82	31.66	6.83	29.37
PK	5.5842G	113.38	Inf	-Inf	9.39	3	Vertical	166	2.23	-	103.99	31.87	6.89	29.37
PK	5.727G	56.36	68.20	-11.84	9.55	3	Vertical	166	2.23	-	46.81	31.95	6.96	29.36

802.11a_Nss1,(6Mbps)_2TX

08/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	44.74	54.00	-9.26	9.10	3	Horizontal	316	2.10	-	35.64	31.64	6.83	29.37
AV	5.5794G	101.38	Inf	-Inf	9.38	3	Horizontal	316	2.10	-	92.00	31.86	6.89	29.37
PK	5.4624G	56.43	68.20	-11.77	9.11	3	Horizontal	316	2.10	-	47.32	31.65	6.83	29.37
PK	5.5836G	110.27	Inf	-Inf	9.39	3	Horizontal	316	2.10	-	100.88	31.87	6.89	29.37
PK	5.7294G	56.24	68.20	-11.96	9.56	3	Horizontal	316	2.10	-	46.68	31.96	6.96	29.36

802.11a_Nss1,(6Mbps)_2TX

08/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14288G	44.65	54.00	-9.35	18.29	3	Vertical	323	1.65	-	26.36	39.86	9.31	30.88
PK	11.17016G	57.11	74.00	-16.89	18.29	3	Vertical	323	1.65	-	38.82	39.83	9.33	30.87

802.11a_Nss1,(6Mbps)_2TX

08/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17832G	44.63	54.00	-9.37	18.28	3	Horizontal	54	1.66	-	26.35	39.82	9.33	30.87
PK	11.1752G	57.94	74.00	-16.06	18.28	3	Horizontal	54	1.66	-	39.66	39.82	9.33	30.87

802.11a_Nss1,(6Mbps)_2TX

08/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7024G	103.74	Inf	-Inf	9.49	3	Vertical	229	2.16	-	94.25	31.90	6.95	29.36
PK	5.7024G	111.38	Inf	-Inf	9.49	3	Vertical	229	2.16	-	101.89	31.90	6.95	29.36
PK	5.7276G	66.17	68.20	-2.03	9.56	3	Vertical	229	2.16	-	56.61	31.96	6.96	29.36

802.11a_Nss1,(6Mbps)_2TX

08/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.704G	100.66	Inf	-Inf	9.50	3	Horizontal	103	2.56	-	91.16	31.91	6.95	29.36
PK	5.704G	110.23	Inf	-Inf	9.50	3	Horizontal	103	2.56	-	100.73	31.91	6.95	29.36
PK	5.7296G	63.95	68.20	-4.25	9.56	3	Horizontal	103	2.56	-	54.39	31.96	6.96	29.36

802.11a_Nss1,(6Mbps)_2TX

08/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40032G	44.30	54.00	-9.70	18.53	3	Vertical	319	1.45	-	25.77	39.90	9.43	30.80
PK	11.3974G	56.76	74.00	-17.24	18.53	3	Vertical	319	1.45	-	38.23	39.90	9.43	30.80

802.11a_Nss1,(6Mbps)_2TX

08/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3996G	44.45	54.00	-9.55	18.53	3	Horizontal	329	2.07	-	25.92	39.90	9.43	30.80
PK	11.3998G	57.04	74.00	-16.96	18.53	3	Horizontal	329	2.07	-	38.51	39.90	9.43	30.80

802.11a_Nss1,(6Mbps)_2TX

08/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.722G	105.48	Inf	-Inf	9.54	3	Vertical	229	2.22	-	95.94	31.94	6.96	29.36
PK	5.722G	113.09	Inf	-Inf	9.54	3	Vertical	229	2.22	-	103.55	31.94	6.96	29.36
PK	5.911G	58.64	68.20	-9.56	9.95	3	Vertical	229	2.22	-	48.69	32.24	7.06	29.35

802.11a_Nss1,(6Mbps)_2TX

08/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.719G	101.95	Inf	-Inf	9.54	3	Horizontal	57	2.31	-	92.41	31.94	6.96	29.36
PK	5.724G	110.17	Inf	-Inf	9.55	3	Horizontal	57	2.31	-	100.62	31.95	6.96	29.36
PK	5.932G	58.58	68.20	-9.62	10.05	3	Horizontal	57	2.31	-	48.53	32.33	7.07	29.35

802.11a_Nss1,(6Mbps)_2TX

08/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4224G	44.47	54.00	-9.53	18.57	3	Vertical	333	2.02	-	25.90	39.92	9.44	30.79
PK	11.45056G	56.77	74.00	-17.23	18.62	3	Vertical	333	2.02	-	38.15	39.95	9.45	30.78

802.11a_Nss1,(6Mbps)_2TX

08/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42552G	44.45	54.00	-9.55	18.58	3	Horizontal	338	2.44	-	25.87	39.93	9.44	30.79
PK	11.45584G	56.32	74.00	-17.68	18.64	3	Horizontal	338	2.44	-	37.68	39.96	9.46	30.78

802.11ax HEW20_Nss1,(MCS0)_2TX

08/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	45.00	54.00	-9.00	9.10	3	Vertical	167	2.26	-	35.90	31.64	6.83	29.37
AV	5.4968G	101.60	Inf	-Inf	9.27	3	Vertical	167	2.26	-	92.33	31.79	6.85	29.37
PK	5.4692G	63.92	68.20	-4.28	9.14	3	Vertical	167	2.26	-	54.78	31.68	6.83	29.37
PK	5.4968G	114.00	Inf	-Inf	9.27	3	Vertical	167	2.26	-	104.73	31.79	6.85	29.37

802.11ax HEW20_Nss1,(MCS0)_2TX

08/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	44.46	54.00	-9.54	9.10	3	Horizontal	55	2.26	-	35.36	31.64	6.83	29.37
AV	5.4962G	97.60	Inf	-Inf	9.26	3	Horizontal	55	2.26	-	88.34	31.78	6.85	29.37
PK	5.4688G	60.80	68.20	-7.40	9.14	3	Horizontal	55	2.26	-	51.66	31.68	6.83	29.37
PK	5.5014G	108.88	Inf	-Inf	9.28	3	Horizontal	55	2.26	-	99.60	31.80	6.85	29.37

802.11ax HEW20_Nss1,(MCS0)_2TX

08/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01476G	43.54	54.00	-10.46	18.50	3	Vertical	260	1.55	-	25.04	40.16	9.26	30.92
PK	10.99904G	56.83	74.00	-17.17	18.53	3	Vertical	260	1.55	-	38.30	40.20	9.25	30.92

802.11ax HEW20_Nss1,(MCS0)_2TX

08/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99016G	43.75	54.00	-10.25	18.52	3	Horizontal	214	1.49	-	25.23	40.18	9.25	30.91
PK	11.0057G	56.70	74.00	-17.30	18.51	3	Horizontal	214	1.49	-	38.19	40.18	9.25	30.92

802.11ax HEW20_Nss1,(MCS0)_2TX

08/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	43.90	54.00	-10.10	9.10	3	Vertical	171	2.31	-	34.80	31.64	6.83	29.37
AV	5.5818G	101.34	Inf	-Inf	9.38	3	Vertical	171	2.31	-	91.96	31.86	6.89	29.37
PK	5.4636G	56.44	68.20	-11.76	9.11	3	Vertical	171	2.31	-	47.33	31.65	6.83	29.37
PK	5.5818G	113.26	Inf	-Inf	9.38	3	Vertical	171	2.31	-	103.88	31.86	6.89	29.37
PK	5.7288G	56.56	68.20	-11.64	9.56	3	Vertical	171	2.31	-	47.00	31.96	6.96	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

08/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4426G	43.68	54.00	-10.32	9.05	3	Horizontal	316	2.10	-	34.63	31.59	6.82	29.36
AV	5.5848G	97.34	Inf	-Inf	9.39	3	Horizontal	316	2.10	-	87.95	31.87	6.89	29.37
PK	5.4636G	55.98	68.20	-12.22	9.11	3	Horizontal	316	2.10	-	46.87	31.65	6.83	29.37
PK	5.577G	109.21	Inf	-Inf	9.37	3	Horizontal	316	2.10	-	99.84	31.85	6.89	29.37
PK	5.7264G	55.84	68.20	-12.36	9.55	3	Horizontal	316	2.10	-	46.29	31.95	6.96	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

08/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15534G	43.49	54.00	-10.51	18.29	3	Vertical	99	1.45	-	25.20	39.84	9.32	30.87
PK	11.15538G	57.00	74.00	-17.00	18.29	3	Vertical	99	1.45	-	38.71	39.84	9.32	30.87

802.11ax HEW20_Nss1,(MCS0)_2TX

08/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14518G	43.56	54.00	-10.44	18.29	3	Horizontal	344	1.82	-	25.27	39.85	9.32	30.88
PK	11.15598G	56.60	74.00	-17.40	18.29	3	Horizontal	344	1.82	-	38.31	39.84	9.32	30.87

802.11ax HEW20_Nss1,(MCS0)_2TX

08/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.702G	99.32	Inf	-Inf	9.49	3	Vertical	105	2.70	-	89.83	31.90	6.95	29.36
PK	5.702G	111.20	Inf	-Inf	9.49	3	Vertical	105	2.70	-	101.71	31.90	6.95	29.36
PK	5.7252G	66.63	68.20	-1.57	9.55	3	Vertical	105	2.70	-	57.08	31.95	6.96	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

08/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7024G	98.21	Inf	-Inf	9.49	3	Horizontal	56	2.19	-	88.72	31.90	6.95	29.36
PK	5.6968G	110.19	Inf	-Inf	9.48	3	Horizontal	56	2.19	-	100.71	31.89	6.95	29.36
PK	5.7252G	66.99	68.20	-1.21	9.55	3	Horizontal	56	2.19	-	57.44	31.95	6.96	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

08/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40024G	43.86	54.00	-10.14	18.53	3	Vertical	147	2.14	-	25.33	39.90	9.43	30.80
PK	11.38938G	56.54	74.00	-17.46	18.52	3	Vertical	147	2.14	-	38.02	39.89	9.43	30.80

802.11ax HEW20_Nss1,(MCS0)_2TX

08/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3997G	43.86	54.00	-10.14	18.53	3	Horizontal	229	1.89	-	25.33	39.90	9.43	30.80
PK	11.39628G	56.92	74.00	-17.08	18.53	3	Horizontal	229	1.89	-	38.39	39.90	9.43	30.80

802.11ax HEW20_Nss1,(MCS0)_2TX

08/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.724G	102.65	Inf	-Inf	9.55	3	Vertical	234	2.23	-	93.10	31.95	6.96	29.36
PK	5.721G	114.12	Inf	-Inf	9.54	3	Vertical	234	2.23	-	104.58	31.94	6.96	29.36
PK	5.957G	57.24	68.20	-10.96	10.12	3	Vertical	234	2.23	-	47.12	32.39	7.08	29.35

802.11ax HEW20_Nss1,(MCS0)_2TX

08/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.722G	98.92	Inf	-Inf	9.54	3	Horizontal	62	2.21	-	89.38	31.94	6.96	29.36
PK	5.717G	110.30	Inf	-Inf	9.53	3	Horizontal	62	2.21	-	100.77	31.93	6.96	29.36
PK	5.896G	58.01	68.20	-10.19	9.89	3	Horizontal	62	2.21	-	48.12	32.19	7.05	29.35

802.11ax HEW20_Nss1,(MCS0)_2TX

08/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4232G	43.58	54.00	-10.42	18.57	3	Vertical	20	1.86	-	25.01	39.92	9.44	30.79
PK	11.43176G	56.69	74.00	-17.31	18.58	3	Vertical	20	1.86	-	38.11	39.93	9.44	30.79

802.11ax HEW20_Nss1,(MCS0)_2TX

08/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42248G	43.58	54.00	-10.42	18.57	3	Horizontal	213	2.40	-	25.01	39.92	9.44	30.79
PK	11.4328G	55.94	74.00	-18.06	18.58	3	Horizontal	213	2.40	-	37.36	39.93	9.44	30.79

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	48.56	54.00	-5.44	9.10	3	Vertical	172	2.66	-	39.46	31.64	6.83	29.37
AV	5.5068G	99.45	Inf	-Inf	9.28	3	Vertical	172	2.66	-	90.17	31.80	6.85	29.37
PK	5.4684G	66.00	68.20	-2.20	9.13	3	Vertical	172	2.66	-	56.87	31.67	6.83	29.37
PK	5.5068G	110.86	Inf	-Inf	9.28	3	Vertical	172	2.66	-	101.58	31.80	6.85	29.37

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.27	54.00	-6.73	9.10	3	Horizontal	58	2.16	-	38.17	31.64	6.83	29.37
AV	5.506G	95.13	Inf	-Inf	9.28	3	Horizontal	58	2.16	-	85.85	31.80	6.85	29.37
PK	5.468G	64.27	68.20	-3.93	9.13	3	Horizontal	58	2.16	-	55.14	31.67	6.83	29.37
PK	5.4964G	105.62	Inf	-Inf	9.27	3	Horizontal	58	2.16	-	96.35	31.79	6.85	29.37

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01464G	45.30	54.00	-8.70	18.50	3	Vertical	287	1.38	-	26.80	40.16	9.26	30.92
PK	11.0272G	56.48	74.00	-17.52	18.47	3	Vertical	287	1.38	-	38.01	40.12	9.26	30.91

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03096G	45.15	54.00	-8.85	18.46	3	Horizontal	38	1.21	-	26.69	40.11	9.26	30.91
PK	11.01432G	56.56	74.00	-17.44	18.50	3	Horizontal	38	1.21	-	38.06	40.16	9.26	30.92

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.75	54.00	-8.25	9.10	3	Vertical	173	2.48	-	36.65	31.64	6.83	29.37
AV	5.5468G	99.47	Inf	-Inf	9.30	3	Vertical	173	2.48	-	90.17	31.80	6.87	29.37
PK	5.4692G	56.92	68.20	-11.28	9.14	3	Vertical	173	2.48	-	47.78	31.68	6.83	29.37
PK	5.5468G	110.90	Inf	-Inf	9.30	3	Vertical	173	2.48	-	101.60	31.80	6.87	29.37

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.51	54.00	-8.49	9.10	3	Horizontal	240	2.89	-	36.41	31.64	6.83	29.37
AV	5.5476G	95.83	Inf	-Inf	9.30	3	Horizontal	240	2.89	-	86.53	31.80	6.87	29.37
PK	5.4684G	56.17	68.20	-12.03	9.13	3	Horizontal	240	2.89	-	47.04	31.67	6.83	29.37
PK	5.5552G	107.52	Inf	-Inf	9.32	3	Horizontal	240	2.89	-	98.20	31.81	6.88	29.37

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09672G	45.23	54.00	-8.77	18.31	3	Vertical	331	1.02	-	26.92	39.91	9.29	30.89
PK	11.09984G	56.61	74.00	-17.39	18.30	3	Vertical	331	1.02	-	38.31	39.90	9.29	30.89

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08912G	45.18	54.00	-8.82	18.33	3	Horizontal	94	1.69	-	26.85	39.93	9.29	30.89
PK	11.11736G	56.53	74.00	-17.47	18.30	3	Horizontal	94	1.69	-	38.23	39.88	9.30	30.88

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6838G	98.66	Inf	-Inf	9.42	3	Vertical	236	2.24	-	89.24	31.84	6.94	29.36
PK	5.6658G	108.12	Inf	-Inf	9.33	3	Vertical	236	2.24	-	98.79	31.76	6.93	29.36
PK	5.7318G	61.27	68.20	-6.93	9.57	3	Vertical	236	2.24	-	51.70	31.96	6.97	29.36

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBm/Hz)	Limit (dBm/Hz)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm/Hz)	AF (dB)	CL (dB)	PA (dB)
AV	5.6796G	95.57	Inf	-Inf	9.40	3	Horizontal	60	2.11	-	86.17	31.82	6.94	29.36
PK	5.6772G	106.55	Inf	-Inf	9.39	3	Horizontal	60	2.11	-	97.16	31.81	6.94	29.36
PK	5.7294G	58.15	68.20	-10.05	9.56	3	Horizontal	60	2.11	-	48.59	31.96	6.96	29.36

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35296G	45.11	54.00	-8.89	18.45	3	Vertical	147	1.64	-	26.66	39.85	9.41	30.81
PK	11.34968G	56.54	74.00	-17.46	18.44	3	Vertical	147	1.64	-	38.10	39.85	9.41	30.82

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34952G	44.96	54.00	-9.04	18.44	3	Horizontal	328	1.82	-	26.52	39.85	9.41	30.82
PK	11.32368G	56.31	74.00	-17.69	18.40	3	Horizontal	328	1.82	-	37.91	39.82	9.40	30.82

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.724G	99.62	Inf	-Inf	9.55	3	Vertical	234	2.27	-	90.07	31.95	6.96	29.36
PK	5.466G	56.26	68.20	-11.94	9.12	3	Vertical	234	2.27	-	47.14	31.66	6.83	29.37
PK	5.707G	109.52	Inf	-Inf	9.50	3	Vertical	234	2.27	-	100.02	31.91	6.95	29.36
PK	5.887G	58.36	68.20	-9.84	9.86	3	Vertical	234	2.27	-	48.50	32.17	7.04	29.35

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBm/Hz)	Limit (dBm/Hz)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm/Hz)	AF (dB)	CL (dB)	PA (dB)
AV	5.705G	96.21	Inf	-Inf	9.50	3	Horizontal	60	2.20	-	86.71	31.91	6.95	29.36
PK	5.461G	55.84	68.20	-12.36	9.10	3	Horizontal	60	2.20	-	46.74	31.64	6.83	29.37
PK	5.712G	106.66	Inf	-Inf	9.52	3	Horizontal	60	2.20	-	97.14	31.92	6.96	29.36
PK	5.909G	58.17	68.20	-10.03	9.94	3	Horizontal	60	2.20	-	48.23	32.24	7.05	29.35

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4136G	45.05	54.00	-8.95	18.55	3	Vertical	4	2.06	-	26.50	39.91	9.44	30.80
PK	11.41888G	56.50	74.00	-17.50	18.57	3	Vertical	4	2.06	-	37.93	39.92	9.44	30.79

802.11ax HEW40_Nss1,(MCS0)_2TX

08/08/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)	AF (dB)	CL (dB)	PA (dB)
AV	11.40168G	45.12	54.00	-8.88	18.53	3	Horizontal	124	1.15	-	26.59	39.90	9.43	30.80
PK	11.418G	56.78	74.00	-17.22	18.57	3	Horizontal	124	1.15	-	38.21	39.92	9.44	30.79

802.11ax HEW80_Nss1,(MCS0)_2TX

08/08/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.99	54.00	-5.01	9.10	3	Vertical	168	2.53	-	39.89	31.64	6.83	29.37
AV	5.52G	95.68	Inf	-Inf	9.29	3	Vertical	168	2.53	-	86.39	31.80	6.86	29.37
PK	5.469G	61.40	68.20	-6.80	9.14	3	Vertical	168	2.53	-	52.26	31.68	6.83	29.37
PK	5.512G	106.68	Inf	-Inf	9.29	3	Vertical	168	2.53	-	97.39	31.80	6.86	29.37
PK	5.776G	57.12	68.20	-11.08	9.63	3	Vertical	168	2.53	-	47.49	32.00	6.99	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

08/08/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.33	54.00	-7.67	9.10	3	Horizontal	197	2.57	-	37.23	31.64	6.83	29.37
AV	5.538G	91.69	Inf	-Inf	9.30	3	Horizontal	197	2.57	-	82.39	31.80	6.87	29.37
PK	5.468G	58.47	68.20	-9.73	9.13	3	Horizontal	197	2.57	-	49.34	31.67	6.83	29.37
PK	5.543G	102.86	Inf	-Inf	9.30	3	Horizontal	197	2.57	-	93.56	31.80	6.87	29.37
PK	5.741G	56.94	68.20	-11.26	9.59	3	Horizontal	197	2.57	-	47.35	31.98	6.97	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

08/08/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0488G	45.26	54.00	-8.74	18.41	3	Vertical	166	2.23	-	26.85	40.05	9.27	30.91
PK	11.048G	56.84	74.00	-17.16	18.42	3	Vertical	166	2.23	-	38.42	40.06	9.27	30.91

802.11ax HEW80_Nss1,(MCS0)_2TX

08/08/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09424G	45.35	54.00	-8.65	18.32	3	Horizontal	39	1.07	-	27.03	39.92	9.29	30.89
PK	11.07136G	56.75	74.00	-17.25	18.37	3	Horizontal	39	1.07	-	38.38	39.99	9.28	30.90

802.11ax HEW80_Nss1,(MCS0)_2TX

08/08/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	45.75	54.00	-8.25	9.10	3	Vertical	158	2.51	-	36.65	31.64	6.83	29.37
AV	5.601G	95.53	Inf	-Inf	9.43	3	Vertical	158	2.51	-	86.10	31.90	6.90	29.37
PK	5.466G	57.76	68.20	-10.44	9.12	3	Vertical	158	2.51	-	48.64	31.66	6.83	29.37
PK	5.613G	106.29	Inf	-Inf	9.39	3	Vertical	158	2.51	-	96.90	31.85	6.91	29.37
PK	5.743G	58.43	68.20	-9.77	9.60	3	Vertical	158	2.51	-	48.83	31.99	6.97	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

08/08/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	45.49	54.00	-8.51	9.09	3	Horizontal	204	2.74	-	36.40	31.63	6.83	29.37
AV	5.6G	92.74	Inf	-Inf	9.43	3	Horizontal	204	2.74	-	83.31	31.90	6.90	29.37
PK	5.465G	57.54	68.20	-10.66	9.12	3	Horizontal	204	2.74	-	48.42	31.66	6.83	29.37
PK	5.603G	103.21	Inf	-Inf	9.42	3	Horizontal	204	2.74	-	93.79	31.89	6.90	29.37
PK	5.833G	56.96	68.20	-11.24	9.73	3	Horizontal	204	2.74	-	47.23	32.07	7.02	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

08/08/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03632G	45.44	54.00	-8.56	18.45	3	Vertical	342	2.47	-	26.99	40.09	9.27	30.91
PK	11.04384G	56.55	74.00	-17.45	18.43	3	Vertical	342	2.47	-	38.12	40.07	9.27	30.91

802.11ax HEW80_Nss1,(MCS0)_2TX

08/08/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07872G	45.36	54.00	-8.64	18.35	3	Horizontal	265	1.55	-	27.01	39.96	9.29	30.90
PK	11.0264G	56.71	74.00	-17.29	18.47	3	Horizontal	265	1.55	-	38.24	40.12	9.26	30.91

802.11ax HEW80_Nss1,(MCS0)_2TX

08/08/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.444G	45.31	54.00	-8.69	9.05	3	Vertical	235	2.15	-	36.26	31.59	6.82	29.36
AV	5.701G	96.12	Inf	-Inf	9.49	3	Vertical	235	2.15	-	86.63	31.90	6.95	29.36
PK	5.462G	55.59	68.20	-12.61	9.11	3	Vertical	235	2.15	-	46.48	31.65	6.83	29.37
PK	5.701G	106.82	Inf	-Inf	9.49	3	Vertical	235	2.15	-	97.33	31.90	6.95	29.36
PK	5.856G	58.19	68.20	-10.01	9.78	3	Vertical	235	2.15	-	48.41	32.11	7.03	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

08/08/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.26	54.00	-8.74	9.10	3	Horizontal	58	2.19	-	36.16	31.64	6.83	29.37
AV	5.702G	92.71	Inf	-Inf	9.49	3	Horizontal	58	2.19	-	83.22	31.90	6.95	29.36
PK	5.462G	56.01	68.20	-12.19	9.11	3	Horizontal	58	2.19	-	46.90	31.65	6.83	29.37
PK	5.707G	103.28	Inf	-Inf	9.50	3	Horizontal	58	2.19	-	93.78	31.91	6.95	29.36
PK	5.875G	57.98	68.20	-10.22	9.83	3	Horizontal	58	2.19	-	48.15	32.15	7.04	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

08/08/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.364G	45.30	54.00	-8.70	18.46	3	Vertical	351	1.12	-	26.84	39.86	9.41	30.81
PK	11.34176G	56.81	74.00	-17.19	18.42	3	Vertical	351	1.12	-	38.39	39.84	9.40	30.82

802.11ax HEW80_Nss1,(MCS0)_2TX

08/08/2020

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3984G	45.39	54.00	-8.61	18.53	3	Horizontal	204	1.72	-	26.86	39.90	9.43	30.80
PK	11.41248G	57.20	74.00	-16.80	18.55	3	Horizontal	204	1.72	-	38.65	39.91	9.44	30.80

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	52.57	54.00	-1.43	3	Horizontal	0	1.60	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.3504G	52.67	54.00	-1.33	3	Horizontal	3	1.60	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.3516G	52.82	54.00	-1.18	3	Horizontal	360	1.83	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.353G	52.83	54.00	-1.17	3	Horizontal	360	1.73	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.4688G	67.08	68.20	-1.12	3	Horizontal	3	2.71	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.4668G	66.95	68.20	-1.25	3	Horizontal	8	2.73	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.4692G	66.34	68.20	-1.86	3	Horizontal	357	1.50	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.467G	66.61	68.20	-1.59	3	Horizontal	0	1.50	-

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1418G	45.16	54.00	-8.84	3	Vertical	320	1.73	-
5260MHz	Pass	AV	5.2612G	101.99	Inf	-Inf	3	Vertical	320	1.73	-
5260MHz	Pass	AV	5.3572G	45.44	54.00	-8.56	3	Vertical	320	1.73	-
5260MHz	Pass	PK	5.1346G	57.15	74.00	-16.85	3	Vertical	320	1.73	-
5260MHz	Pass	PK	5.2618G	111.02	Inf	-Inf	3	Vertical	320	1.73	-
5260MHz	Pass	PK	5.3554G	56.56	74.00	-17.44	3	Vertical	320	1.73	-
5260MHz	Pass	AV	5.1424G	45.58	54.00	-8.42	3	Horizontal	360	1.66	-
5260MHz	Pass	AV	5.2576G	103.54	Inf	-Inf	3	Horizontal	360	1.66	-
5260MHz	Pass	AV	5.353G	45.97	54.00	-8.03	3	Horizontal	360	1.66	-
5260MHz	Pass	PK	5.1226G	56.68	74.00	-17.32	3	Horizontal	360	1.66	-
5260MHz	Pass	PK	5.2576G	112.88	Inf	-Inf	3	Horizontal	360	1.66	-
5260MHz	Pass	PK	5.3548G	57.14	74.00	-16.86	3	Horizontal	360	1.66	-
5260MHz	Pass	PK	10.51848G	56.76	68.20	-11.44	3	Vertical	213	1.50	-
5260MHz	Pass	PK	10.51824G	59.09	68.20	-9.11	3	Horizontal	360	2.56	-
5300MHz	Pass	AV	5.3012G	101.58	Inf	-Inf	3	Vertical	322	1.81	-
5300MHz	Pass	AV	5.35G	46.06	54.00	-7.94	3	Vertical	322	1.81	-
5300MHz	Pass	PK	5.3016G	110.60	Inf	-Inf	3	Vertical	322	1.81	-
5300MHz	Pass	PK	5.35G	61.21	74.00	-12.79	3	Vertical	322	1.81	-
5300MHz	Pass	AV	5.2976G	103.03	Inf	-Inf	3	Horizontal	3	1.63	-
5300MHz	Pass	AV	5.3504G	46.81	54.00	-7.19	3	Horizontal	3	1.63	-
5300MHz	Pass	PK	5.2932G	112.54	Inf	-Inf	3	Horizontal	3	1.63	-
5300MHz	Pass	PK	5.3504G	62.13	74.00	-11.87	3	Horizontal	3	1.63	-
5300MHz	Pass	PK	10.60056G	56.83	74.00	-17.17	3	Vertical	185	1.61	-
5300MHz	Pass	PK	10.59688G	58.00	68.20	-10.20	3	Horizontal	153	1.50	-
5320MHz	Pass	AV	5.3162G	100.38	Inf	-Inf	3	Vertical	323	1.83	-
5320MHz	Pass	AV	5.35G	51.14	54.00	-2.86	3	Vertical	323	1.83	-
5320MHz	Pass	PK	5.317G	109.87	Inf	-Inf	3	Vertical	323	1.83	-
5320MHz	Pass	PK	5.35G	67.29	74.00	-6.71	3	Vertical	323	1.83	-
5320MHz	Pass	AV	5.3176G	101.52	Inf	-Inf	3	Horizontal	0	1.60	-
5320MHz	Pass	AV	5.35G	52.57	54.00	-1.43	3	Horizontal	0	1.60	-
5320MHz	Pass	PK	5.3132G	110.78	Inf	-Inf	3	Horizontal	0	1.60	-
5320MHz	Pass	PK	5.35G	69.23	74.00	-4.77	3	Horizontal	0	1.60	-
5320MHz	Pass	AV	10.6382G	44.29	54.00	-9.71	3	Vertical	245	2.69	-
5320MHz	Pass	PK	10.63116G	56.60	74.00	-17.40	3	Vertical	245	2.69	-
5320MHz	Pass	AV	10.64076G	44.64	54.00	-9.36	3	Horizontal	360	1.37	-
5320MHz	Pass	PK	10.63144G	56.91	74.00	-17.09	3	Horizontal	360	1.37	-
5500MHz	Pass	AV	5.4598G	45.09	54.00	-8.91	3	Vertical	324	1.78	-
5500MHz	Pass	AV	5.4668G	45.65	Inf	-Inf	3	Vertical	324	1.78	-
5500MHz	Pass	PK	5.4688G	65.41	68.20	-2.79	3	Vertical	324	1.78	-
5500MHz	Pass	PK	5.4974G	103.85	Inf	-Inf	3	Vertical	324	1.78	-
5500MHz	Pass	AV	5.46G	45.58	54.00	-8.42	3	Horizontal	3	2.71	-
5500MHz	Pass	AV	5.4976G	97.39	Inf	-Inf	3	Horizontal	3	2.71	-
5500MHz	Pass	PK	5.4688G	67.08	68.20	-1.12	3	Horizontal	3	2.71	-
5500MHz	Pass	PK	5.4972G	106.49	Inf	-Inf	3	Horizontal	3	2.71	-
5500MHz	Pass	AV	11.00036G	45.51	54.00	-8.49	3	Vertical	360	1.50	-
5500MHz	Pass	PK	11.0094G	57.14	74.00	-16.86	3	Vertical	360	1.50	-
5500MHz	Pass	AV	11.0006G	46.28	54.00	-7.72	3	Horizontal	339	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	10.99792G	58.24	74.00	-15.76	3	Horizontal	339	1.50	-
5580MHz	Pass	AV	5.46G	44.70	54.00	-9.30	3	Vertical	334	2.95	-
5580MHz	Pass	AV	5.5848G	98.75	Inf	-Inf	3	Vertical	334	2.95	-
5580MHz	Pass	PK	5.4642G	56.89	68.20	-11.31	3	Vertical	334	2.95	-
5580MHz	Pass	PK	5.5848G	108.03	Inf	-Inf	3	Vertical	334	2.95	-
5580MHz	Pass	PK	5.7252G	56.44	68.20	-11.76	3	Vertical	334	2.95	-
5580MHz	Pass	AV	5.4426G	44.76	54.00	-9.24	3	Horizontal	338	1.90	-
5580MHz	Pass	AV	5.5842G	100.20	Inf	-Inf	3	Horizontal	338	1.90	-
5580MHz	Pass	PK	5.4624G	55.76	68.20	-12.44	3	Horizontal	338	1.90	-
5580MHz	Pass	PK	5.5794G	109.03	Inf	-Inf	3	Horizontal	338	1.90	-
5580MHz	Pass	PK	5.7252G	55.97	68.20	-12.23	3	Horizontal	338	1.90	-
5580MHz	Pass	AV	11.1624G	45.09	54.00	-8.91	3	Vertical	38	1.62	-
5580MHz	Pass	PK	11.15508G	57.50	74.00	-16.50	3	Vertical	38	1.62	-
5580MHz	Pass	AV	11.16008G	46.27	54.00	-7.73	3	Horizontal	47	1.66	-
5580MHz	Pass	PK	11.15796G	57.72	74.00	-16.28	3	Horizontal	47	1.66	-
5700MHz	Pass	AV	5.7024G	94.04	Inf	-Inf	3	Vertical	310	1.60	-
5700MHz	Pass	PK	5.6972G	102.75	Inf	-Inf	3	Vertical	310	1.60	-
5700MHz	Pass	PK	5.7252G	61.38	68.20	-6.82	3	Vertical	310	1.60	-
5700MHz	Pass	AV	5.7024G	99.45	Inf	-Inf	3	Horizontal	17	1.78	-
5700MHz	Pass	PK	5.6948G	108.84	Inf	-Inf	3	Horizontal	17	1.78	-
5700MHz	Pass	PK	5.7252G	66.66	68.20	-1.54	3	Horizontal	17	1.78	-
5700MHz	Pass	AV	11.397G	44.82	54.00	-9.18	3	Vertical	5	1.50	-
5700MHz	Pass	PK	11.40204G	57.24	74.00	-16.76	3	Vertical	5	1.50	-
5700MHz	Pass	AV	11.39844G	45.09	54.00	-8.91	3	Horizontal	0	1.50	-
5700MHz	Pass	PK	11.39368G	58.07	74.00	-15.93	3	Horizontal	0	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.722G	95.81	Inf	-Inf	3	Vertical	310	1.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.724G	104.56	Inf	-Inf	3	Vertical	310	1.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.925G	57.41	68.20	-10.79	3	Vertical	310	1.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.722G	101.23	Inf	-Inf	3	Horizontal	17	1.75	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.723G	110.07	Inf	-Inf	3	Horizontal	17	1.75	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.922G	57.91	68.20	-10.29	3	Horizontal	17	1.75	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44116G	45.61	54.00	-8.39	3	Vertical	347	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43884G	57.26	74.00	-16.74	3	Vertical	347	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4386G	47.25	54.00	-6.75	3	Horizontal	113	2.02	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43644G	59.12	74.00	-14.88	3	Horizontal	113	2.02	-
802.11ax HEW20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.15G	45.55	54.00	-8.45	3	Vertical	321	1.72	-
5260MHz	Pass	AV	5.263G	101.04	Inf	-Inf	3	Vertical	321	1.72	-
5260MHz	Pass	AV	5.3566G	45.18	54.00	-8.82	3	Vertical	321	1.72	-
5260MHz	Pass	PK	5.128G	57.46	74.00	-16.54	3	Vertical	321	1.72	-
5260MHz	Pass	PK	5.257G	111.91	Inf	-Inf	3	Vertical	321	1.72	-
5260MHz	Pass	PK	5.3584G	57.08	74.00	-16.92	3	Vertical	321	1.72	-
5260MHz	Pass	AV	5.15G	46.45	54.00	-7.55	3	Horizontal	0	1.57	-
5260MHz	Pass	AV	5.2642G	102.32	Inf	-Inf	3	Horizontal	0	1.57	-
5260MHz	Pass	AV	5.3536G	45.76	54.00	-8.24	3	Horizontal	0	1.57	-
5260MHz	Pass	PK	5.146G	56.87	74.00	-17.13	3	Horizontal	0	1.57	-
5260MHz	Pass	PK	5.2642G	114.19	Inf	-Inf	3	Horizontal	0	1.57	-
5260MHz	Pass	PK	5.3536G	57.41	74.00	-16.59	3	Horizontal	0	1.57	-
5260MHz	Pass	PK	10.511G	56.36	68.20	-11.84	3	Vertical	357	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	10.51862G	59.81	68.20	-8.39	3	Horizontal	149	1.69	-
5300MHz	Pass	AV	5.298G	100.55	Inf	-Inf	3	Vertical	322	1.69	-
5300MHz	Pass	AV	5.3512G	47.60	54.00	-6.40	3	Vertical	322	1.69	-
5300MHz	Pass	PK	5.2968G	111.41	Inf	-Inf	3	Vertical	322	1.69	-
5300MHz	Pass	PK	5.3588G	63.41	74.00	-10.59	3	Vertical	322	1.69	-
5300MHz	Pass	AV	5.3016G	101.97	Inf	-Inf	3	Horizontal	4	1.64	-
5300MHz	Pass	AV	5.35G	48.73	54.00	-5.27	3	Horizontal	4	1.64	-
5300MHz	Pass	PK	5.3044G	114.05	Inf	-Inf	3	Horizontal	4	1.64	-
5300MHz	Pass	PK	5.352G	66.34	74.00	-7.66	3	Horizontal	4	1.64	-
5300MHz	Pass	PK	10.60318G	55.81	74.00	-18.19	3	Vertical	160	1.50	-
5300MHz	Pass	PK	10.59796G	59.30	68.20	-8.90	3	Horizontal	151	1.64	-
5320MHz	Pass	AV	5.323G	98.91	Inf	-Inf	3	Vertical	323	1.79	-
5320MHz	Pass	AV	5.3502G	51.51	54.00	-2.49	3	Vertical	323	1.79	-
5320MHz	Pass	PK	5.3178G	110.31	Inf	-Inf	3	Vertical	323	1.79	-
5320MHz	Pass	PK	5.3502G	70.02	74.00	-3.98	3	Vertical	323	1.79	-
5320MHz	Pass	AV	5.319G	99.96	Inf	-Inf	3	Horizontal	3	1.60	-
5320MHz	Pass	AV	5.3504G	52.67	54.00	-1.33	3	Horizontal	3	1.60	-
5320MHz	Pass	PK	5.317G	111.77	Inf	-Inf	3	Horizontal	3	1.60	-
5320MHz	Pass	PK	5.35G	71.85	74.00	-2.15	3	Horizontal	3	1.60	-
5320MHz	Pass	AV	10.64192G	42.94	54.00	-11.06	3	Vertical	360	2.88	-
5320MHz	Pass	PK	10.62764G	56.46	74.00	-17.54	3	Vertical	360	2.88	-
5320MHz	Pass	AV	10.63868G	43.52	54.00	-10.48	3	Horizontal	350	1.44	-
5320MHz	Pass	PK	10.64354G	57.07	74.00	-16.93	3	Horizontal	350	1.44	-
5500MHz	Pass	AV	5.4592G	44.70	54.00	-9.30	3	Vertical	325	1.93	-
5500MHz	Pass	AV	5.4958G	92.62	Inf	-Inf	3	Vertical	325	1.93	-
5500MHz	Pass	PK	5.46G	59.05	74.00	-14.95	3	Vertical	325	1.93	-
5500MHz	Pass	PK	5.4662G	64.21	68.20	-3.99	3	Vertical	325	1.93	-
5500MHz	Pass	PK	5.4932G	104.18	Inf	-Inf	3	Vertical	325	1.93	-
5500MHz	Pass	AV	5.4586G	45.44	54.00	-8.56	3	Horizontal	8	2.73	-
5500MHz	Pass	AV	5.499G	95.37	Inf	-Inf	3	Horizontal	8	2.73	-
5500MHz	Pass	PK	5.4592G	61.43	74.00	-12.57	3	Horizontal	8	2.73	-
5500MHz	Pass	PK	5.4668G	66.95	68.20	-1.25	3	Horizontal	8	2.73	-
5500MHz	Pass	PK	5.497G	107.01	Inf	-Inf	3	Horizontal	8	2.73	-
5500MHz	Pass	AV	11.00012G	45.27	54.00	-8.73	3	Vertical	259	1.50	-
5500MHz	Pass	PK	11.0002G	57.13	74.00	-16.87	3	Vertical	259	1.50	-
5500MHz	Pass	AV	10.99784G	46.07	54.00	-7.93	3	Horizontal	339	1.45	-
5500MHz	Pass	PK	10.99816G	58.73	74.00	-15.27	3	Horizontal	339	1.45	-
5580MHz	Pass	AV	5.4444G	41.98	54.00	-12.02	3	Vertical	335	3.00	-
5580MHz	Pass	AV	5.5728G	93.81	Inf	-Inf	3	Vertical	335	3.00	-
5580MHz	Pass	PK	5.4636G	53.71	68.20	-14.49	3	Vertical	335	3.00	-
5580MHz	Pass	PK	5.577G	106.44	Inf	-Inf	3	Vertical	335	3.00	-
5580MHz	Pass	PK	5.7282G	54.22	68.20	-13.98	3	Vertical	335	3.00	-
5580MHz	Pass	AV	5.4582G	42.26	54.00	-11.74	3	Horizontal	336	1.69	-
5580MHz	Pass	AV	5.5848G	96.23	Inf	-Inf	3	Horizontal	336	1.69	-
5580MHz	Pass	PK	5.4612G	54.14	68.20	-14.06	3	Horizontal	336	1.69	-
5580MHz	Pass	PK	5.577G	108.92	Inf	-Inf	3	Horizontal	336	1.69	-
5580MHz	Pass	PK	5.7294G	54.36	68.20	-13.84	3	Horizontal	336	1.69	-
5580MHz	Pass	AV	11.15948G	43.67	54.00	-10.33	3	Vertical	17	1.86	-
5580MHz	Pass	PK	11.16G	56.72	74.00	-17.28	3	Vertical	17	1.86	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	AV	11.15996G	43.73	54.00	-10.27	3	Horizontal	28	1.95	-
5580MHz	Pass	PK	11.16264G	57.13	74.00	-16.87	3	Horizontal	28	1.95	-
5700MHz	Pass	AV	5.7012G	88.81	Inf	-Inf	3	Vertical	306	1.75	-
5700MHz	Pass	PK	5.697G	100.90	Inf	-Inf	3	Vertical	306	1.75	-
5700MHz	Pass	PK	5.7252G	63.71	68.20	-4.49	3	Vertical	306	1.75	-
5700MHz	Pass	AV	5.6988G	94.23	Inf	-Inf	3	Horizontal	12	2.18	-
5700MHz	Pass	PK	5.697G	106.95	Inf	-Inf	3	Horizontal	12	2.18	-
5700MHz	Pass	PK	5.7252G	66.72	68.20	-1.48	3	Horizontal	12	2.18	-
5700MHz	Pass	AV	11.40848G	42.18	54.00	-11.82	3	Vertical	249	1.53	-
5700MHz	Pass	PK	11.40288G	55.49	74.00	-18.51	3	Vertical	249	1.53	-
5700MHz	Pass	AV	11.42144G	42.62	54.00	-11.38	3	Horizontal	235	2.23	-
5700MHz	Pass	PK	11.39952G	55.54	74.00	-18.46	3	Horizontal	235	2.23	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.723G	96.47	Inf	-Inf	3	Vertical	333	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.725G	109.60	Inf	-Inf	3	Vertical	333	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.856G	56.03	68.20	-12.17	3	Vertical	333	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.719G	97.60	Inf	-Inf	3	Horizontal	14	2.26	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.724G	110.53	Inf	-Inf	3	Horizontal	14	2.26	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.924G	55.72	68.20	-12.48	3	Horizontal	14	2.26	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44152G	44.54	54.00	-9.46	3	Vertical	199	1.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44624G	58.02	74.00	-15.98	3	Vertical	199	1.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44152G	45.51	54.00	-8.49	3	Horizontal	80	2.04	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44132G	58.53	74.00	-15.47	3	Horizontal	80	2.04	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.266G	94.65	Inf	-Inf	3	Vertical	315	1.93	-
5270MHz	Pass	AV	5.3504G	45.93	54.00	-8.07	3	Vertical	315	1.93	-
5270MHz	Pass	PK	5.2756G	106.76	Inf	-Inf	3	Vertical	315	1.93	-
5270MHz	Pass	PK	5.3508G	60.15	74.00	-13.85	3	Vertical	315	1.93	-
5270MHz	Pass	AV	5.2668G	97.21	Inf	-Inf	3	Horizontal	357	1.74	-
5270MHz	Pass	AV	5.3508G	47.64	54.00	-6.36	3	Horizontal	357	1.74	-
5270MHz	Pass	PK	5.2668G	110.07	Inf	-Inf	3	Horizontal	357	1.74	-
5270MHz	Pass	PK	5.352G	62.17	74.00	-11.83	3	Horizontal	357	1.74	-
5270MHz	Pass	PK	10.53104G	55.11	68.20	-13.09	3	Vertical	293	1.99	-
5270MHz	Pass	PK	10.5354G	55.13	68.20	-13.07	3	Horizontal	88	1.74	-
5310MHz	Pass	AV	5.3056G	93.19	Inf	-Inf	3	Vertical	317	1.85	-
5310MHz	Pass	AV	5.352G	51.78	54.00	-2.22	3	Vertical	317	1.85	-
5310MHz	Pass	PK	5.3084G	105.41	Inf	-Inf	3	Vertical	317	1.85	-
5310MHz	Pass	PK	5.3512G	69.33	74.00	-4.67	3	Vertical	317	1.85	-
5310MHz	Pass	AV	5.3044G	94.87	Inf	-Inf	3	Horizontal	360	1.83	-
5310MHz	Pass	AV	5.3516G	52.82	54.00	-1.18	3	Horizontal	360	1.83	-
5310MHz	Pass	PK	5.3068G	107.58	Inf	-Inf	3	Horizontal	360	1.83	-
5310MHz	Pass	PK	5.3588G	71.18	74.00	-2.82	3	Horizontal	360	1.83	-
5310MHz	Pass	AV	10.61124G	42.43	54.00	-11.57	3	Vertical	354	2.29	-
5310MHz	Pass	PK	10.62496G	55.23	74.00	-18.77	3	Vertical	354	2.29	-
5310MHz	Pass	AV	10.62576G	42.69	54.00	-11.31	3	Horizontal	162	1.34	-
5310MHz	Pass	PK	10.61752G	55.71	74.00	-18.29	3	Horizontal	162	1.34	-
5510MHz	Pass	AV	5.46G	46.40	54.00	-7.60	3	Vertical	325	2.10	-
5510MHz	Pass	AV	5.506G	90.11	Inf	-Inf	3	Vertical	325	2.10	-
5510MHz	Pass	PK	5.47G	64.07	68.20	-4.13	3	Vertical	325	2.10	-
5510MHz	Pass	PK	5.5156G	101.42	Inf	-Inf	3	Vertical	325	2.10	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	AV	5.4592G	47.60	54.00	-6.40	3	Horizontal	357	1.50	-
5510MHz	Pass	AV	5.5044G	92.66	Inf	-Inf	3	Horizontal	357	1.50	-
5510MHz	Pass	PK	5.4692G	66.34	68.20	-1.86	3	Horizontal	357	1.50	-
5510MHz	Pass	PK	5.5068G	105.28	Inf	-Inf	3	Horizontal	357	1.50	-
5510MHz	Pass	AV	11.01492G	43.24	54.00	-10.76	3	Vertical	205	1.96	-
5510MHz	Pass	PK	11.02876G	55.57	74.00	-18.43	3	Vertical	205	1.96	-
5510MHz	Pass	AV	11.02516G	43.17	54.00	-10.83	3	Horizontal	331	2.15	-
5510MHz	Pass	PK	11.02956G	55.98	74.00	-18.02	3	Horizontal	331	2.15	-
5550MHz	Pass	AV	5.4596G	45.39	54.00	-8.61	3	Vertical	324	2.99	-
5550MHz	Pass	AV	5.5556G	90.89	Inf	-Inf	3	Vertical	324	2.99	-
5550MHz	Pass	PK	5.4656G	60.44	68.20	-7.76	3	Vertical	324	2.99	-
5550MHz	Pass	PK	5.5556G	103.42	Inf	-Inf	3	Vertical	324	2.99	-
5550MHz	Pass	AV	5.4536G	46.85	54.00	-7.15	3	Horizontal	360	1.48	-
5550MHz	Pass	AV	5.5444G	93.99	Inf	-Inf	3	Horizontal	360	1.48	-
5550MHz	Pass	PK	5.4696G	60.84	68.20	-7.36	3	Horizontal	360	1.48	-
5550MHz	Pass	PK	5.5468G	106.99	Inf	-Inf	3	Horizontal	360	1.48	-
5550MHz	Pass	AV	11.09152G	42.69	54.00	-11.31	3	Vertical	76	2.15	-
5550MHz	Pass	PK	11.09048G	55.00	74.00	-19.00	3	Vertical	76	2.15	-
5550MHz	Pass	AV	11.0946G	42.77	54.00	-11.23	3	Horizontal	112	1.23	-
5550MHz	Pass	PK	11.09684G	55.29	74.00	-18.71	3	Horizontal	112	1.23	-
5670MHz	Pass	AV	5.6612G	89.51	Inf	-Inf	3	Vertical	308	1.71	-
5670MHz	Pass	PK	5.6668G	102.23	Inf	-Inf	3	Vertical	308	1.71	-
5670MHz	Pass	PK	5.7256G	58.76	68.20	-9.44	3	Vertical	308	1.71	-
5670MHz	Pass	AV	5.6752G	93.50	Inf	-Inf	3	Horizontal	307	1.89	-
5670MHz	Pass	PK	5.6756G	105.87	Inf	-Inf	3	Horizontal	307	1.89	-
5670MHz	Pass	PK	5.7252G	62.15	68.20	-6.05	3	Horizontal	307	1.89	-
5670MHz	Pass	AV	11.34236G	42.47	54.00	-11.53	3	Vertical	113	1.20	-
5670MHz	Pass	PK	11.34492G	54.98	74.00	-19.02	3	Vertical	113	1.20	-
5670MHz	Pass	AV	11.33964G	42.54	54.00	-11.46	3	Horizontal	260	2.05	-
5670MHz	Pass	PK	11.3434G	54.72	74.00	-19.28	3	Horizontal	260	2.05	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	42.44	54.00	-11.56	3	Vertical	306	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.704G	89.52	Inf	-Inf	3	Vertical	306	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	52.71	74.00	-21.29	3	Vertical	306	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	52.94	68.20	-15.26	3	Vertical	306	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.707G	101.61	Inf	-Inf	3	Vertical	306	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.949G	56.24	68.20	-11.96	3	Vertical	306	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	42.66	54.00	-11.34	3	Horizontal	13	2.18	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.701G	94.90	Inf	-Inf	3	Horizontal	13	2.18	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	53.73	68.20	-14.47	3	Horizontal	13	2.18	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.707G	106.63	Inf	-Inf	3	Horizontal	13	2.18	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.933G	55.37	68.20	-12.83	3	Horizontal	13	2.18	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4224G	43.22	54.00	-10.78	3	Vertical	353	1.33	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41848G	55.20	74.00	-18.80	3	Vertical	353	1.33	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42308G	43.56	54.00	-10.44	3	Horizontal	19	1.17	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42484G	56.72	74.00	-17.28	3	Horizontal	19	1.17	-
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.144G	45.65	54.00	-8.35	3	Vertical	317	1.91	-
5290MHz	Pass	AV	5.281G	90.43	Inf	-Inf	3	Vertical	317	1.91	-
5290MHz	Pass	AV	5.358G	51.22	54.00	-2.78	3	Vertical	317	1.91	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	PK	5.148G	58.45	74.00	-15.55	3	Vertical	317	1.91	-
5290MHz	Pass	PK	5.301G	103.39	Inf	-Inf	3	Vertical	317	1.91	-
5290MHz	Pass	PK	5.354G	66.67	74.00	-7.33	3	Vertical	317	1.91	-
5290MHz	Pass	AV	5.148G	48.40	54.00	-5.60	3	Horizontal	360	1.73	-
5290MHz	Pass	AV	5.28G	92.79	Inf	-Inf	3	Horizontal	360	1.73	-
5290MHz	Pass	AV	5.353G	52.83	54.00	-1.17	3	Horizontal	360	1.73	-
5290MHz	Pass	PK	5.148G	60.87	74.00	-13.13	3	Horizontal	360	1.73	-
5290MHz	Pass	PK	5.301G	105.28	Inf	-Inf	3	Horizontal	360	1.73	-
5290MHz	Pass	PK	5.361G	69.13	74.00	-4.87	3	Horizontal	360	1.73	-
5290MHz	Pass	PK	10.57592G	55.42	68.20	-12.78	3	Vertical	224	1.96	-
5290MHz	Pass	PK	10.58676G	55.27	68.20	-12.93	3	Horizontal	244	1.34	-
5530MHz	Pass	AV	5.459G	50.45	54.00	-3.55	3	Vertical	327	2.01	-
5530MHz	Pass	AV	5.521G	87.06	Inf	-Inf	3	Vertical	327	2.01	-
5530MHz	Pass	PK	5.463G	63.86	68.20	-4.34	3	Vertical	327	2.01	-
5530MHz	Pass	PK	5.541G	99.09	Inf	-Inf	3	Vertical	327	2.01	-
5530MHz	Pass	PK	5.734G	54.98	68.20	-13.22	3	Vertical	327	2.01	-
5530MHz	Pass	AV	5.452G	51.74	54.00	-2.26	3	Horizontal	0	1.50	-
5530MHz	Pass	AV	5.52G	89.63	Inf	-Inf	3	Horizontal	0	1.50	-
5530MHz	Pass	PK	5.467G	66.61	68.20	-1.59	3	Horizontal	0	1.50	-
5530MHz	Pass	PK	5.541G	102.86	Inf	-Inf	3	Horizontal	0	1.50	-
5530MHz	Pass	PK	5.729G	54.98	68.20	-13.22	3	Horizontal	0	1.50	-
5530MHz	Pass	AV	11.05256G	42.95	54.00	-11.05	3	Vertical	136	2.46	-
5530MHz	Pass	PK	11.05556G	55.72	74.00	-18.28	3	Vertical	136	2.46	-
5530MHz	Pass	AV	11.05512G	43.23	54.00	-10.77	3	Horizontal	10	2.38	-
5530MHz	Pass	PK	11.05308G	55.32	74.00	-18.68	3	Horizontal	10	2.38	-
5610MHz	Pass	AV	5.458G	43.45	54.00	-10.55	3	Vertical	306	1.88	-
5610MHz	Pass	AV	5.596G	85.53	Inf	-Inf	3	Vertical	306	1.88	-
5610MHz	Pass	PK	5.468G	55.29	68.20	-12.91	3	Vertical	306	1.88	-
5610MHz	Pass	PK	5.621G	98.02	Inf	-Inf	3	Vertical	306	1.88	-
5610MHz	Pass	PK	5.806G	55.64	68.20	-12.56	3	Vertical	306	1.88	-
5610MHz	Pass	AV	5.46G	44.64	54.00	-9.36	3	Horizontal	341	1.75	-
5610MHz	Pass	AV	5.6G	90.49	Inf	-Inf	3	Horizontal	341	1.75	-
5610MHz	Pass	PK	5.47G	56.14	68.20	-12.06	3	Horizontal	341	1.75	-
5610MHz	Pass	PK	5.621G	102.48	Inf	-Inf	3	Horizontal	341	1.75	-
5610MHz	Pass	PK	5.757G	55.78	68.20	-12.42	3	Horizontal	341	1.75	-
5610MHz	Pass	AV	11.22764G	42.66	54.00	-11.34	3	Vertical	331	1.64	-
5610MHz	Pass	PK	11.21756G	55.34	74.00	-18.66	3	Vertical	331	1.64	-
5610MHz	Pass	AV	11.22516G	42.59	54.00	-11.41	3	Horizontal	356	2.02	-
5610MHz	Pass	PK	11.22812G	55.15	74.00	-18.85	3	Horizontal	356	2.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.448G	42.65	54.00	-11.35	3	Vertical	306	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.664G	85.18	Inf	-Inf	3	Vertical	306	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.461G	54.10	68.20	-14.10	3	Vertical	306	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.701G	98.33	Inf	-Inf	3	Vertical	306	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.937G	55.27	68.20	-12.93	3	Vertical	306	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	43.07	54.00	-10.93	3	Horizontal	308	1.88	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.68G	89.57	Inf	-Inf	3	Horizontal	308	1.88	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.467G	54.56	68.20	-13.64	3	Horizontal	308	1.88	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.701G	101.65	Inf	-Inf	3	Horizontal	308	1.88	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.912G	55.85	68.20	-12.35	3	Horizontal	308	1.88	-



RSE TX above 1GHz _Radio 2


Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38608G	42.75	54.00	-11.25	3	Vertical	158	2.11	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3868G	55.23	74.00	-18.77	3	Vertical	158	2.11	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38932G	42.92	54.00	-11.08	3	Horizontal	57	1.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37468G	55.59	74.00	-18.41	3	Horizontal	57	1.22	-

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1418G	45.16	54.00	-8.84	9.42	3	Vertical	320	1.73	-	35.74	31.98	6.77	29.33
AV	5.2612G	101.99	Inf	-Inf	8.83	3	Vertical	320	1.73	-	93.16	31.38	6.80	29.35
AV	5.3572G	45.44	54.00	-8.56	8.60	3	Vertical	320	1.73	-	36.84	31.16	6.80	29.36
PK	5.1346G	57.15	74.00	-16.85	9.41	3	Vertical	320	1.73	-	47.74	31.97	6.77	29.33
PK	5.2618G	111.02	Inf	-Inf	8.83	3	Vertical	320	1.73	-	102.19	31.38	6.80	29.35
PK	5.3554G	56.56	74.00	-17.44	8.58	3	Vertical	320	1.73	-	47.98	31.14	6.80	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1424G	45.58	54.00	-8.42	9.42	3	Horizontal	360	1.66	-	36.16	31.98	6.77	29.33
AV	5.2576G	103.54	Inf	-Inf	8.83	3	Horizontal	360	1.66	-	94.71	31.38	6.80	29.35
AV	5.353G	45.97	54.00	-8.03	8.56	3	Horizontal	360	1.66	-	37.41	31.12	6.80	29.36
PK	5.1226G	56.68	74.00	-17.32	9.38	3	Horizontal	360	1.66	-	47.30	31.95	6.76	29.33
PK	5.2576G	112.88	Inf	-Inf	8.83	3	Horizontal	360	1.66	-	104.05	31.38	6.80	29.35
PK	5.3548G	57.14	74.00	-16.86	8.58	3	Horizontal	360	1.66	-	48.56	31.14	6.80	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5260MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.51848G	56.76	68.20	-11.44	18.16	3	Vertical	213	1.50	-	38.60	39.72	9.03	30.59

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5260MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.51824G	59.09	68.20	-9.11	18.16	3	Horizontal	360	2.56	-	40.93	39.72	9.03	30.59

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	101.58	Inf	-Inf	8.75	3	Vertical	322	1.81	-	92.83	31.30	6.80	29.35
AV	5.35G	46.06	54.00	-7.94	8.54	3	Vertical	322	1.81	-	37.52	31.10	6.80	29.36
PK	5.3016G	110.60	Inf	-Inf	8.74	3	Vertical	322	1.81	-	101.86	31.29	6.80	29.35
PK	5.35G	61.21	74.00	-12.79	8.54	3	Vertical	322	1.81	-	52.67	31.10	6.80	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	103.03	Inf	-Inf	8.75	3	Horizontal	3	1.63	-	94.28	31.30	6.80	29.35
AV	5.3504G	46.81	54.00	-7.19	8.54	3	Horizontal	3	1.63	-	38.27	31.10	6.80	29.36
PK	5.2932G	112.54	Inf	-Inf	8.76	3	Horizontal	3	1.63	-	103.78	31.31	6.80	29.35
PK	5.3504G	62.13	74.00	-11.87	8.54	3	Horizontal	3	1.63	-	53.59	31.10	6.80	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5300MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.59956G	56.83	68.20	-11.37	18.22	3	Vertical	185	1.61	-	38.61	39.80	9.07	30.65

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.59688G	58.00	68.20	-10.20	18.22	3	Horizontal	153	1.50	-	39.78	39.80	9.07	30.65

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3162G	100.38	Inf	-Inf	8.69	3	Vertical	323	1.83	-	91.69	31.24	6.80	29.35
AV	5.35G	51.14	54.00	-2.86	8.54	3	Vertical	323	1.83	-	42.60	31.10	6.80	29.36
PK	5.317G	109.87	Inf	-Inf	8.68	3	Vertical	323	1.83	-	101.19	31.23	6.80	29.35
PK	5.35G	67.29	74.00	-6.71	8.54	3	Vertical	323	1.83	-	58.75	31.10	6.80	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3176G	101.52	Inf	-Inf	8.68	3	Horizontal	0	1.60	-	92.84	31.23	6.80	29.35
AV	5.35G	52.57	54.00	-1.43	8.54	3	Horizontal	0	1.60	-	44.03	31.10	6.80	29.36
PK	5.3132G	110.78	Inf	-Inf	8.70	3	Horizontal	0	1.60	-	102.08	31.25	6.80	29.35
PK	5.35G	69.23	74.00	-4.77	8.54	3	Horizontal	0	1.60	-	60.69	31.10	6.80	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5320MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6382G	44.29	54.00	-9.71	18.18	3	Vertical	245	2.69	-	26.11	39.76	9.09	30.67
PK	10.63116G	56.60	74.00	-17.40	18.18	3	Vertical	245	2.69	-	38.42	39.77	9.08	30.67

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64076G	44.64	54.00	-9.36	18.17	3	Horizontal	360	1.37	-	26.47	39.76	9.09	30.68
PK	10.63144G	56.91	74.00	-17.09	18.18	3	Horizontal	360	1.37	-	38.73	39.77	9.08	30.67

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	45.09	54.00	-8.91	9.10	3	Vertical	324	1.78	-	35.99	31.64	6.83	29.37
AV	5.5018G	94.99	Inf	-Inf	9.28	3	Vertical	324	1.78	-	85.71	31.80	6.85	29.37
PK	5.4688G	65.41	68.20	-2.79	9.14	3	Vertical	324	1.78	-	56.27	31.68	6.83	29.37
PK	5.4974G	103.85	Inf	-Inf	9.27	3	Vertical	324	1.78	-	94.58	31.79	6.85	29.37

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.58	54.00	-8.42	9.10	3	Horizontal	3	2.71	-	36.48	31.64	6.83	29.37
AV	5.4976G	97.39	Inf	-Inf	9.27	3	Horizontal	3	2.71	-	88.12	31.79	6.85	29.37
PK	5.4688G	67.08	68.20	-1.12	9.14	3	Horizontal	3	2.71	-	57.94	31.68	6.83	29.37
PK	5.4972G	106.49	Inf	-Inf	9.27	3	Horizontal	3	2.71	-	97.22	31.79	6.85	29.37

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00036G	45.51	54.00	-8.49	18.53	3	Vertical	360	1.50	-	26.98	40.20	9.25	30.92
PK	11.0094G	57.14	74.00	-16.86	18.50	3	Vertical	360	1.50	-	38.64	40.17	9.25	30.92

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5500MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0006G	46.28	54.00	-7.72	18.53	3	Horizontal	339	1.50	-	27.75	40.20	9.25	30.92
PK	10.99792G	58.24	74.00	-15.76	18.53	3	Horizontal	339	1.50	-	39.71	40.20	9.25	30.92

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.70	54.00	-9.30	9.10	3	Vertical	334	2.95	-	35.60	31.64	6.83	29.37
AV	5.5848G	98.75	Inf	-Inf	9.39	3	Vertical	334	2.95	-	89.36	31.87	6.89	29.37
PK	5.4642G	56.89	68.20	-11.31	9.12	3	Vertical	334	2.95	-	47.77	31.66	6.83	29.37
PK	5.5848G	108.03	Inf	-Inf	9.39	3	Vertical	334	2.95	-	98.64	31.87	6.89	29.37
PK	5.7252G	56.44	68.20	-11.76	9.55	3	Vertical	334	2.95	-	46.89	31.95	6.96	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4426G	44.76	54.00	-9.24	9.05	3	Horizontal	338	1.90	-	35.71	31.59	6.82	29.36
AV	5.5842G	100.20	Inf	-Inf	9.39	3	Horizontal	338	1.90	-	90.81	31.87	6.89	29.37
PK	5.4624G	55.76	68.20	-12.44	9.11	3	Horizontal	338	1.90	-	46.65	31.65	6.83	29.37
PK	5.5794G	109.03	Inf	-Inf	9.38	3	Horizontal	338	1.90	-	99.65	31.86	6.89	29.37
PK	5.7252G	55.97	68.20	-12.23	9.55	3	Horizontal	338	1.90	-	46.42	31.95	6.96	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1624G	45.09	54.00	-8.91	18.29	3	Vertical	38	1.62	-	26.80	39.84	9.32	30.87
PK	11.15508G	57.50	74.00	-16.50	18.29	3	Vertical	38	1.62	-	39.21	39.84	9.32	30.87

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5580MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16008G	46.27	54.00	-7.73	18.29	3	Horizontal	47	1.66	-	27.98	39.84	9.32	30.87
PK	11.15796G	57.72	74.00	-16.28	18.29	3	Horizontal	47	1.66	-	39.43	39.84	9.32	30.87

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7024G	94.04	Inf	-Inf	9.49	3	Vertical	310	1.60	-	84.55	31.90	6.95	29.36
PK	5.6972G	102.75	Inf	-Inf	9.48	3	Vertical	310	1.60	-	93.27	31.89	6.95	29.36
PK	5.7252G	61.38	68.20	-6.82	9.55	3	Vertical	310	1.60	-	51.83	31.95	6.96	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7024G	99.45	Inf	-Inf	9.49	3	Horizontal	17	1.78	-	89.96	31.90	6.95	29.36
PK	5.6948G	108.84	Inf	-Inf	9.47	3	Horizontal	17	1.78	-	99.37	31.88	6.95	29.36
PK	5.7252G	66.66	68.20	-1.54	9.55	3	Horizontal	17	1.78	-	57.11	31.95	6.96	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5700MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.397G	44.82	54.00	-9.18	18.53	3	Vertical	5	1.50	-	26.29	39.90	9.43	30.80
PK	11.40204G	57.24	74.00	-16.76	18.53	3	Vertical	5	1.50	-	38.71	39.90	9.43	30.80

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5700MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39844G	45.09	54.00	-8.91	18.53	3	Horizontal	0	1.50	-	26.56	39.90	9.43	30.80
PK	11.39368G	58.07	74.00	-15.93	18.52	3	Horizontal	0	1.50	-	39.55	39.89	9.43	30.80

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.722G	95.81	Inf	-Inf	9.54	3	Vertical	310	1.49	-	86.27	31.94	6.96	29.36
PK	5.724G	104.56	Inf	-Inf	9.55	3	Vertical	310	1.49	-	95.01	31.95	6.96	29.36
PK	5.925G	57.41	68.20	-10.79	10.01	3	Vertical	310	1.49	-	47.40	32.30	7.06	29.35

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.722G	101.23	Inf	-Inf	9.54	3	Horizontal	17	1.75	-	91.69	31.94	6.96	29.36
PK	5.723G	110.07	Inf	-Inf	9.55	3	Horizontal	17	1.75	-	100.52	31.95	6.96	29.36
PK	5.922G	57.91	68.20	-10.29	10.00	3	Horizontal	17	1.75	-	47.91	32.29	7.06	29.35

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44116G	45.61	54.00	-8.39	18.60	3	Vertical	347	1.50	-	27.01	39.94	9.45	30.79
PK	11.43884G	57.26	74.00	-16.74	18.60	3	Vertical	347	1.50	-	38.66	39.94	9.45	30.79

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4386G	47.25	54.00	-6.75	18.60	3	Horizontal	113	2.02	-	28.65	39.94	9.45	30.79
PK	11.43644G	59.12	74.00	-14.88	18.60	3	Horizontal	113	2.02	-	40.52	39.94	9.45	30.79

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.55	54.00	-8.45	9.44	3	Vertical	321	1.72	-	36.11	32.00	6.77	29.33
AV	5.263G	101.04	Inf	-Inf	8.82	3	Vertical	321	1.72	-	92.22	31.37	6.80	29.35
AV	5.3566G	45.18	54.00	-8.82	8.59	3	Vertical	321	1.72	-	36.59	31.15	6.80	29.36
PK	5.128G	57.46	74.00	-16.54	9.39	3	Vertical	321	1.72	-	48.07	31.96	6.76	29.33
PK	5.257G	111.91	Inf	-Inf	8.84	3	Vertical	321	1.72	-	103.07	31.39	6.80	29.35
PK	5.3584G	57.08	74.00	-16.92	8.61	3	Vertical	321	1.72	-	48.47	31.17	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.45	54.00	-7.55	9.44	3	Horizontal	0	1.57	-	37.01	32.00	6.77	29.33
AV	5.2642G	102.32	Inf	-Inf	8.82	3	Horizontal	0	1.57	-	93.50	31.37	6.80	29.35
AV	5.3536G	45.76	54.00	-8.24	8.57	3	Horizontal	0	1.57	-	37.19	31.13	6.80	29.36
PK	5.146G	56.87	74.00	-17.13	9.43	3	Horizontal	0	1.57	-	47.44	31.99	6.77	29.33
PK	5.2642G	114.19	Inf	-Inf	8.82	3	Horizontal	0	1.57	-	105.37	31.37	6.80	29.35
PK	5.3536G	57.41	74.00	-16.59	8.57	3	Horizontal	0	1.57	-	48.84	31.13	6.80	29.36



802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5260MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.511G	56.36	68.20	-11.84	18.15	3	Vertical	357	1.50	-	38.21	39.71	9.03	30.59

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5260MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.51862G	59.81	68.20	-8.39	18.16	3	Horizontal	149	1.69	-	41.65	39.72	9.03	30.59

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.298G	100.55	Inf	-Inf	8.75	3	Vertical	322	1.69	-	91.80	31.30	6.80	29.35
AV	5.3512G	47.60	54.00	-6.40	8.55	3	Vertical	322	1.69	-	39.05	31.11	6.80	29.36
PK	5.2968G	111.41	Inf	-Inf	8.76	3	Vertical	322	1.69	-	102.65	31.31	6.80	29.35
PK	5.3588G	63.41	74.00	-10.59	8.61	3	Vertical	322	1.69	-	54.80	31.17	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3016G	101.97	Inf	-Inf	8.74	3	Horizontal	4	1.64	-	93.23	31.29	6.80	29.35
AV	5.35G	48.73	54.00	-5.27	8.54	3	Horizontal	4	1.64	-	40.19	31.10	6.80	29.36
PK	5.3044G	114.05	Inf	-Inf	8.73	3	Horizontal	4	1.64	-	105.32	31.28	6.80	29.35
PK	5.352G	66.34	74.00	-7.66	8.56	3	Horizontal	4	1.64	-	57.78	31.12	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5300MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.59318G	55.81	68.20	-12.39	18.22	3	Vertical	160	1.50	-	37.59	39.79	9.07	30.64



802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5300MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.59996G	59.30	68.20	-8.90	18.22	3	Horizontal	151	1.64	-	41.08	39.80	9.07	30.65

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.323G	98.91	Inf	-Inf	8.66	3	Vertical	323	1.79	-	90.25	31.21	6.80	29.35
AV	5.3502G	51.51	54.00	-2.49	8.54	3	Vertical	323	1.79	-	42.97	31.10	6.80	29.36
PK	5.3178G	110.31	Inf	-Inf	8.68	3	Vertical	323	1.79	-	101.63	31.23	6.80	29.35
PK	5.3502G	70.02	74.00	-3.98	8.54	3	Vertical	323	1.79	-	61.48	31.10	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.319G	99.96	Inf	-Inf	8.67	3	Horizontal	3	1.60	-	91.29	31.22	6.80	29.35
AV	5.3504G	52.67	54.00	-1.33	8.54	3	Horizontal	3	1.60	-	44.13	31.10	6.80	29.36
PK	5.317G	111.77	Inf	-Inf	8.68	3	Horizontal	3	1.60	-	103.09	31.23	6.80	29.35
PK	5.35G	71.85	74.00	-2.15	8.54	3	Horizontal	3	1.60	-	63.31	31.10	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64192G	42.94	54.00	-11.06	18.17	3	Vertical	360	2.88	-	24.77	39.76	9.09	30.68
PK	10.62764G	56.46	74.00	-17.54	18.18	3	Vertical	360	2.88	-	38.28	39.77	9.08	30.67

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5320MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63868G	43.52	54.00	-10.48	18.18	3	Horizontal	350	1.44	-	25.34	39.76	9.09	30.67
PK	10.64354G	57.07	74.00	-16.93	18.17	3	Horizontal	350	1.44	-	38.90	39.76	9.09	30.68

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	44.70	54.00	-9.30	9.10	3	Vertical	325	1.93	-	35.60	31.64	6.83	29.37
AV	5.4958G	92.62	Inf	-Inf	9.26	3	Vertical	325	1.93	-	83.36	31.78	6.85	29.37
PK	5.4662G	64.21	68.20	-3.99	9.12	3	Vertical	325	1.93	-	55.09	31.66	6.83	29.37
PK	5.4932G	104.18	Inf	-Inf	9.25	3	Vertical	325	1.93	-	94.93	31.77	6.85	29.37

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	45.44	54.00	-8.56	9.09	3	Horizontal	8	2.73	-	36.35	31.63	6.83	29.37
AV	5.499G	95.37	Inf	-Inf	9.28	3	Horizontal	8	2.73	-	86.09	31.80	6.85	29.37
PK	5.4668G	66.95	68.20	-1.25	9.13	3	Horizontal	8	2.73	-	57.82	31.67	6.83	29.37
PK	5.497G	107.01	Inf	-Inf	9.27	3	Horizontal	8	2.73	-	97.74	31.79	6.85	29.37
AV	500M	-14.17	54.00	-68.17	-14.17	3	Horizontal	-	-	-	0.00	19.20	2.20	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00012G	45.27	54.00	-8.73	18.53	3	Vertical	259	1.50	-	26.74	40.20	9.25	30.92
PK	11.0002G	57.13	74.00	-16.87	18.53	3	Vertical	259	1.50	-	38.60	40.20	9.25	30.92

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99784G	46.07	54.00	-7.93	18.53	3	Horizontal	339	1.45	-	27.54	40.20	9.25	30.92
PK	10.99816G	58.73	74.00	-15.27	18.53	3	Horizontal	339	1.45	-	40.20	40.20	9.25	30.92

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4444G	41.98	54.00	-12.02	9.05	3	Vertical	335	3.00	-	32.93	31.59	6.82	29.36
AV	5.5728G	93.81	Inf	-Inf	9.37	3	Vertical	335	3.00	-	84.44	31.85	6.89	29.37
PK	5.4636G	53.71	68.20	-14.49	9.11	3	Vertical	335	3.00	-	44.60	31.65	6.83	29.37
PK	5.577G	106.44	Inf	-Inf	9.37	3	Vertical	335	3.00	-	97.07	31.85	6.89	29.37
PK	5.7282G	54.22	68.20	-13.98	9.56	3	Vertical	335	3.00	-	44.66	31.96	6.96	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	42.26	54.00	-11.74	9.09	3	Horizontal	336	1.69	-	33.17	31.63	6.83	29.37
AV	5.5848G	96.23	Inf	-Inf	9.39	3	Horizontal	336	1.69	-	86.84	31.87	6.89	29.37
PK	5.4612G	54.14	68.20	-14.06	9.10	3	Horizontal	336	1.69	-	45.04	31.64	6.83	29.37
PK	5.577G	108.92	Inf	-Inf	9.37	3	Horizontal	336	1.69	-	99.55	31.85	6.89	29.37
PK	5.7294G	54.36	68.20	-13.84	9.56	3	Horizontal	336	1.69	-	44.80	31.96	6.96	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2020

5580MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.15948G	43.67	54.00	-10.33	18.29	3	Vertical	17	1.86	-	25.38	39.84	9.32	30.87
PK	11.16G	56.72	74.00	-17.28	18.29	3	Vertical	17	1.86	-	38.43	39.84	9.32	30.87

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2020

5580MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.15996G	43.73	54.00	-10.27	18.29	3	Horizontal	28	1.95	-	25.44	39.84	9.32	30.87
PK	11.16264G	57.13	74.00	-16.87	18.29	3	Horizontal	28	1.95	-	38.84	39.84	9.32	30.87

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7012G	88.81	Inf	-Inf	9.49	3	Vertical	306	1.75	-	79.32	31.90	6.95	29.36
PK	5.697G	100.90	Inf	-Inf	9.48	3	Vertical	306	1.75	-	91.42	31.89	6.95	29.36
PK	5.7252G	63.71	68.20	-4.49	9.55	3	Vertical	306	1.75	-	54.16	31.95	6.96	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	94.23	Inf	-Inf	9.49	3	Horizontal	12	2.18	-	84.74	31.90	6.95	29.36
PK	5.697G	106.95	Inf	-Inf	9.48	3	Horizontal	12	2.18	-	97.47	31.89	6.95	29.36
PK	5.7252G	66.72	68.20	-1.48	9.55	3	Horizontal	12	2.18	-	57.17	31.95	6.96	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2020

5700MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.40848G	42.18	54.00	-11.82	18.54	3	Vertical	249	1.53	-	23.64	39.91	9.43	30.80
PK	11.40288G	55.49	74.00	-18.51	18.53	3	Vertical	249	1.53	-	36.96	39.90	9.43	30.80

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2020

5700MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.42144G	42.62	54.00	-11.38	18.57	3	Horizontal	235	2.23	-	24.05	39.92	9.44	30.79
PK	11.39952G	55.54	74.00	-18.46	18.53	3	Horizontal	235	2.23	-	37.01	39.90	9.43	30.80

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.723G	96.47	Inf	-Inf	9.55	3	Vertical	333	3.00	-	86.92	31.95	6.96	29.36
PK	5.725G	109.60	Inf	-Inf	9.55	3	Vertical	333	3.00	-	100.05	31.95	6.96	29.36
PK	5.856G	56.03	68.20	-12.17	9.78	3	Vertical	333	3.00	-	46.25	32.11	7.03	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.719G	97.60	Inf	-Inf	9.54	3	Horizontal	14	2.26	-	88.06	31.94	6.96	29.36
PK	5.724G	110.53	Inf	-Inf	9.55	3	Horizontal	14	2.26	-	100.98	31.95	6.96	29.36
PK	5.924G	55.72	68.20	-12.48	10.01	3	Horizontal	14	2.26	-	45.71	32.30	7.06	29.35



802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44152G	44.54	54.00	-9.46	18.60	3	Vertical	199	1.56	-	25.94	39.94	9.45	30.79
PK	11.44624G	58.02	74.00	-15.98	18.61	3	Vertical	199	1.56	-	39.41	39.95	9.45	30.79



802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44152G	45.51	54.00	-8.49	18.60	3	Horizontal	80	2.04	-	26.91	39.94	9.45	30.79
PK	11.44132G	58.53	74.00	-15.47	18.60	3	Horizontal	80	2.04	-	39.93	39.94	9.45	30.79

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.266G	94.65	Inf	-Inf	8.82	3	Vertical	315	1.93	-	85.83	31.37	6.80	29.35
AV	5.3504G	45.93	54.00	-8.07	8.54	3	Vertical	315	1.93	-	37.39	31.10	6.80	29.36
PK	5.2756G	106.76	Inf	-Inf	8.80	3	Vertical	315	1.93	-	97.96	31.35	6.80	29.35
PK	5.3508G	60.15	74.00	-13.85	8.55	3	Vertical	315	1.93	-	51.60	31.11	6.80	29.36

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2668G	97.21	Inf	-Inf	8.82	3	Horizontal	357	1.74	-	88.39	31.37	6.80	29.35
AV	5.3508G	47.64	54.00	-6.36	8.55	3	Horizontal	357	1.74	-	39.09	31.11	6.80	29.36
PK	5.2668G	110.07	Inf	-Inf	8.82	3	Horizontal	357	1.74	-	101.25	31.37	6.80	29.35
PK	5.352G	62.17	74.00	-11.83	8.56	3	Horizontal	357	1.74	-	53.61	31.12	6.80	29.36



802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.53104G	55.11	68.20	-13.09	18.17	3	Vertical	293	1.99	-	36.94	39.73	9.04	30.60



802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5270MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.5354G	55.13	68.20	-13.07	18.18	3	Horizontal	88	1.74	-	36.95	39.74	9.04	30.60

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3056G	93.19	Inf	-Inf	8.73	3	Vertical	317	1.85	-	84.46	31.28	6.80	29.35
AV	5.352G	51.78	54.00	-2.22	8.56	3	Vertical	317	1.85	-	43.22	31.12	6.80	29.36
PK	5.3084G	105.41	Inf	-Inf	8.72	3	Vertical	317	1.85	-	96.69	31.27	6.80	29.35
PK	5.3512G	69.33	74.00	-4.67	8.55	3	Vertical	317	1.85	-	60.78	31.11	6.80	29.36

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3044G	94.87	Inf	-Inf	8.73	3	Horizontal	360	1.83	-	86.14	31.28	6.80	29.35
AV	5.3516G	52.82	54.00	-1.18	8.55	3	Horizontal	360	1.83	-	44.27	31.11	6.80	29.36
PK	5.3068G	107.58	Inf	-Inf	8.72	3	Horizontal	360	1.83	-	98.86	31.27	6.80	29.35
PK	5.3588G	71.18	74.00	-2.82	8.61	3	Horizontal	360	1.83	-	62.57	31.17	6.80	29.36

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5310MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.61124G	42.43	54.00	-11.57	18.21	3	Vertical	354	2.29	-	24.22	39.79	9.08	30.66
PK	10.62496G	55.23	74.00	-18.77	18.20	3	Vertical	354	2.29	-	37.03	39.78	9.08	30.66

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5310MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.62576G	42.69	54.00	-11.31	18.18	3	Horizontal	162	1.34	-	24.51	39.77	9.08	30.67
PK	10.61752G	55.71	74.00	-18.29	18.20	3	Horizontal	162	1.34	-	37.51	39.78	9.08	30.66

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.40	54.00	-7.60	9.10	3	Vertical	325	2.10	-	37.30	31.64	6.83	29.37
AV	5.506G	90.11	Inf	-Inf	9.28	3	Vertical	325	2.10	-	80.83	31.80	6.85	29.37
PK	5.47G	64.07	68.20	-4.13	9.14	3	Vertical	325	2.10	-	54.93	31.68	6.83	29.37
PK	5.5156G	101.42	Inf	-Inf	9.29	3	Vertical	325	2.10	-	92.13	31.80	6.86	29.37

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	47.60	54.00	-6.40	9.10	3	Horizontal	357	1.50	-	38.50	31.64	6.83	29.37
AV	5.5044G	92.66	Inf	-Inf	9.28	3	Horizontal	357	1.50	-	83.38	31.80	6.85	29.37
PK	5.4692G	66.34	68.20	-1.86	9.14	3	Horizontal	357	1.50	-	57.20	31.68	6.83	29.37
PK	5.5068G	105.28	Inf	-Inf	9.28	3	Horizontal	357	1.50	-	96.00	31.80	6.85	29.37

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01492G	43.24	54.00	-10.76	18.50	3	Vertical	205	1.96	-	24.74	40.16	9.26	30.92
PK	11.02876G	55.57	74.00	-18.43	18.46	3	Vertical	205	1.96	-	37.11	40.11	9.26	30.91



802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5510MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.02516G	43.17	54.00	-10.83	18.47	3	Horizontal	331	2.15	-	24.70	40.12	9.26	30.91
PK	11.02956G	55.98	74.00	-18.02	18.46	3	Horizontal	331	2.15	-	37.52	40.11	9.26	30.91

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.39	54.00	-8.61	9.10	3	Vertical	324	2.99	-	36.29	31.64	6.83	29.37
AV	5.5556G	90.89	Inf	-Inf	9.32	3	Vertical	324	2.99	-	81.57	31.81	6.88	29.37
PK	5.4656G	60.44	68.20	-7.76	9.12	3	Vertical	324	2.99	-	51.32	31.66	6.83	29.37
PK	5.5556G	103.42	Inf	-Inf	9.32	3	Vertical	324	2.99	-	94.10	31.81	6.88	29.37

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	46.85	54.00	-7.15	9.07	3	Horizontal	360	1.48	-	37.78	31.61	6.83	29.37
AV	5.5444G	93.99	Inf	-Inf	9.30	3	Horizontal	360	1.48	-	84.69	31.80	6.87	29.37
PK	5.4696G	60.84	68.20	-7.36	9.14	3	Horizontal	360	1.48	-	51.70	31.68	6.83	29.37
PK	5.5468G	106.99	Inf	-Inf	9.30	3	Horizontal	360	1.48	-	97.69	31.80	6.87	29.37

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09152G	42.69	54.00	-11.31	18.33	3	Vertical	76	2.15	-	24.36	39.93	9.29	30.89
PK	11.09048G	55.00	74.00	-19.00	18.33	3	Vertical	76	2.15	-	36.67	39.93	9.29	30.89

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0946G	42.77	54.00	-11.23	18.32	3	Horizontal	112	1.23	-	24.45	39.92	9.29	30.89
PK	11.09684G	55.29	74.00	-18.71	18.31	3	Horizontal	112	1.23	-	36.98	39.91	9.29	30.89



802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6612G	89.51	Inf	-Inf	9.31	3	Vertical	308	1.71	-	80.20	31.74	6.93	29.36
PK	5.6668G	102.23	Inf	-Inf	9.34	3	Vertical	308	1.71	-	92.89	31.77	6.93	29.36
PK	5.7256G	58.76	68.20	-9.44	9.55	3	Vertical	308	1.71	-	49.21	31.95	6.96	29.36

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6752G	93.50	Inf	-Inf	9.38	3	Horizontal	307	1.89	-	84.12	31.80	6.94	29.36
PK	5.6756G	105.87	Inf	-Inf	9.38	3	Horizontal	307	1.89	-	96.49	31.80	6.94	29.36
PK	5.7252G	62.15	68.20	-6.05	9.55	3	Horizontal	307	1.89	-	52.60	31.95	6.96	29.36

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34236G	42.47	54.00	-11.53	18.42	3	Vertical	113	1.20	-	24.05	39.84	9.40	30.82
PK	11.34492G	54.98	74.00	-19.02	18.43	3	Vertical	113	1.20	-	36.55	39.84	9.41	30.82

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5670MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.33964G	42.54	54.00	-11.46	18.42	3	Horizontal	260	2.05	-	24.12	39.84	9.40	30.82
PK	11.3434G	54.72	74.00	-19.28	18.42	3	Horizontal	260	2.05	-	36.30	39.84	9.40	30.82

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	42.44	54.00	-11.56	9.10	3	Vertical	306	1.76	-	33.34	31.64	6.83	29.37
AV	5.704G	89.52	Inf	-Inf	9.50	3	Vertical	306	1.76	-	80.02	31.91	6.95	29.36
PK	5.464G	52.94	68.20	-15.26	9.12	3	Vertical	306	1.76	-	43.82	31.66	6.83	29.37
PK	5.707G	101.61	Inf	-Inf	9.50	3	Vertical	306	1.76	-	92.11	31.91	6.95	29.36
PK	5.949G	56.24	68.20	-11.96	10.12	3	Vertical	306	1.76	-	46.12	32.40	7.07	29.35

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	42.66	54.00	-11.34	9.10	3	Horizontal	13	2.18	-	33.56	31.64	6.83	29.37
AV	5.701G	94.90	Inf	-Inf	9.49	3	Horizontal	13	2.18	-	85.41	31.90	6.95	29.36
PK	5.462G	53.73	68.20	-14.47	9.11	3	Horizontal	13	2.18	-	44.62	31.65	6.83	29.37
PK	5.707G	106.63	Inf	-Inf	9.50	3	Horizontal	13	2.18	-	97.13	31.91	6.95	29.36
PK	5.933G	55.37	68.20	-12.83	10.05	3	Horizontal	13	2.18	-	45.32	32.33	7.07	29.35



802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4224G	43.22	54.00	-10.78	18.57	3	Vertical	353	1.33	-	24.65	39.92	9.44	30.79
PK	11.41848G	55.20	74.00	-18.80	18.57	3	Vertical	353	1.33	-	36.63	39.92	9.44	30.79



802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.42308G	43.56	54.00	-10.44	18.57	3	Horizontal	19	1.17	-	24.99	39.92	9.44	30.79
PK	11.42484G	56.72	74.00	-17.28	18.57	3	Horizontal	19	1.17	-	38.15	39.92	9.44	30.79

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	45.65	54.00	-8.35	9.43	3	Vertical	317	1.91	-	36.22	31.99	6.77	29.33
AV	5.281G	90.43	Inf	-Inf	8.79	3	Vertical	317	1.91	-	81.64	31.34	6.80	29.35
AV	5.358G	51.22	54.00	-2.78	8.60	3	Vertical	317	1.91	-	42.62	31.16	6.80	29.36
PK	5.148G	58.45	74.00	-15.55	9.44	3	Vertical	317	1.91	-	49.01	32.00	6.77	29.33
PK	5.301G	103.39	Inf	-Inf	8.75	3	Vertical	317	1.91	-	94.64	31.30	6.80	29.35
PK	5.354G	66.67	74.00	-7.33	8.57	3	Vertical	317	1.91	-	58.10	31.13	6.80	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	48.40	54.00	-5.60	9.44	3	Horizontal	360	1.73	-	38.96	32.00	6.77	29.33
AV	5.28G	92.79	Inf	-Inf	8.79	3	Horizontal	360	1.73	-	84.00	31.34	6.80	29.35
AV	5.353G	52.83	54.00	-1.17	8.56	3	Horizontal	360	1.73	-	44.27	31.12	6.80	29.36
PK	5.148G	60.87	74.00	-13.13	9.44	3	Horizontal	360	1.73	-	51.43	32.00	6.77	29.33
PK	5.301G	105.28	Inf	-Inf	8.75	3	Horizontal	360	1.73	-	96.53	31.30	6.80	29.35
PK	5.361G	69.13	74.00	-4.87	8.63	3	Horizontal	360	1.73	-	60.50	31.19	6.80	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.57592G	55.42	68.20	-12.78	18.21	3	Vertical	224	1.96	-	37.21	39.78	9.06	30.63

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5290MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.58676G	55.27	68.20	-12.93	18.21	3	Horizontal	244	1.34	-	37.06	39.79	9.06	30.64

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	50.45	54.00	-3.55	9.10	3	Vertical	327	2.01	-	41.35	31.64	6.83	29.37
AV	5.521G	87.06	Inf	-Inf	9.29	3	Vertical	327	2.01	-	77.77	31.80	6.86	29.37
PK	5.463G	63.86	68.20	-4.34	9.11	3	Vertical	327	2.01	-	54.75	31.65	6.83	29.37
PK	5.541G	99.09	Inf	-Inf	9.30	3	Vertical	327	2.01	-	89.79	31.80	6.87	29.37
PK	5.734G	54.98	68.20	-13.22	9.58	3	Vertical	327	2.01	-	45.40	31.97	6.97	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5530MHz_TX






802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05256G	42.95	54.00	-11.05	18.41	3	Vertical	136	2.46	-	24.54	40.04	9.27	30.90
PK	11.05556G	55.72	74.00	-18.28	18.41	3	Vertical	136	2.46	-	37.31	40.03	9.28	30.90



802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5530MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.05512G	43.23	54.00	-10.77	18.40	3	Horizontal	10	2.38	-	24.83	40.03	9.27	30.90
PK	11.05308G	55.32	74.00	-18.68	18.41	3	Horizontal	10	2.38	-	36.91	40.04	9.27	30.90

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020


5610MHz_TX



802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.64	54.00	-9.36	9.10	3	Horizontal	341	1.75	-	35.54	31.64	6.83	29.37
AV	5.6G	90.49	Inf	-Inf	9.43	3	Horizontal	341	1.75	-	81.06	31.90	6.90	29.37
PK	5.47G	56.14	68.20	-12.06	9.14	3	Horizontal	341	1.75	-	47.00	31.68	6.83	29.37
PK	5.621G	102.48	Inf	-Inf	9.36	3	Horizontal	341	1.75	-	93.12	31.82	6.91	29.37
PK	5.757G	55.78	68.20	-12.42	9.62	3	Horizontal	341	1.75	-	46.16	32.00	6.98	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5610MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.22764G	42.66	54.00	-11.34	18.30	3	Vertical	331	1.64	-	24.36	39.80	9.35	30.85
PK	11.21756G	55.34	74.00	-18.66	18.30	3	Vertical	331	1.64	-	37.04	39.80	9.35	30.85

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22516G	42.59	54.00	-11.41	18.30	3	Horizontal	356	2.02	-	24.29	39.80	9.35	30.85
PK	11.22812G	55.15	74.00	-18.85	18.30	3	Horizontal	356	2.02	-	36.85	39.80	9.35	30.85

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.448G	42.65	54.00	-11.35	9.06	3	Vertical	306	1.78	-	33.59	31.60	6.82	29.36
AV	5.664G	85.18	Inf	-Inf	9.33	3	Vertical	306	1.78	-	75.85	31.76	6.93	29.36
PK	5.461G	54.10	68.20	-14.10	9.10	3	Vertical	306	1.78	-	45.00	31.64	6.83	29.37
PK	5.701G	98.33	Inf	-Inf	9.49	3	Vertical	306	1.78	-	88.84	31.90	6.95	29.36
PK	5.937G	55.27	68.20	-12.93	10.07	3	Vertical	306	1.78	-	45.20	32.35	7.07	29.35

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	43.07	54.00	-10.93	9.09	3	Horizontal	308	1.88	-	33.98	31.63	6.83	29.37
AV	5.68G	89.57	Inf	-Inf	9.40	3	Horizontal	308	1.88	-	80.17	31.82	6.94	29.36
PK	5.467G	54.56	68.20	-13.64	9.13	3	Horizontal	308	1.88	-	45.43	31.67	6.83	29.37
PK	5.701G	101.65	Inf	-Inf	9.49	3	Horizontal	308	1.88	-	92.16	31.90	6.95	29.36
PK	5.912G	55.85	68.20	-12.35	9.96	3	Horizontal	308	1.88	-	45.89	32.25	7.06	29.35

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38608G	42.75	54.00	-11.25	18.51	3	Vertical	158	2.11	-	24.24	39.89	9.42	30.80
PK	11.3868G	55.23	74.00	-18.77	18.51	3	Vertical	158	2.11	-	36.72	39.89	9.42	30.80

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.38932G	42.92	54.00	-11.08	18.52	3	Horizontal	57	1.22	-	24.40	39.89	9.43	30.80
PK	11.37468G	55.59	74.00	-18.41	18.48	3	Horizontal	57	1.22	-	37.11	39.87	9.42	30.81

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	52.57	54.00	-1.43	3	Horizontal	0	1.60	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.3504G	52.67	54.00	-1.33	3	Horizontal	3	1.60	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.3516G	52.82	54.00	-1.18	3	Horizontal	360	1.83	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.353G	52.83	54.00	-1.17	3	Horizontal	360	1.73	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.4688G	67.08	68.20	-1.12	3	Horizontal	3	2.71	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.4668G	66.95	68.20	-1.25	3	Horizontal	8	2.73	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.4692G	66.34	68.20	-1.86	3	Horizontal	357	1.50	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.467G	66.61	68.20	-1.59	3	Horizontal	0	1.50	-

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1418G	45.16	54.00	-8.84	3	Vertical	320	1.73	-
5260MHz	Pass	AV	5.2612G	101.99	Inf	-Inf	3	Vertical	320	1.73	-
5260MHz	Pass	AV	5.3572G	45.44	54.00	-8.56	3	Vertical	320	1.73	-
5260MHz	Pass	PK	5.1346G	57.15	74.00	-16.85	3	Vertical	320	1.73	-
5260MHz	Pass	PK	5.2618G	111.02	Inf	-Inf	3	Vertical	320	1.73	-
5260MHz	Pass	PK	5.3554G	56.56	74.00	-17.44	3	Vertical	320	1.73	-
5260MHz	Pass	AV	5.1424G	45.58	54.00	-8.42	3	Horizontal	360	1.66	-
5260MHz	Pass	AV	5.2576G	103.54	Inf	-Inf	3	Horizontal	360	1.66	-
5260MHz	Pass	AV	5.353G	45.97	54.00	-8.03	3	Horizontal	360	1.66	-
5260MHz	Pass	PK	5.1226G	56.68	74.00	-17.32	3	Horizontal	360	1.66	-
5260MHz	Pass	PK	5.2576G	112.88	Inf	-Inf	3	Horizontal	360	1.66	-
5260MHz	Pass	PK	5.3548G	57.14	74.00	-16.86	3	Horizontal	360	1.66	-
5260MHz	Pass	PK	10.51848G	56.76	68.20	-11.44	3	Vertical	213	1.50	-
5260MHz	Pass	PK	10.51824G	59.09	68.20	-9.11	3	Horizontal	360	2.56	-
5300MHz	Pass	AV	5.3012G	101.58	Inf	-Inf	3	Vertical	322	1.81	-
5300MHz	Pass	AV	5.35G	46.06	54.00	-7.94	3	Vertical	322	1.81	-
5300MHz	Pass	PK	5.3016G	110.60	Inf	-Inf	3	Vertical	322	1.81	-
5300MHz	Pass	PK	5.35G	61.21	74.00	-12.79	3	Vertical	322	1.81	-
5300MHz	Pass	AV	5.2976G	103.03	Inf	-Inf	3	Horizontal	3	1.63	-
5300MHz	Pass	AV	5.3504G	46.81	54.00	-7.19	3	Horizontal	3	1.63	-
5300MHz	Pass	PK	5.2932G	112.54	Inf	-Inf	3	Horizontal	3	1.63	-
5300MHz	Pass	PK	5.3504G	62.13	74.00	-11.87	3	Horizontal	3	1.63	-
5300MHz	Pass	PK	10.60056G	56.83	74.00	-17.17	3	Vertical	185	1.61	-
5300MHz	Pass	PK	10.59688G	58.00	68.20	-10.20	3	Horizontal	153	1.50	-
5320MHz	Pass	AV	5.3162G	100.38	Inf	-Inf	3	Vertical	323	1.83	-
5320MHz	Pass	AV	5.35G	51.14	54.00	-2.86	3	Vertical	323	1.83	-
5320MHz	Pass	PK	5.317G	109.87	Inf	-Inf	3	Vertical	323	1.83	-
5320MHz	Pass	PK	5.35G	67.29	74.00	-6.71	3	Vertical	323	1.83	-
5320MHz	Pass	AV	5.3176G	101.52	Inf	-Inf	3	Horizontal	0	1.60	-
5320MHz	Pass	AV	5.35G	52.57	54.00	-1.43	3	Horizontal	0	1.60	-
5320MHz	Pass	PK	5.3132G	110.78	Inf	-Inf	3	Horizontal	0	1.60	-
5320MHz	Pass	PK	5.35G	69.23	74.00	-4.77	3	Horizontal	0	1.60	-
5320MHz	Pass	AV	10.6382G	44.29	54.00	-9.71	3	Vertical	245	2.69	-
5320MHz	Pass	PK	10.63116G	56.60	74.00	-17.40	3	Vertical	245	2.69	-
5320MHz	Pass	AV	10.64076G	44.64	54.00	-9.36	3	Horizontal	360	1.37	-
5320MHz	Pass	PK	10.63144G	56.91	74.00	-17.09	3	Horizontal	360	1.37	-
5500MHz	Pass	AV	5.4598G	45.09	54.00	-8.91	3	Vertical	324	1.78	-
5500MHz	Pass	AV	5.4668G	45.65	Inf	-Inf	3	Vertical	324	1.78	-
5500MHz	Pass	PK	5.4688G	65.41	68.20	-2.79	3	Vertical	324	1.78	-
5500MHz	Pass	PK	5.4974G	103.85	Inf	-Inf	3	Vertical	324	1.78	-
5500MHz	Pass	AV	5.46G	45.58	54.00	-8.42	3	Horizontal	3	2.71	-
5500MHz	Pass	AV	5.4976G	97.39	Inf	-Inf	3	Horizontal	3	2.71	-
5500MHz	Pass	PK	5.4688G	67.08	68.20	-1.12	3	Horizontal	3	2.71	-
5500MHz	Pass	PK	5.4972G	106.49	Inf	-Inf	3	Horizontal	3	2.71	-
5500MHz	Pass	AV	11.00036G	45.51	54.00	-8.49	3	Vertical	360	1.50	-
5500MHz	Pass	PK	11.0094G	57.14	74.00	-16.86	3	Vertical	360	1.50	-
5500MHz	Pass	AV	11.0006G	46.28	54.00	-7.72	3	Horizontal	339	1.50	-



RSE TX above 1GHz_Radio 3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	10.99792G	58.24	74.00	-15.76	3	Horizontal	339	1.50	-
5580MHz	Pass	AV	5.46G	44.70	54.00	-9.30	3	Vertical	334	2.95	-
5580MHz	Pass	AV	5.5848G	98.75	Inf	-Inf	3	Vertical	334	2.95	-
5580MHz	Pass	PK	5.4642G	56.89	68.20	-11.31	3	Vertical	334	2.95	-
5580MHz	Pass	PK	5.5848G	108.03	Inf	-Inf	3	Vertical	334	2.95	-
5580MHz	Pass	PK	5.7252G	56.44	68.20	-11.76	3	Vertical	334	2.95	-
5580MHz	Pass	AV	5.4426G	44.76	54.00	-9.24	3	Horizontal	338	1.90	-
5580MHz	Pass	AV	5.5842G	100.20	Inf	-Inf	3	Horizontal	338	1.90	-
5580MHz	Pass	PK	5.4624G	55.76	68.20	-12.44	3	Horizontal	338	1.90	-
5580MHz	Pass	PK	5.5794G	109.03	Inf	-Inf	3	Horizontal	338	1.90	-
5580MHz	Pass	PK	5.7252G	55.97	68.20	-12.23	3	Horizontal	338	1.90	-
5580MHz	Pass	AV	11.1624G	45.09	54.00	-8.91	3	Vertical	38	1.62	-
5580MHz	Pass	PK	11.15508G	57.50	74.00	-16.50	3	Vertical	38	1.62	-
5580MHz	Pass	AV	11.16008G	46.27	54.00	-7.73	3	Horizontal	47	1.66	-
5580MHz	Pass	PK	11.15796G	57.72	74.00	-16.28	3	Horizontal	47	1.66	-
5700MHz	Pass	AV	5.7024G	94.04	Inf	-Inf	3	Vertical	310	1.60	-
5700MHz	Pass	PK	5.6972G	102.75	Inf	-Inf	3	Vertical	310	1.60	-
5700MHz	Pass	PK	5.7252G	61.38	68.20	-6.82	3	Vertical	310	1.60	-
5700MHz	Pass	AV	5.7024G	99.45	Inf	-Inf	3	Horizontal	17	1.78	-
5700MHz	Pass	PK	5.6948G	108.84	Inf	-Inf	3	Horizontal	17	1.78	-
5700MHz	Pass	PK	5.7252G	66.66	68.20	-1.54	3	Horizontal	17	1.78	-
5700MHz	Pass	AV	11.397G	44.82	54.00	-9.18	3	Vertical	5	1.50	-
5700MHz	Pass	PK	11.40204G	57.24	74.00	-16.76	3	Vertical	5	1.50	-
5700MHz	Pass	AV	11.39844G	45.09	54.00	-8.91	3	Horizontal	0	1.50	-
5700MHz	Pass	PK	11.39368G	58.07	74.00	-15.93	3	Horizontal	0	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.722G	95.81	Inf	-Inf	3	Vertical	310	1.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.724G	104.56	Inf	-Inf	3	Vertical	310	1.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.925G	57.41	68.20	-10.79	3	Vertical	310	1.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.722G	101.23	Inf	-Inf	3	Horizontal	17	1.75	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.723G	110.07	Inf	-Inf	3	Horizontal	17	1.75	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.922G	57.91	68.20	-10.29	3	Horizontal	17	1.75	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44116G	45.61	54.00	-8.39	3	Vertical	347	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43884G	57.26	74.00	-16.74	3	Vertical	347	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4386G	47.25	54.00	-6.75	3	Horizontal	113	2.02	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43644G	59.12	74.00	-14.88	3	Horizontal	113	2.02	-
802.11ax HEW20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.15G	45.55	54.00	-8.45	3	Vertical	321	1.72	-
5260MHz	Pass	AV	5.263G	101.04	Inf	-Inf	3	Vertical	321	1.72	-
5260MHz	Pass	AV	5.3566G	45.18	54.00	-8.82	3	Vertical	321	1.72	-
5260MHz	Pass	PK	5.128G	57.46	74.00	-16.54	3	Vertical	321	1.72	-
5260MHz	Pass	PK	5.257G	111.91	Inf	-Inf	3	Vertical	321	1.72	-
5260MHz	Pass	PK	5.3584G	57.08	74.00	-16.92	3	Vertical	321	1.72	-
5260MHz	Pass	AV	5.15G	46.45	54.00	-7.55	3	Horizontal	0	1.57	-
5260MHz	Pass	AV	5.2642G	102.32	Inf	-Inf	3	Horizontal	0	1.57	-
5260MHz	Pass	AV	5.3536G	45.76	54.00	-8.24	3	Horizontal	0	1.57	-
5260MHz	Pass	PK	5.146G	56.87	74.00	-17.13	3	Horizontal	0	1.57	-
5260MHz	Pass	PK	5.2642G	114.19	Inf	-Inf	3	Horizontal	0	1.57	-
5260MHz	Pass	PK	5.3536G	57.41	74.00	-16.59	3	Horizontal	0	1.57	-
5260MHz	Pass	PK	10.511G	56.36	68.20	-11.84	3	Vertical	357	1.50	-



RSE TX above 1GHz_Radio 3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	10.51862G	59.81	68.20	-8.39	3	Horizontal	149	1.69	-
5300MHz	Pass	AV	5.298G	100.55	Inf	-Inf	3	Vertical	322	1.69	-
5300MHz	Pass	AV	5.3512G	47.60	54.00	-6.40	3	Vertical	322	1.69	-
5300MHz	Pass	PK	5.2968G	111.41	Inf	-Inf	3	Vertical	322	1.69	-
5300MHz	Pass	PK	5.3588G	63.41	74.00	-10.59	3	Vertical	322	1.69	-
5300MHz	Pass	AV	5.3016G	101.97	Inf	-Inf	3	Horizontal	4	1.64	-
5300MHz	Pass	AV	5.35G	48.73	54.00	-5.27	3	Horizontal	4	1.64	-
5300MHz	Pass	PK	5.3044G	114.05	Inf	-Inf	3	Horizontal	4	1.64	-
5300MHz	Pass	PK	5.352G	66.34	74.00	-7.66	3	Horizontal	4	1.64	-
5300MHz	Pass	PK	10.60318G	55.81	74.00	-18.19	3	Vertical	160	1.50	-
5300MHz	Pass	PK	10.59796G	59.30	68.20	-8.90	3	Horizontal	151	1.64	-
5320MHz	Pass	AV	5.323G	98.91	Inf	-Inf	3	Vertical	323	1.79	-
5320MHz	Pass	AV	5.3502G	51.51	54.00	-2.49	3	Vertical	323	1.79	-
5320MHz	Pass	PK	5.3178G	110.31	Inf	-Inf	3	Vertical	323	1.79	-
5320MHz	Pass	PK	5.3502G	70.02	74.00	-3.98	3	Vertical	323	1.79	-
5320MHz	Pass	AV	5.319G	99.96	Inf	-Inf	3	Horizontal	3	1.60	-
5320MHz	Pass	AV	5.3504G	52.67	54.00	-1.33	3	Horizontal	3	1.60	-
5320MHz	Pass	PK	5.317G	111.77	Inf	-Inf	3	Horizontal	3	1.60	-
5320MHz	Pass	PK	5.35G	71.85	74.00	-2.15	3	Horizontal	3	1.60	-
5320MHz	Pass	AV	10.64192G	42.94	54.00	-11.06	3	Vertical	360	2.88	-
5320MHz	Pass	PK	10.62764G	56.46	74.00	-17.54	3	Vertical	360	2.88	-
5320MHz	Pass	AV	10.63868G	43.52	54.00	-10.48	3	Horizontal	350	1.44	-
5320MHz	Pass	PK	10.64354G	57.07	74.00	-16.93	3	Horizontal	350	1.44	-
5500MHz	Pass	AV	5.4592G	44.70	54.00	-9.30	3	Vertical	325	1.93	-
5500MHz	Pass	AV	5.4958G	92.62	Inf	-Inf	3	Vertical	325	1.93	-
5500MHz	Pass	PK	5.46G	59.05	74.00	-14.95	3	Vertical	325	1.93	-
5500MHz	Pass	PK	5.4662G	64.21	68.20	-3.99	3	Vertical	325	1.93	-
5500MHz	Pass	PK	5.4932G	104.18	Inf	-Inf	3	Vertical	325	1.93	-
5500MHz	Pass	AV	5.4586G	45.44	54.00	-8.56	3	Horizontal	8	2.73	-
5500MHz	Pass	AV	5.499G	95.37	Inf	-Inf	3	Horizontal	8	2.73	-
5500MHz	Pass	PK	5.4592G	61.43	74.00	-12.57	3	Horizontal	8	2.73	-
5500MHz	Pass	PK	5.4668G	66.95	68.20	-1.25	3	Horizontal	8	2.73	-
5500MHz	Pass	PK	5.497G	107.01	Inf	-Inf	3	Horizontal	8	2.73	-
5500MHz	Pass	AV	11.00012G	45.27	54.00	-8.73	3	Vertical	259	1.50	-
5500MHz	Pass	PK	11.0002G	57.13	74.00	-16.87	3	Vertical	259	1.50	-
5500MHz	Pass	AV	10.99784G	46.07	54.00	-7.93	3	Horizontal	339	1.45	-
5500MHz	Pass	PK	10.99816G	58.73	74.00	-15.27	3	Horizontal	339	1.45	-
5580MHz	Pass	AV	5.4444G	41.98	54.00	-12.02	3	Vertical	335	3.00	-
5580MHz	Pass	AV	5.5728G	93.81	Inf	-Inf	3	Vertical	335	3.00	-
5580MHz	Pass	PK	5.4636G	53.71	68.20	-14.49	3	Vertical	335	3.00	-
5580MHz	Pass	PK	5.577G	106.44	Inf	-Inf	3	Vertical	335	3.00	-
5580MHz	Pass	PK	5.7282G	54.22	68.20	-13.98	3	Vertical	335	3.00	-
5580MHz	Pass	AV	5.4582G	42.26	54.00	-11.74	3	Horizontal	336	1.69	-
5580MHz	Pass	AV	5.5848G	96.23	Inf	-Inf	3	Horizontal	336	1.69	-
5580MHz	Pass	PK	5.4612G	54.14	68.20	-14.06	3	Horizontal	336	1.69	-
5580MHz	Pass	PK	5.577G	108.92	Inf	-Inf	3	Horizontal	336	1.69	-
5580MHz	Pass	PK	5.7294G	54.36	68.20	-13.84	3	Horizontal	336	1.69	-
5580MHz	Pass	AV	11.15948G	43.67	54.00	-10.33	3	Vertical	17	1.86	-
5580MHz	Pass	PK	11.16G	56.72	74.00	-17.28	3	Vertical	17	1.86	-



RSE TX above 1GHz_Radio 3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	AV	11.15996G	43.73	54.00	-10.27	3	Horizontal	28	1.95	-
5580MHz	Pass	PK	11.16264G	57.13	74.00	-16.87	3	Horizontal	28	1.95	-
5700MHz	Pass	AV	5.7012G	88.81	Inf	-Inf	3	Vertical	306	1.75	-
5700MHz	Pass	PK	5.697G	100.90	Inf	-Inf	3	Vertical	306	1.75	-
5700MHz	Pass	PK	5.7252G	63.71	68.20	-4.49	3	Vertical	306	1.75	-
5700MHz	Pass	AV	5.6988G	94.23	Inf	-Inf	3	Horizontal	12	2.18	-
5700MHz	Pass	PK	5.697G	106.95	Inf	-Inf	3	Horizontal	12	2.18	-
5700MHz	Pass	PK	5.7252G	66.72	68.20	-1.48	3	Horizontal	12	2.18	-
5700MHz	Pass	AV	11.40848G	42.18	54.00	-11.82	3	Vertical	249	1.53	-
5700MHz	Pass	PK	11.40288G	55.49	74.00	-18.51	3	Vertical	249	1.53	-
5700MHz	Pass	AV	11.42144G	42.62	54.00	-11.38	3	Horizontal	235	2.23	-
5700MHz	Pass	PK	11.39952G	55.54	74.00	-18.46	3	Horizontal	235	2.23	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.723G	96.47	Inf	-Inf	3	Vertical	333	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.725G	109.60	Inf	-Inf	3	Vertical	333	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.856G	56.03	68.20	-12.17	3	Vertical	333	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.719G	97.60	Inf	-Inf	3	Horizontal	14	2.26	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.724G	110.53	Inf	-Inf	3	Horizontal	14	2.26	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.924G	55.72	68.20	-12.48	3	Horizontal	14	2.26	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44152G	44.54	54.00	-9.46	3	Vertical	199	1.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44624G	58.02	74.00	-15.98	3	Vertical	199	1.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44152G	45.51	54.00	-8.49	3	Horizontal	80	2.04	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44132G	58.53	74.00	-15.47	3	Horizontal	80	2.04	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.266G	94.65	Inf	-Inf	3	Vertical	315	1.93	-
5270MHz	Pass	AV	5.3504G	45.93	54.00	-8.07	3	Vertical	315	1.93	-
5270MHz	Pass	PK	5.2756G	106.76	Inf	-Inf	3	Vertical	315	1.93	-
5270MHz	Pass	PK	5.3508G	60.15	74.00	-13.85	3	Vertical	315	1.93	-
5270MHz	Pass	AV	5.2668G	97.21	Inf	-Inf	3	Horizontal	357	1.74	-
5270MHz	Pass	AV	5.3508G	47.64	54.00	-6.36	3	Horizontal	357	1.74	-
5270MHz	Pass	PK	5.2668G	110.07	Inf	-Inf	3	Horizontal	357	1.74	-
5270MHz	Pass	PK	5.352G	62.17	74.00	-11.83	3	Horizontal	357	1.74	-
5270MHz	Pass	PK	10.53104G	55.11	68.20	-13.09	3	Vertical	293	1.99	-
5270MHz	Pass	PK	10.5354G	55.13	68.20	-13.07	3	Horizontal	88	1.74	-
5310MHz	Pass	AV	5.3056G	93.19	Inf	-Inf	3	Vertical	317	1.85	-
5310MHz	Pass	AV	5.352G	51.78	54.00	-2.22	3	Vertical	317	1.85	-
5310MHz	Pass	PK	5.3084G	105.41	Inf	-Inf	3	Vertical	317	1.85	-
5310MHz	Pass	PK	5.3512G	69.33	74.00	-4.67	3	Vertical	317	1.85	-
5310MHz	Pass	AV	5.3044G	94.87	Inf	-Inf	3	Horizontal	360	1.83	-
5310MHz	Pass	AV	5.3516G	52.82	54.00	-1.18	3	Horizontal	360	1.83	-
5310MHz	Pass	PK	5.3068G	107.58	Inf	-Inf	3	Horizontal	360	1.83	-
5310MHz	Pass	PK	5.3588G	71.18	74.00	-2.82	3	Horizontal	360	1.83	-
5310MHz	Pass	AV	10.61124G	42.43	54.00	-11.57	3	Vertical	354	2.29	-
5310MHz	Pass	PK	10.62496G	55.23	74.00	-18.77	3	Vertical	354	2.29	-
5310MHz	Pass	AV	10.62576G	42.69	54.00	-11.31	3	Horizontal	162	1.34	-
5310MHz	Pass	PK	10.61752G	55.71	74.00	-18.29	3	Horizontal	162	1.34	-
5510MHz	Pass	AV	5.46G	46.40	54.00	-7.60	3	Vertical	325	2.10	-
5510MHz	Pass	AV	5.506G	90.11	Inf	-Inf	3	Vertical	325	2.10	-
5510MHz	Pass	PK	5.47G	64.07	68.20	-4.13	3	Vertical	325	2.10	-
5510MHz	Pass	PK	5.5156G	101.42	Inf	-Inf	3	Vertical	325	2.10	-



RSE TX above 1GHz_Radio 3

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	AV	5.4592G	47.60	54.00	-6.40	3	Horizontal	357	1.50	-
5510MHz	Pass	AV	5.5044G	92.66	Inf	-Inf	3	Horizontal	357	1.50	-
5510MHz	Pass	PK	5.4692G	66.34	68.20	-1.86	3	Horizontal	357	1.50	-
5510MHz	Pass	PK	5.5068G	105.28	Inf	-Inf	3	Horizontal	357	1.50	-
5510MHz	Pass	AV	11.01492G	43.24	54.00	-10.76	3	Vertical	205	1.96	-
5510MHz	Pass	PK	11.02876G	55.57	74.00	-18.43	3	Vertical	205	1.96	-
5510MHz	Pass	AV	11.02516G	43.17	54.00	-10.83	3	Horizontal	331	2.15	-
5510MHz	Pass	PK	11.02956G	55.98	74.00	-18.02	3	Horizontal	331	2.15	-
5550MHz	Pass	AV	5.4596G	45.39	54.00	-8.61	3	Vertical	324	2.99	-
5550MHz	Pass	AV	5.5556G	90.89	Inf	-Inf	3	Vertical	324	2.99	-
5550MHz	Pass	PK	5.4656G	60.44	68.20	-7.76	3	Vertical	324	2.99	-
5550MHz	Pass	PK	5.5556G	103.42	Inf	-Inf	3	Vertical	324	2.99	-
5550MHz	Pass	AV	5.4536G	46.85	54.00	-7.15	3	Horizontal	360	1.48	-
5550MHz	Pass	AV	5.5444G	93.99	Inf	-Inf	3	Horizontal	360	1.48	-
5550MHz	Pass	PK	5.4696G	60.84	68.20	-7.36	3	Horizontal	360	1.48	-
5550MHz	Pass	PK	5.5468G	106.99	Inf	-Inf	3	Horizontal	360	1.48	-
5550MHz	Pass	AV	11.09152G	42.69	54.00	-11.31	3	Vertical	76	2.15	-
5550MHz	Pass	PK	11.09048G	55.00	74.00	-19.00	3	Vertical	76	2.15	-
5550MHz	Pass	AV	11.0946G	42.77	54.00	-11.23	3	Horizontal	112	1.23	-
5550MHz	Pass	PK	11.09684G	55.29	74.00	-18.71	3	Horizontal	112	1.23	-
5670MHz	Pass	AV	5.6612G	89.51	Inf	-Inf	3	Vertical	308	1.71	-
5670MHz	Pass	PK	5.6668G	102.23	Inf	-Inf	3	Vertical	308	1.71	-
5670MHz	Pass	PK	5.7256G	58.76	68.20	-9.44	3	Vertical	308	1.71	-
5670MHz	Pass	AV	5.6752G	93.50	Inf	-Inf	3	Horizontal	307	1.89	-
5670MHz	Pass	PK	5.6756G	105.87	Inf	-Inf	3	Horizontal	307	1.89	-
5670MHz	Pass	PK	5.7252G	62.15	68.20	-6.05	3	Horizontal	307	1.89	-
5670MHz	Pass	AV	11.34236G	42.47	54.00	-11.53	3	Vertical	113	1.20	-
5670MHz	Pass	PK	11.34492G	54.98	74.00	-19.02	3	Vertical	113	1.20	-
5670MHz	Pass	AV	11.33964G	42.54	54.00	-11.46	3	Horizontal	260	2.05	-
5670MHz	Pass	PK	11.3434G	54.72	74.00	-19.28	3	Horizontal	260	2.05	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	42.44	54.00	-11.56	3	Vertical	306	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.704G	89.52	Inf	-Inf	3	Vertical	306	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	52.71	74.00	-21.29	3	Vertical	306	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	52.94	68.20	-15.26	3	Vertical	306	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.707G	101.61	Inf	-Inf	3	Vertical	306	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.949G	56.24	68.20	-11.96	3	Vertical	306	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	42.66	54.00	-11.34	3	Horizontal	13	2.18	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.701G	94.90	Inf	-Inf	3	Horizontal	13	2.18	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	53.73	68.20	-14.47	3	Horizontal	13	2.18	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.707G	106.63	Inf	-Inf	3	Horizontal	13	2.18	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.933G	55.37	68.20	-12.83	3	Horizontal	13	2.18	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4224G	43.22	54.00	-10.78	3	Vertical	353	1.33	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41848G	55.20	74.00	-18.80	3	Vertical	353	1.33	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42308G	43.56	54.00	-10.44	3	Horizontal	19	1.17	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42484G	56.72	74.00	-17.28	3	Horizontal	19	1.17	-
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.144G	45.65	54.00	-8.35	3	Vertical	317	1.91	-
5290MHz	Pass	AV	5.281G	90.43	Inf	-Inf	3	Vertical	317	1.91	-
5290MHz	Pass	AV	5.358G	51.22	54.00	-2.78	3	Vertical	317	1.91	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	PK	5.148G	58.45	74.00	-15.55	3	Vertical	317	1.91	-
5290MHz	Pass	PK	5.301G	103.39	Inf	-Inf	3	Vertical	317	1.91	-
5290MHz	Pass	PK	5.354G	66.67	74.00	-7.33	3	Vertical	317	1.91	-
5290MHz	Pass	AV	5.148G	48.40	54.00	-5.60	3	Horizontal	360	1.73	-
5290MHz	Pass	AV	5.28G	92.79	Inf	-Inf	3	Horizontal	360	1.73	-
5290MHz	Pass	AV	5.353G	52.83	54.00	-1.17	3	Horizontal	360	1.73	-
5290MHz	Pass	PK	5.148G	60.87	74.00	-13.13	3	Horizontal	360	1.73	-
5290MHz	Pass	PK	5.301G	105.28	Inf	-Inf	3	Horizontal	360	1.73	-
5290MHz	Pass	PK	5.361G	69.13	74.00	-4.87	3	Horizontal	360	1.73	-
5290MHz	Pass	PK	10.57592G	55.42	68.20	-12.78	3	Vertical	224	1.96	-
5290MHz	Pass	PK	10.58676G	55.27	68.20	-12.93	3	Horizontal	244	1.34	-
5530MHz	Pass	AV	5.459G	50.45	54.00	-3.55	3	Vertical	327	2.01	-
5530MHz	Pass	AV	5.521G	87.06	Inf	-Inf	3	Vertical	327	2.01	-
5530MHz	Pass	PK	5.463G	63.86	68.20	-4.34	3	Vertical	327	2.01	-
5530MHz	Pass	PK	5.541G	99.09	Inf	-Inf	3	Vertical	327	2.01	-
5530MHz	Pass	PK	5.734G	54.98	68.20	-13.22	3	Vertical	327	2.01	-
5530MHz	Pass	AV	5.452G	51.74	54.00	-2.26	3	Horizontal	0	1.50	-
5530MHz	Pass	AV	5.52G	89.63	Inf	-Inf	3	Horizontal	0	1.50	-
5530MHz	Pass	PK	5.467G	66.61	68.20	-1.59	3	Horizontal	0	1.50	-
5530MHz	Pass	PK	5.541G	102.86	Inf	-Inf	3	Horizontal	0	1.50	-
5530MHz	Pass	PK	5.729G	54.98	68.20	-13.22	3	Horizontal	0	1.50	-
5530MHz	Pass	AV	11.05256G	42.95	54.00	-11.05	3	Vertical	136	2.46	-
5530MHz	Pass	PK	11.05556G	55.72	74.00	-18.28	3	Vertical	136	2.46	-
5530MHz	Pass	AV	11.05512G	43.23	54.00	-10.77	3	Horizontal	10	2.38	-
5530MHz	Pass	PK	11.05308G	55.32	74.00	-18.68	3	Horizontal	10	2.38	-
5610MHz	Pass	AV	5.458G	43.45	54.00	-10.55	3	Vertical	306	1.88	-
5610MHz	Pass	AV	5.596G	85.53	Inf	-Inf	3	Vertical	306	1.88	-
5610MHz	Pass	PK	5.468G	55.29	68.20	-12.91	3	Vertical	306	1.88	-
5610MHz	Pass	PK	5.621G	98.02	Inf	-Inf	3	Vertical	306	1.88	-
5610MHz	Pass	PK	5.806G	55.64	68.20	-12.56	3	Vertical	306	1.88	-
5610MHz	Pass	AV	5.46G	44.64	54.00	-9.36	3	Horizontal	341	1.75	-
5610MHz	Pass	AV	5.6G	90.49	Inf	-Inf	3	Horizontal	341	1.75	-
5610MHz	Pass	PK	5.47G	56.14	68.20	-12.06	3	Horizontal	341	1.75	-
5610MHz	Pass	PK	5.621G	102.48	Inf	-Inf	3	Horizontal	341	1.75	-
5610MHz	Pass	PK	5.757G	55.78	68.20	-12.42	3	Horizontal	341	1.75	-
5610MHz	Pass	AV	11.22764G	42.66	54.00	-11.34	3	Vertical	331	1.64	-
5610MHz	Pass	PK	11.21756G	55.34	74.00	-18.66	3	Vertical	331	1.64	-
5610MHz	Pass	AV	11.22516G	42.59	54.00	-11.41	3	Horizontal	356	2.02	-
5610MHz	Pass	PK	11.22812G	55.15	74.00	-18.85	3	Horizontal	356	2.02	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.448G	42.65	54.00	-11.35	3	Vertical	306	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.664G	85.18	Inf	-Inf	3	Vertical	306	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.461G	54.10	68.20	-14.10	3	Vertical	306	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.701G	98.33	Inf	-Inf	3	Vertical	306	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.937G	55.27	68.20	-12.93	3	Vertical	306	1.78	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	43.07	54.00	-10.93	3	Horizontal	308	1.88	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.68G	89.57	Inf	-Inf	3	Horizontal	308	1.88	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.467G	54.56	68.20	-13.64	3	Horizontal	308	1.88	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.701G	101.65	Inf	-Inf	3	Horizontal	308	1.88	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.912G	55.85	68.20	-12.35	3	Horizontal	308	1.88	-



RSE TX above 1GHz_Radio 3


Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38608G	42.75	54.00	-11.25	3	Vertical	158	2.11	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3868G	55.23	74.00	-18.77	3	Vertical	158	2.11	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38932G	42.92	54.00	-11.08	3	Horizontal	57	1.22	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37468G	55.59	74.00	-18.41	3	Horizontal	57	1.22	-

802.11a_Nss1,(6Mbps)_2TX

11/08/2020


5260MHz_TX



802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1424G	45.58	54.00	-8.42	9.42	3	Horizontal	360	1.66	-	36.16	31.98	6.77	29.33
AV	5.2576G	103.54	Inf	-Inf	8.83	3	Horizontal	360	1.66	-	94.71	31.38	6.80	29.35
AV	5.353G	45.97	54.00	-8.03	8.56	3	Horizontal	360	1.66	-	37.41	31.12	6.80	29.36
PK	5.1226G	56.68	74.00	-17.32	9.38	3	Horizontal	360	1.66	-	47.30	31.95	6.76	29.33
PK	5.2576G	112.88	Inf	-Inf	8.83	3	Horizontal	360	1.66	-	104.05	31.38	6.80	29.35
PK	5.3548G	57.14	74.00	-16.86	8.58	3	Horizontal	360	1.66	-	48.56	31.14	6.80	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5260MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.51848G	56.76	68.20	-11.44	18.16	3	Vertical	213	1.50	-	38.60	39.72	9.03	30.59



802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51824G	59.09	68.20	-9.11	18.16	3	Horizontal	360	2.56	-	40.93	39.72	9.03	30.59

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	101.58	Inf	-Inf	8.75	3	Vertical	322	1.81	-	92.83	31.30	6.80	29.35
AV	5.35G	46.06	54.00	-7.94	8.54	3	Vertical	322	1.81	-	37.52	31.10	6.80	29.36
PK	5.3016G	110.60	Inf	-Inf	8.74	3	Vertical	322	1.81	-	101.86	31.29	6.80	29.35
PK	5.35G	61.21	74.00	-12.79	8.54	3	Vertical	322	1.81	-	52.67	31.10	6.80	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	103.03	Inf	-Inf	8.75	3	Horizontal	3	1.63	-	94.28	31.30	6.80	29.35
AV	5.3504G	46.81	54.00	-7.19	8.54	3	Horizontal	3	1.63	-	38.27	31.10	6.80	29.36
PK	5.2932G	112.54	Inf	-Inf	8.76	3	Horizontal	3	1.63	-	103.78	31.31	6.80	29.35
PK	5.3504G	62.13	74.00	-11.87	8.54	3	Horizontal	3	1.63	-	53.59	31.10	6.80	29.36



802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5300MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.60056G	56.83	74.00	-17.17	18.22	3	Vertical	185	1.61	-	38.61	39.80	9.07	30.65



802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5300MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.59688G	58.00	68.20	-10.20	18.22	3	Horizontal	153	1.50	-	39.78	39.80	9.07	30.65

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3162G	100.38	Inf	-Inf	8.69	3	Vertical	323	1.83	-	91.69	31.24	6.80	29.35
AV	5.35G	51.14	54.00	-2.86	8.54	3	Vertical	323	1.83	-	42.60	31.10	6.80	29.36
PK	5.317G	109.87	Inf	-Inf	8.68	3	Vertical	323	1.83	-	101.19	31.23	6.80	29.35
PK	5.35G	67.29	74.00	-6.71	8.54	3	Vertical	323	1.83	-	58.75	31.10	6.80	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3176G	101.52	Inf	-Inf	8.68	3	Horizontal	0	1.60	-	92.84	31.23	6.80	29.35
AV	5.35G	52.57	54.00	-1.43	8.54	3	Horizontal	0	1.60	-	44.03	31.10	6.80	29.36
PK	5.3132G	110.78	Inf	-Inf	8.70	3	Horizontal	0	1.60	-	102.08	31.25	6.80	29.35
PK	5.35G	69.23	74.00	-4.77	8.54	3	Horizontal	0	1.60	-	60.69	31.10	6.80	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5320MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6382G	44.29	54.00	-9.71	18.18	3	Vertical	245	2.69	-	26.11	39.76	9.09	30.67
PK	10.63116G	56.60	74.00	-17.40	18.18	3	Vertical	245	2.69	-	38.42	39.77	9.08	30.67

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5320MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64076G	44.64	54.00	-9.36	18.17	3	Horizontal	360	1.37	-	26.47	39.76	9.09	30.68
PK	10.63144G	56.91	74.00	-17.09	18.18	3	Horizontal	360	1.37	-	38.73	39.77	9.08	30.67

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	45.09	54.00	-8.91	9.10	3	Vertical	324	1.78	-	35.99	31.64	6.83	29.37
AV	5.4668G	45.65	Inf	-Inf	9.13	3	Vertical	324	1.78	-	36.52	31.67	6.83	29.37
PK	5.4688G	65.41	68.20	-2.79	9.14	3	Vertical	324	1.78	-	56.27	31.68	6.83	29.37
PK	5.4974G	103.85	Inf	-Inf	9.27	3	Vertical	324	1.78	-	94.58	31.79	6.85	29.37

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.58	54.00	-8.42	9.10	3	Horizontal	3	2.71	-	36.48	31.64	6.83	29.37
AV	5.4976G	97.39	Inf	-Inf	9.27	3	Horizontal	3	2.71	-	88.12	31.79	6.85	29.37
PK	5.4688G	67.08	68.20	-1.12	9.14	3	Horizontal	3	2.71	-	57.94	31.68	6.83	29.37
PK	5.4972G	106.49	Inf	-Inf	9.27	3	Horizontal	3	2.71	-	97.22	31.79	6.85	29.37

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00036G	45.51	54.00	-8.49	18.53	3	Vertical	360	1.50	-	26.98	40.20	9.25	30.92
PK	11.0094G	57.14	74.00	-16.86	18.50	3	Vertical	360	1.50	-	38.64	40.17	9.25	30.92

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5500MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0006G	46.28	54.00	-7.72	18.53	3	Horizontal	339	1.50	-	27.75	40.20	9.25	30.92
PK	10.99792G	58.24	74.00	-15.76	18.53	3	Horizontal	339	1.50	-	39.71	40.20	9.25	30.92

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.70	54.00	-9.30	9.10	3	Vertical	334	2.95	-	35.60	31.64	6.83	29.37
AV	5.5848G	98.75	Inf	-Inf	9.39	3	Vertical	334	2.95	-	89.36	31.87	6.89	29.37
PK	5.4642G	56.89	68.20	-11.31	9.12	3	Vertical	334	2.95	-	47.77	31.66	6.83	29.37
PK	5.5848G	108.03	Inf	-Inf	9.39	3	Vertical	334	2.95	-	98.64	31.87	6.89	29.37
PK	5.7252G	56.44	68.20	-11.76	9.55	3	Vertical	334	2.95	-	46.89	31.95	6.96	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4426G	44.76	54.00	-9.24	9.05	3	Horizontal	338	1.90	-	35.71	31.59	6.82	29.36
AV	5.5842G	100.20	Inf	-Inf	9.39	3	Horizontal	338	1.90	-	90.81	31.87	6.89	29.37
PK	5.4624G	55.76	68.20	-12.44	9.11	3	Horizontal	338	1.90	-	46.65	31.65	6.83	29.37
PK	5.5794G	109.03	Inf	-Inf	9.38	3	Horizontal	338	1.90	-	99.65	31.86	6.89	29.37
PK	5.7252G	55.97	68.20	-12.23	9.55	3	Horizontal	338	1.90	-	46.42	31.95	6.96	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1624G	45.09	54.00	-8.91	18.29	3	Vertical	38	1.62	-	26.80	39.84	9.32	30.87
PK	11.15508G	57.50	74.00	-16.50	18.29	3	Vertical	38	1.62	-	39.21	39.84	9.32	30.87

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5580MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16008G	46.27	54.00	-7.73	18.29	3	Horizontal	47	1.66	-	27.98	39.84	9.32	30.87
PK	11.15796G	57.72	74.00	-16.28	18.29	3	Horizontal	47	1.66	-	39.43	39.84	9.32	30.87

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7024G	94.04	Inf	-Inf	9.49	3	Vertical	310	1.60	-	84.55	31.90	6.95	29.36
PK	5.6972G	102.75	Inf	-Inf	9.48	3	Vertical	310	1.60	-	93.27	31.89	6.95	29.36
PK	5.7252G	61.38	68.20	-6.82	9.55	3	Vertical	310	1.60	-	51.83	31.95	6.96	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7024G	99.45	Inf	-Inf	9.49	3	Horizontal	17	1.78	-	89.96	31.90	6.95	29.36
PK	5.6948G	108.84	Inf	-Inf	9.47	3	Horizontal	17	1.78	-	99.37	31.88	6.95	29.36
PK	5.7252G	66.66	68.20	-1.54	9.55	3	Horizontal	17	1.78	-	57.11	31.95	6.96	29.36

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5700MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.397G	44.82	54.00	-9.18	18.53	3	Vertical	5	1.50	-	26.29	39.90	9.43	30.80
PK	11.40204G	57.24	74.00	-16.76	18.53	3	Vertical	5	1.50	-	38.71	39.90	9.43	30.80

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5700MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39844G	45.09	54.00	-8.91	18.53	3	Horizontal	0	1.50	-	26.56	39.90	9.43	30.80
PK	11.39368G	58.07	74.00	-15.93	18.52	3	Horizontal	0	1.50	-	39.55	39.89	9.43	30.80

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.722G	95.81	Inf	-Inf	9.54	3	Vertical	310	1.49	-	86.27	31.94	6.96	29.36
PK	5.724G	104.56	Inf	-Inf	9.55	3	Vertical	310	1.49	-	95.01	31.95	6.96	29.36
PK	5.925G	57.41	68.20	-10.79	10.01	3	Vertical	310	1.49	-	47.40	32.30	7.06	29.35

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.722G	101.23	Inf	-Inf	9.54	3	Horizontal	17	1.75	-	91.69	31.94	6.96	29.36
PK	5.723G	110.07	Inf	-Inf	9.55	3	Horizontal	17	1.75	-	100.52	31.95	6.96	29.36
PK	5.922G	57.91	68.20	-10.29	10.00	3	Horizontal	17	1.75	-	47.91	32.29	7.06	29.35

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44116G	45.61	54.00	-8.39	18.60	3	Vertical	347	1.50	-	27.01	39.94	9.45	30.79
PK	11.43884G	57.26	74.00	-16.74	18.60	3	Vertical	347	1.50	-	38.66	39.94	9.45	30.79

802.11a_Nss1,(6Mbps)_2TX

11/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4386G	47.25	54.00	-6.75	18.60	3	Horizontal	113	2.02	-	28.65	39.94	9.45	30.79
PK	11.43644G	59.12	74.00	-14.88	18.60	3	Horizontal	113	2.02	-	40.52	39.94	9.45	30.79

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.55	54.00	-8.45	9.44	3	Vertical	321	1.72	-	36.11	32.00	6.77	29.33
AV	5.263G	101.04	Inf	-Inf	8.82	3	Vertical	321	1.72	-	92.22	31.37	6.80	29.35
AV	5.3566G	45.18	54.00	-8.82	8.59	3	Vertical	321	1.72	-	36.59	31.15	6.80	29.36
PK	5.128G	57.46	74.00	-16.54	9.39	3	Vertical	321	1.72	-	48.07	31.96	6.76	29.33
PK	5.257G	111.91	Inf	-Inf	8.84	3	Vertical	321	1.72	-	103.07	31.39	6.80	29.35
PK	5.3584G	57.08	74.00	-16.92	8.61	3	Vertical	321	1.72	-	48.47	31.17	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.45	54.00	-7.55	9.44	3	Horizontal	0	1.57	-	37.01	32.00	6.77	29.33
AV	5.2642G	102.32	Inf	-Inf	8.82	3	Horizontal	0	1.57	-	93.50	31.37	6.80	29.35
AV	5.3536G	45.76	54.00	-8.24	8.57	3	Horizontal	0	1.57	-	37.19	31.13	6.80	29.36
PK	5.146G	56.87	74.00	-17.13	9.43	3	Horizontal	0	1.57	-	47.44	31.99	6.77	29.33
PK	5.2642G	114.19	Inf	-Inf	8.82	3	Horizontal	0	1.57	-	105.37	31.37	6.80	29.35
PK	5.3536G	57.41	74.00	-16.59	8.57	3	Horizontal	0	1.57	-	48.84	31.13	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.511G	56.36	68.20	-11.84	18.15	3	Vertical	357	1.50	-	38.21	39.71	9.03	30.59



802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5260MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.51862G	59.81	68.20	-8.39	18.16	3	Horizontal	149	1.69	-	41.65	39.72	9.03	30.59

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.298G	100.55	Inf	-Inf	8.75	3	Vertical	322	1.69	-	91.80	31.30	6.80	29.35
AV	5.3512G	47.60	54.00	-6.40	8.55	3	Vertical	322	1.69	-	39.05	31.11	6.80	29.36
PK	5.2968G	111.41	Inf	-Inf	8.76	3	Vertical	322	1.69	-	102.65	31.31	6.80	29.35
PK	5.3588G	63.41	74.00	-10.59	8.61	3	Vertical	322	1.69	-	54.80	31.17	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3016G	101.97	Inf	-Inf	8.74	3	Horizontal	4	1.64	-	93.23	31.29	6.80	29.35
AV	5.35G	48.73	54.00	-5.27	8.54	3	Horizontal	4	1.64	-	40.19	31.10	6.80	29.36
PK	5.3044G	114.05	Inf	-Inf	8.73	3	Horizontal	4	1.64	-	105.32	31.28	6.80	29.35
PK	5.352G	66.34	74.00	-7.66	8.56	3	Horizontal	4	1.64	-	57.78	31.12	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5300MHz_TX






802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5300MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.59796G	59.30	68.20	-8.90	18.22	3	Horizontal	151	1.64	-	41.08	39.80	9.07	30.65

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.323G	98.91	Inf	-Inf	8.66	3	Vertical	323	1.79	-	90.25	31.21	6.80	29.35
AV	5.3502G	51.51	54.00	-2.49	8.54	3	Vertical	323	1.79	-	42.97	31.10	6.80	29.36
PK	5.3178G	110.31	Inf	-Inf	8.68	3	Vertical	323	1.79	-	101.63	31.23	6.80	29.35
PK	5.3502G	70.02	74.00	-3.98	8.54	3	Vertical	323	1.79	-	61.48	31.10	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.319G	99.96	Inf	-Inf	8.67	3	Horizontal	3	1.60	-	91.29	31.22	6.80	29.35
AV	5.3504G	52.67	54.00	-1.33	8.54	3	Horizontal	3	1.60	-	44.13	31.10	6.80	29.36
PK	5.317G	111.77	Inf	-Inf	8.68	3	Horizontal	3	1.60	-	103.09	31.23	6.80	29.35
PK	5.35G	71.85	74.00	-2.15	8.54	3	Horizontal	3	1.60	-	63.31	31.10	6.80	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5320MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64192G	42.94	54.00	-11.06	18.17	3	Vertical	360	2.88	-	24.77	39.76	9.09	30.68
PK	10.62764G	56.46	74.00	-17.54	18.18	3	Vertical	360	2.88	-	38.28	39.77	9.08	30.67

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63868G	43.52	54.00	-10.48	18.18	3	Horizontal	350	1.44	-	25.34	39.76	9.09	30.67
PK	10.64354G	57.07	74.00	-16.93	18.17	3	Horizontal	350	1.44	-	38.90	39.76	9.09	30.68

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	44.70	54.00	-9.30	9.10	3	Vertical	325	1.93	-	35.60	31.64	6.83	29.37
AV	5.4958G	92.62	Inf	-Inf	9.26	3	Vertical	325	1.93	-	83.36	31.78	6.85	29.37
PK	5.46G	59.05	74.00	-14.95	9.10	3	Vertical	325	1.93	-	49.95	31.64	6.83	29.37
PK	5.4662G	64.21	68.20	-3.99	9.12	3	Vertical	325	1.93	-	55.09	31.66	6.83	29.37
PK	5.4932G	104.18	Inf	-Inf	9.25	3	Vertical	325	1.93	-	94.93	31.77	6.85	29.37

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	45.44	54.00	-8.56	9.09	3	Horizontal	8	2.73	-	36.35	31.63	6.83	29.37
AV	5.499G	95.37	Inf	-Inf	9.28	3	Horizontal	8	2.73	-	86.09	31.80	6.85	29.37
PK	5.4592G	61.43	74.00	-12.57	9.10	3	Horizontal	8	2.73	-	52.33	31.64	6.83	29.37
PK	5.4668G	66.95	68.20	-1.25	9.13	3	Horizontal	8	2.73	-	57.82	31.67	6.83	29.37
PK	5.497G	107.01	Inf	-Inf	9.27	3	Horizontal	8	2.73	-	97.74	31.79	6.85	29.37

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5500MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00012G	45.27	54.00	-8.73	18.53	3	Vertical	259	1.50	-	26.74	40.20	9.25	30.92
PK	11.0002G	57.13	74.00	-16.87	18.53	3	Vertical	259	1.50	-	38.60	40.20	9.25	30.92

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5500MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99784G	46.07	54.00	-7.93	18.53	3	Horizontal	339	1.45	-	27.54	40.20	9.25	30.92
PK	10.99816G	58.73	74.00	-15.27	18.53	3	Horizontal	339	1.45	-	40.20	40.20	9.25	30.92

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4444G	41.98	54.00	-12.02	9.05	3	Vertical	335	3.00	-	32.93	31.59	6.82	29.36
AV	5.5728G	93.81	Inf	-Inf	9.37	3	Vertical	335	3.00	-	84.44	31.85	6.89	29.37
PK	5.4636G	53.71	68.20	-14.49	9.11	3	Vertical	335	3.00	-	44.60	31.65	6.83	29.37
PK	5.577G	106.44	Inf	-Inf	9.37	3	Vertical	335	3.00	-	97.07	31.85	6.89	29.37
PK	5.7282G	54.22	68.20	-13.98	9.56	3	Vertical	335	3.00	-	44.66	31.96	6.96	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	42.26	54.00	-11.74	9.09	3	Horizontal	336	1.69	-	33.17	31.63	6.83	29.37
AV	5.5848G	96.23	Inf	-Inf	9.39	3	Horizontal	336	1.69	-	86.84	31.87	6.89	29.37
PK	5.4612G	54.14	68.20	-14.06	9.10	3	Horizontal	336	1.69	-	45.04	31.64	6.83	29.37
PK	5.577G	108.92	Inf	-Inf	9.37	3	Horizontal	336	1.69	-	99.55	31.85	6.89	29.37
PK	5.7294G	54.36	68.20	-13.84	9.56	3	Horizontal	336	1.69	-	44.80	31.96	6.96	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2020

5580MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.15948G	43.67	54.00	-10.33	18.29	3	Vertical	17	1.86	-	25.38	39.84	9.32	30.87
PK	11.16G	56.72	74.00	-17.28	18.29	3	Vertical	17	1.86	-	38.43	39.84	9.32	30.87

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2020

5580MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.15996G	43.73	54.00	-10.27	18.29	3	Horizontal	28	1.95	-	25.44	39.84	9.32	30.87
PK	11.16264G	57.13	74.00	-16.87	18.29	3	Horizontal	28	1.95	-	38.84	39.84	9.32	30.87

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7012G	88.81	Inf	-Inf	9.49	3	Vertical	306	1.75	-	79.32	31.90	6.95	29.36
PK	5.697G	100.90	Inf	-Inf	9.48	3	Vertical	306	1.75	-	91.42	31.89	6.95	29.36
PK	5.7252G	63.71	68.20	-4.49	9.55	3	Vertical	306	1.75	-	54.16	31.95	6.96	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	94.23	Inf	-Inf	9.49	3	Horizontal	12	2.18	-	84.74	31.90	6.95	29.36
PK	5.697G	106.95	Inf	-Inf	9.48	3	Horizontal	12	2.18	-	97.47	31.89	6.95	29.36
PK	5.7252G	66.72	68.20	-1.48	9.55	3	Horizontal	12	2.18	-	57.17	31.95	6.96	29.36



802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2020

5700MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.40848G	42.18	54.00	-11.82	18.54	3	Vertical	249	1.53	-	23.64	39.91	9.43	30.80
PK	11.40288G	55.49	74.00	-18.51	18.53	3	Vertical	249	1.53	-	36.96	39.90	9.43	30.80

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2020

5700MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.42144G	42.62	54.00	-11.38	18.57	3	Horizontal	235	2.23	-	24.05	39.92	9.44	30.79
PK	11.39952G	55.54	74.00	-18.46	18.53	3	Horizontal	235	2.23	-	37.01	39.90	9.43	30.80

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.723G	96.47	Inf	-Inf	9.55	3	Vertical	333	3.00	-	86.92	31.95	6.96	29.36
PK	5.725G	109.60	Inf	-Inf	9.55	3	Vertical	333	3.00	-	100.05	31.95	6.96	29.36
PK	5.856G	56.03	68.20	-12.17	9.78	3	Vertical	333	3.00	-	46.25	32.11	7.03	29.36

802.11ax HEW20_Nss1,(MCS0)_2TX

11/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.719G	97.60	Inf	-Inf	9.54	3	Horizontal	14	2.26	-	88.06	31.94	6.96	29.36
PK	5.724G	110.53	Inf	-Inf	9.55	3	Horizontal	14	2.26	-	100.98	31.95	6.96	29.36
PK	5.924G	55.72	68.20	-12.48	10.01	3	Horizontal	14	2.26	-	45.71	32.30	7.06	29.35

802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44152G	44.54	54.00	-9.46	18.60	3	Vertical	199	1.56	-	25.94	39.94	9.45	30.79
PK	11.44624G	58.02	74.00	-15.98	18.61	3	Vertical	199	1.56	-	39.41	39.95	9.45	30.79



802.11ax HEW20_Nss1,(MCS0)_2TX

12/08/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44152G	45.51	54.00	-8.49	18.60	3	Horizontal	80	2.04	-	26.91	39.94	9.45	30.79
PK	11.44132G	58.53	74.00	-15.47	18.60	3	Horizontal	80	2.04	-	39.93	39.94	9.45	30.79

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.266G	94.65	Inf	-Inf	8.82	3	Vertical	315	1.93	-	85.83	31.37	6.80	29.35
AV	5.3504G	45.93	54.00	-8.07	8.54	3	Vertical	315	1.93	-	37.39	31.10	6.80	29.36
PK	5.2756G	106.76	Inf	-Inf	8.80	3	Vertical	315	1.93	-	97.96	31.35	6.80	29.35
PK	5.3508G	60.15	74.00	-13.85	8.55	3	Vertical	315	1.93	-	51.60	31.11	6.80	29.36

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2020

5270MHz_TX






802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5270MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.53104G	55.11	68.20	-13.09	18.17	3	Vertical	293	1.99	-	36.94	39.73	9.04	30.60



802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5354G	55.13	68.20	-13.07	18.18	3	Horizontal	88	1.74	-	36.95	39.74	9.04	30.60

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3056G	93.19	Inf	-Inf	8.73	3	Vertical	317	1.85	-	84.46	31.28	6.80	29.35
AV	5.352G	51.78	54.00	-2.22	8.56	3	Vertical	317	1.85	-	43.22	31.12	6.80	29.36
PK	5.3084G	105.41	Inf	-Inf	8.72	3	Vertical	317	1.85	-	96.69	31.27	6.80	29.35
PK	5.3512G	69.33	74.00	-4.67	8.55	3	Vertical	317	1.85	-	60.78	31.11	6.80	29.36

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3044G	94.87	Inf	-Inf	8.73	3	Horizontal	360	1.83	-	86.14	31.28	6.80	29.35
AV	5.3516G	52.82	54.00	-1.18	8.55	3	Horizontal	360	1.83	-	44.27	31.11	6.80	29.36
PK	5.3068G	107.58	Inf	-Inf	8.72	3	Horizontal	360	1.83	-	98.86	31.27	6.80	29.35
PK	5.3588G	71.18	74.00	-2.82	8.61	3	Horizontal	360	1.83	-	62.57	31.17	6.80	29.36



802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5310MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.61124G	42.43	54.00	-11.57	18.21	3	Vertical	354	2.29	-	24.22	39.79	9.08	30.66
PK	10.62496G	55.23	74.00	-18.77	18.20	3	Vertical	354	2.29	-	37.03	39.78	9.08	30.66

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62576G	42.69	54.00	-11.31	18.18	3	Horizontal	162	1.34	-	24.51	39.77	9.08	30.67
PK	10.61752G	55.71	74.00	-18.29	18.20	3	Horizontal	162	1.34	-	37.51	39.78	9.08	30.66

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.40	54.00	-7.60	9.10	3	Vertical	325	2.10	-	37.30	31.64	6.83	29.37
AV	5.506G	90.11	Inf	-Inf	9.28	3	Vertical	325	2.10	-	80.83	31.80	6.85	29.37
PK	5.47G	64.07	68.20	-4.13	9.14	3	Vertical	325	2.10	-	54.93	31.68	6.83	29.37
PK	5.5156G	101.42	Inf	-Inf	9.29	3	Vertical	325	2.10	-	92.13	31.80	6.86	29.37

802.11ax HEW40_Nss1,(MCS0)_2TX

11/08/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	47.60	54.00	-6.40	9.10	3	Horizontal	357	1.50	-	38.50	31.64	6.83	29.37
AV	5.5044G	92.66	Inf	-Inf	9.28	3	Horizontal	357	1.50	-	83.38	31.80	6.85	29.37
PK	5.4692G	66.34	68.20	-1.86	9.14	3	Horizontal	357	1.50	-	57.20	31.68	6.83	29.37
PK	5.5068G	105.28	Inf	-Inf	9.28	3	Horizontal	357	1.50	-	96.00	31.80	6.85	29.37

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01492G	43.24	54.00	-10.76	18.50	3	Vertical	205	1.96	-	24.74	40.16	9.26	30.92
PK	11.02876G	55.57	74.00	-18.43	18.46	3	Vertical	205	1.96	-	37.11	40.11	9.26	30.91

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02516G	43.17	54.00	-10.83	18.47	3	Horizontal	331	2.15	-	24.70	40.12	9.26	30.91
PK	11.02956G	55.98	74.00	-18.02	18.46	3	Horizontal	331	2.15	-	37.52	40.11	9.26	30.91

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.39	54.00	-8.61	9.10	3	Vertical	324	2.99	-	36.29	31.64	6.83	29.37
AV	5.5556G	90.89	Inf	-Inf	9.32	3	Vertical	324	2.99	-	81.57	31.81	6.88	29.37
PK	5.4656G	60.44	68.20	-7.76	9.12	3	Vertical	324	2.99	-	51.32	31.66	6.83	29.37
PK	5.5556G	103.42	Inf	-Inf	9.32	3	Vertical	324	2.99	-	94.10	31.81	6.88	29.37

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	46.85	54.00	-7.15	9.07	3	Horizontal	360	1.48	-	37.78	31.61	6.83	29.37
AV	5.5444G	93.99	Inf	-Inf	9.30	3	Horizontal	360	1.48	-	84.69	31.80	6.87	29.37
PK	5.4696G	60.84	68.20	-7.36	9.14	3	Horizontal	360	1.48	-	51.70	31.68	6.83	29.37
PK	5.5468G	106.99	Inf	-Inf	9.30	3	Horizontal	360	1.48	-	97.69	31.80	6.87	29.37

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09152G	42.69	54.00	-11.31	18.33	3	Vertical	76	2.15	-	24.36	39.93	9.29	30.89
PK	11.09048G	55.00	74.00	-19.00	18.33	3	Vertical	76	2.15	-	36.67	39.93	9.29	30.89

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0946G	42.77	54.00	-11.23	18.32	3	Horizontal	112	1.23	-	24.45	39.92	9.29	30.89
PK	11.09684G	55.29	74.00	-18.71	18.31	3	Horizontal	112	1.23	-	36.98	39.91	9.29	30.89

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6612G	89.51	Inf	-Inf	9.31	3	Vertical	308	1.71	-	80.20	31.74	6.93	29.36
PK	5.6668G	102.23	Inf	-Inf	9.34	3	Vertical	308	1.71	-	92.89	31.77	6.93	29.36
PK	5.7256G	58.76	68.20	-9.44	9.55	3	Vertical	308	1.71	-	49.21	31.95	6.96	29.36

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6752G	93.50	Inf	-Inf	9.38	3	Horizontal	307	1.89	-	84.12	31.80	6.94	29.36
PK	5.6756G	105.87	Inf	-Inf	9.38	3	Horizontal	307	1.89	-	96.49	31.80	6.94	29.36
PK	5.7252G	62.15	68.20	-6.05	9.55	3	Horizontal	307	1.89	-	52.60	31.95	6.96	29.36



802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5670MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.34236G	42.47	54.00	-11.53	18.42	3	Vertical	113	1.20	-	24.05	39.84	9.40	30.82
PK	11.34492G	54.98	74.00	-19.02	18.43	3	Vertical	113	1.20	-	36.55	39.84	9.41	30.82

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33964G	42.54	54.00	-11.46	18.42	3	Horizontal	260	2.05	-	24.12	39.84	9.40	30.82
PK	11.3434G	54.72	74.00	-19.28	18.42	3	Horizontal	260	2.05	-	36.30	39.84	9.40	30.82

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	42.44	54.00	-11.56	9.10	3	Vertical	306	1.76	-	33.34	31.64	6.83	29.37
AV	5.704G	89.52	Inf	-Inf	9.50	3	Vertical	306	1.76	-	80.02	31.91	6.95	29.36
PK	5.46G	52.71	74.00	-21.29	9.10	3	Vertical	306	1.76	-	43.61	31.64	6.83	29.37
PK	5.464G	52.94	68.20	-15.26	9.12	3	Vertical	306	1.76	-	43.82	31.66	6.83	29.37
PK	5.707G	101.61	Inf	-Inf	9.50	3	Vertical	306	1.76	-	92.11	31.91	6.95	29.36
PK	5.949G	56.24	68.20	-11.96	10.12	3	Vertical	306	1.76	-	46.12	32.40	7.07	29.35

802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	42.66	54.00	-11.34	9.10	3	Horizontal	13	2.18	-	33.56	31.64	6.83	29.37
AV	5.701G	94.90	Inf	-Inf	9.49	3	Horizontal	13	2.18	-	85.41	31.90	6.95	29.36
PK	5.462G	53.73	68.20	-14.47	9.11	3	Horizontal	13	2.18	-	44.62	31.65	6.83	29.37
PK	5.707G	106.63	Inf	-Inf	9.50	3	Horizontal	13	2.18	-	97.13	31.91	6.95	29.36
PK	5.933G	55.37	68.20	-12.83	10.05	3	Horizontal	13	2.18	-	45.32	32.33	7.07	29.35



802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4224G	43.22	54.00	-10.78	18.57	3	Vertical	353	1.33	-	24.65	39.92	9.44	30.79
PK	11.41848G	55.20	74.00	-18.80	18.57	3	Vertical	353	1.33	-	36.63	39.92	9.44	30.79



802.11ax HEW40_Nss1,(MCS0)_2TX

12/08/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.42308G	43.56	54.00	-10.44	18.57	3	Horizontal	19	1.17	-	24.99	39.92	9.44	30.79
PK	11.42484G	56.72	74.00	-17.28	18.57	3	Horizontal	19	1.17	-	38.15	39.92	9.44	30.79

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	45.65	54.00	-8.35	9.43	3	Vertical	317	1.91	-	36.22	31.99	6.77	29.33
AV	5.281G	90.43	Inf	-Inf	8.79	3	Vertical	317	1.91	-	81.64	31.34	6.80	29.35
AV	5.358G	51.22	54.00	-2.78	8.60	3	Vertical	317	1.91	-	42.62	31.16	6.80	29.36
PK	5.148G	58.45	74.00	-15.55	9.44	3	Vertical	317	1.91	-	49.01	32.00	6.77	29.33
PK	5.301G	103.39	Inf	-Inf	8.75	3	Vertical	317	1.91	-	94.64	31.30	6.80	29.35
PK	5.354G	66.67	74.00	-7.33	8.57	3	Vertical	317	1.91	-	58.10	31.13	6.80	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	48.40	54.00	-5.60	9.44	3	Horizontal	360	1.73	-	38.96	32.00	6.77	29.33
AV	5.28G	92.79	Inf	-Inf	8.79	3	Horizontal	360	1.73	-	84.00	31.34	6.80	29.35
AV	5.353G	52.83	54.00	-1.17	8.56	3	Horizontal	360	1.73	-	44.27	31.12	6.80	29.36
PK	5.148G	60.87	74.00	-13.13	9.44	3	Horizontal	360	1.73	-	51.43	32.00	6.77	29.33
PK	5.301G	105.28	Inf	-Inf	8.75	3	Horizontal	360	1.73	-	96.53	31.30	6.80	29.35
PK	5.361G	69.13	74.00	-4.87	8.63	3	Horizontal	360	1.73	-	60.50	31.19	6.80	29.36



802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5290MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.57592G	55.42	68.20	-12.78	18.21	3	Vertical	224	1.96	-	37.21	39.78	9.06	30.63



802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58676G	55.27	68.20	-12.93	18.21	3	Horizontal	244	1.34	-	37.06	39.79	9.06	30.64

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020


5530MHz_TX



802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	51.74	54.00	-2.26	9.07	3	Horizontal	0	1.50	-	42.67	31.61	6.83	29.37
AV	5.52G	89.63	Inf	-Inf	9.29	3	Horizontal	0	1.50	-	80.34	31.80	6.86	29.37
PK	5.467G	66.61	68.20	-1.59	9.13	3	Horizontal	0	1.50	-	57.48	31.67	6.83	29.37
PK	5.541G	102.86	Inf	-Inf	9.30	3	Horizontal	0	1.50	-	93.56	31.80	6.87	29.37
PK	5.729G	54.98	68.20	-13.22	9.56	3	Horizontal	0	1.50	-	45.42	31.96	6.96	29.36



802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5530MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.05256G	42.95	54.00	-11.05	18.41	3	Vertical	136	2.46	-	24.54	40.04	9.27	30.90
PK	11.05556G	55.72	74.00	-18.28	18.41	3	Vertical	136	2.46	-	37.31	40.03	9.28	30.90



802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5530MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.05512G	43.23	54.00	-10.77	18.40	3	Horizontal	10	2.38	-	24.83	40.03	9.27	30.90
PK	11.05308G	55.32	74.00	-18.68	18.41	3	Horizontal	10	2.38	-	36.91	40.04	9.27	30.90

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020


5610MHz_TX



802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.64	54.00	-9.36	9.10	3	Horizontal	341	1.75	-	35.54	31.64	6.83	29.37
AV	5.6G	90.49	Inf	-Inf	9.43	3	Horizontal	341	1.75	-	81.06	31.90	6.90	29.37
PK	5.47G	56.14	68.20	-12.06	9.14	3	Horizontal	341	1.75	-	47.00	31.68	6.83	29.37
PK	5.621G	102.48	Inf	-Inf	9.36	3	Horizontal	341	1.75	-	93.12	31.82	6.91	29.37
PK	5.757G	55.78	68.20	-12.42	9.62	3	Horizontal	341	1.75	-	46.16	32.00	6.98	29.36

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22764G	42.66	54.00	-11.34	18.30	3	Vertical	331	1.64	-	24.36	39.80	9.35	30.85
PK	11.21756G	55.34	74.00	-18.66	18.30	3	Vertical	331	1.64	-	37.04	39.80	9.35	30.85



802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22516G	42.59	54.00	-11.41	18.30	3	Horizontal	356	2.02	-	24.29	39.80	9.35	30.85
PK	11.22812G	55.15	74.00	-18.85	18.30	3	Horizontal	356	2.02	-	36.85	39.80	9.35	30.85

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.448G	42.65	54.00	-11.35	9.06	3	Vertical	306	1.78	-	33.59	31.60	6.82	29.36
AV	5.664G	85.18	Inf	-Inf	9.33	3	Vertical	306	1.78	-	75.85	31.76	6.93	29.36
PK	5.461G	54.10	68.20	-14.10	9.10	3	Vertical	306	1.78	-	45.00	31.64	6.83	29.37
PK	5.701G	98.33	Inf	-Inf	9.49	3	Vertical	306	1.78	-	88.84	31.90	6.95	29.36
PK	5.937G	55.27	68.20	-12.93	10.07	3	Vertical	306	1.78	-	45.20	32.35	7.07	29.35

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	43.07	54.00	-10.93	9.09	3	Horizontal	308	1.88	-	33.98	31.63	6.83	29.37
AV	5.68G	89.57	Inf	-Inf	9.40	3	Horizontal	308	1.88	-	80.17	31.82	6.94	29.36
PK	5.467G	54.56	68.20	-13.64	9.13	3	Horizontal	308	1.88	-	45.43	31.67	6.83	29.37
PK	5.701G	101.65	Inf	-Inf	9.49	3	Horizontal	308	1.88	-	92.16	31.90	6.95	29.36
PK	5.912G	55.85	68.20	-12.35	9.96	3	Horizontal	308	1.88	-	45.89	32.25	7.06	29.35

802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38608G	42.75	54.00	-11.25	18.51	3	Vertical	158	2.11	-	24.24	39.89	9.42	30.80
PK	11.3868G	55.23	74.00	-18.77	18.51	3	Vertical	158	2.11	-	36.72	39.89	9.42	30.80



802.11ax HEW80_Nss1,(MCS0)_2TX

12/08/2020

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38932G	42.92	54.00	-11.08	18.52	3	Horizontal	57	1.22	-	24.40	39.89	9.43	30.80
PK	11.37468G	55.59	74.00	-18.41	18.48	3	Horizontal	57	1.22	-	37.11	39.87	9.42	30.81