# ATTACHMENT A. ID LABEL INFORMATION AND LOCATION PHOTOS

DATE: DEC. 23, 1998

#### 1.1 ID Label Information

According to the requirement section 2.925 and 2.926,the sample label shown below shall be Permanently affixed at a conspicuous location on the device supplied to the user and be readily visible to the purchaser at the time purchase

#### Figure 3.1 PRODUCT LABEL

Both the FCC ID and compliance statement are included in the product label

## ·MYUNDAI

Model NO: P990

**POWER** : AC 100-240VAC

3 A

FCC ID : CKLP990

Serial No:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.
- "Product complies with DHHS Rules-21 CFR subchapter J-applicable at date of manufacture"

HYUNDAI ELECTRONICS AMERICA 166 Baypoint Parkway, San Jose , CA 95134 MANUFACTURED BY HYUNDAI ELECTRONICS IND. CO., LTD.

MADE IN KOREA

REPORT NO: HEI-RF-9812003

# Label Photo

i

# ·WYUNDAI

See installation instructions before connecting to the supply.

This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions:

(1)this device may not cause harmful interference, and
(2)this device must accept any interference received, including interference that may cause undesired operation.

"Product complies with DHHS Rules-21 CFR subchapter j-applicable at date of manufacture"

WARNUNG: Vor ffnen des Ger tes Netzstecker ziehen. Disconnect power before opening.

HYUNDAI ELECTRONICS AMERICA
3101 North 1st Street, San Jose, CA95134
MANUFACTURED BY
HYUNDAI ELECTRONICS IND. CO., LTD.

631 6345 200 MADE IN KOREA









Model No.: P990 POWER: 100-2

OWER : 100-240V~ 3A 60/50Hz

FCC ID : CKLP990 Serial No. : 00002

Manufactured DECEMBER 1998

Die in diesem Ger t entstehende R ntgenstrahlung ist durch eine eigensichere Kathodenstrahlr hre nach Anlage III R ntgenverordnung ausreichend abgeschirmt. Beschleunigungsspannung: Max. 27.5kV

This Class B digital apparatus meets all requirements of the Canadian Interference-Causing Equipment Regulations. Cet appareil num rique de la classe B respecte toutes les exigences du R glement sur le mat riel brouilleur du Canada.

Apparaten skall anslutas till jordat n tuttag. Connect only to a property grounded outlet.

[PY]

### 1.3 Label Location Photo

