



# The Photos of SAR test

No. I15Z40275-SEM01

For

**Asiatelco Technologies Co.**

**LTE Mobile hotspot**

**Model name: ALM-N245**

**Marketing name: ATEL**


With

**Hardware Version: KF1030**

**Software Version: N245V1.0.0B03**

**FCC ID: XYOALM-N245**

**Issued Date: 2015-06-23**



**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

**Test Laboratory:**

CTTL, Telecommunication Technology Labs, Academy of Telecommunication Research, MIIT  
No. 51 Shouxiang Science Building, Xueyuan Road, Haidian District, Beijing, P. R. China100191  
Tel:+86(0)10-62304633-2512,Fax:+86(0)10-62304633-2504  
Email:[cttl\\_terminals@catr.cn](mailto:cttl_terminals@catr.cn), website:[www.chinattl.com](http://www.chinattl.com)

©Copyright. All rights reserved by CTTL.



**Picture 1: Constituents of the sample**

**Test positions for body:**

The Body SAR is tested at the following 6 test positions all with the distance =10mm between the EUT and the phantom bottom:




**Picture 2: Front**



**Picture 3: Rear**



**Picture 4: Left Side**



**Picture 5: Right Side**



**Picture 6: Top Side**



**Picture 7: Bottom Side**