

REPORT NO.: 4791359063-1-RF-4

Page 430 of 507

## 11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER 11.4.1. Test Result

				F00	ICED			
Toot Mode	Antonno	Eroguopov(MU=1	Power	FCC	ISED	EIRP	Limit	Vardiat
Test Mode	Antenna	Frequency[MHz]	[dBm]	Limit [dBm]	Limit [dBm]	[dBm]	[dBm]	Verdict
	Ant1	5180	15.45	≤23.98	[UDIII]	18.02	≤22.21	PASS
	Ant2	5180	15.45	≤23.98		18.09	≤22.21	PASS
	Ant1	5200	15.40	≤23.98		17.97	≤22.21	PASS
	Ant2	5200	15.53	≤23.98		18.10	≤22.21	PASS
	Ant1	5240	15.25	≤23.98		17.82	≤22.21	PASS
	Ant2	5240	15.69	≤23.98		18.26	≤22.22	PASS
	Ant1	5260	15.03	≤23.77	≤23.22	17.64	≤29.22	PASS
	Ant2	5260	15.77	≤23.65	≤23.22	18.34	≤29.22	PASS
	Ant1	5280	15.14	≤23.70	≤23.22	17.71	≤29.22	PASS
	Ant2	5280	15.85	≤23.80	≤23.22	18.42	≤29.22	PASS
	Ant1	5320	15.37	≤23.74	≤23.22	17.94	≤29.22	PASS
	Ant2	5320	15.81	≤23.74	≤23.20	18.38	≤29.22 ≤29.20	PASS
		5500	15.63	≤23.77	≤23.20 ≤23.21	18.20	≤29.20 ≤29.21	PASS
	Ant1 Ant2	5500	16.12	≤23.73	≤23.21	18.69	≤29.21	PASS
11A					≤23.21 ≤23.21	18.60	≤29.21	
	Ant1 Ant2	5580 5580	16.03 16.15	≤23.73 ≤23.75	≤23.21	18.72	≤29.21	PASS PASS
	Ant1	5700	15.09	≤23.77	≤23.21	17.66	≤29.21	PASS
	Ant2	5700	15.12	≤23.77	≤23.21	17.69	≤29.21	PASS
	Ant1	5720_UNII-2C	15.12	≤22.60	≤22.24	17.83	≤28.24	PASS
	Ant2	5720_UNII-2C	15.20	≤22.54	≤22.2 <del>4</del>	17.88	≤28.23	PASS
		5720_UNII-3	7.28	≤30.00	≤22.23 ≤30.00	9.85		PASS
	Ant1 Ant2	5720_UNII-3	7.26	≤30.00	≤30.00	9.65		PASS
		5745	15.70	≤30.00	≤30.00	18.27		PASS
	Ant1			≤30.00	≤30.00			PASS
	Ant2	5745 5785	15.99			18.56		
	Ant1	5785 5785	15.08	≤30.00	≤30.00	17.65		PASS
	Ant2	5785 5825	15.57 15.23	≤30.00	≤30.00 ≤30.00	18.14		PASS PASS
	Ant1 Ant2	5825	15.25	≤30.00 ≤30.00	≤30.00	17.80 18.22		PASS
	Ant1	5180	12.40	≤23.98		14.97	≤22.46	PASS
	Ant2	5180	12.40	≤23.98			≤22.46 ≤22.47	PASS
		5180	15.27	≤23.98		14.69 17.84	≤22.47 ≤22.46	PASS
	total Ant1	5200	12.32	≤23.98		14.89	≤22.46 ≤22.45	PASS
	Ant2	5200	11.97	≤23.98		14.54	≤22.45 ≤22.46	PASS
		5200	15.16	≤23.98		17.73	≤22.46 ≤22.45	PASS
	total	5240	12.23	≤23.98			≤22.45 ≤22.45	PASS
	Ant1	5240		≤23.98		14.80		PASS
	Ant2	5240	12.18 15.22	≤23.98		14.75 17.79	≤22.45 ≤22.45	PASS
	total Ant1	5260	15.26	≤23.98	 ≤23.49	17.79	≤22.45 ≤29.49	PASS
		5260	15.26	≤23.96	≤23.49 ≤23.47	18.46	≤29.49 ≤29.47	PASS
	Ant2 total	5260	18.60	≤23.98	≤23.47 ≤23.47	21.17	≤29.47 ≤29.47	PASS
		5280						PASS
11N20MIMO	Ant1	5280	15.35 15.98	≤23.98 ≤23.98	≤23.48 ≤23.48	17.92	≤29.48 ≤29.48	PASS
	Ant2					18.55		PASS
	total	5280 5330	18.69	≤23.98	≤23.48	21.26 18.24	≤29.48	PASS
	Ant1 Ant2	5320 5320	15.67	≤23.98 ≤23.98	≤23.48 ≤23.47	18.53	≤29.48 ≤29.47	PASS
		5320	15.96	≤23.98	≤23.47 ≤23.47	21.40	≤29.47 ≤29.47	PASS
	total Ant1	5500	18.83 12.72	≤23.98 ≤23.98	≤23.47 ≤23.46	15.29	≤29.47 ≤29.46	PASS
	Ant2	5500	11.63	≤23.96 ≤23.97	≤23.45	14.20	≤29.46 ≤29.45	PASS
	· .	5500	15.22	≤23.98	≥23.45 ≤23.45	17.79	≥29.45 ≤29.45	PASS
	total Ant1	5580	12.81	≥23.96 ≤23.95	≥23.45 ≤23.45	15.38	≥29.45 ≤29.45	PASS
	-			≤23.90	≤23.45 ≤23.44	14.41	≥29.45 ≤29.44	PASS
	Ant2	5580 5580	11.84 15.36	≤23.90 ≤23.98	≤23.44 ≤23.44	17.93	≤29.44 ≤29.44	PASS
	total	5700	12.69	≤23.98 ≤23.98	≤23.44 ≤23.46	15.26	≤29.44 ≤29.46	PASS
	Ant1				≤23.46 ≤23.46			PASS
	Ant2	5700	11.36	≤23.94	≥∠3.40	13.93	≤29.46	LH99



15.09 ≤23.98 ≤23.46 ≤29.46 **PASS** total 5700 17.66 Ant1 5720\_UNII-2C 12.54 ≤22.75 ≤22.41 15.11 ≤28.41 **PASS** 5720\_UNII-2C 11.18 13.75 ≤28.41 **PASS** Ant2 ≤22.73 ≤22.41 14.92 **PASS** 5720\_UNII-2C ≤23.98 ≤22.41 17.49 total ---**PASS** 5720\_UNII-3 5.03 ≤30.00 ≤30.00 7.60 Ant1 ---5720\_UNII-3 3.51 ≤30.00 ≤30.00 6.08 **PASS** Ant2 ---PASS total 5720 UNII-3 7.35 ≤30.00 ≤30.00 9.92 ---Ant1 5745 15.40 ≤30.00 ≤30.00 17.97 **PASS** 5745 15.93 ≤30.00 ≤30.00 18.50 **PASS** Ant2 5745 ≤30.00 ≤30.00 21.25 **PASS** total 18.68 Ant1 5785 15.25 ≤30.00 ≤30.00 17.82 **PASS** Ant2 5785 15.94 ≤30.00 ≤30.00 18.51 **PASS** 5785 ≤30.00 ≤30.00 21.19 **PASS** total 18.62 5825 15.22 ≤30.00 ≤30.00 17.79 **PASS** Ant1 Ant2 5825 16.00 ≤30.00 ≤30.00 18.57 **PASS** total 5825 18.64 ≤30.00 ≤30.00 21.21 **PASS** Ant1 5190 14.46 ≤23.98 17.03 ≤23.01 **PASS** 5190 13.78 ≤23.98 16.35 ≤23.01 **PASS** Ant2 ≤23.98 total 5190 17.14 19.71 ≤23.01 **PASS** 5230 15.14 ≤23.98 17.71 ≤23.01 **PASS** Ant1 Ant2 5230 15.39 ≤23.98 17.96 ≤23.01 **PASS** ≤23.98 ≤23.01 **PASS** 5230 18.28 20.85 total ≤23.98 ≤23.98 ≤29.98 **PASS** 5270 13.69 16.26 Ant1 13.44 ≤23.98 ≤29.98 **PASS** Ant2 5270 ≤23.98 16.01 total 5270 16.58 ≤23.98 ≤23.98 19.15 ≤29.98 **PASS** Ant1 5310 13.56 ≤23.98 ≤23.98 16.13 ≤29.98 **PASS** 5310 12.85 ≤23.98 ≤23.98 15.42 ≤29.98 **PASS** Ant2 ≤23.98 ≤29.98 **PASS** total 5310 16.23 ≤23.98 18.80 Ant1 5510 12.97 ≤23.98 ≤23.98 15.54 ≤29.98 **PASS** Ant2 5510 12.66 ≤23.98 ≤23.98 15.23 ≤29.98 **PASS** total 5510 15.83 ≤23.98 ≤23.98 18.40 ≤29.98 **PASS** 5550 13.36 ≤23.98 ≤23.98 15.93 ≤29.98 **PASS** Ant1 11N40MIMO Ant2 5550 13.38 ≤23.98 ≤23.98 15.95 ≤29.98 **PASS** 5550 16.38 ≤23.98 ≤23.98 18.95 ≤29.98 **PASS** total Ant1 5670 13.26 ≤23.98 ≤23.98 15.83 ≤29.98 **PASS** 12.53 Ant2 5670 ≤23.98 ≤23.98 15.10 ≤29.98 **PASS** total 5670 15.92 ≤23.98 ≤23.98 18.49 ≤29.98 **PASS** ≤23.98 ≤29.98 Ant1 5710\_UNII-2C 12.92 ≤23.98 15.49 **PASS** Ant2 5710\_UNII-2C 11.85 ≤23.98 ≤23.98 14.42 ≤29.98 **PASS** 5710\_UNII-2C 15.43 18.00 **PASS** total ≤23.98 ≤23.98 ≤29.98 -0.64 ≤30.00 ≤30.00 1.93 **PASS** Ant1 5710\_UNII-3 **PASS** 5710\_UNII-3 -1.89 ≤30.00 ≤30.00 0.68 Ant2 ---5710 UNII-3 1.79 ≤30.00 PASS total ≤30.00 4.36 Ant1 5755 15.35 ≤30.00 ≤30.00 17.92 ---**PASS** Ant2 5755 15.86 ≤30.00 ≤30.00 18.43 **PASS** 5755 ≤30.00 ≤30.00 21.19 **PASS** total 18.62 Ant1 5795 15.41 ≤30.00 ≤30.00 17.98 **PASS** Ant2 5795 15.99 ≤30.00 ≤30.00 18.56 **PASS** ≤30.00 5795 18.72 21.29 **PASS** total ≤30.00 PASS 5210 ≤23.98 16.08 ≤23.01 Ant1 13.51 **PASS** Ant2 5210 13.68 ≤23.98 16.25 ≤23.01 5210 16.61 ≤23.98 19.18 **PASS** total ≤23.01 Ant1 5290 13.23 ≤23.98 ≤23.98 15.80 ≤29.98 **PASS** Ant2 5290 13.49 ≤23.98 ≤23.98 16.06 ≤29.98 **PASS** 11AC80MIMO 5290 16.37 ≤23.98 ≤23.98 18.94 ≤29.98 **PASS** total Ant1 5530 13.38 ≤23.98 ≤23.98 15.95 ≤29.98 **PASS** Ant2 5530 13.89 ≤23.98 ≤23.98 16.46 ≤29.98 **PASS** ≤23.98 ≤29.98 PASS total 5530 16.65 ≤23.98 19.22 ≤23.98 ≤23.98 15.91 ≤29.98 5610 13.34 PASS Ant1 ≤29.98 Ant2 5610 13.61 ≤23.98 ≤23.98 16.18 **PASS** 



	total	5610	16.49	≤23.98	≤23.98	19.06	≤29.98	PASS
				≤23.98				PASS
	Ant1	5690_UNII-2C	13.04		≤23.98 ≤23.98	15.61	≤29.98	
	Ant2	5690_UNII-2C	13.25	≤23.98		15.82	≤29.98	PASS
	total	5690_UNII-2C	16.16	≤23.98	≤23.98	18.73	≤29.98	PASS
	Ant1	5690_UNII-3	-3.75	≤30.00	≤30.00	-1.18		PASS
	Ant2	5690_UNII-3	-3.60	≤30.00	≤30.00	-1.03		PASS
	total	5690_UNII-3	-0.66	≤30.00	≤30.00	1.91		PASS
	Ant1	5775	13.34	≤30.00	≤30.00	15.91		PASS
	Ant2	5775	13.95	≤30.00	≤30.00	16.52		PASS
	total	5775	16.67	≤30.00	≤30.00	19.24		PASS
	Ant1	5180	12.39	≤23.98		14.96	≤22.76	PASS
	Ant2	5180	12.10	≤23.98		14.67	≤22.76	PASS
	total	5180	15.26	≤23.98		17.83	≤22.76	PASS
	Ant1	5200	12.73	≤23.98		15.30	≤22.76	PASS
	Ant2	5200	12.38	≤23.98		14.95	≤22.76	PASS
	total	5200	15.57	≤23.98		18.14	≤22.76	PASS
	Ant1	5240	12.23	≤23.98		14.80	≤22.76	PASS
	Ant2	5240	12.27	≤23.98		14.84	≤22.76	PASS
	total	5240	15.26	≤23.98		17.83	≤22.76	PASS
	Ant1	5260	13.34	≤23.98	≤23.79	15.91	≤29.79	PASS
	Ant2	5260	13.34	≤23.98	≤23.79	15.91	≤29.79	PASS
	total	5260	16.35	≤23.98	≤23.79	18.92	≤29.79	PASS
	Ant1	5280	13.35	≤23.98	≤23.79	15.92	≤29.79	PASS
	Ant2	5280	13.39	≤23.98	≤23.77	15.92	≤29.77	PASS
	total	5280		≤23.98	≤23.77	18.95	≤29.77	PASS
			16.38					
	Ant1	5320	13.50	≤23.98	≤23.78	16.07	≤29.78	PASS
	Ant2	5320	13.32	≤23.98	≤23.76	15.89	≤29.76	PASS
	total	5320	16.42	≤23.98	≤23.76	18.99	≤29.76	PASS
	Ant1	5500	11.21	≤23.98	≤23.77	13.78	≤29.77	PASS
	Ant2	5500	9.24	≤23.98	≤23.77	11.81	≤29.77	PASS
11AX20MIMO	total	5500	13.35	≤23.98	≤23.77	15.92	≤29.77	PASS
	Ant1	5580	10.94	≤23.98	≤23.77	13.51	≤29.77	PASS
	Ant2	5580	9.89	≤23.98	≤23.77	12.46	≤29.77	PASS
	total	5580	13.46	≤23.98	≤23.77	16.03	≤29.77	PASS
	Ant1	5700	10.92	≤23.98	≤23.76	13.49	≤29.76	PASS
	Ant2	5700	9.37	≤23.98	≤23.77	11.94	≤29.77	PASS
	total	5700	13.22	≤23.98	≤23.76	15.79	≤29.76	PASS
	Ant1	5720_UNII-2C	10.74	≤22.85	≤22.60	13.31	≤28.60	PASS
	Ant2	5720_UNII-2C	9.30	≤22.82	≤22.60	11.87	≤28.60	PASS
	total	5720_UNII-2C	13.09	≤23.98	≤22.60	15.66	≤28.60	PASS
	Ant1	5720_UNII-3	3.38	≤30.00	≤30.00	5.95		PASS
	Ant2	5720_UNII-3	1.77	≤30.00	≤30.00	4.34		PASS
	total	5720_UNII-3	5.66	≤30.00	≤30.00	8.23		PASS
	Ant1	5745	13.31	≤30.00	≤30.00	15.88		PASS
	Ant2	5745	13.58	≤30.00	≤30.00	16.15		PASS
	total	5745	16.46	≤30.00	≤30.00	19.03		PASS
	Ant1	5785	13.12	≤30.00	≤30.00	15.69		PASS
	Ant2	5785	13.62	≤30.00	≤30.00	16.19		PASS
	total	5785	16.39	≤30.00	≤30.00	18.96		PASS
	Ant1	5825	13.13	≤30.00	≤30.00	15.70		PASS
	Ant2	5825	13.74	≤30.00	≤30.00	16.31		PASS
	total	5825	16.46	≤30.00	≤30.00	19.03		PASS
	Ant1	5190	13.64	≤23.98		16.21	≤23.01	PASS
	Ant2	5190	13.49	≤23.98		16.06	≤23.01	PASS
	total	5190	16.58	≤23.98		19.15	≤23.01	PASS
	Ant1	5230	13.31	≤23.98		15.88	≤23.01	PASS
11AX40MIMO	Ant2	5230	13.27	≤23.98		15.84	≤23.01 ≤23.01	PASS
		5230	16.30	≥23.96 ≤23.98		18.87	≤23.01	PASS
	total	5230	_	≤23.98 ≤23.98	 ≤23.98			PASS
	Ant1		13.34			15.91	≤29.98	
	Ant2	5270	13.46	≤23.98	≤23.98	16.03	≤29.98	PASS


	total	5270	16.41	≤23.98	≤23.98	18.98	≤29.98	PASS
	Ant1	5310	13.69	≤23.98	≤23.98	16.26	≤29.98	PASS
	Ant2	5310	13.52	≤23.98	≤23.98	16.09	≤29.98	PASS
	total	5310	16.62	≤23.98	≤23.98	19.19	≤29.98	PASS
	Ant1	5510	13.32	≤23.98	≤23.98	15.89	≤29.98	PASS
	Ant2	5510	13.87	≤23.98	≤23.98	16.44	≤29.98	PASS
	total	5510	16.61	≤23.98	≤23.98	19.18	≤29.98	PASS
	Ant1	5550	13.14	≤23.98	≤23.98	15.71	≤29.98	PASS
	Ant2	5550	13.41	≤23.98	≤23.98	15.98	≤29.98	PASS
	total	5550	16.29	≤23.98	≤23.98	18.86	≤29.98	PASS
	Ant1	5670	13.34	≤23.98	≤23.98	15.91	≤29.98	PASS
	Ant2	5670	13.49	≤23.98	≤23.98	16.06	≤29.98	PASS
	total	5670	16.43	≤23.98	≤23.98	19.00	≤29.98	PASS
	Ant1	5710_UNII-2C	13.23	≤23.98	≤23.98	15.80	≤29.98	PASS
	Ant2	5710_UNII-2C	13.25	≤23.98	≤23.98	15.82	≤29.98	PASS
	total	5710_UNII-2C	16.25	≤23.98	≤23.98	18.82	≤29.98	PASS
	Ant1	5710_UNII-3	-0.68	≤30.00	≤30.00	1.89		PASS
	Ant2	5710_UNII-3	-0.52	≤30.00	≤30.00	2.05		PASS
	total	5710_UNII-3	2.41	≤30.00	≤30.00	4.98		PASS
	Ant1	5755	13.71	≤30.00	≤30.00	16.28		PASS
	Ant2	5755	13.87	≤30.00	≤30.00	16.44		PASS
	total	5755	16.80	≤30.00	≤30.00	19.37		PASS
	Ant1	5795	13.19	≤30.00	≤30.00	15.76		PASS
	Ant2	5795	13.52	≤30.00	≤30.00	16.09		PASS
	total	5795	16.37	≤30.00	≤30.00	18.94		PASS
	Ant1	5210	13.46	≤23.98		16.03	≤23.01	PASS
	Ant2	5210	13.65	≤23.98		16.22	≤23.01	PASS
	total	5210	16.57	≤23.98		19.14	≤23.01	PASS
	Ant1	5290	13.59	≤23.98	≤23.98	16.16	≤29.98	PASS
	Ant2	5290	13.85	≤23.98	≤23.98	16.42	≤29.98	PASS
	total	5290	16.73	≤23.98	≤23.98	19.30	≤29.98	PASS
	Ant1	5530	13.25	≤23.98	≤23.98	15.82	≤29.98	PASS
	Ant2	5530	13.76	≤23.98	≤23.98	16.33	≤29.98	PASS
	total	5530	16.52	≤23.98	≤23.98	19.09	≤29.98	PASS
	Ant1	5610	13.17	≤23.98	≤23.98	15.74	≤29.98	PASS
11AX80MIMO	Ant2	5610	13.30	≤23.98	≤23.98	15.87	≤29.98	PASS
	total	5610	16.25	≤23.98	≤23.98	18.82	≤29.98	PASS
	Ant1	5690_UNII-2C	13.28	≤23.98	≤23.98	15.85	≤29.98	PASS
	Ant2	5690_UNII-2C	13.42	≤23.98	≤23.98	15.99	≤29.98	PASS
	total	5690_UNII-2C	16.36	≤23.98	≤23.98	18.93	≤29.98	PASS
	Ant1	5690_UNII-3	-3.05	≤30.00	≤30.00	-0.48		PASS
	Ant2	5690_UNII-3	-2.92	≤30.00	≤30.00	-0.35		PASS
	total	5690_UNII-3	0.03	≤30.00	≤30.00	2.60		PASS
	Ant1	5775	13.46	≤30.00	≤30.00	16.03		PASS
	Ant2	5775	13.67	≤30.00	≤30.00	16.24		PASS
	total	5775	16.58	≤30.00	≤30.00	19.15		PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor


2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.




## 11.4.2. Test Graphs














































REPORT NO.: 4791359063-1-RF-4

Page 444 of 507

## 11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY 11.5.1. Test Result

			Power	Limit	EIRP	Limit	.,
Test Mode	Antenna	Frequency[MHz]	[dBm/MHz]	[dBm/MHz]	[dBm/MHz]	[dBm/MHz]	Verdict
	Ant1	5180	4.41	≤11.00	6.98	≤10.00	PASS
	Ant2	5180	4.30	≤11.00	6.87	≤10.00	PASS
	Ant1	5200	4.37	≤11.00	6.94	≤10.00	PASS
	Ant2	5200	4.34	≤11.00	6.91	≤10.00	PASS
	Ant1	5240	4.18	≤11.00	6.75	≤10.00	PASS
	Ant2	5240	4.67	≤11.00	7.24	≤10.00	PASS
	Ant1	5260	3.83	≤11.00	6.40		PASS
	Ant2	5260	4.45	≤11.00	7.02		PASS
	Ant1	5280	4.15	≤11.00	6.72		PASS
	Ant2	5280	4.55	≤11.00 ≤11.00	7.12 6.75		PASS PASS
	Ant1 Ant2	5320 5320	4.18 4.58	≤11.00 ≤11.00	7.15		PASS
	Ant1	5500	4.41	≤11.00 ≤11.00	6.98		PASS
	Ant2	5500	4.93	≤11.00 ≤11.00	7.50		PASS
11A	Ant1	5580	4.63	≤11.00 ≤11.00	7.20		PASS
	Ant2	5580	5.00	≤11.00	7.57		PASS
	Ant1	5700	4.09	≤11.00 ≤11.00	6.66		PASS
	Ant2	5700	4.14	≤11.00 ≤11.00	6.71		PASS
	Ant1	5720 UNII-2C	4.84	≤11.00	7.41		PASS
	Ant2	5720_UNII-2C	5.04	≤11.00	7.61		PASS
	Ant1	5720_UNII-3	1.49	≤30.00	4.06		PASS
	Ant2	5720_UNII-3	1.53	≤30.00	4.10		PASS
	Ant1	5745	1.67	≤30.00	4.24		PASS
	Ant2	5745	1.84	≤30.00	4.41		PASS
	Ant1	5785	0.96	≤30.00	3.53		PASS
	Ant2	5785	1.53	≤30.00	4.10		PASS
	Ant1	5825	1.16	≤30.00	3.73		PASS
	Ant2	5825	1.52	≤30.00	4.09		PASS
	Ant1	5180	1.05	≤11.00	3.62	≤10.00	PASS
	Ant2	5180	0.95	≤11.00	3.52	≤10.00	PASS
	total	5180	4.01	≤11.00	9.59	≤10.00	PASS
	Ant1	5200	0.94	≤11.00	3.51	≤10.00	PASS
	Ant2	5200	0.60	≤11.00	3.17	≤10.00	PASS
	total	5200	3.78	≤11.00	9.36	≤10.00	PASS
	Ant1	5240	0.81	≤11.00	3.38	≤10.00	PASS
	Ant2	5240	0.71	≤11.00	3.28	≤10.00	PASS
	total	5240	3.77	≤11.00	9.35	≤10.00	PASS
	Ant1	5260	3.84	≤11.00	6.41		PASS
	Ant2	5260	4.42	≤11.00	6.99		PASS
	total	5260 5280	7.15	≤11.00 ≤11.00	12.73		PASS PASS
11N20MIMO	Ant1	5280 5280	4.14 4.77	≤11.00 ≤11.00	6.71 7.34		PASS
I TINZUIVIIIVIU	Ant2 total	5280	7.48	≤11.00 ≤11.00	13.06		PASS
	Ant1	5320	4.39	≤11.00 ≤11.00	6.96		PASS
	Ant2	5320	4.67	≤11.00 ≤11.00	7.24		PASS
	total	5320	7.54	≤11.00 ≤11.00	13.12		PASS
	Ant1	5500	1.39	≤11.00 ≤11.00	3.96		PASS
	Ant2	5500	0.16	≤11.00 ≤11.00	2.73		PASS
	total	5500	3.83	≤11.00	9.41		PASS
	Ant1	5580	1.59	≤11.00 ≤11.00	4.16		PASS
	Ant2	5580	0.60	≤11.00	3.17		PASS
	total	5580	4.13	≤11.00	9.71		PASS
	Ant1	5700	1.55	≤11.00	4.12		PASS
	Ant2	5700	0.00	≤11.00	2.57		PASS
	total	5700	3.85	≤11.00	9.43		PASS



	Ant1	5720_UNII-2C	2.06	≤11.00	4.63		PASS
	Ant2	5720_UNII-2C	0.69	≤11.00	3.26		PASS
	total	5720_UNII-2C	4.44	≤11.00	10.02		PASS
	Ant1	5720_UNII-3	-1.17	≤30.00	1.40		PASS
	Ant2	5720_UNII-3	-2.75	≤30.00	-0.18		PASS
,	total	5720_UNII-3	1.12	≤30.00	6.70		PASS
	Ant1	5745	1.01	≤30.00	3.58		PASS
	Ant2	5745		≤30.00	4.21		PASS
			1.64				
	total	5745	4.35	≤30.00	9.93		PASS
	Ant1	5785	0.99	≤30.00	3.56		PASS
	Ant2	5785	1.70	≤30.00	4.27		PASS
	total	5785	4.37	≤30.00	9.95		PASS
	Ant1	5825	0.93	≤30.00	3.50		PASS
	Ant2	5825	1.93	≤30.00	4.50		PASS
	total	5825	4.47	≤30.00	10.05		PASS
	Ant1	5190	0.22	≤11.00	2.79	≤10.00	PASS
	Ant2	5190	-0.62	≤11.00	1.95	≤10.00	PASS
	total	5190	2.83	≤11.00	8.41	≤10.00	PASS
	Ant1	5230	0.84	≤11.00	3.41	≤10.00	PASS
	Ant2	5230	1.08	≤11.00	3.65	≤10.00	PASS
	total	5230	3.97	≤11.00	9.55	≤10.00	PASS
	Ant1	5270	-0.64	≤11.00	1.93		PASS
	Ant2	5270	-0.91	≤11.00	1.66		PASS
	total	5270	2.24	≤11.00	7.82		PASS
	Ant1	5310	-0.94	≤11.00	1.63		PASS
	Ant2	5310	-1.45	≤11.00	1.12		PASS
	total	5310	1.82	≤11.00	7.40		PASS
	Ant1	5510	-1.47	≤11.00	1.10		PASS
	Ant2	5510	-1.46	≤11.00	1.11		PASS
	total	5510	1.55	≤11.00	7.13		PASS
	Ant1	5550	-0.89	≤11.00	1.68		PASS
11N40MIMO	Ant2	5550	-0.70	≤11.00	1.87		PASS
11111011111110	total	5550	2.22	≤11.00	7.80		PASS
	Ant1	5670	-1.02	≤11.00 ≤11.00	1.55		PASS
	Ant2	5670	-1.51	≤11.00 ≤11.00	1.06		PASS
	total	5670	1.75	≤11.00 ≤11.00	7.33		PASS
	Ant1	5710_UNII-2C	-1.35	≤11.00 ≤11.00	1.22		PASS
	Ant2	5710_UNII-2C	-2.15	≤11.00 ≤11.00	0.42		PASS
		5710_UNII-2C		≤11.00 ≤11.00			PASS
	total	_	1.28		6.86		
	Ant1	5710_UNII-3	-4.93	≤30.00	-2.36		PASS
	Ant2	5710_UNII-3	-6.26	≤30.00	-3.69		PASS
	total	5710_UNII-3	-2.53	≤30.00	3.05		PASS
	Ant1	5755	-1.18	≤30.00	1.39		PASS
	Ant2	5755	-1.57	≤30.00	1.00		PASS
	total	5755	1.64	≤30.00	7.22		PASS
	Ant1	5795	-1.58	≤30.00	0.99		PASS
	Ant2	5795	-1.49	≤30.00	1.08		PASS
	total	5795	1.48	≤30.00	7.06		PASS
	Ant1	5210	-2.91	≤11.00	-0.34	≤10.00	PASS
	Ant2	5210	-3.01	≤11.00	-0.44	≤10.00	PASS
	total	5210	0.05	≤11.00	5.63	≤10.00	PASS
	Ant1	5290	-3.60	≤11.00	-1.03		PASS
	Ant2	5290	-3.24	≤11.00	-0.67		PASS
1100000000	total	5290	-0.41	≤11.00	5.17		PASS
11AC80MIMO	Ant1	5530	-2.82	≤11.00	-0.25		PASS
	Ant2	5530	-3.11	≤11.00	-0.54		PASS
	total	5530	0.05	≤11.00	5.63		PASS
	Ant1	5610	-3.13	≤11.00	-0.56		PASS
	Ant2	5610	-2.76	≤11.00	-0.19		PASS
	total	5610	0.07	≤11.00	5.65		PASS
			0.07		0.00	i	



5690 UNII-2C ≤11.00 **PASS** Ant1 -3.83-1.26Ant2 5690\_UNII-2C -3.29≤11.00 -0.72**PASS** 5690\_UNII-2C total ≤11.00 5.04 **PASS** -0.54≤30.00 **PASS** 5690\_UNII-3 -6.27-3.70 Ant1 ---**PASS** 5690\_UNII-3 ≤30.00 Ant2 -6.40 -3.83 ---5690\_UNII-3 -3.32≤30.00 2.26 **PASS** total ---Ant1 5775 -6.55≤30.00 -3.98---**PASS PASS** Ant2 5775 -6.04≤30.00 -3.47---5775 -3.28≤30.00 2.30 ---**PASS** total 5180 3.70 ≤10.00 **PASS** Ant1 1.13 ≤11.00 Ant2 5180 0.90 ≤11.00 3.47 ≤10.00 **PASS** 5180 4.03 ≤11.00 9.61 ≤10.00 **PASS** total 5200 <u>≤1</u>1.00 3.67 **PASS** Ant1 1.10 ≤10.00 5200 0.77 ≤11.00 3.34 **PASS** Ant2 ≤10.00 5200 3.95 ≤11.00 9.53 ≤10.00 **PASS** total Ant1 5240 0.71 ≤11.00 3.28 ≤10.00 **PASS** Ant2 5240 0.84 ≤11.00 3.41 ≤10.00 **PASS** 5240 3.79 ≤11.00 9.37 ≤10.00 **PASS** total Ant1 5260 1.80 ≤11.00 4.37 **PASS** Ant2 5260 1.78 ≤11.00 4.35 **PASS** 5260 4.80 ≤11.00 10.38 **PASS** total 1.93 **PASS** Ant1 5280 ≤11.00 4.50 4.59 **PASS** Ant2 5280 2.02 ≤11.00 **PASS** total 5280 4.99 ≤11.00 10.57 ---Ant1 5320 1.93 ≤11.00 4.50 ---**PASS** Ant2 5320 2.19 ≤11.00 4.76 ---**PASS** 5320 5.07 ≤11.00 10.65 **PASS** total ---≤11.00 **PASS** Ant1 5500 -0.242.33 Ant2 5500 -2.16≤11.00 0.41 **PASS**  $1.9\overline{2}$ 5500 ≤11.00 7.50 **PASS** total 11AX20MIMO Ant1 5580 -0.38≤11.00 2.19 **PASS** Ant2 5580 -1.47 ≤11.00 1.10 **PASS** total 5580 2.12 ≤11.00 7.70 **PASS** Ant1 5700 -0.58≤11.00 1.99 **PASS** Ant2 5700 -2.22≤11.00 0.35 **PASS** total 5700 1.69 ≤11.00 7.27 **PASS** Ant1 5720\_UNII-2C 0.52 ≤11.00 3.09 **PASS** ≤11.00 Ant2 5720\_UNII-2C -1.121.45 PASS 5720\_UNII-2C 2.79 ≤11.00 8.37 **PASS** total ≤30.00 **PASS** Ant1 5720\_UNII-3 -3.09-0.52**PASS** -4.59≤30.00 Ant2 5720\_UNII-3 -2.02---**PASS** 5720\_UNII-3 -0.77≤30.00 total 4.81 ---PASS Ant1 5745 -1.07≤30.00 1.50 Ant2 5745 -0.78≤30.00 1.79 ---**PASS** total 5745 2.09 ≤30.00 7.67 ---**PASS** 5785 1.40 **PASS** Ant1 -1.17 ≤30.00 Ant2 5785 -0.82≤30.00 1.75 **PASS** 5785 2.02 ≤30.00 7.60 **PASS** total 5825 -1.07 1.50 **PASS** ≤30.00 Ant1 -0.75 5825 ≤30.00 1.82 **PASS** Ant2 2.10 5825 7.68 **PASS** total ≤30.00 -0.48≤11.00 2.09 ≤10.00 **PASS** Ant1 5190 Ant2 5190 -0.94≤11.00 1.63 ≤10.00 **PASS** total 5190 2.31 ≤11.00 7.89 ≤10.00 **PASS** 5230 ≤11.00 ≤10.00 **PASS** Ant1 -0.971.60 11AX40MIMO Ant2 5230 -0.55≤11.00 2.02 ≤10.00 **PASS** total 5230 2.26 ≤11.00 7.84 ≤10.00 **PASS** PASS ≤11.00 1.44 Ant1 5270 -1.13 1.79 -0.78 ≤11.00 **PASS** Ant2 5270 5270 2.06 ≤11.00 7.64 **PASS** total ---

REPORT NO.: 4791359063-1-RF-4 Page 447 of 507

	A n+1	F240	0.22	<11.00	2.25		DACC
	Ant1	5310	-0.32	≤11.00	2.25		PASS
	Ant2	5310	-0.73	≤11.00	1.84		PASS
	total	5310	2.49	≤11.00	8.07		PASS
	Ant1	5510	-1.03	≤11.00	1.54		PASS
	Ant2	5510	-0.48	≤11.00	2.09		PASS
	total	5510	2.26	≤11.00	7.84		PASS
	Ant1	5550	-0.39	≤11.00	2.18		PASS
	Ant2	5550	-0.46	≤11.00	2.11		PASS
	total	5550	2.59	≤11.00	8.17		PASS
	Ant1	5670	-0.84	≤11.00	1.73		PASS
	Ant2	5670	-1.02	≤11.00	1.55		PASS
	total	5670	2.08	≤11.00	7.66		PASS
	Ant1	5710_UNII-2C	-0.97	≤11.00	1.60		PASS
	Ant2	5710_UNII-2C	-0.79	≤11.00	1.78		PASS
	total	5710_UNII-2C	2.13	≤11.00	7.71		PASS
	Ant1	5710_UNII-3	-5.68	≤30.00	-3.11		PASS
	Ant2	5710_UNII-3	-4.75	≤30.00	-2.18		PASS
	total	5710_UNII-3	-2.18	≤30.00	3.40		PASS
	Ant1	5755	-3.35	≤30.00	-0.78		PASS
	Ant2	5755	-3.49	≤30.00	-0.92		PASS
	total	5755	-0.41	≤30.00	5.17		PASS
	Ant1	5795	-3.65	≤30.00	-1.08		PASS
	Ant2	5795	-3.46	≤30.00	-0.89		PASS
	total	5795	-0.54	≤30.00	5.04		PASS
	Ant1	5210	-2.90	≤11.00	-0.33	≤10.00	PASS
	Ant2	5210	-3.09	≤11.00	-0.52	≤10.00	PASS
	total	5210	0.02	≤11.00	5.60	≤10.00	PASS
	Ant1	5290	-3.64	≤11.00	-1.07		PASS
	Ant2	5290	-3.12	≤11.00	-0.55		PASS
	total	5290	-0.36	≤11.00	5.22		PASS
	Ant1	5530	-4.01	≤11.00	-1.44		PASS
	Ant2	5530	-3.25	≤11.00	-0.68		PASS
	total	5530	-0.60	≤11.00	4.98		PASS
	Ant1	5610	-4.05	≤11.00	-1.48		PASS
11AX80MIMO	Ant2	5610	-3.04	≤11.00	-0.47		PASS
	total	5610	-0.51	≤11.00	5.07		PASS
	Ant1	5690 UNII-2C	-3.37	≤11.00	-0.80		PASS
	Ant2	5690 UNII-2C	-3.39	≤11.00	-0.82		PASS
	total	5690 UNII-2C	-0.37	≤11.00	5.21		PASS
	Ant1	5690_UNII-3	-6.56	≤30.00	-3.99		PASS
	Ant2	5690 UNII-3	-5.97	≤30.00	-3.40		PASS
	total	5690_UNII-3	-3.24	≤30.00	2.34		PASS
	Ant1	5775	-6.53	≤30.00	-3.96		PASS
	Ant2	5775	-5.92	≤30.00	-3.35		PASS
	total	5775	-3.20	≤30.00	2.38		PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz. 2.The Duty Cycle Factor and RBW Factor is compensated in the graph.



## 11.5.2. Test Graphs

