


n48_30kHz_SISO_NTNV_20MHz_CP-OFDM 256 QAM_3690MHz_Outer_Full




4.2 30k_SISO_40MHz_NTNV

4.2.1 Test Result


5G NR n48 SCS=30kHz SISO 40MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3570	Outer_Full	36.07	38.47	/	Pass
	3624.99	Outer_Full	35.97	38.57	/	Pass
	3679.98	Outer_Full	35.92	38.63	/	Pass
DFT-s-OFDM QPSK	3570	Outer_Full	35.98	38.71	/	Pass
	3624.99	Outer_Full	36.04	38.67	/	Pass
	3679.98	Outer_Full	36.07	38.63	/	Pass
DFT-s-OFDM 16 QAM	3570	Outer_Full	36.16	38.61	/	Pass
	3624.99	Outer_Full	35.93	38.64	/	Pass
	3679.98	Outer_Full	36.03	38.55	/	Pass
DFT-s-OFDM 64 QAM	3570	Outer_Full	36.07	38.51	/	Pass
	3624.99	Outer_Full	36.14	38.66	/	Pass
	3679.98	Outer_Full	36.05	38.60	/	Pass
DFT-s-OFDM 256 QAM	3570	Outer_Full	36.03	38.56	/	Pass
	3624.99	Outer_Full	35.90	38.60	/	Pass
	3679.98	Outer_Full	36.00	38.49	/	Pass
CP-OFDM QPSK	3570	Outer_Full	37.99	40.70	/	Pass
	3624.99	Outer_Full	38.13	40.62	/	Pass
	3679.98	Outer_Full	37.98	40.56	/	Pass
CP-OFDM 16 QAM	3570	Outer_Full	38.20	40.61	/	Pass
	3624.99	Outer_Full	38.10	40.70	/	Pass
	3679.98	Outer_Full	38.10	40.69	/	Pass
CP-OFDM 64 QAM	3570	Outer_Full	38.08	40.77	/	Pass
	3624.99	Outer_Full	38.02	40.72	/	Pass
	3679.98	Outer_Full	38.04	40.65	/	Pass
CP-OFDM 256 QAM	3570	Outer_Full	38.04	40.85	/	Pass
	3624.99	Outer_Full	37.98	40.63	/	Pass
	3679.98	Outer_Full	38.10	40.78	/	Pass

4.2.2 Test Graph


n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM PI/2 BPSK_3570MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM PI/2 BPSK_3679.98MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3570MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3679.98MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_16_QAM_3570MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_16_QAM_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 16 QAM_3679.98MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 64 QAM_3570MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 64 QAM_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 64 QAM_3679.98MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_256_QAM_3570MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_256_QAM_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 256 QAM_3679.98MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3570MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3679.98MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_16_QAM_3570MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_16_QAM_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM 16 QAM_3679.98MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM 64 QAM_3570MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_64_QAM_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_64_QAM_3679.98MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM 256 QAM_3570MHz_Outer_Full



n48_30kHz_SISO_NTNV_40MHz_CP-OFDM 256 QAM_3624.99MHz_Outer_Full



n48_30kHz_SISO_NTNV_40MHz_CP-OFDM 256 QAM_3679.98MHz_Outer_Full



5. Peak-Average Ratio


5.1 30k_SISO_20MHz_NTNV

5.1.1 Test Result


5G NR n48 SCS=30kHz SISO 20MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3560.01	Outer_Full	9.85	/	/	<=13	Pass
	3624.99	Outer_Full	9.14	/	/	<=13	Pass
	3690	Outer_Full	8.81	/	/	<=13	Pass
DFT-s-OFDM QPSK	3560.01	Outer_Full	9.65	/	/	<=13	Pass
	3624.99	Outer_Full	9.52	/	/	<=13	Pass
	3690	Outer_Full	9.77	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	3560.01	Outer_Full	10.51	/	/	<=13	Pass
	3624.99	Outer_Full	9.65	/	/	<=13	Pass
	3690	Outer_Full	10.83	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3560.01	Outer_Full	10.52	/	/	<=13	Pass
	3624.99	Outer_Full	10.91	/	/	<=13	Pass
	3690	Outer_Full	11.50	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3560.01	Outer_Full	12.31	/	/	<=13	Pass
	3624.99	Outer_Full	11.23	/	/	<=13	Pass
	3690	Outer_Full	11.69	/	/	<=13	Pass
CP-OFDM QPSK	3560.01	Outer_Full	12.34	/	/	<=13	Pass
	3624.99	Outer_Full	12.37	/	/	<=13	Pass
	3690	Outer_Full	12.38	/	/	<=13	Pass
CP-OFDM 16 QAM	3560.01	Outer_Full	12.29	/	/	<=13	Pass
	3624.99	Outer_Full	12.20	/	/	<=13	Pass
	3690	Outer_Full	12.04	/	/	<=13	Pass
CP-OFDM 64 QAM	3560.01	Outer_Full	11.73	/	/	<=13	Pass
	3624.99	Outer_Full	12.14	/	/	<=13	Pass
	3690	Outer_Full	12.01	/	/	<=13	Pass
CP-OFDM 256 QAM	3560.01	Outer_Full	11.94	/	/	<=13	Pass
	3624.99	Outer_Full	11.96	/	/	<=13	Pass
	3690	Outer_Full	11.78	/	/	<=13	Pass

5.1.2 Test Graph


n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3560.01MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3690MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_3560.01MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_3690MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_3560.01MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_3690MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3560.01MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 64 QAM_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 64 QAM_3690MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 256 QAM_3560.01MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 256 QAM_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 256 QAM_3690MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_3560.01MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_3690MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_CP-OFDM_16_QAM_3560.01MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_CP-OFDM_16_QAM_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM_3690MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM_3560.01MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM_3690MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_CP-OFDM 256 QAM_3560.01MHz_Outer_Full



n48_30kHz_SISO_NTNV_20MHz_CP-OFDM 256 QAM_3624.99MHz_Outer_Full



n48_30kHz_SISO_NTNV_20MHz_CP-OFDM 256 QAM_3690MHz_Outer_Full




5.2 30k_SISO_40MHz_NTNV

5.2.1 Test Result


5G NR n48 SCS=30kHz SISO 40MHz NTV							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3570	Outer_Full	9.61	/	/	<=13	Pass
	3624.99	Outer_Full	9.37	/	/	<=13	Pass
	3679.98	Outer_Full	9.46	/	/	<=13	Pass
DFT-s-OFDM QPSK	3570	Outer_Full	10.53	/	/	<=13	Pass
	3624.99	Outer_Full	10.39	/	/	<=13	Pass
	3679.98	Outer_Full	10.45	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	3570	Outer_Full	11.03	/	/	<=13	Pass
	3624.99	Outer_Full	10.99	/	/	<=13	Pass
	3679.98	Outer_Full	11.00	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3570	Outer_Full	11.20	/	/	<=13	Pass
	3624.99	Outer_Full	11.28	/	/	<=13	Pass
	3679.98	Outer_Full	11.12	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3570	Outer_Full	11.12	/	/	<=13	Pass
	3624.99	Outer_Full	11.09	/	/	<=13	Pass
	3679.98	Outer_Full	11.15	/	/	<=13	Pass
CP-OFDM QPSK	3570	Outer_Full	11.80	/	/	<=13	Pass
	3624.99	Outer_Full	12.87	/	/	<=13	Pass
	3679.98	Outer_Full	11.79	/	/	<=13	Pass
CP-OFDM 16 QAM	3570	Outer_Full	12.05	/	/	<=13	Pass
	3624.99	Outer_Full	12.08	/	/	<=13	Pass
	3679.98	Outer_Full	11.98	/	/	<=13	Pass
CP-OFDM 64 QAM	3570	Outer_Full	12.07	/	/	<=13	Pass
	3624.99	Outer_Full	11.72	/	/	<=13	Pass
	3679.98	Outer_Full	12.25	/	/	<=13	Pass
CP-OFDM 256 QAM	3570	Outer_Full	11.47	/	/	<=13	Pass
	3624.99	Outer_Full	11.56	/	/	<=13	Pass
	3679.98	Outer_Full	11.53	/	/	<=13	Pass

5.2.2 Test Graph


n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM PI/2 BPSK_3570MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM PI/2 BPSK_3679.98MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3570MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3679.98MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_16_QAM_3570MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_16_QAM_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 16 QAM_3679.98MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 64 QAM_3570MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 64 QAM_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 64 QAM_3679.98MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 256 QAM_3570MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 256 QAM_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 256 QAM_3679.98MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3570MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3679.98MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_16_QAM_3570MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_16_QAM_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_16_QAM_3679.98MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM_64_QAM_3570MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM 64 QAM_3624.99MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM 64 QAM_3679.98MHz_Outer_Full




n48_30kHz_SISO_NTNV_40MHz_CP-OFDM 256 QAM_3570MHz_Outer_Full



n48_30kHz_SISO_NTNV_40MHz_CP-OFDM 256 QAM_3624.99MHz_Outer_Full



n48_30kHz_SISO_NTNV_40MHz_CP-OFDM 256 QAM_3679.98MHz_Outer_Full




6. Spurious Emission

6.1 30k_SISO_20MHz_NTNV


6.1.1 Test Result

5G NR n48 SCS=30kHz SISO 20MHz NTN								
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict	
			Ant1	Ant2	Sum	Limit		
DFT-s-OFDM PI/2 BPSK	3560.01	Edge_1RB_Left	Refer To Test Graph				Pass	
		Outer_Full	Refer To Test Graph				Pass	
		Inner_1RB_Left	Refer To Test Graph				Pass	
	3624.99	Edge_1RB_Left	Refer To Test Graph				Pass	
		3690	Edge_1RB_Right	Refer To Test Graph				Pass
			Outer_Full	Refer To Test Graph				Pass
	Inner_1RB_Right		Refer To Test Graph				Pass	
	DFT-s-OFDM QPSK	3560.01	Edge_1RB_Left	Refer To Test Graph				Pass
			Outer_Full	Refer To Test Graph				Pass
Inner_1RB_Left			Refer To Test Graph				Pass	
3624.99		Edge_1RB_Left	Refer To Test Graph				Pass	
		3690	Edge_1RB_Right	Refer To Test Graph				Pass
			Outer_Full	Refer To Test Graph				Pass
Inner_1RB_Right			Refer To Test Graph				Pass	
CP-OFDM QPSK		3560.01	Edge_1RB_Left	Refer To Test Graph				Pass
			Outer_Full	Refer To Test Graph				Pass
	Inner_1RB_Left		Refer To Test Graph				Pass	
	3624.99	Edge_1RB_Left	Refer To Test Graph				Pass	
		3690	Edge_1RB_Right	Refer To Test Graph				Pass
			Outer_Full	Refer To Test Graph				Pass
	Inner_1RB_Right		Refer To Test Graph				Pass	


6.1.2 Test Graph




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3560.01MHz_Edge_1RB_Left




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3560.01MHz_Edge_1RB_Left



n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3560.01MHz_Edge_1RB_Left




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3560.01MHz_Outer_Full




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3549.22	1	CHP	1	3524.000	-43.30	-40	Pass
3549.22	3550.22	0.2	/	2	3549.400	-39.80	-13	Pass
3550.22	3569.8	0.2	/	/	/	/	/	/
3569.8	3570.8	0.2	/	3	3570.300	-45.88	-13	Pass
3570.8	3730	1	CHP	4	3723.500	-51.68	-40	Pass


n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3560.01MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3560.01MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3560.01MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3560.01MHz_Outer_Full




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3560.01MHz_Inner_1RB_Left




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3560.01MHz_Inner_1RB_Left




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3560.01MHz_Inner_1RB_Left




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3560.01MHz_Inner_1RB_Left



n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3560.01MHz_Inner_1RB_Left




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Left




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3614.203	1	CHP	1	3528.460	-52.83	-40	Pass
3614.203	3615.203	0.03	/	2	3615.085	-24.10	-13	Pass
3615.203	3634.777	0.03	/	3	3635.740	-56.45	-13	Pass
3634.777	3635.777	0.03	/	4	3722.725	-52.77	-40	Pass


n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Left




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Left




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Left




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Left




n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3690MHz_Edge_1RB_Right



n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3690MHz_Edge_1RB_Right



n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3690MHz_Edge_1RB_Right



n48_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3690MHz_Edge_1RB_Right

