


A.5 Average Time of Occupancy

Test Data


GFSK				
DH Packet	Pulse Width (ms)	Total of Dwell (ms)	Limit (sec)	Verdict
DH 1	0.37570	120.224	0.4	Pass
DH 3	1.63300	261.280	0.4	Pass
DH 5	2.88200	307.413	0.4	Pass
8-DPSK				
DH Packet	Pulse Width (ms)	Total of Dwell (ms)	Limit (sec)	Verdict
DH 1	0.38720	123.904	0.4	Pass
DH 3	1.63300	261.280	0.4	Pass
DH 5	2.88800	308.053	0.4	Pass
AFH Mode				
DH Packet	Pulse Width (ms)	Total of Dwell (ms)	Limit (sec)	Verdict
DH 1	0.37440	59.904	0.4	Pass
DH 3	1.63300	130.640	0.4	Pass
DH 5	2.88200	153.707	0.4	Pass

Test Plots


GFSK DH1




GFSK DH3




GFSK DH5




8-DPSK DH1




8-DPSK DH3




8-DPSK DH5




AFH Mode DH1



AFH Mode DH3



AFH Mode DH5




A.6 Conducted Spurious Emissions & Authorized-band band-edge

Test Data




GFSK				
Channel	Measured Max. Out of Band Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-40.41	8.91	-11.09	Pass
Middle	-40.33	9.44	-10.56	Pass
High	-40.02	9.30	-10.70	Pass
8-DPSK				
Channel	Measured Max. Out of Band Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-41.52	8.99	-11.01	Pass
Middle	-39.95	9.44	-10.56	Pass
High	-40.71	9.29	-10.71	Pass
Hopping Mode				
Mode	Measured Max. Out of Band Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
GFSK	-38.79	9.09	-10.91	Pass
8-DPSK	-40.56	9.12	-10.88	Pass

Test Plots


GFSK LOW CHANNEL, CARRIER LEVEL




GFSK LOW CHANNEL, BAND EDGE

GFSK LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHzGFSK LOW CHANNEL, SPURIOUS
3 GHz ~ 25 GHz


GFSK MIDDLE CHANNEL, CARRIER LEVEL




GFSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




GFSK HIGH CHANNEL, CARRIER LEVEL




GFSK HIGH CHANNEL, BAND EDGE




GFSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz



8-DPSK LOW CHANNEL, CARRIER LEVEL




8-DPSK LOW CHANNEL, BAND EDGE




8-DPSK LOW CHANNEL, SPURIOUS

30 MHz ~ 3 GHz




8-DPSK LOW CHANNEL, SPURIOUS


3 GHz ~ 25 GHz




8-DPSK MIDDLE CHANNEL, CARRIER LEVEL




8-DPSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




8-DPSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




8-DPSK HIGH CHANNEL, CARRIER LEVEL




8-DPSK HIGH CHANNEL, BAND EDGE




8-DPSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




8-DPSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz






GFSK HOPPING, CARRIER LEVEL




GFSK HOPPING BAND EDGE (LOW)




GFSK HOPPING BAND EDGE (HIGH)

GFSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHzGFSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz




8-DPSK HOPPING, CARRIER LEVEL



8-DPSK Hopping BAND EDGE (LOW)



8-DPSK Hopping BAND EDGE (HIGH)

8-DPSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHz8-DPSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz

A.7 Conducted Emissions


Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.252	41.91	10.92	61.69	-19.78	Peak	L	Pass
1**	0.252	28.41	10.92	51.69	-23.28	AV	L	Pass
2	0.502	41.35	10.92	56.00	-14.65	Peak	L	Pass
2**	0.502	31.63	10.92	46.00	-14.37	AV	L	Pass
3	0.878	37.49	10.75	56.00	-18.51	Peak	L	Pass
3**	0.878	25.90	10.75	46.00	-20.10	AV	L	Pass
4	3.678	37.36	10.71	56.00	-18.64	Peak	L	Pass
4**	3.678	25.84	10.71	46.00	-20.16	AV	L	Pass
5	9.304	36.03	10.64	60.00	-23.97	Peak	L	Pass
5**	9.304	24.72	10.64	50.00	-25.28	AV	L	Pass
6	17.680	37.42	10.68	60.00	-22.58	Peak	L	Pass
6**	17.680	25.79	10.68	50.00	-24.21	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.200	40.72	10.96	63.61	-22.89	Peak	N	Pass
1**	0.200	27.60	10.96	53.61	-26.01	AV	N	Pass
2	0.500	41.12	10.92	56.00	-14.88	Peak	N	Pass
2**	0.500	30.02	10.92	46.00	-15.98	AV	N	Pass
3	0.708	39.08	10.83	56.00	-16.92	Peak	N	Pass
3**	0.708	26.29	10.83	46.00	-19.71	AV	N	Pass
4	1.548	38.16	10.73	56.00	-17.84	Peak	N	Pass
4**	1.548	25.04	10.73	46.00	-20.96	AV	N	Pass
5	4.796	37.37	10.69	56.00	-18.63	Peak	N	Pass
5**	4.796	24.12	10.69	46.00	-21.88	AV	N	Pass
6	17.054	38.16	10.67	60.00	-21.84	Peak	N	Pass
6**	17.054	26.20	10.67	50.00	-23.80	AV	N	Pass

A.8 Radiated Spurious Emission

Note ¹: The symbol of “--” in the table which means not application.

Note ²: For the test data above 1 GHz, according the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note ³: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and DH5-Hopping mode is the worst.

Note ⁴: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV/m) + Factor (dB)

The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.


Test Data and Plots

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	42.367	15.51	-23.43	40.0	-24.49	Peak	106.10	100	Horizontal	Pass
2	58.906	16.89	-24.03	40.0	-23.11	Peak	95.70	200	Horizontal	Pass
3	120.258	13.66	-25.81	43.5	-29.84	Peak	360.00	200	Horizontal	Pass
4	150.280	18.68	-28.18	43.5	-24.82	Peak	176.80	200	Horizontal	Pass
5	278.223	16.67	-21.90	47.0	-30.33	Peak	295.60	100	Horizontal	Pass
6	352.040	21.49	-20.24	46.0	-24.51	Peak	360.00	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	48.139	23.62	-22.61	40.0	-16.38	Peak	90.00	100	Vertical	Pass
2	53.086	26.04	-22.99	40.0	-13.96	Peak	311.70	100	Vertical	Pass
3	68.897	28.75	-26.43	40.0	-11.25	Peak	0.00	200	Vertical	Pass
4	74.038	27.48	-28.51	40.0	-12.52	Peak	297.30	100	Vertical	Pass
5	122.344	15.97	-26.14	43.5	-27.53	Peak	359.10	100	Vertical	Pass
6	148.146	24.02	-27.95	43.5	-19.48	Peak	356.40	100	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious from 18GHz-25GHz is noise only, do not show on the report.

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1991.500	50.90	-15.63	74.0	-23.10	Peak	192.00	100	Horizontal	Pass
1**	1991.500	47.91	-15.63	54.0	-6.09	AV	192.00	100	Horizontal	Pass
2	2402.200	96.42	-13.33	74.0	22.42	Peak	150.00	150	Horizontal	N/A
2**	2402.200	96.07	-13.33	54.0	42.07	AV	150.00	150	Horizontal	N/A
3	4804.250	52.91	-4.10	74.0	-21.09	Peak	198.00	200	Horizontal	Pass
3**	4804.250	50.74	-4.10	54.0	-3.26	AV	198.00	200	Horizontal	Pass
4	7206.250	54.87	-1.07	74.0	-19.13	Peak	39.00	100	Horizontal	Pass
4***	7206.250	50.543	-1.07	54.0	-3.457	AV	39.00	100	Horizontal	Pass
5	12698.463	49.65	-2.34	74.0	-24.35	Peak	211.00	200	Horizontal	Pass
5**	12698.463	39.90	-2.34	54.0	-14.10	AV	211.00	200	Horizontal	Pass
6	17310.413	53.07	1.99	74.0	-20.93	Peak	96.00	400	Horizontal	Pass
6**	17310.413	43.54	1.99	54.0	-10.46	AV	96.00	400	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1835.900	54.46	-17.16	74.0	-19.54	Peak	250.00	100	Vertical	Pass
1**	1835.900	35.50	-17.16	54.0	-18.50	AV	250.00	100	Vertical	Pass
2	2402.200	89.08	-13.33	74.0	15.08	Peak	154.00	150	Vertical	N/A
2**	2402.200	88.80	-13.33	54.0	34.80	AV	154.00	150	Vertical	N/A
3	4500.000	50.96	-4.42	74.0	-23.04	Peak	200.00	300	Vertical	Pass
3**	4500.000	49.13	-4.42	54.0	-4.87	AV	200.00	300	Vertical	Pass
4	4804.000	50.13	-4.13	74.0	-23.87	Peak	82.00	200	Vertical	Pass
4**	4804.000	47.20	-4.13	54.0	-6.80	AV	82.00	200	Vertical	Pass
5	7206.250	55.00	-1.07	74.0	-19.00	Peak	258.00	400	Vertical	Pass
5***	7206.250	50.891	-1.07	54.0	-3.109	AV	258.00	400	Vertical	Pass
6	16345.463	53.10	-0.25	74.0	-20.90	Peak	300.00	300	Vertical	Pass
6**	16345.463	42.62	-0.25	54.0	-11.38	AV	300.00	300	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1991.900	54.07	-15.62	74.0	-19.93	Peak	235.00	100	Horizontal	Pass
1**	1991.900	35.87	-15.62	54.0	-18.13	AV	235.00	100	Horizontal	Pass
2	2441.200	98.01	-12.29	74.0	24.01	Peak	152.00	150	Horizontal	N/A
2**	2441.200	97.54	-12.29	54.0	43.54	AV	152.00	150	Horizontal	N/A
3	4882.000	51.79	-3.61	74.0	-22.21	Peak	187.00	200	Horizontal	Pass
3**	4882.000	50.24	-3.61	54.0	-3.76	AV	187.00	200	Horizontal	Pass
4	7322.750	54.81	-0.63	74.0	-19.19	Peak	99.00	100	Horizontal	Pass
4***	7322.750	49.658	-0.63	54.0	-4.342	AV	99.00	100	Horizontal	Pass
5	12292.813	49.46	-2.50	74.0	-24.54	Peak	105.00	200	Horizontal	Pass
5**	12292.813	39.83	-2.50	54.0	-14.17	AV	105.00	200	Horizontal	Pass
6	16891.199	52.77	1.44	74.0	-21.23	Peak	194.00	400	Horizontal	Pass
6**	16891.199	43.96	1.44	54.0	-10.04	AV	194.00	400	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.700	54.67	-15.62	74.0	-19.33	Peak	309.00	100	Vertical	Pass
1**	1993.700	37.68	-15.62	54.0	-16.32	AV	309.00	100	Vertical	Pass
2	2441.100	89.83	-12.30	74.0	15.83	Peak	228.00	150	Vertical	N/A
2**	2441.100	89.58	-12.30	54.0	35.58	AV	228.00	150	Vertical	N/A
3	4500.250	50.37	-4.42	74.0	-23.63	Peak	202.00	200	Vertical	Pass
3**	4500.250	47.51	-4.42	54.0	-6.49	AV	202.00	200	Vertical	Pass
4	4882.000	49.64	-3.61	74.0	-24.36	Peak	55.00	100	Vertical	Pass
4**	4882.000	46.06	-3.61	54.0	-7.94	AV	55.00	100	Vertical	Pass
5	7322.750	54.22	-0.63	74.0	-19.78	Peak	277.00	400	Vertical	Pass
5**	7322.750	50.00	-0.63	54.0	-4.00	AV	277.00	400	Vertical	Pass
6	16499.025	53.69	-0.00	74.0	-20.31	Peak	55.00	200	Vertical	Pass
6**	16499.025	43.17	-0.00	54.0	-10.83	AV	55.00	200	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD) FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1991.500	52.92	-15.63	74.0	-21.08	Peak	234.00	200	Horizontal	Pass
1**	1991.500	40.20	-15.63	54.0	-13.80	AV	234.00	200	Horizontal	Pass
2	2479.900	96.51	-13.07	74.0	22.51	Peak	187.00	150	Horizontal	N/A
2**	2479.900	95.96	-13.07	54.0	41.96	AV	187.00	150	Horizontal	N/A
3	4960.250	53.80	-4.16	74.0	-20.20	Peak	171.00	200	Horizontal	Pass
3**	4960.250	51.54	-4.16	54.0	-2.46	AV	171.00	200	Horizontal	Pass
4	7440.500	56.53	0.33	74.0	-17.47	Peak	112.00	100	Horizontal	Pass
4***	7440.500	50.876	0.33	54.0	-3.124	AV	112.00	100	Horizontal	Pass
5	12695.850	49.75	-2.33	74.0	-24.25	Peak	187.00	300	Horizontal	Pass
5**	12695.850	40.15	-2.33	54.0	-13.85	AV	187.00	300	Horizontal	Pass
6	17020.614	53.39	0.70	74.0	-20.61	Peak	165.00	200	Horizontal	Pass
6**	17020.614	43.01	0.70	54.0	-10.99	AV	165.00	200	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1739.500	54.09	-17.10	74.0	-19.91	Peak	281.00	200	Vertical	Pass
1**	1739.500	34.78	-17.10	54.0	-19.22	AV	281.00	200	Vertical	Pass
2	2479.900	87.55	-13.07	74.0	13.55	Peak	225.00	100	Vertical	N/A
2**	2479.900	86.92	-13.07	54.0	32.92	AV	225.00	100	Vertical	N/A
3	4500.250	49.69	-4.42	74.0	-24.31	Peak	214.00	300	Vertical	Pass
3**	4500.250	48.35	-4.42	54.0	-5.65	AV	214.00	300	Vertical	Pass
4	4960.500	51.00	-4.15	74.0	-23.00	Peak	360.00	200	Vertical	Pass
4**	4960.500	48.38	-4.15	54.0	-5.62	AV	360.00	200	Vertical	Pass
5	7440.500	54.64	0.33	74.0	-19.36	Peak	318.00	300	Vertical	Pass
5***	7440.500	50.439	0.33	54.0	-3.561	AV	318.00	300	Vertical	Pass
6	16541.287	52.95	0.02	74.0	-21.05	Peak	270.00	400	Vertical	Pass
6**	16541.287	43.02	0.02	54.0	-10.98	AV	270.00	400	Vertical	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1995.800	50.27	-15.85	74.0	-23.73	Peak	227.00	100	Horizontal	Pass
1**	1995.800	36.12	-15.85	54.0	-17.88	AV	227.00	100	Horizontal	Pass
2	2401.900	98.47	-13.34	74.0	24.47	Peak	33.00	150	Horizontal	N/A
2**	2401.900	95.49	-13.34	54.0	41.49	AV	33.00	150	Horizontal	N/A
3	4804.000	51.92	-4.13	74.0	-22.08	Peak	129.00	300	Horizontal	Pass
3**	4804.000	49.42	-4.13	54.0	-4.58	AV	129.00	300	Horizontal	Pass
4	7206.000	55.48	-1.05	74.0	-18.52	Peak	41.00	200	Horizontal	Pass
4**	7206.000	50.79	-1.05	54.0	-3.21	AV	41.00	200	Horizontal	Pass
5	12834.787	49.70	-2.07	74.0	-24.30	Peak	-3.00	100	Horizontal	Pass
5**	12834.787	39.07	-2.07	54.0	-14.93	AV	-3.00	100	Horizontal	Pass
6	16815.074	53.15	0.63	74.0	-20.85	Peak	155.00	400	Horizontal	Pass
6**	16815.074	43.34	0.63	54.0	-10.66	AV	155.00	400	Horizontal	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.400	55.31	-15.59	74.0	-18.69	Peak	14.00	100	Vertical	Pass
1**	1993.400	43.28	-15.59	54.0	-10.72	AV	14.00	100	Vertical	Pass
2	2402.000	90.95	-13.34	74.0	16.95	Peak	154.00	150	Vertical	N/A
2**	2402.000	88.00	-13.34	54.0	34.00	AV	154.00	150	Vertical	N/A
3	4500.000	52.22	-4.42	74.0	-21.78	Peak	202.00	200	Vertical	Pass
3**	4500.000	49.73	-4.42	54.0	-4.27	AV	202.00	200	Vertical	Pass
4	4804.500	50.00	-4.08	74.0	-24.00	Peak	81.00	300	Vertical	Pass
4**	4804.500	46.68	-4.08	54.0	-7.32	AV	81.00	300	Vertical	Pass
5	7206.000	55.32	-1.05	74.0	-18.68	Peak	290.00	100	Vertical	Pass
5**	7206.000	50.57	-1.05	54.0	-3.43	AV	290.00	100	Vertical	Pass
6	16889.099	53.15	1.42	74.0	-20.85	Peak	231.00	400	Vertical	Pass
6**	16889.099	44.17	1.42	54.0	-9.83	AV	231.00	400	Vertical	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1451.900	42.83	-17.55	74.0	-31.17	Peak	139.00	100	Horizontal	Pass
1**	1451.900	34.18	-17.55	54.0	-19.82	AV	139.00	100	Horizontal	Pass
2	2440.800	99.84	-12.32	74.0	25.84	Peak	190.00	150	Horizontal	N/A
2**	2440.800	96.58	-12.32	54.0	42.58	AV	190.00	150	Horizontal	N/A
3	4882.000	51.28	-3.61	74.0	-22.72	Peak	171.00	200	Horizontal	Pass
3**	4882.000	47.93	-3.61	54.0	-6.07	AV	171.00	200	Horizontal	Pass
4	7323.500	54.15	-0.58	74.0	-19.85	Peak	67.00	200	Horizontal	Pass
4**	7323.500	50.98	-0.58	54.0	-3.02	AV	67.00	200	Horizontal	Pass
5	12671.863	49.96	-2.32	74.0	-24.04	Peak	104.00	400	Horizontal	Pass
5**	12671.863	39.50	-2.32	54.0	-14.50	AV	104.00	400	Horizontal	Pass
6	17307.001	53.87	2.00	74.0	-20.13	Peak	298.00	100	Horizontal	Pass
6**	17307.001	44.21	2.00	54.0	-9.79	AV	298.00	100	Horizontal	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1740.100	55.44	-16.99	74.0	-18.56	Peak	274.00	100	Vertical	Pass
1**	1740.100	40.15	-16.99	54.0	-13.85	AV	274.00	100	Vertical	Pass
2	2440.800	91.78	-12.32	74.0	17.78	Peak	227.00	200	Vertical	N/A
2**	2440.800	88.29	-12.32	54.0	34.29	AV	227.00	200	Vertical	N/A
3	4500.000	51.68	-4.42	74.0	-22.32	Peak	203.00	300	Vertical	Pass
3**	4500.000	47.99	-4.42	54.0	-6.01	AV	203.00	300	Vertical	Pass
4	4882.500	49.70	-3.60	74.0	-24.30	Peak	84.00	400	Vertical	Pass
4**	4882.500	45.07	-3.60	54.0	-8.93	AV	84.00	400	Vertical	Pass
5	7323.500	53.94	-0.58	74.0	-20.06	Peak	291.00	100	Vertical	Pass
5**	7323.500	50.26	-0.58	54.0	-3.74	AV	291.00	100	Vertical	Pass
6	17487.337	53.21	3.08	74.0	-20.79	Peak	264.00	200	Vertical	Pass
6**	17487.337	44.57	3.08	54.0	-9.43	AV	264.00	200	Vertical	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H


RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.800	51.47	-15.63	74.0	-22.53	Peak	242.00	100	Horizontal	Pass
1**	1993.800	36.61	-15.63	54.0	-17.39	AV	242.00	100	Horizontal	Pass
2	2480.100	98.50	-13.08	74.0	24.50	Peak	161.00	200	Horizontal	N/A
2**	2480.100	95.16	-13.08	54.0	41.16	AV	161.00	200	Horizontal	N/A
3	4960.250	53.50	-4.16	74.0	-20.50	Peak	129.00	300	Horizontal	Pass
3**	4960.250	50.35	-4.16	54.0	-3.65	AV	129.00	300	Horizontal	Pass
4	7439.750	55.10	0.28	74.0	-18.90	Peak	70.00	100	Horizontal	Pass
4***	7439.750	49.916	0.28	54.0	-4.084	AV	70.00	100	Horizontal	Pass
5	12670.200	49.64	-2.31	74.0	-24.36	Peak	303.00	400	Horizontal	Pass
5**	12670.200	39.72	-2.31	54.0	-14.28	AV	303.00	400	Horizontal	Pass
6	17491.800	53.61	3.08	74.0	-20.39	Peak	192.00	100	Horizontal	Pass
6**	17491.800	43.95	3.08	54.0	-10.05	AV	192.00	100	Horizontal	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

RSE (SRD)_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1995.500	54.84	-15.86	74.0	-19.16	Peak	28.00	100	Vertical	Pass
1**	1995.500	34.58	-15.86	54.0	-19.42	AV	28.00	100	Vertical	Pass
2	2479.900	89.55	-13.07	74.0	15.55	Peak	229.00	200	Vertical	N/A
2**	2479.900	86.53	-13.07	54.0	32.53	AV	229.00	200	Vertical	N/A
3	4500.000	52.30	-4.42	74.0	-21.70	Peak	202.00	400	Vertical	Pass
3**	4500.000	48.29	-4.42	54.0	-5.71	AV	202.00	400	Vertical	Pass
4	4960.000	51.83	-4.17	74.0	-22.17	Peak	83.00	100	Vertical	Pass
4**	4960.000	48.61	-4.17	54.0	-5.39	AV	83.00	100	Vertical	Pass
5	7440.500	55.48	0.33	74.0	-18.52	Peak	305.00	300	Vertical	Pass
5**	7440.500	51.04	0.33	54.0	-2.96	AV	305.00	300	Vertical	Pass
6	16897.238	53.49	1.49	74.0	-20.51	Peak	360.00	100	Vertical	Pass
6**	16897.238	43.22	1.49	54.0	-10.78	AV	360.00	100	Vertical	Pass

A.9 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.


Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ⁴: The Level (dBuV/m) has been corrected by factor.


Test Data and Plots

GFSK LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2348.000	58.15	2.56	74.0	-15.85	Peak	320.00	200	Horizontal	Pass
1**	2348.000	46.45	2.56	54.0	-7.55	AV	320.00	200	Horizontal	Pass
2	2389.833	55.90	1.64	74.0	-18.10	Peak	183.00	100	Horizontal	Pass
2**	2389.833	45.74	1.64	54.0	-8.26	AV	183.00	100	Horizontal	Pass

GFSK HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.07	1.98	74.0	-16.93	Peak	256.00	200	Horizontal	Pass
1**	2483.500	46.05	1.98	54.0	-7.95	AV	256.00	200	Horizontal	Pass
2	2484.200	58.36	2.00	74.0	-15.64	Peak	183.00	200	Horizontal	Pass
2**	2484.200	45.99	2.00	54.0	-8.01	AV	183.00	200	Horizontal	Pass

8-DPSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2349.500	58.37	2.57	74.0	-15.63	Peak	165.00	100	Horizontal	Pass
1**	2349.500	46.38	2.57	54.0	-7.62	AV	165.00	100	Horizontal	Pass
2	2389.833	56.44	1.64	74.0	-17.56	Peak	63.00	200	Horizontal	Pass
2**	2389.833	45.62	1.64	54.0	-8.38	AV	63.00	200	Horizontal	Pass

8-DPSK HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	56.63	1.98	74.0	-17.37	Peak	298.00	150	Horizontal	Pass
1**	2483.550	46.06	1.98	54.0	-7.94	AV	298.00	150	Horizontal	Pass
2	2483.900	58.17	1.99	74.0	-15.83	Peak	39.00	200	Horizontal	Pass
2**	2483.900	46.04	1.99	54.0	-7.96	AV	39.00	200	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2260580-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2260580-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2260580-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--