


Wi-Fi 5GHz\_be 20 CH140\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8665.000000	48.32		68.20	19.88	500.0	200.0	V	0.0	3.2
9120.000000		37.27	54.00	16.73	500.0	200.0	Н	99.0	2.7
9341.250000		36.97	54.00	17.03	500.0	200.0	н	304.0	2.6
10222.500000	49.32		68.20	18.88	500.0	200.0	Н	166.0	2.9
10490.000000	48.00		68.20	20.20	500.0	200.0	Н	54.0	2.7
11983.750000		38.83	54.00	15.17	500.0	200.0	н	61.0	4.5
12680.000000		40.12	54.00	13.88	500.0	200.0	н	91.0	5.5
13545.000000	51.99		68.20	16.21	500.0	200.0	Н	0.0	5.8
15331.250000	53.62		68.20	14.58	500.0	200.0	Н	288.0	5.8
15715.000000		43.58	54.00	10.42	500.0	200.0	Н	205.0	6.2
17645.000000	55.87		68.20	12.33	500.0	200.0	Н	0.0	10.1
17940.000000		43.67	54.00	10.33	500.0	200.0	V	110.0	10.7




Wi-Fi 5GHz\_be 20 CH144\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8757.500000	48.20		68.20	20.00	500.0	200.0	н	318.0	3.0
9151.250000		37.59	54.00	16.41	500.0	200.0	н	16.0	2.7
9360.000000		37.30	54.00	16.70	500.0	200.0	V	307.0	2.6
9992.500000	49.19		68.20	19.01	500.0	200.0	н	198.0	3.1
10578.750000	47.93		68.20	20.27	500.0	200.0	Н	145.0	2.5
11893.750000		38.45	54.00	15.55	500.0	200.0	н	16.0	4.2
12682.500000		40.14	54.00	13.86	500.0	200.0	н	123.0	5.5
13543.750000	52.56		68.20	15.64	500.0	200.0	V	307.0	5.8
15301.250000	53.45		68.20	14.75	500.0	200.0	н	153.0	5.8
15703.750000		43.71	54.00	10.29	500.0	200.0	V	232.0	6.2
17613.750000	55.56		68.20	12.64	500.0	200.0	V	314.0	10.1
17848.750000		43.95	54.00	10.05	500.0	200.0	V	344.0	10.4



<u>RF Test Report</u> Wi-Fi 5GHz\_be 20 CH149\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8610.000000	48.57		68.20	19.63	500.0	200.0	V	192.0	3.1
9077.500000		37.32	54.00	16.68	500.0	200.0	Н	130.0	2.7
9337.500000		37.17	54.00	16.83	500.0	200.0	н	212.0	2.6
10177.500000	49.96		68.20	18.24	500.0	200.0	Н	189.0	2.8
10491.250000	48.46		68.20	19.74	500.0	200.0	V	207.0	2.7
11978.750000		39.03	54.00	14.97	500.0	200.0	V	270.0	4.5
12687.500000		40.66	54.00	13.34	500.0	200.0	V	0.0	5.5
13586.250000	51.48		68.20	16.72	500.0	200.0	V	58.0	5.9
15312.500000	53.72		68.20	14.48	500.0	200.0	V	322.0	5.8
15702.500000		43.72	54.00	10.28	500.0	200.0	V	359.0	6.2
17657.500000	56.79		68.20	11.41	500.0	200.0	Н	2.0	10.1
17893.750000		43.97	54.00	10.03	500.0	200.0	Н	39.0	10.6






Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8337.500000		36.95	54.00	17.05	500.0	200.0	V	111.0	2.9
8657.500000	48.64		68.20	19.56	500.0	200.0	V	329.0	3.2
9341.250000		36.95	54.00	17.05	500.0	200.0	Н	226.0	2.6
10267.500000	49.58		68.20	18.62	500.0	200.0	Н	53.0	2.9
10517.500000	48.62		68.20	19.58	500.0	200.0	Н	106.0	2.7
11905.000000		39.01	54.00	14.99	500.0	200.0	V	359.0	4.2
12682.500000		40.09	54.00	13.91	500.0	200.0	Н	302.0	5.5
13553.750000	52.23		68.20	15.97	500.0	200.0	V	186.0	5.9
15298.750000	53.64		68.20	14.56	500.0	200.0	Н	60.0	5.8
15710.000000		43.63	54.00	10.37	500.0	200.0	V	337.0	6.2
17612.500000	55.84		68.20	12.36	500.0	200.0	Н	242.0	10.1
17842.500000		43.93	54.00	10.07	500.0	200.0	Н	68.0	10.4




<u>RF Test Report</u> Wi-Fi 5GHz\_be 20 CH165\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8625.000000	48.28		68.20	19.92	500.0	200.0	Н	12.0	3.1
9047.500000		36.74	54.00	17.26	500.0	200.0	V	298.0	2.7
9358.750000		37.40	54.00	16.60	500.0	200.0	н	26.0	2.6
10261.250000	49.21		68.20	18.99	500.0	200.0	V	186.0	2.9
10540.000000	48.92		68.20	19.28	500.0	200.0	н	0.0	2.6
11886.250000		38.74	54.00	15.26	500.0	200.0	н	0.0	4.1
12645.000000		40.29	54.00	13.71	500.0	200.0	Н	249.0	5.4
13540.000000	52.44		68.20	15.76	500.0	200.0	V	73.0	5.8
15310.000000	52.81		68.20	15.39	500.0	200.0	V	103.0	5.8
15716.250000		43.82	54.00	10.18	500.0	200.0	V	34.0	6.2
17688.750000	56.25		68.20	11.95	500.0	200.0	V	171.0	10.1
17755.000000		43.80	54.00	10.20	500.0	200.0	Н	164.0	10.2



Wi-Fi 5GHz\_be 40 CH38\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8210.000000		37.02	54.00	16.98	500.0	200.0	Н	59.0	2.8
8658.750000	49.02		68.20	19.18	500.0	200.0	V	103.0	3.2
9336.250000		36.92	54.00	17.08	500.0	200.0	н	0.0	2.6
10187.500000	49.13		68.20	19.07	500.0	200.0	Н	318.0	2.8
10508.750000	48.17		68.20	20.03	500.0	200.0	V	6.0	2.7
11960.000000		38.58	54.00	15.42	500.0	200.0	V	43.0	4.4
12678.750000		40.02	54.00	13.98	500.0	200.0	Н	172.0	5.5
13582.500000	52.48		68.20	15.72	500.0	200.0	V	0.0	5.9
15318.750000	52.95		68.20	15.25	500.0	200.0	Н	234.0	5.8
15706.250000		43.72	54.00	10.28	500.0	200.0	Н	310.0	6.2
17627.500000	55.95		68.20	12.25	500.0	200.0	V	226.0	10.1
17857.500000		43.88	54.00	10.12	500.0	200.0	V	28.0	10.5



Wi-Fi 5GHz\_be 40 CH46\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8137.500000		36.81	54.00	17.19	500.0	200.0	Н	265.0	2.7
8952.500000	48.41		68.20	19.79	500.0	200.0	V	0.0	2.9
9340.000000		37.00	54.00	17.00	500.0	200.0	н	88.0	2.6
9851.250000	49.29		68.20	18.91	500.0	200.0	V	140.0	3.0
10503.750000	48.23		68.20	19.97	500.0	200.0	Н	118.0	2.7
11867.500000		38.60	54.00	15.40	500.0	200.0	V	36.0	4.0
12680.000000		40.00	54.00	14.00	500.0	200.0	V	88.0	5.5
13500.000000	52.20		68.20	16.00	500.0	200.0	Н	34.0	5.6
13942.500000	52.99		68.20	15.21	500.0	200.0	V	12.0	6.4
15712.500000		43.66	54.00	10.34	500.0	200.0	V	201.0	6.2
17693.750000	56.27		68.20	11.93	500.0	200.0	н	273.0	10.1
17832.500000		43.93	54.00	10.07	500.0	200.0	Н	291.0	10.4



<u>RF Test Report</u> Wi-Fi 5GHz\_be 40 CH54\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8431.250000		36.81	54.00	17.19	500.0	200.0	V	310.0	3.0
8506.250000	48.44		68.20	19.76	500.0	200.0	V	40.0	3.0
9300.000000		36.99	54.00	17.01	500.0	200.0	V	226.0	2.6
10291.250000	48.87		68.20	19.33	500.0	200.0	Н	293.0	2.9
10515.000000	49.01		68.20	19.19	500.0	200.0	Н	233.0	2.7
11960.000000		38.73	54.00	15.27	500.0	200.0	V	47.0	4.4
12648.750000		40.33	54.00	13.67	500.0	200.0	V	0.0	5.4
13605.000000	51.89		68.20	16.31	500.0	200.0	Н	278.0	5.9
15307.500000	53.01		68.20	15.19	500.0	200.0	Н	345.0	5.8
15707.500000		43.41	54.00	10.59	500.0	200.0	Н	103.0	6.2
17623.750000	55.61		68.20	12.59	500.0	200.0	V	2.0	10.1
17896.250000		43.84	54.00	10.16	500.0	200.0	V	24.0	10.6



Wi-Fi 5GHz\_be 40 CH62\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8436.250000		36.92	54.00	17.08	500.0	200.0	V	218.0	3.0
8663.750000	48.60		68.20	19.60	500.0	200.0	V	0.0	3.2
9345.000000		37.19	54.00	16.81	500.0	200.0	V	36.0	2.6
10205.000000	48.89		68.20	19.31	500.0	200.0	н	311.0	2.8
10587.500000	48.10		68.20	20.10	500.0	200.0	V	21.0	2.5
11977.500000		38.76	54.00	15.24	500.0	200.0	н	0.0	4.5
12640.000000		40.01	54.00	13.99	500.0	200.0	н	266.0	5.4
13617.500000	51.48		68.20	16.72	500.0	200.0	V	318.0	5.9
15297.500000	53.42		68.20	14.78	500.0	200.0	Н	229.0	5.8
15707.500000		43.44	54.00	10.56	500.0	200.0	V	264.0	6.2
17675.000000	55.88		68.20	12.32	500.0	200.0	Н	42.0	10.1
17810.000000		43.97	54.00	10.03	500.0	200.0	Н	222.0	10.3



Wi-Fi 5GHz\_be 40 CH102\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8480.000000		36.93	54.00	17.07	500.0	200.0	V	90.0	3.0
8652.500000	48.27		68.20	19.93	500.0	200.0	Н	350.0	3.1
9333.750000		37.16	54.00	16.84	500.0	200.0	Н	268.0	2.6
10247.500000	48.74		68.20	19.46	500.0	200.0	V	61.0	2.9
10490.000000	48.48		68.20	19.72	500.0	200.0	V	189.0	2.7
11968.750000		38.65	54.00	15.35	500.0	200.0	V	0.0	4.4
12698.750000		40.11	54.00	13.89	500.0	200.0	V	211.0	5.5
13537.500000	52.19		68.20	16.01	500.0	200.0	H	119.0	5.8
13878.750000	53.01		68.20	15.19	500.0	200.0	Η	0.0	6.3
15715.000000		43.95	54.00	10.05	500.0	200.0	V	61.0	6.2
17637.500000	55.51		68.20	12.69	500.0	200.0	V	46.0	10.1
17881.250000		43.87	54.00	10.13	500.0	200.0	Н	260.0	10.5



Wi-Fi 5GHz\_be 40 CH118\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8342.500000		37.05	54.00	16.95	500.0	200.0	V	105.0	3.0
8840.000000	48.48		68.20	19.72	500.0	200.0	V	15.0	2.7
9497.500000		37.02	54.00	16.98	500.0	200.0	н	284.0	2.6
9787.500000	49.23		68.20	18.97	500.0	200.0	Н	80.0	3.0
10502.500000	48.27		68.20	19.93	500.0	200.0	Н	42.0	2.7
11970.000000		38.84	54.00	15.16	500.0	200.0	н	178.0	4.4
12677.500000		40.42	54.00	13.58	500.0	200.0	Н	110.0	5.5
13690.000000	51.60		68.20	16.60	500.0	200.0	Н	103.0	5.8
15312.500000	53.26		68.20	14.94	500.0	200.0	н	336.0	5.8
15708.750000		43.38	54.00	10.62	500.0	200.0	Н	246.0	6.2
17697.500000	55.86		68.20	12.34	500.0	200.0	V	67.0	10.1
17830.000000		43.86	54.00	10.14	500.0	200.0	V	0.0	10.4



#### RF Test Report Ni-Fi 5GHz, be 40 CH134, 8


Wi-Fi 5GHz\_be 40 CH134\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8497.500000		37.23	54.00	16.77	500.0	200.0	Н	97.0	3.0
8815.000000	48.66		68.20	19.54	500.0	200.0	V	90.0	2.7
9341.250000		36.83	54.00	17.17	500.0	200.0	V	188.0	2.6
10173.750000	49.18		68.20	19.02	500.0	200.0	V	105.0	2.8
10491.250000	48.38		68.20	19.82	500.0	200.0	V	51.0	2.7
11972.500000		38.74	54.00	15.26	500.0	200.0	н	286.0	4.4
12678.750000		40.19	54.00	13.81	500.0	200.0	н	112.0	5.5
13610.000000	52.05		68.20	16.15	500.0	200.0	V	29.0	5.9
15126.250000	53.01		68.20	15.19	500.0	200.0	Н	226.0	5.8
15706.250000		43.46	54.00	10.54	500.0	200.0	Н	331.0	6.2
17500.000000	56.04		68.20	12.16	500.0	200.0	Н	331.0	10.2
17801.250000		43.81	54.00	10.19	500.0	200.0	V	166.0	10.3




<u>RF Test Report</u> Wi-Fi 5GHz\_be 40 CH142\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8445.000000		36.83	54.00	17.17	500.0	200.0	Н	358.0	3.0
8812.500000	48.77		68.20	19.43	500.0	200.0	V	44.0	2.7
9317.500000		37.02	54.00	16.98	500.0	200.0	V	52.0	2.6
9813.750000	49.63		68.20	18.57	500.0	200.0	Н	11.0	3.0
10540.000000	48.33		68.20	19.87	500.0	200.0	Н	344.0	2.6
11767.500000		38.59	54.00	15.41	500.0	200.0	Н	209.0	3.8
12647.500000		40.06	54.00	13.94	500.0	200.0	V	165.0	5.4
13730.000000	51.74		68.20	16.46	500.0	200.0	V	59.0	5.7
15281.250000	52.75		68.20	15.45	500.0	200.0	V	59.0	5.7
15717.500000		43.46	54.00	10.54	500.0	200.0	V	7.0	6.2
17612.500000	56.33		68.20	11.87	500.0	200.0	Н	0.0	10.1
17888.750000		44.00	54.00	10.00	500.0	200.0	V	195.0	10.6




<u>RF Test Report</u> Wi-Fi 5GHz\_be 40 CH151\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8473.750000		36.70	54.00	17.30	500.0	200.0	Н	47.0	3.0
8621.250000	48.52		68.20	19.68	500.0	200.0	V	278.0	3.1
9331.250000		37.03	54.00	16.97	500.0	200.0	Н	210.0	2.6
10203.750000	49.54		68.20	18.66	500.0	200.0	V	308.0	2.8
10555.000000	48.72		68.20	19.48	500.0	200.0	V	316.0	2.6
11925.000000		38.77	54.00	15.23	500.0	200.0	V	353.0	4.3
12650.000000		40.06	54.00	13.94	500.0	200.0	Н	187.0	5.4
13601.250000	51.60		68.20	16.60	500.0	200.0	Н	77.0	5.9
13922.500000	53.26		68.20	14.94	500.0	200.0	V	210.0	6.4
15703.750000		43.48	54.00	10.52	500.0	200.0	V	324.0	6.2
17685.000000	55.79		68.20	12.41	500.0	200.0	V	301.0	10.1
17748.750000		43.90	54.00	10.10	500.0	200.0	Н	263.0	10.2



Wi-Fi 5GHz\_be 40 CH159\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8138.750000		36.81	54.00	17.19	500.0	200.0	V	58.0	2.7
8931.250000	48.39		68.20	19.81	500.0	200.0	Н	121.0	3.0
9311.250000		37.05	54.00	16.95	500.0	200.0	V	0.0	2.6
10240.000000	49.12		68.20	19.08	500.0	200.0	н	106.0	2.9
10511.250000	47.74		68.20	20.46	500.0	200.0	V	307.0	2.7
11896.250000		38.67	54.00	15.33	500.0	200.0	V	194.0	4.2
12675.000000		40.39	54.00	13.61	500.0	200.0	Н	91.0	5.5
13591.250000	51.43		68.20	16.77	500.0	200.0	н	143.0	5.9
15270.000000	52.95		68.20	15.25	500.0	200.0	V	209.0	5.7
15698.750000		43.59	54.00	10.41	500.0	200.0	V	0.0	6.2
17686.250000	55.69		68.20	12.51	500.0	200.0	V	359.0	10.1
17877.500000		43.33	54.00	10.67	500.0	200.0	Н	99.0	10.5



Wi-Fi 5GHz\_be 80 CH42\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8491.250000		36.89	54.00	17.11	500.0	200.0	Н	203.0	3.0
8940.000000	48.16		68.20	20.04	500.0	200.0	Н	218.0	2.9
9336.250000		36.88	54.00	17.12	500.0	200.0	н	248.0	2.6
10275.000000	50.07		68.20	18.13	500.0	200.0	н	300.0	2.9
10550.000000	48.27		68.20	19.93	500.0	200.0	Н	308.0	2.6
11971.250000		38.62	54.00	15.38	500.0	200.0	Н	270.0	4.4
12681.250000		40.19	54.00	13.81	500.0	200.0	V	254.0	5.5
13570.000000	51.42		68.20	16.78	500.0	200.0	V	156.0	5.9
15115.000000	52.97		68.20	15.23	500.0	200.0	Н	308.0	5.8
15713.750000		43.70	54.00	10.30	500.0	200.0	V	171.0	6.2
17693.750000	55.94		68.20	12.26	500.0	200.0	V	118.0	10.1
17822.500000		43.92	54.00	10.08	500.0	200.0	Н	346.0	10.4



Wi-Fi 5GHz\_be 80 CH58\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8145.000000		36.92	54.00	17.08	500.0	200.0	V	121.0	2.7
8987.500000	48.18		68.20	20.02	500.0	200.0	Н	200.0	2.7
9301.250000		37.19	54.00	16.81	500.0	200.0	Н	358.0	2.6
10251.250000	49.52		68.20	18.68	500.0	200.0	Н	276.0	2.9
10495.000000	48.45		68.20	19.75	500.0	200.0	Н	351.0	2.7
11927.500000		38.61	54.00	15.39	500.0	200.0	н	170.0	4.3
12680.000000		39.95	54.00	14.05	500.0	200.0	V	21.0	5.5
13566.250000	51.77		68.20	16.43	500.0	200.0	Н	110.0	5.9
15166.250000	53.85		68.20	14.35	500.0	200.0	Н	170.0	5.8
15708.750000		43.37	54.00	10.63	500.0	200.0	V	60.0	6.2
17615.000000	55.68		68.20	12.52	500.0	200.0	V	60.0	10.1
17736.250000		44.55	54.00	9.45	500.0	200.0	Н	321.0	10.2




Wi-Fi 5GHz\_be 80 CH106\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8458.750000		36.66	54.00	17.34	500.0	200.0	Н	88.0	3.0
8963.750000	48.51		68.20	19.69	500.0	200.0	Н	11.0	2.8
9337.500000		36.86	54.00	17.14	500.0	200.0	н	72.0	2.6
10422.500000	48.60		68.20	19.60	500.0	200.0	V	59.0	2.7
10537.500000	48.10		68.20	20.10	500.0	200.0	Н	0.0	2.6
11965.000000		38.73	54.00	15.27	500.0	200.0	Н	322.0	4.4
12677.500000		39.99	54.00	14.01	500.0	200.0	Н	276.0	5.5
13637.500000	51.36		68.20	16.84	500.0	200.0	V	151.0	5.9
15227.500000	53.55		68.20	14.65	500.0	200.0	V	0.0	5.7
15710.000000		43.67	54.00	10.33	500.0	200.0	V	264.0	6.2
17690.000000	55.70		68.20	12.50	500.0	200.0	Н	246.0	10.1
17852.500000		43.99	54.00	10.01	500.0	200.0	Н	268.0	10.5



Wi-Fi 5GHz\_be 80 CH122\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8311.250000		36.82	54.00	17.18	500.0	200.0	Н	50.0	2.9
8633.750000	47.84		68.20	20.36	500.0	200.0	Н	246.0	3.1
9341.250000		37.07	54.00	16.93	500.0	200.0	V	115.0	2.6
10213.750000	49.07		68.20	19.13	500.0	200.0	V	213.0	2.8
10598.750000	48.34		68.20	19.86	500.0	200.0	V	296.0	2.5
11976.250000		38.71	54.00	15.29	500.0	200.0	Н	300.0	4.5
12660.000000		40.15	54.00	13.85	500.0	200.0	Н	308.0	5.4
13592.500000	52.11		68.20	16.09	500.0	200.0	Н	358.0	5.9
15306.250000	52.78		68.20	15.42	500.0	200.0	Н	315.0	5.8
15711.250000		43.37	54.00	10.63	500.0	200.0	V	198.0	6.2
17692.500000	55.99		68.20	12.21	500.0	200.0	V	326.0	10.1
17871.250000		43.89	54.00	10.11	500.0	200.0	V	25.0	10.5




Wi-Fi 5GHz\_be 80 CH138\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8648.750000	48.61		68.20	19.59	500.0	200.0	Н	0.0	3.1
9103.750000		37.50	54.00	16.50	500.0	200.0	Н	207.0	2.7
9351.250000		37.11	54.00	16.89	500.0	200.0	V	265.0	2.6
10443.750000	49.08		68.20	19.12	500.0	200.0	V	47.0	2.7
10565.000000	48.71		68.20	19.49	500.0	200.0	V	2.0	2.6
11983.750000		38.83	54.00	15.17	500.0	200.0	V	40.0	4.5
12698.750000		40.12	54.00	13.88	500.0	200.0	V	220.0	5.5
13568.750000	51.56		68.20	16.64	500.0	200.0	Н	200.0	5.9
15095.000000	53.29		68.20	14.91	500.0	200.0	V	205.0	5.8
15711.250000		43.31	54.00	10.69	500.0	200.0	Н	351.0	6.2
17605.000000	56.36		68.20	11.84	500.0	200.0	Н	328.0	10.1
17748.750000		43.77	54.00	10.23	500.0	200.0	V	40.0	10.2





Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8422.500000		36.82	54.00	17.18	500.0	200.0	V	166.0	3.1
8893.750000	48.60		68.20	19.60	500.0	200.0	н	0.0	2.9
9351.250000		37.01	54.00	16.99	500.0	200.0	н	195.0	2.6
10271.250000	49.03		68.20	19.17	500.0	200.0	Н	172.0	2.9
10548.750000	48.35		68.20	19.85	500.0	200.0	н	286.0	2.6
11998.750000		38.60	54.00	15.40	500.0	200.0	V	105.0	4.5
12670.000000		40.16	54.00	13.84	500.0	200.0	V	331.0	5.5
13591.250000	52.45		68.20	15.75	500.0	200.0	V	21.0	5.9
15316.250000	53.43		68.20	14.77	500.0	200.0	V	346.0	5.8
15688.750000		43.37	54.00	10.63	500.0	200.0	V	241.0	6.1
17667.500000	56.12		68.20	12.08	500.0	200.0	V	28.0	10.1
17733.750000		43.61	54.00	10.39	500.0	200.0	V	128.0	10.2



Report No.: R2411A1737-R4


<u>RF Test Report</u> Wi-Fi 5GHz\_be 160 CH50\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8441.250000		36.72	54.00	17.28	500.0	200.0	V	340.0	3.0
8543.750000	48.90		68.20	19.30	500.0	200.0	Н	194.0	3.1
9351.250000		37.29	54.00	16.71	500.0	200.0	Н	96.0	2.6
10182.500000	49.42		68.20	18.78	500.0	200.0	V	150.0	2.8
10503.750000	48.72		68.20	19.48	500.0	200.0	V	14.0	2.7
11931.250000		38.64	54.00	15.36	500.0	200.0	V	286.0	4.3
12647.500000		40.01	54.00	13.99	500.0	200.0	Н	81.0	5.4
13652.500000	51.70		68.20	16.50	500.0	200.0	Н	285.0	5.9
15281.250000	52.79		68.20	15.41	500.0	200.0	V	21.0	5.7
15713.750000		43.31	54.00	10.69	500.0	200.0	V	29.0	6.2
17613.750000	55.57		68.20	12.63	500.0	200.0	V	0.0	10.1
17907.500000		44.00	54.00	10.00	500.0	200.0	۷	1.0	10.6



<u>RF Test Report</u> Wi-Fi 5GHz\_be 160 CH114\_8-18GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8447.500000		36.90	54.00	17.10	500.0	200.0	V	241.0	3.0
8832.500000	48.43		68.20	19.77	500.0	200.0	V	1.0	2.7
9308.750000		36.83	54.00	17.17	500.0	200.0	V	14.0	2.6
10171.250000	48.89		68.20	19.31	500.0	200.0	Н	111.0	2.8
10520.000000	48.43		68.20	19.77	500.0	200.0	Н	331.0	2.7
11886.250000		38.63	54.00	15.37	500.0	200.0	Н	81.0	4.1
12700.000000		40.01	54.00	13.99	500.0	200.0	V	74.0	5.5
13548.750000	51.72		68.20	16.48	500.0	200.0	V	294.0	5.8
13996.250000	52.84		68.20	15.36	500.0	200.0	V	143.0	6.2
15707.500000		43.38	54.00	10.62	500.0	200.0	Н	323.0	6.2
17685.000000	55.82		68.20	12.38	500.0	200.0	Н	241.0	10.1
17807.500000		43.47	54.00	10.53	500.0	200.0	V	234.0	10.3



#### **TB Mode**


Wi-Fi 5GHz TB\_ax20 CH36\_1-8GHz\_242Tone



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1063.000000		27.91	54.00	26.09	500.0	200.0	Н	0.0	-10.4
1266.875000	41.04		68.20	27.16	500.0	200.0	V	199.0	-8.5
1382.375000		30.15	54.00	23.85	500.0	200.0	Н	60.0	-7.7
1613.375000		31.55	54.00	22.45	500.0	200.0	Н	20.0	-6.3
1910.875000	44.24		68.20	23.96	500.0	200.0	V	249.0	-4.9
2667.750000	46.98		68.20	21.22	500.0	200.0	Н	81.0	-1.9
2795.500000		36.02	54.00	17.98	500.0	200.0	V	109.0	-1.3
3537.500000	50.60		68.20	17.60	500.0	200.0	Н	106.0	1.7
3988.125000		39.70	54.00	14.30	500.0	200.0	V	279.0	3.2
4458.875000	49.82		68.20	18.38	500.0	200.0	V	88.0	3.6
6592.125000	53.42		68.20	14.78	500.0	200.0	Н	238.0	6.6
7333.250000		41.18	54.00	12.82	500.0	200.0	Н	36.0	7.0




Wi-Fi 5GHz TB\_ax20 CH52\_1-8GHz\_242Tone



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1069.125000		27.84	54.00	26.16	500.0	200.0	Η	12.0	-10.3
1288.750000	42.12		68.20	26.08	500.0	200.0	Η	272.0	-8.3
1364.000000		30.71	54.00	23.29	500.0	200.0	Η	58.0	-7.7
1683.375000		31.89	54.00	22.11	500.0	200.0	Н	62.0	-6.0
1890.750000	44.46		68.20	23.74	500.0	200.0	V	298.0	-5.1
2665.125000	46.84		68.20	21.36	500.0	200.0	Η	71.0	-1.9
2815.625000		36.56	54.00	17.44	500.0	200.0	Η	46.0	-1.2
3521.750000	51.12		68.20	17.08	500.0	200.0	Η	58.0	1.7
3996.875000		40.43	54.00	13.57	500.0	200.0	Η	46.0	3.2
4464.125000	51.09		68.20	17.11	500.0	200.0	Η	62.0	3.6
6590.375000	56.08		68.20	12.12	500.0	200.0	Η	54.0	6.6
7250.125000		43.61	54.00	10.39	500.0	200.0	Η	38.0	7.1




Wi-Fi 5GHz TB\_ax20 CH100\_1-8GHz\_242Tone



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1075.250000		27.76	54.00	26.24	500.0	200.0	Η	225.0	-10.3
1276.500000	40.94		68.20	27.26	500.0	200.0	Η	173.0	-8.4
1385.000000		30.49	54.00	23.51	500.0	200.0	Η	74.0	-7.7
1704.375000		32.02	54.00	21.98	500.0	200.0	V	319.0	-6.0
1986.125000	44.30		68.20	23.90	500.0	200.0	Η	98.0	-4.6
2644.125000	46.73		68.20	21.47	500.0	200.0	Н	194.0	-2.0
2792.875000		36.18	54.00	17.82	500.0	200.0	Η	110.0	-1.3
3455.250000	51.14		68.20	17.06	500.0	200.0	V	168.0	1.6
3989.875000		39.68	54.00	14.32	500.0	200.0	Η	156.0	3.2
4416.875000	49.74		68.20	18.46	500.0	200.0	Η	152.0	3.6
6180.875000	53.71		68.20	14.49	500.0	200.0	Η	177.0	5.5
7495.125000		41.10	54.00	12.90	500.0	200.0	Η	229.0	6.9




<u>RF Test Report</u> Wi-Fi 5GHz TB\_ax20 CH149\_1-8GHz\_242Tone



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1284.375000	40.91		68.20	27.29	500.0	200.0	V	254.0	-8.3
1410.375000		30.69	54.00	23.31	500.0	200.0	V	314.0	-7.5
1695.625000		31.92	54.00	22.08	500.0	200.0	V	258.0	-6.0
1930.125000	44.52		68.20	23.68	500.0	200.0	V	305.0	-4.8
2659.875000	47.93		68.20	20.27	500.0	200.0	V	347.0	-1.9
2810.375000		36.21	54.00	17.79	500.0	200.0	V	305.0	-1.2
3413.250000	51.11		68.20	17.09	500.0	200.0	V	343.0	1.4
3915.500000		40.42	54.00	13.58	500.0	200.0	V	309.0	2.6
5109.875000		41.58	54.00	12.42	500.0	200.0	V	331.0	5.1
5598.125000	53.04		68.20	15.16	500.0	200.0	V	335.0	5.7
6937.750000	55.97		68.20	12.23	500.0	200.0	V	233.0	7.0
7268.500000		43.71	54.00	10.29	500.0	200.0	V	355.0	7.1



<u>RF Test Report</u> Wi-Fi 5GHz TB\_ax40 CH38\_1-8GHz\_484Tone




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1075.250000		27.92	54.00	26.08	500.0	200.0	Η	213.0	-10.3
1260.750000	41.84		68.20	26.36	500.0	200.0	Η	142.0	-8.5
1380.625000		30.48	54.00	23.52	500.0	200.0	Η	112.0	-7.7
1708.750000		31.88	54.00	22.12	500.0	200.0	Н	167.0	-5.9
1944.125000	43.94		68.20	24.26	500.0	200.0	V	270.0	-4.7
2642.375000	47.18		68.20	21.02	500.0	200.0	Η	0.0	-2.0
2789.375000		36.07	54.00	17.93	500.0	200.0	V	283.0	-1.3
3430.750000	50.78		68.20	17.42	500.0	200.0	Η	163.0	1.5
3986.375000		39.78	54.00	14.22	500.0	200.0	V	345.0	3.2
4459.750000	49.05		68.20	19.15	500.0	200.0	Η	163.0	3.6
6731.250000	53.42		68.20	14.78	500.0	200.0	V	241.0	6.5
7295.625000		41.16	54.00	12.84	500.0	200.0	V	291.0	7.0



Report No.: R2411A1737-R4

Wi-Fi 5GHz TB\_ax40 CH54\_1-8GHz\_484Tone




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1084.875000		28.55	54.00	25.45	500.0	200.0	Н	63.0	-10.2
1296.625000	41.15		68.20	27.05	500.0	200.0	Н	4.0	-8.2
1394.625000		30.40	54.00	23.60	500.0	200.0	Η	208.0	-7.6
1721.875000		32.03	54.00	21.97	500.0	200.0	V	37.0	-5.9
1997.500000	43.97		68.20	24.23	500.0	200.0	V	205.0	-4.6
2613.500000	46.96		68.20	21.24	500.0	200.0	Η	67.0	-2.0
2794.625000		36.03	54.00	17.97	500.0	200.0	V	88.0	-1.3
3486.750000	51.45		68.20	16.75	500.0	200.0	Н	79.0	1.7
3963.625000		39.70	54.00	14.30	500.0	200.0	V	150.0	3.0
4464.125000	50.33		68.20	17.87	500.0	200.0	V	256.0	3.6
6725.125000	53.48		68.20	14.72	500.0	200.0	V	281.0	6.5
7566.000000		41.15	54.00	12.85	500.0	200.0	V	247.0	7.1



Report No.: R2411A1737-R4


Wi-Fi 5GHz TB\_ax40 CH102\_1-8GHz\_484Tone



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1074.375000		28.23	54.00	25.77	500.0	200.0	Η	254.0	-10.3
1271.250000	41.47		68.20	26.73	500.0	200.0	V	200.0	-8.4
1390.250000		30.42	54.00	23.58	500.0	200.0	V	282.0	-7.6
1704.375000		31.73	54.00	22.27	500.0	200.0	V	237.0	-6.0
1999.250000	44.70		68.20	23.50	500.0	200.0	Η	10.0	-4.5
2573.250000	47.55		68.20	20.65	500.0	200.0	Η	196.0	-2.0
2811.250000		36.26	54.00	17.74	500.0	200.0	V	254.0	-1.2
3430.750000	50.53		68.20	17.67	500.0	200.0	Н	250.0	1.5
3989.875000		39.91	54.00	14.09	500.0	200.0	Η	64.0	3.2
4461.500000	49.21		68.20	18.99	500.0	200.0	V	166.0	3.6
6740.875000	53.55		68.20	14.65	500.0	200.0	Η	110.0	6.5
7413.750000		41.09	54.00	12.91	500.0	200.0	Н	27.0	7.2




Wi-Fi 5GHz TB\_ax40 CH151\_1-8GHz\_484Tone



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1274.750000	40.98		68.20	27.22	500.0	200.0	Η	70.0	-8.4
1411.250000		30.54	54.00	23.46	500.0	200.0	V	279.0	-7.5
1721.875000		31.91	54.00	22.09	500.0	200.0	Η	160.0	-5.9
1976.500000	44.39		68.20	23.81	500.0	200.0	Н	41.0	-4.7
2576.750000	47.23		68.20	20.97	500.0	200.0	Η	168.0	-2.0
2810.375000		35.98	54.00	18.02	500.0	200.0	Η	20.0	-1.2
3432.500000	51.08		68.20	17.12	500.0	200.0	Η	134.0	1.5
3975.875000		39.93	54.00	14.07	500.0	200.0	V	60.0	3.1
5121.250000		40.06	54.00	13.94	500.0	200.0	Η	29.0	5.1
5243.750000	51.83		68.20	16.37	500.0	200.0	Η	104.0	5.3
6908.875000	52.83		68.20	15.37	500.0	200.0	Η	172.0	6.8
7550.250000		41.18	54.00	12.82	500.0	200.0	Н	0.0	7.1



Wi-Fi 5GHz TB\_ax80 CH42\_1-8GHz\_996Tone




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1070.875000		28.21	54.00	25.79	500.0	200.0	Η	114.0	-10.3
1244.125000	41.46		68.20	26.74	500.0	200.0	V	108.0	-8.6
1403.375000		30.63	54.00	23.37	500.0	200.0	V	66.0	-7.6
1700.875000		31.72	54.00	22.28	500.0	200.0	Н	28.0	-6.0
1994.875000	45.51		68.20	22.69	500.0	200.0	V	285.0	-4.6
2593.375000	47.08		68.20	21.12	500.0	200.0	Н	16.0	-2.0
2814.750000		36.26	54.00	17.74	500.0	200.0	Н	45.0	-1.2
3595.250000	50.95		68.20	17.25	500.0	200.0	Η	49.0	1.8
3968.875000		39.66	54.00	14.34	500.0	200.0	Η	241.0	3.0
4477.250000	51.24		68.20	16.96	500.0	200.0	Н	284.0	3.7
6817.875000	53.27		68.20	14.93	500.0	200.0	V	159.0	6.8
7366.500000		41.35	54.00	12.65	500.0	200.0	V	96.0	7.1



Report No.: R2411A1737-R4

Wi-Fi 5GHz TB\_ax80 CH58\_1-8GHz\_996Tone




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1075.250000		28.34	54.00	25.66	500.0	200.0	Н	29.0	-10.3
1298.375000	41.45		68.20	26.75	500.0	200.0	Н	213.0	-8.2
1399.000000		30.68	54.00	23.32	500.0	200.0	Н	55.0	-7.6
1706.125000		31.74	54.00	22.26	500.0	200.0	Н	29.0	-6.0
1949.375000	44.43		68.20	23.77	500.0	200.0	Н	88.0	-4.7
2463.000000	46.92		68.20	21.28	500.0	200.0	Н	29.0	-2.3
2730.750000		36.10	54.00	17.90	500.0	200.0	Н	0.0	-1.5
3434.250000	50.33		68.20	17.87	500.0	200.0	V	164.0	1.5
3974.125000		39.84	54.00	14.16	500.0	200.0	V	353.0	3.1
4467.625000	50.34		68.20	17.86	500.0	200.0	V	141.0	3.7
6879.125000	53.72		68.20	14.48	500.0	200.0	Н	4.0	6.7
7294.750000		41.35	54.00	12.65	500.0	200.0	V	240.0	7.0



Report No.: R2411A1737-R4

Wi-Fi 5GHz TB\_ax80 CH106\_1-8GHz\_996Tone




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1099.750000		27.92	54.00	26.08	500.0	200.0	Н	77.0	-10.1
1281.750000	41.49		68.20	26.71	500.0	200.0	Η	81.0	-8.3
1382.375000		30.46	54.00	23.54	500.0	200.0	V	314.0	-7.7
1709.625000		31.96	54.00	22.04	500.0	200.0	Н	248.0	-5.9
1917.875000	44.41		68.20	23.79	500.0	200.0	V	129.0	-4.9
2626.625000	47.17		68.20	21.03	500.0	200.0	V	107.0	-2.0
2791.125000		36.12	54.00	17.88	500.0	200.0	V	69.0	-1.3
3451.750000	51.31		68.20	16.89	500.0	200.0	V	240.0	1.6
3996.875000		39.92	54.00	14.08	500.0	200.0	V	149.0	3.2
4486.000000	50.10		68.20	18.10	500.0	200.0	Н	27.0	3.8
6626.250000	53.58		68.20	14.62	500.0	200.0	V	0.0	6.6
7291.250000		41.31	54.00	12.69	500.0	200.0	Н	207.0	7.0



#### Report No.: R2411A1737-R4

Wi-Fi 5GHz TB\_ax80 CH155\_1-8GHz\_996Tone




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1133.875000		28.25	54.00	25.75	500.0	200.0	Η	226.0	-9.8
1264.250000	40.92		68.20	27.28	500.0	200.0	V	265.0	-8.5
1391.125000		30.48	54.00	23.52	500.0	200.0	Η	44.0	-7.6
1720.125000		31.89	54.00	22.11	500.0	200.0	Н	91.0	-5.9
1966.875000	44.24		68.20	23.96	500.0	200.0	Η	91.0	-4.7
2511.125000	46.92		68.20	21.28	500.0	200.0	Η	205.0	-2.1
2766.625000		35.99	54.00	18.01	500.0	200.0	V	152.0	-1.4
3554.125000	51.67		68.20	16.53	500.0	200.0	Η	36.0	1.7
4036.250000		40.05	54.00	13.95	500.0	200.0	Η	44.0	3.3
4469.375000	50.66		68.20	17.54	500.0	200.0	V	140.0	3.7
6712.000000	54.16		68.20	14.04	500.0	200.0	V	265.0	6.5
7424.250000		41.10	54.00	12.90	500.0	200.0	Η	28.0	7.2



Report No.: R2411A1737-R4


#### Wi-Fi 5GHz TB\_ax160 CH50\_1-8GHz\_996x2Tone



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1107.625000		28.41	54.00	25.59	500.0	200.0	V	323.0	-10.0
1281.750000	41.90		68.20	26.30	500.0	200.0	V	0.0	-8.3
1372.750000		30.45	54.00	23.55	500.0	200.0	Η	139.0	-7.7
1685.125000		31.86	54.00	22.14	500.0	200.0	V	346.0	-6.0
1784.875000	44.55		68.20	23.65	500.0	200.0	V	110.0	-5.5
2687.000000	47.21		68.20	20.99	500.0	200.0	V	272.0	-1.7
2807.750000		36.12	54.00	17.88	500.0	200.0	V	185.0	-1.2
3571.625000	50.85		68.20	17.35	500.0	200.0	Η	13.0	1.7
3986.375000		40.10	54.00	13.90	500.0	200.0	Η	126.0	3.2
4486.875000	52.08		68.20	16.12	500.0	200.0	V	327.0	3.8
6608.750000	53.30		68.20	14.90	500.0	200.0	Η	8.0	6.6
7309.625000		41.32	54.00	12.68	500.0	200.0	V	342.0	7.0



Wi-Fi 5GHz TB\_ax160 CH114\_1-8GHz\_996x2Tone




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1094.500000		28.66	54.00	25.34	500.0	200.0	Η	284.0	-10.1
1245.875000	41.20		68.20	27.00	500.0	200.0	Η	66.0	-8.6
1413.000000		30.51	54.00	23.49	500.0	200.0	V	238.0	-7.5
1719.250000		31.69	54.00	22.31	500.0	200.0	Н	58.0	-5.9
1970.375000	44.71		68.20	23.49	500.0	200.0	V	0.0	-4.7
2581.125000	47.18		68.20	21.02	500.0	200.0	Η	99.0	-2.0
2744.750000		36.09	54.00	17.91	500.0	200.0	Η	29.0	-1.5
3371.250000	50.88		68.20	17.32	500.0	200.0	V	33.0	1.1
3974.125000		39.73	54.00	14.27	500.0	200.0	V	297.0	3.1
4460.625000	49.50		68.20	18.70	500.0	200.0	Η	70.0	3.6
6712.875000	53.86		68.20	14.34	500.0	200.0	Η	120.0	6.5
7369.125000		41.36	54.00	12.64	500.0	200.0	Η	58.0	7.1



Report No.: R2411A1737-R4


<u>RF Test Report</u> Wi-Fi 5GHz TB\_BE20 CH36\_1-8GHz\_242Tone



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1095.375000		28.25	54.00	25.75	500.0	200.0	Η	4.0	-10.1
1266.875000	40.81		68.20	27.39	500.0	200.0	V	183.0	-8.5
1387.625000		30.51	54.00	23.49	500.0	200.0	Н	196.0	-7.7
1686.000000		31.65	54.00	22.35	500.0	200.0	Н	66.0	-6.0
1976.500000	44.08		68.20	24.12	500.0	200.0	V	183.0	-4.7
2541.750000	47.12		68.20	21.08	500.0	200.0	Н	8.0	-2.1
2813.000000		36.05	54.00	17.95	500.0	200.0	Н	130.0	-1.2
3317.875000	50.44		68.20	17.76	500.0	200.0	V	267.0	0.9
3965.375000		39.97	54.00	14.03	500.0	200.0	Н	99.0	3.0
4470.250000	50.68		68.20	17.52	500.0	200.0	Η	75.0	3.7
6855.500000	52.98		68.20	15.22	500.0	200.0	Н	0.0	6.8
7506.500000		41.14	54.00	12.86	500.0	200.0	V	112.0	6.9



<u>RF Test Report</u> Wi-Fi 5GHz TB\_BE20 CH52\_1-8GHz\_242Tone




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1063.000000		28.11	54.00	25.89	500.0	200.0	Н	238.0	-10.4
1297.500000	41.09		68.20	27.11	500.0	200.0	Η	26.0	-8.2
1408.625000		30.68	54.00	23.32	500.0	200.0	Η	1.0	-7.5
1679.000000		32.08	54.00	21.92	500.0	200.0	Н	5.0	-6.0
1931.875000	44.53		68.20	23.67	500.0	200.0	Н	26.0	-4.8
2645.875000	47.07		68.20	21.13	500.0	200.0	V	292.0	-2.0
2768.375000		36.54	54.00	17.46	500.0	200.0	Η	31.0	-1.4
3481.500000	50.76		68.20	17.44	500.0	200.0	V	78.0	1.7
3964.500000		40.38	54.00	13.62	500.0	200.0	Н	52.0	3.0
4441.375000	49.94		68.20	18.26	500.0	200.0	Н	123.0	3.5
6866.000000	56.05		68.20	12.15	500.0	200.0	Н	1.0	6.8
7279.000000		43.71	54.00	10.29	500.0	200.0	Н	5.0	7.1



Report No.: R2411A1737-R4

Wi-Fi 5GHz TB\_BE20 CH100\_1-8GHz\_242Tone




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1066.500000		27.87	54.00	26.13	500.0	200.0	Η	21.0	-10.3
1271.250000	41.99		68.20	26.21	500.0	200.0	Н	1.0	-8.4
1360.500000		30.50	54.00	23.50	500.0	200.0	V	131.0	-7.8
1691.250000		31.76	54.00	22.24	500.0	200.0	Н	55.0	-6.0
1862.750000	44.29		68.20	23.91	500.0	200.0	Η	105.0	-5.2
2671.250000	47.24		68.20	20.96	500.0	200.0	V	328.0	-1.8
2818.250000		36.15	54.00	17.85	500.0	200.0	Η	75.0	-1.2
3435.125000	50.90		68.20	17.30	500.0	200.0	Η	34.0	1.5
3968.000000		39.65	54.00	14.35	500.0	200.0	V	324.0	3.0
4479.000000	50.52		68.20	17.68	500.0	200.0	Η	292.0	3.7
6775.875000	53.65		68.20	14.55	500.0	200.0	V	299.0	6.7
7286.875000		41.44	54.00	12.56	500.0	200.0	V	282.0	7.0



#### Report No.: R2411A1737-R4

Wi-Fi 5GHz TB\_BE20 CH149\_1-8GHz\_242Tone




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1274.750000	41.34		68.20	26.86	500.0	200.0	Н	3.0	-8.4
1381.500000		30.44	54.00	23.56	500.0	200.0	Н	3.0	-7.7
1704.375000		31.85	54.00	22.15	500.0	200.0	Н	96.0	-6.0
1954.625000	44.08		68.20	24.12	500.0	200.0	V	313.0	-4.7
2643.250000	46.90		68.20	21.30	500.0	200.0	V	130.0	-2.0
2732.500000		35.97	54.00	18.03	500.0	200.0	Н	230.0	-1.5
3394.875000	50.73		68.20	17.47	500.0	200.0	V	275.0	1.3
3997.750000		39.69	54.00	14.31	500.0	200.0	V	101.0	3.2
5120.375000		40.00	54.00	14.00	500.0	200.0	Н	92.0	5.1
5234.125000	51.90		68.20	16.30	500.0	200.0	H	23.0	5.3
6734.750000	54.57		68.20	13.63	500.0	200.0	V	205.0	6.5
7337.625000		41.16	54.00	12.84	500.0	200.0	H	104.0	7.0



Report No.: R2411A1737-R4

<u>RF Test Report</u> Wi-Fi 5GHz TB\_BE40 CH38\_1-8GHz\_484Tone




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m	(dB£gV/m	(dB£gV/m	(dB)	Time	(cm)		(deg)	(dB/m)
	)	)	)		(ms)				
1063.000000		28.56	54.00	25.44	500.0	200.0	V	147.0	-10.4
1287.875000	41.11		68.20	27.09	500.0	200.0	Н	106.0	-8.3
1387.625000		30.54	54.00	23.46	500.0	200.0	V	297.0	-7.7
1662.375000		31.72	54.00	22.28	500.0	200.0	Н	257.0	-6.1
1941.500000	44.55		68.20	23.65	500.0	200.0	V	305.0	-4.7
2464.750000	46.80		68.20	21.40	500.0	200.0	V	305.0	-2.3
2788.500000		35.98	54.00	18.02	500.0	200.0	Н	89.0	-1.3
3415.875000	50.32		68.20	17.88	500.0	200.0	Н	314.0	1.4
3997.750000		39.90	54.00	14.10	500.0	200.0	V	115.0	3.2
4467.625000	51.36		68.20	16.84	500.0	200.0	V	249.0	3.7
7668.375000		41.18	54.00	12.82	500.0	200.0	V	139.0	7.4
7970.250000	53.50		68.20	14.70	500.0	200.0	Н	240.0	7.6



Report No.: R2411A1737-R4

<u>RF Test Report</u> Wi-Fi 5GHz TB\_BE40 CH54\_1-8GHz\_484Tone




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1079.625000		28.11	54.00	25.89	500.0	200.0	Н	9.0	-10.3
1259.875000	41.55		68.20	26.65	500.0	200.0	V	217.0	-8.5
1405.125000		30.48	54.00	23.52	500.0	200.0	V	178.0	-7.6
1589.750000		31.88	54.00	22.12	500.0	200.0	V	162.0	-6.4
1910.000000	44.47		68.20	23.73	500.0	200.0	V	343.0	-4.9
2427.125000	46.69		68.20	21.51	500.0	200.0	V	310.0	-2.5
2791.125000		36.14	54.00	17.86	500.0	200.0	Н	63.0	-1.3
3545.375000	50.83		68.20	17.37	500.0	200.0	Η	234.0	1.7
3955.750000		39.75	54.00	14.25	500.0	200.0	V	166.0	2.9
4416.875000	50.19		68.20	18.01	500.0	200.0	V	183.0	3.6
6751.375000	53.28		68.20	14.92	500.0	200.0	V	145.0	6.5
7257.125000		41.14	54.00	12.86	500.0	200.0	Н	92.0	7.1



#### Report No.: R2411A1737-R4

Wi-Fi 5GHz TB\_BE40 CH102\_1-8GHz\_484Tone




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1082.250000		27.95	54.00	26.05	500.0	200.0	Η	246.0	-10.3
1242.375000	41.60		68.20	26.60	500.0	200.0	V	309.0	-8.6
1413.875000		30.59	54.00	23.41	500.0	200.0	Η	15.0	-7.5
1709.625000		31.89	54.00	22.11	500.0	200.0	Н	183.0	-5.9
1914.375000	45.54		68.20	22.66	500.0	200.0	Η	268.0	-4.9
2609.125000	47.00		68.20	21.20	500.0	200.0	V	267.0	-2.0
2736.875000		36.00	54.00	18.00	500.0	200.0	Η	23.0	-1.5
3547.125000	51.00		68.20	17.20	500.0	200.0	V	254.0	1.7
3966.250000		39.76	54.00	14.24	500.0	200.0	Η	166.0	3.0
4473.750000	50.41		68.20	17.79	500.0	200.0	V	194.0	3.7
6959.625000	53.75		68.20	14.45	500.0	200.0	V	84.0	7.1
7280.750000		41.38	54.00	12.62	500.0	200.0	V	135.0	7.1



Report No.: R2411A1737-R4


Wi-Fi 5GHz TB\_BE40 CH151\_1-8GHz\_484Tone



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1091.875000		28.11	54.00	25.89	500.0	200.0	Η	49.0	-10.2
1292.250000	41.02		68.20	27.18	500.0	200.0	V	172.0	-8.2
1410.375000		30.37	54.00	23.63	500.0	200.0	V	122.0	-7.5
1707.875000		31.66	54.00	22.34	500.0	200.0	V	0.0	-5.9
1956.375000	44.52		68.20	23.68	500.0	200.0	V	302.0	-4.7
2683.500000	46.96		68.20	21.24	500.0	200.0	V	46.0	-1.8
2794.625000		36.03	54.00	17.97	500.0	200.0	Η	20.0	-1.3
3461.375000	50.84		68.20	17.36	500.0	200.0	Н	0.0	1.6
3996.875000		39.76	54.00	14.24	500.0	200.0	V	33.0	3.2
4430.000000	50.62		68.20	17.58	500.0	200.0	V	298.0	3.5
6627.125000	53.75		68.20	14.45	500.0	200.0	H	262.0	6.6
7510.000000		41.21	54.00	12.79	500.0	200.0	H	129.0	6.9




Wi-Fi 5GHz TB\_BE80 CH42\_1-8GHz\_996Tone



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1070.000000		28.33	54.00	25.67	500.0	200.0	Н	296.0	-10.3
1299.250000	41.90		68.20	26.30	500.0	200.0	V	318.0	-8.2
1392.875000		30.41	54.00	23.59	500.0	200.0	V	151.0	-7.6
1678.125000		31.88	54.00	22.12	500.0	200.0	V	270.0	-6.1
1994.000000	44.91		68.20	23.29	500.0	200.0	V	249.0	-4.6
2668.625000	47.00		68.20	21.20	500.0	200.0	V	290.0	-1.9
2742.125000		36.03	54.00	17.97	500.0	200.0	V	245.0	-1.5
3439.500000	51.40		68.20	16.80	500.0	200.0	Н	50.0	1.5
3998.625000		39.88	54.00	14.12	500.0	200.0	V	306.0	3.2
4458.875000	49.57		68.20	18.63	500.0	200.0	V	113.0	3.6
6616.625000	53.86		68.20	14.34	500.0	200.0	V	331.0	6.6
7663.125000		41.24	54.00	12.76	500.0	200.0	Н	70.0	7.4



Wi-Fi 5GHz TB\_BE80 CH58\_1-8GHz\_996Tone




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1052.500000		28.02	54.00	25.98	500.0	200.0	Η	84.0	-10.5
1290.500000	41.45		68.20	26.75	500.0	200.0	V	257.0	-8.3
1398.125000		30.40	54.00	23.60	500.0	200.0	Н	230.0	-7.6
1702.625000		31.83	54.00	22.17	500.0	200.0	V	306.0	-6.0
1946.750000	44.19		68.20	24.01	500.0	200.0	V	116.0	-4.7
2519.000000	47.14		68.20	21.06	500.0	200.0	V	282.0	-2.2
2790.250000		36.13	54.00	17.87	500.0	200.0	Н	168.0	-1.3
3505.125000	50.47		68.20	17.73	500.0	200.0	Η	122.0	1.8
3972.375000		39.75	54.00	14.25	500.0	200.0	Η	80.0	3.0
4461.500000	50.52		68.20	17.68	500.0	200.0	Н	143.0	3.6
6957.000000	54.06		68.20	14.14	500.0	200.0	V	9.0	7.1
7315.750000		41.36	54.00	12.64	500.0	200.0	Н	205.0	7.0



Report No.: R2411A1737-R4

#### Wi-Fi 5GHz TB\_BE80 CH106\_1-8GHz\_996Tone




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1129.500000		28.54	54.00	25.46	500.0	200.0	V	327.0	-9.9
1275.625000	41.16		68.20	27.04	500.0	200.0		42.0	-8.4
1399.000000		30.71	54.00	23.29	500.0	200.0	V	252.0	-7.6
1720.125000		31.91	54.00	22.09	500.0	200.0	Н	288.0	-5.9
1967.750000	44.64		68.20	23.56	500.0	200.0	Η	173.0	-4.7
2434.125000	46.86		68.20	21.34	500.0	200.0	Η	194.0	-2.4
2814.750000		36.05	54.00	17.95	500.0	200.0	Н	105.0	-1.2
3541.000000	50.80		68.20	17.40	500.0	200.0	V	323.0	1.7
3966.250000		39.85	54.00	14.15	500.0	200.0	V	214.0	3.0
4464.125000	50.15		68.20	18.05	500.0	200.0	Н	168.0	3.6
6599.125000	53.81		68.20	14.39	500.0	200.0	V	335.0	6.7
7285.125000		41.35	54.00	12.65	500.0	200.0	V	277.0	7.0



#### Report No.: R2411A1737-R4


Wi-Fi 5GHz TB\_BE80 CH155\_1-8GHz\_996Tone



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1093.625000		28.16	54.00	25.84	500.0	200.0	Н	87.0	-10.1
1252.875000	41.27		68.20	26.93	500.0	200.0	V	141.0	-8.6
1410.375000		30.61	54.00	23.39	500.0	200.0	V	150.0	-7.5
1708.750000		31.82	54.00	22.18	500.0	200.0	Н	74.0	-5.9
1855.750000	44.54		68.20	23.66	500.0	200.0	V	266.0	-5.2
2500.625000	47.27		68.20	20.93	500.0	200.0	Н	211.0	-2.1
2815.625000		36.03	54.00	17.97	500.0	200.0	Н	116.0	-1.2
3437.750000	50.59		68.20	17.61	500.0	200.0	V	304.0	1.5
3991.625000		39.83	54.00	14.17	500.0	200.0	Н	158.0	3.2
4479.000000	50.75		68.20	17.45	500.0	200.0	H	16.0	3.7
7036.625000	53.53		68.20	14.67	500.0	200.0	H	170.0	6.9
7510.000000		41.21	54.00	12.79	500.0	200.0	V	282.0	6.9




#### <u>RF Test Report</u> Wi-Fi 5GHz TB\_BE160 CH50\_1-8GHz\_996Tx2ONE



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m	(dB£gV/m	(dB£gV/m	(dB)	Time	(cm)		(deg)	(dB/m)
	)	)	)		(ms)				
1094.500000		28.23	54.00	25.77	500.0	200.0	Н	151.0	-10.1
1268.625000	41.50		68.20	26.70	500.0	200.0	Н	105.0	-8.5
1397.250000		30.61	54.00	23.39	500.0	200.0	Н	162.0	-7.6
1721.000000		31.84	54.00	22.16	500.0	200.0	Н	44.0	-5.9
1912.625000	44.63		68.20	23.57	500.0	200.0	Н	174.0	-4.9
2562.750000	47.04		68.20	21.16	500.0	200.0	V	58.0	-2.1
2808.625000		36.28	54.00	17.72	500.0	200.0	Н	300.0	-1.2
3429.875000	51.20		68.20	17.00	500.0	200.0	Н	170.0	1.5
3956.625000		39.79	54.00	14.21	500.0	200.0	Н	35.0	2.9
4459.750000	50.33		68.20	17.87	500.0	200.0	V	266.0	3.6
6734.750000	53.38		68.20	14.82	500.0	200.0	Н	5.0	6.5
7284.250000		41.24	54.00	12.76	500.0	200.0	Н	0.0	7.0



Wi-Fi 5GHz TB\_BE160 CH114\_1-8GHz\_996x2Tone



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1094.500000		28.51	54.00	25.49	500.0	200.0	Н	0.0	-10.1
1266.000000	41.42		68.20	26.78	500.0	200.0	Н	46.0	-8.5
1364.000000		30.84	54.00	23.16	500.0	200.0	Н	184.0	-7.7
1721.000000		31.85	54.00	22.15	500.0	200.0	Н	218.0	-5.9
1901.250000	44.06		68.20	24.14	500.0	200.0	Н	357.0	-5.0
2513.750000	47.20		68.20	21.00	500.0	200.0	V	289.0	-2.1
2808.625000		36.18	54.00	17.82	500.0	200.0	Н	71.0	-1.2
3557.625000	51.20		68.20	17.00	500.0	200.0	V	130.0	1.7
3994.250000		39.85	54.00	14.15	500.0	200.0	V	343.0	3.2
4406.375000	50.18		68.20	18.02	500.0	200.0	Н	33.0	3.6
6584.250000	53.44		68.20	14.76	500.0	200.0	V	159.0	6.6
7336.750000		41.19	54.00	12.81	500.0	200.0	V	334.0	7.0



#### Wi-Fi 5GHz TB-ax20-242Tone\_CH36\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8491.250000		38.32	54.00	15.68	100.0	200.0	Η	67.0	3.0
8605.000000	47.84		68.20	20.36	100.0	200.0	Н	41.0	3.1
9307.500000		38.41	54.00	15.59	100.0	200.0	Н	2.0	2.6
9873.750000	48.67		68.20	19.53	100.0	200.0	Н	41.0	3.0
10570.000000	47.57		68.20	20.63	100.0	200.0	Н	12.0	2.6
11932.500000		40.30	54.00	13.70	100.0	200.0	V	32.0	4.3
12657.500000		41.50	54.00	12.50	100.0	200.0	V	2.0	5.4
13592.500000	51.10		68.20	17.10	100.0	200.0	٧	42.0	5.9
15302.500000	51.31		68.20	16.89	100.0	200.0	Н	2.0	5.8
15706.250000		45.20	54.00	8.80	100.0	200.0	Η	0.0	6.2
17675.000000	54.70		68.20	13.50	100.0	200.0	V	42.0	10.1
17832.500000		45.75	54.00	8.25	100.0	200.0	V	90.0	10.4



Report No.: R2411A1737-R4

Wi-Fi 5GHz TB-ax20-242Tone\_CH52\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8430.000000		38.61	54.00	15.39	100.0	200.0	Н	1.0	3.0
8555.000000	47.36		68.20	20.84	100.0	200.0	Н	69.0	3.1
9343.750000		38.31	54.00	15.69	100.0	200.0	Η	24.0	2.6
9752.500000	48.27		68.20	19.93	100.0	200.0	Η	9.0	3.0
10570.000000	48.00		68.20	20.20	100.0	200.0	Η	1.0	2.6
11868.750000		40.04	54.00	13.96	100.0	200.0	V	42.0	4.0
12197.500000		41.07	54.00	12.93	100.0	200.0	Η	1.0	5.0
13723.750000	50.05		68.20	18.15	100.0	200.0	Η	79.0	5.7
15203.750000	51.46		68.20	16.74	100.0	200.0	V	27.0	5.7
15712.500000		44.68	54.00	9.32	100.0	200.0	V	37.0	6.2
17606.250000	54.14		68.20	14.06	100.0	200.0	V	52.0	10.1
17767.500000		45.88	54.00	8.12	100.0	200.0	V	77.0	10.2



Report No.: R2411A1737-R4


## Wi-Fi 5GHz TB-ax20-242Tone\_CH100\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8022.500000	47.03		68.20	21.17	100.0	200.0	V	44.0	2.2
8490.000000		38.39	54.00	15.61	100.0	200.0	Н	88.0	3.0
9365.000000		38.17	54.00	15.83	100.0	200.0	Н	68.0	2.6
10273.750000	47.36		68.20	20.84	100.0	200.0	V	69.0	2.9
10578.750000	46.85		68.20	21.35	100.0	200.0	V	64.0	2.5
11920.000000		40.35	54.00	13.65	100.0	200.0	V	90.0	4.3
12135.000000		40.98	54.00	13.02	100.0	200.0	Н	18.0	4.8
13590.000000	50.71		68.20	17.49	100.0	200.0	Н	88.0	5.9
15271.250000	51.71		68.20	16.49	100.0	200.0	Н	33.0	5.7
15723.750000		44.71	54.00	9.29	100.0	200.0	V	44.0	6.2
17611.250000	54.84		68.20	13.36	100.0	200.0	Н	23.0	10.1
17712.500000		45.49	54.00	8.51	100.0	200.0	V	88.0	10.1




#### Wi-Fi 5GHz TB-ax20-242Tone\_CH149\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dĒ)	Time	(cm)		(deg)	(dB)
					(ms)				
8255.000000		38.22	54.00	15.78	100.0	200.0	٧	21.0	2.7
8827.500000	47.08		68.20	21.12	100.0	200.0	Н	6.0	2.7
9345.000000		38.75	54.00	15.25	100.0	200.0	Н	89.0	2.6
9983.750000	47.92		68.20	20.28	100.0	200.0	Η	80.0	3.1
10552.500000	47.64		68.20	20.56	100.0	200.0	V	0.0	2.6
11972.500000		40.56	54.00	13.44	100.0	200.0	Н	70.0	4.4
13343.750000		41.12	54.00	12.88	100.0	200.0	V	46.0	5.6
13596.250000	50.06		68.20	18.14	100.0	200.0	V	26.0	5.9
15206.250000	52.15		68.20	16.05	100.0	200.0	Η	75.0	5.7
15695.000000		44.62	54.00	9.38	100.0	200.0	Η	89.0	6.1
17612.500000	55.80		68.20	12.40	100.0	200.0	V	2.0	10.1
17823.750000		45.50	54.00	8.50	100.0	200.0	V	2.0	10.4



<u>RF Test Report</u> Wi-Fi 5GHz TB-ax(40)-484Tone\_CH38\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8468.750000		38.37	54.00	15.63	100.0	200.0	Н	39.0	3.0
8680.000000	47.08		68.20	21.12	100.0	200.0	Н	1.0	3.1
9410.000000		38.32	54.00	15.68	100.0	200.0	V	0.0	2.7
9820.000000	47.76		68.20	20.44	100.0	200.0	V	83.0	3.0
10570.000000	46.93		68.20	21.27	100.0	200.0	Η	33.0	2.6
11731.250000		40.64	54.00	13.36	100.0	200.0	V	73.0	3.7
13388.750000		40.97	54.00	13.03	100.0	200.0	Н	69.0	5.6
13603.750000	50.61		68.20	17.59	100.0	200.0	Н	39.0	5.9
15290.000000	52.17		68.20	16.03	100.0	200.0	V	90.0	5.7
15698.750000		45.04	54.00	8.96	100.0	200.0	Н	4.0	6.2
17616.250000	55.00		68.20	13.20	100.0	200.0	V	58.0	10.1
17777.500000		45.99	54.00	8.01	100.0	200.0	V	6.0	10.3



<u>RF Test Report</u> Wi-Fi 5GHz TB-ax(40)-484Tone\_CH54\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8216.250000		38.45	54.00	15.55	100.0	200.0	V	81.0	2.8
8668.750000	47.28		68.20	20.92	100.0	200.0	Н	17.0	3.1
9336.250000		38.46	54.00	15.54	100.0	200.0	Н	21.0	2.6
10186.250000	47.84		68.20	20.36	100.0	200.0	Н	6.0	2.8
10488.750000	47.56		68.20	20.64	100.0	200.0	V	6.0	2.7
11966.250000		39.76	54.00	14.24	100.0	200.0	Н	0.0	4.4
12652.500000		41.30	54.00	12.70	100.0	200.0	V	86.0	5.4
13537.500000	50.40		68.20	17.80	100.0	200.0	Н	2.0	5.8
15335.000000	52.00		68.20	16.20	100.0	200.0	V	42.0	5.8
15707.500000		44.86	54.00	9.14	100.0	200.0	Н	79.0	6.2
17640.000000	54.41		68.20	13.79	100.0	200.0	Н	46.0	10.1
17832.500000		45.54	54.00	8.46	100.0	200.0	Н	46.0	10.4



#### Report No.: R2411A1737-R4

Wi-Fi 5GHz TB-ax(40)-484Tone\_CH102\_8-18GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8188.750000		38.57	54.00	15.43	100.0	200.0	Н	6.0	2.8
8893.750000	48.40		68.20	19.80	100.0	200.0	Н	26.0	2.9
9310.000000		38.52	54.00	15.48	100.0	200.0	V	0.0	2.6
10218.750000	48.34		68.20	19.86	100.0	200.0	Η	11.0	2.8
10542.500000	47.05		68.20	21.15	100.0	200.0	V	57.0	2.6
11855.000000		40.27	54.00	13.73	100.0	200.0	Н	0.0	4.0
12598.750000		40.97	54.00	13.03	100.0	200.0	V	47.0	5.1
13095.000000	49.95		68.20	18.25	100.0	200.0	V	11.0	5.1
15340.000000	51.50		68.20	16.70	100.0	200.0	V	89.0	5.8
15692.500000		45.04	54.00	8.96	100.0	200.0	Н	36.0	6.1
17625.000000	54.48		68.20	13.72	100.0	200.0	Н	2.0	10.1
17976.250000		45.72	54.00	8.28	100.0	200.0	V	57.0	10.7



Report No.: R2411A1737-R4


#### Wi-Fi 5GHz TB-ax(40)-484Tone\_CH151\_8-18GHz



Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
(11112)	(ασμν/π)	(uoµv/iii)	(ασμνλιή)	(ub)	(ms)	(ciii)		(deg)	(ub)
8496.250000		38.93	54.00	15.07	100.0	200.0	V	0.0	3.0
8856.250000	47.13		68.20	21.07	100.0	200.0	Н	90.0	2.8
9301.250000		38.07	54.00	15.93	100.0	200.0	Н	56.0	2.6
10168.750000	47.95		68.20	20.25	100.0	200.0	V	0.0	2.8
10527.500000	46.87		68.20	21.33	100.0	200.0	Η	89.0	2.7
11843.750000		39.78	54.00	14.22	100.0	200.0	Н	71.0	4.0
12657.500000		41.48	54.00	12.52	100.0	200.0	Н	11.0	5.4
13618.750000	50.12		68.20	18.08	100.0	200.0	Η	80.0	5.9
15291.250000	52.41		68.20	15.79	100.0	200.0	V	7.0	5.7
15717.500000		44.61	54.00	9.39	100.0	200.0	V	11.0	6.2
17648.750000	55.20		68.20	13.00	100.0	200.0	V	41.0	10.1
17821.250000		46.11	54.00	7.89	100.0	200.0	V	51.0	10.4



Wi-Fi 5GHz TB-ax(80)-996Tone\_CH42\_8-18GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8998.750000	47.27		68.20	20.93	100.0	200.0	V	58.0	2.7
9115.000000		38.56	54.00	15.44	100.0	200.0	V	32.0	2.7
9310.000000		38.12	54.00	15.88	100.0	200.0	V	68.0	2.6
10130.000000	47.64		68.20	20.56	100.0	200.0	Η	88.0	2.9
10488.750000	47.74		68.20	20.46	100.0	200.0	V	63.0	2.7
11993.750000		39.83	54.00	14.17	100.0	200.0	V	90.0	4.5
12686.250000		41.32	54.00	12.68	100.0	200.0	Н	49.0	5.5
13561.250000	50.66		68.20	17.54	100.0	200.0	Η	9.0	5.9
13890.000000	51.80		68.20	16.40	100.0	200.0	Н	19.0	6.3
15721.250000		44.83	54.00	9.17	100.0	200.0	V	27.0	6.2
17627.500000	53.94		68.20	14.26	100.0	200.0	Н	4.0	10.1
17748.750000		45.51	54.00	8.49	100.0	200.0	V	11.0	10.2



Report No.: R2411A1737-R4

# RF Test Report

Wi-Fi 5GHz TB-ax(80)-996Tone\_CH58\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8006.250000	47.04		68.20	21.16	100.0	200.0	Н	7.0	2.2
8442.500000		38.15	54.00	15.85	100.0	200.0	Н	38.0	3.0
9362.500000		38.24	54.00	15.76	100.0	200.0	V	82.0	2.6
10017.500000	47.77		68.20	20.43	100.0	200.0	Н	69.0	3.1
10575.000000	46.86		68.20	21.34	100.0	200.0	Н	2.0	2.6
11772.500000		40.05	54.00	13.95	100.0	200.0	V	21.0	3.9
12640.000000		40.78	54.00	13.22	100.0	200.0	Н	0.0	5.4
12710.000000	50.37		68.20	17.83	100.0	200.0	Н	33.0	5.5
15215.000000	51.78		68.20	16.42	100.0	200.0	Н	18.0	5.7
15722.500000		44.47	54.00	9.53	100.0	200.0	V	82.0	6.2
17613.750000	55.69		68.20	12.51	100.0	200.0	Н	7.0	10.1
17871.250000		45.36	54.00	8.64	100.0	200.0	Н	0.0	10.5




<u>RF Test Report</u> Wi-Fi 5GHz TB-ax(80)-996Tone\_CH106\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time (ms)	(cm)		(deg)	(dB)
8460.000000		38.51	54.00	15.49	100.0	200.0	v	16.0	3.0
8937.500000	47.44		68.20	20.76	100.0	200.0		42.0	2.9
9308,750000		38.17	54.00	15.83	100.0	200.0		51.0	2.6
9997,500000	48.09		68.20	20.11	100.0	200.0		66.0	3.1
10598.750000	47.29		68.20	20.91	100.0	200.0	V	76.0	2.5
11763.750000		39.68	54.00	14.32	100.0	200.0	Η	82.0	3.8
12648.750000		41.20	54.00	12.80	100.0	200.0	V	90.0	5.4
13503.750000	50.16		68.20	18.04	100.0	200.0	V	71.0	5.6
15326.250000	51.62		68.20	16.58	100.0	200.0	Н	0.0	5.8
15717.500000		44.49	54.00	9.51	100.0	200.0	V	66.0	6.2
17668.750000	55.29		68.20	12.91	100.0	200.0	V	56.0	10.1
17772.500000		45.72	54.00	8.28	100.0	200.0	Н	46.0	10.2




Wi-Fi 5GHz TB-ax(80)-996Tone\_CH155\_8-18GHz



Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
(11112)	(ασμν/π)	(ασμν/π)	(ασμνλη)	(ub)	(ms)	(ciii)		(deg)	(ub)
8472.500000		38.60	54.00	15.40	100.0	200.0	Н	0.0	3.0
8671.250000	47.11		68.20	21.09	100.0	200.0	V	0.0	3.1
9311.250000		38.23	54.00	15.77	100.0	200.0	Н	17.0	2.6
10213.750000	47.69		68.20	20.51	100.0	200.0	Н	90.0	2.8
10547.500000	47.69		68.20	20.51	100.0	200.0	V	63.0	2.6
11845.000000		39.87	54.00	14.13	100.0	200.0	V	0.0	4.0
12202.500000		41.06	54.00	12.94	100.0	200.0	V	2.0	5.0
13632.500000	50.34		68.20	17.86	100.0	200.0	Н	37.0	5.9
15260.000000	51.46		68.20	16.74	100.0	200.0	V	7.0	5.7
15702.500000		44.90	54.00	9.10	100.0	200.0	Н	88.0	6.2
17623.750000	54.81		68.20	13.39	100.0	200.0	Н	90.0	10.1
17820.000000		45.81	54.00	8.19	100.0	200.0	V	2.0	10.4



Wi-Fi 5GHz TB-ax(160)-996X2Tone\_CH50\_8-18GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8350.000000		38.56	54.00	15.44	100.0	200.0	Η	1.0	3.0
8861.250000	48.02		68.20	20.18	100.0	200.0	V	72.0	2.8
9337.500000		38.50	54.00	15.50	100.0	200.0	Η	53.0	2.6
10402.500000	47.86		68.20	20.34	100.0	200.0	Η	58.0	2.7
10573.750000	47.11		68.20	21.09	100.0	200.0	Н	58.0	2.6
11881.250000		39.69	54.00	14.31	100.0	200.0	V	42.0	4.1
12202.500000		41.14	54.00	12.86	100.0	200.0	V	89.0	5.0
13676.250000	50.34		68.20	17.86	100.0	200.0	Η	84.0	5.8
15297.500000	51.58		68.20	16.62	100.0	200.0	V	16.0	5.8
15720.000000		45.25	54.00	8.75	100.0	200.0	Η	21.0	6.2
17648.750000	54.84		68.20	13.36	100.0	200.0	V	89.0	10.1
17741.250000		45.70	54.00	8.30	100.0	200.0	V	77.0	10.2



Report No.: R2411A1737-R4


#### Wi-Fi 5GHz TB-ax(160)-996X2Tone\_CH114\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8457.500000		38.08	54.00	15.92	100.0	200.0	Η	90.0	3.0
8622.500000	47.60		68.20	20.60	100.0	200.0	Н	43.0	3.1
9368.750000		37.87	54.00	16.13	100.0	200.0	V	62.0	2.6
10202.500000	47.60		68.20	20.60	100.0	200.0	Η	8.0	2.8
10515.000000	46.57		68.20	21.63	100.0	200.0	Η	0.0	2.7
11852.500000		40.50	54.00	13.50	100.0	200.0	V	77.0	4.0
12216.250000		41.30	54.00	12.70	100.0	200.0	V	86.0	5.0
13595.000000	50.26		68.20	17.94	100.0	200.0	Н	28.0	5.9
15297.500000	51.83		68.20	16.37	100.0	200.0	Н	8.0	5.8
15702.500000		44.73	54.00	9.27	100.0	200.0	V	48.0	6.2
17626.250000	54.14		68.20	14.06	100.0	200.0	Η	28.0	10.1
17775.000000		45.73	54.00	8.27	100.0	200.0	Η	13.0	10.3



<u>RF Test Report</u> Wi-Fi 5GHz TB-BE20-242Tone\_CH36\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8435.000000		38.62	54.00	15.38	100.0	200.0	Н	44.0	3.0
8966.250000	47.70		68.20	20.50	100.0	200.0	V	82.0	2.8
9325.000000		38.19	54.00	15.81	100.0	200.0	V	86.0	2.6
9720.000000	48.41		68.20	19.79	100.0	200.0	V	42.0	2.9
10518.750000	47.50		68.20	20.70	100.0	200.0	Н	39.0	2.7
11976.250000		40.41	54.00	13.59	100.0	200.0	V	86.0	4.5
12626.250000		40.64	54.00	13.36	100.0	200.0	Н	39.0	5.3
13592.500000	50.33		68.20	17.87	100.0	200.0	V	82.0	5.9
14056.250000	51.91		68.20	16.29	100.0	200.0	Н	34.0	5.9
15711.250000		44.50	54.00	9.50	100.0	200.0	Н	84.0	6.2
17672.500000	54.96		68.20	13.24	100.0	200.0	V	90.0	10.1
17751.250000		45.77	54.00	8.23	100.0	200.0	Н	29.0	10.2



Report No.: R2411A1737-R4

Wi-Fi 5GHz TB-BE20-242Tone\_CH52\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8287.500000		39.12	54.00	14.88	100.0	200.0	Н	52.0	2.8
8968.750000	47.89		68.20	20.31	100.0	200.0	۷	0.0	2.8
9457.500000		38.70	54.00	15.30	100.0	200.0	V	16.0	2.7
10178.750000	48.76		68.20	19.44	100.0	200.0	V	68.0	2.8
10513.750000	47.25		68.20	20.95	100.0	200.0	Н	90.0	2.7
11996.250000		40.07	54.00	13.93	100.0	200.0	Н	3.0	4.5
12665.000000		41.75	54.00	12.25	100.0	200.0	V	62.0	5.4
13607.500000	50.05		68.20	18.15	100.0	200.0	Η	73.0	5.9
15330.000000	52.11		68.20	16.09	100.0	200.0	V	31.0	5.8
15717.500000		44.58	54.00	9.42	100.0	200.0	V	90.0	6.2
17660.000000	54.05		68.20	14.15	100.0	200.0	Η	0.0	10.1
17706.250000		45.81	54.00	8.19	100.0	200.0	Н	52.0	10.1



<u>RF Test Report</u> Wi-Fi 5GHz TB-BE20-242Tone\_CH100\_8-18GHz




Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
					(ms)				
8295.000000		38.50	54.00	15.50	100.0	200.0	Н	90.0	2.8
8983.750000	47.20		68.20	21.00	100.0	200.0	Η	83.0	2.7
9500.000000		38.14	54.00	15.86	100.0	200.0	Η	67.0	2.6
10343.750000	48.27		68.20	19.93	100.0	200.0	Н	3.0	2.8
10565.000000	47.08		68.20	21.12	100.0	200.0	V	86.0	2.6
11985.000000		39.94	54.00	14.06	100.0	200.0	V	36.0	4.5
12688.750000		41.12	54.00	12.88	100.0	200.0	V	41.0	5.5
13545.000000	50.95		68.20	17.25	100.0	200.0	Н	47.0	5.8
15306.250000	51.67		68.20	16.53	100.0	200.0	V	41.0	5.8
15713.750000		44.54	54.00	9.46	100.0	200.0	Η	32.0	6.2
17611.250000	54.68		68.20	13.52	100.0	200.0	Н	67.0	10.1
17786.250000		46.32	54.00	7.68	100.0	200.0	Н	0.0	10.3



Report No.: R2411A1737-R4

Wi-Fi 5GHz TB-BE20-242Tone\_CH149\_8-18GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8182.500000		38.25	54.00	15.75	100.0	200.0	V	58.0	2.8
8666.250000	47.66		68.20	20.54	100.0	200.0	V	79.0	3.2
9353.750000		38.50	54.00	15.50	100.0	200.0	Η	21.0	2.6
10223.750000	48.04		68.20	20.16	100.0	200.0	Η	71.0	2.9
10533.750000	47.04		68.20	21.16	100.0	200.0	V	47.0	2.7
11871.250000		40.51	54.00	13.49	100.0	200.0	Н	46.0	4.0
12241.250000		41.33	54.00	12.67	100.0	200.0	Н	51.0	5.0
13551.250000	51.03		68.20	17.17	100.0	200.0	V	32.0	5.9
15288.750000	51.74		68.20	16.46	100.0	200.0	Η	26.0	5.7
15718.750000		44.69	54.00	9.31	100.0	200.0	V	17.0	6.2
17247.500000	55.10		68.20	13.10	100.0	200.0	V	22.0	9.5
17893.750000		45.95	54.00	8.05	100.0	200.0	Н	86.0	10.6



Report No.: R2411A1737-R4

<u>RF Test Report</u> Wi-Fi 5GHz TB-BE(40)-484Tone\_CH38\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8211.250000		38.80	54.00	15.20	100.0	200.0	V	16.0	2.8
8701.250000	47.50		68.20	20.70	100.0	200.0	Н	0.0	3.1
9331.250000		37.78	54.00	16.22	100.0	200.0	V	54.0	2.6
10161.250000	48.18		68.20	20.02	100.0	200.0	Н	29.0	2.8
10570.000000	46.78		68.20	21.42	100.0	200.0	V	27.0	2.6
11768.750000		40.50	54.00	13.50	100.0	200.0	V	73.0	3.8
12641.250000		41.75	54.00	12.25	100.0	200.0	V	90.0	5.4
13442.500000	51.45		68.20	16.75	100.0	200.0	V	68.0	5.5
15085.000000	51.42		68.20	16.78	100.0	200.0	Η	74.0	5.8
15681.250000		44.81	54.00	9.19	100.0	200.0	V	33.0	6.1
17608.750000	55.02		68.20	13.18	100.0	200.0	Н	24.0	10.1
17787.500000		45.93	54.00	8.07	100.0	200.0	Н	59.0	10.3



#### Report No.: R2411A1737-R4


#### Wi-Fi 5GHz TB-BE(40)-484Tone\_CH54\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8128.750000		38.31	54.00	15.69	100.0	200.0	V	6.0	2.7
8932.500000	47.38		68.20	20.82	100.0	200.0	V	51.0	3.0
9352.500000		39.26	54.00	14.74	100.0	200.0	Н	64.0	2.6
9807.500000	48.92		68.20	19.28	100.0	200.0	V	0.0	3.0
10496.250000	47.03		68.20	21.17	100.0	200.0	Η	0.0	2.7
11917.500000		40.48	54.00	13.52	100.0	200.0	V	76.0	4.3
12677.500000		40.86	54.00	13.14	100.0	200.0	V	22.0	5.5
13532.500000	50.54		68.20	17.66	100.0	200.0	Н	25.0	5.8
15318.750000	51.96		68.20	16.24	100.0	200.0	Н	5.0	5.8
15718.750000		45.09	54.00	8.91	100.0	200.0	Н	30.0	6.2
17666.250000	54.59		68.20	13.61	100.0	200.0	V	66.0	10.1
17705.000000		45.69	54.00	8.31	100.0	200.0	V	71.0	10.1




#### Wi-Fi 5GHz TB-BE(40)-484Tone\_CH102\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8491.250000		38.57	54.00	15.43	100.0	200.0	Н	27.0	3.0
8566.250000	47.11		68.20	21.09	100.0	200.0	V	46.0	3.1
9357.500000		37.97	54.00	16.03	100.0	200.0	Н	13.0	2.6
9763.750000	47.49		68.20	20.71	100.0	200.0	Η	3.0	3.0
10540.000000	47.19		68.20	21.01	100.0	200.0	Н	62.0	2.6
11922.500000		40.07	54.00	13.93	100.0	200.0	Н	87.0	4.3
13305.000000		40.85	54.00	13.15	100.0	200.0	Н	0.0	5.6
13616.250000	51.06		68.20	17.14	100.0	200.0	V	11.0	5.9
15203.750000	52.80		68.20	15.40	100.0	200.0	V	89.0	5.7
15708.750000		44.47	54.00	9.53	100.0	200.0	Η	47.0	6.2
17671.250000	54.82		68.20	13.38	100.0	200.0	Н	67.0	10.1
17733.750000		45.86	54.00	8.14	100.0	200.0	Н	3.0	10.2



Wi-Fi 5GHz TB-BE(40)-484Tone\_CH151\_8-18GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8466.250000		38.26	54.00	15.74	100.0	200.0	Н	58.0	3.0
8653.750000	47.45		68.20	20.75	100.0	200.0	V	10.0	3.1
9341.250000		38.28	54.00	15.72	100.0	200.0	Н	58.0	2.6
10247.500000	48.33		68.20	19.88	100.0	200.0	V	0.0	2.9
10488.750000	47.13		68.20	21.07	100.0	200.0	V	64.0	2.7
11906.250000		40.35	54.00	13.65	100.0	200.0	V	34.0	4.2
13275.000000		40.91	54.00	13.09	100.0	200.0	V	39.0	5.5
13622.500000	50.66		68.20	17.54	100.0	200.0	V	20.0	5.9
15311.250000	51.57		68.20	16.63	100.0	200.0	Н	77.0	5.8
15716.250000		44.67	54.00	9.33	100.0	200.0	Н	87.0	6.2
17677.500000	54.70		68.20	13.50	100.0	200.0	Н	58.0	10.1
17792.500000		45.95	54.00	8.05	100.0	200.0	V	14.0	10.3



Report No.: R2411A1737-R4


Wi-Fi 5GHz TB-BE(80)-996Tone\_CH42\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8203.750000		38.29	54.00	15.72	100.0	200.0	Н	0.0	2.8
8592.500000	47.29		68.20	20.91	100.0	200.0		22.0	3.1
9326.250000		38.87	54.00	15.13	100.0	200.0	V	89.0	2.6
9733.750000	48.23		68.20	19.97	100.0	200.0	V	46.0	2.9
10508.750000	46.82		68.20	21.38	100.0	200.0	Н	54.0	2.7
11898.750000		40.13	54.00	13.87	100.0	200.0	Н	0.0	4.2
13345.000000		41.70	54.00	12.30	100.0	200.0	Η	37.0	5.6
13420.000000	50.06		68.20	18.14	100.0	200.0	V	21.0	5.5
15307.500000	51.57		68.20	16.63	100.0	200.0	Η	0.0	5.8
15697.500000		44.99	54.00	9.01	100.0	200.0	V	56.0	6.2
17625.000000	54.96		68.20	13.24	100.0	200.0	V	37.0	10.1
17772.500000		45.72	54.00	8.28	100.0	200.0	Η	7.0	10.2




Wi-Fi 5GHz TB-BE(80)-996Tone\_CH58\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8290.000000		38.82	54.00	15.18	100.0	200.0	V	61.0	2.8
8955.000000	47.94		68.20	20.26	100.0	200.0	V	11.0	2.9
9351.250000		37.83	54.00	16.17	100.0	200.0	V	89.0	2.6
10188.750000	47.98		68.20	20.22	100.0	200.0	V	52.0	2.8
10492.500000	47.08		68.20	21.12	100.0	200.0	V	16.0	2.7
11891.250000		40.41	54.00	13.59	100.0	200.0	V	52.0	4.1
12662.500000		41.12	54.00	12.88	100.0	200.0	V	61.0	5.4
13538.750000	50.55		68.20	17.65	100.0	200.0	V	86.0	5.8
15193.750000	51.71		68.20	16.49	100.0	200.0	Η	79.0	5.7
15686.250000		44.62	54.00	9.38	100.0	200.0	V	71.0	6.1
17697.500000	54.69		68.20	13.51	100.0	200.0	Н	14.0	10.1
17775.000000		46.13	54.00	7.87	100.0	200.0	Н	19.0	10.3




Wi-Fi 5GHz TB-BE(80)-996Tone\_CH106\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8201.250000		38.09	54.00	15.91	100.0	200.0	Η	64.0	2.8
8923.750000	47.00		68.20	21.20	100.0	200.0		84.0	3.0
9455.000000		38.66	54.00	15.34	100.0	200.0	Η	29.0	2.7
10208.750000	47.86		68.20	20.34	100.0	200.0	V	78.0	2.8
10568.750000	46.82		68.20	21.38	100.0	200.0	Η	0.0	2.6
11947.500000		40.65	54.00	13.35	100.0	200.0	Н	0.0	4.4
12203.750000		40.99	54.00	13.01	100.0	200.0	Н	44.0	5.0
13592.500000	50.16		68.20	18.04	100.0	200.0	Н	84.0	5.9
15272.500000	51.58		68.20	16.62	100.0	200.0	V	78.0	5.7
15693.750000		44.53	54.00	9.47	100.0	200.0	V	43.0	6.1
17457.500000	54.99		68.20	13.21	100.0	200.0	V	83.0	10.1
17707.500000		45.83	54.00	8.17	100.0	200.0	V	18.0	10.1




Wi-Fi 5GHz TB-BE(80)-996Tone\_CH155\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8282.500000		38.97	54.00	15.03	100.0	200.0	V	0.0	2.8
8650.000000	47.25		68.20	20.95	100.0	200.0	V	84.0	3.1
9361.250000		38.24	54.00	15.76	100.0	200.0	V	63.0	2.6
10338.750000	48.31		68.20	19.89	100.0	200.0	V	23.0	2.8
10487.500000	47.70		68.20	20.50	100.0	200.0	Н	89.0	2.7
11932.500000		40.01	54.00	13.99	100.0	200.0	V	23.0	4.3
12667.500000		40.97	54.00	13.03	100.0	200.0	V	42.0	5.5
13537.500000	51.05		68.20	17.15	100.0	200.0	Н	26.0	5.8
15305.000000	51.88		68.20	16.32	100.0	200.0	V	90.0	5.8
15712.500000		44.90	54.00	9.10	100.0	200.0	V	84.0	6.2
17268.750000	54.97		68.20	13.23	100.0	200.0	Н	31.0	9.6
17792.500000		45.96	54.00	8.04	100.0	200.0	V	53.0	10.3



#### Wi-Fi 5GHz TB-BE(160)-996X2Tone\_CH50\_8-18GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB)
					(ms)				
8545.000000	46.91		68.20	21.29	100.0	200.0	Н	44.0	3.1
9067.500000		38.20	54.00	15.80	100.0	200.0	Н	0.0	2.7
9347.500000		38.62	54.00	15.38	100.0	200.0	Н	29.0	2.6
10203.750000	48.37		68.20	19.83	100.0	200.0	Н	64.0	2.8
10538.750000	48.33		68.20	19.87	100.0	200.0	V	56.0	2.6
11932.500000		40.85	54.00	13.15	100.0	200.0	V	12.0	4.3
12171.250000		41.64	54.00	12.36	100.0	200.0	V	76.0	4.9
13091.250000	50.49		68.20	17.71	100.0	200.0	Н	49.0	5.1
15313.750000	51.83		68.20	16.37	100.0	200.0	V	90.0	5.8
15723.750000		44.91	54.00	9.09	100.0	200.0	Н	4.0	6.2
15736.250000		45.73	54.00	8.27	100.0	200.0	V	12.0	6.3
17643.750000	55.11		68.20	13.09	100.0	200.0	Н	44.0	10.1