




Page: 45 of 103

GPRS_1900MHz_LowCH512-1850.2 Ö Frequency v KEYSIGHT Input: RF 1.850 6 GHz 2.97000000 GHz Swept Span Zero Span Full Span AUTO TUNE Video BW 1.0 MHz Start 0.030 GHz #Res BW 1.0 MHz Auto X Y 1.850 6 GHz 29.96 dBm Freq Offset 0 Hz .# **%** :: X (1) (2) Oct 19, 2024 (5) 3:07:23 PM






EDGE 1900MHz LowCH512-1850.2



EDGE 1900MHz MidCH661-1880



EDGE_1900MHz_HighCH810-1909.8




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 46 of 103


WCDMA B2 LowCH9262-1852.4




WCDMA B2 MidCH9400-1880




WCDMA_B2_HighCH9538-1907.6




HSDPA B2 LowCH9262-1852.4



HSDPA_B2_MidCH9400-1880



HSDPA_B2_HighCH9538-1907.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 47 of 103


HSUPA B2 LowCH9262-1852.4




HSUPA B2 MidCH9400-1880




HSUPA_B2_HighCH9538-1907.6




WCDMA B4 LowCH1312-1712.4



WCDMA_B4_MidCH1413-1732.6



WCDMA_B4_HighCH1513-1752.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 48 of 103


HSDPA B4 LowCH1312-1712.4




HSDPA B4 MidCH1413-1732.6




HSDPA_B4_HighCH1513-1752.6




HSUPA B4 LowCH1312-1712.4



HSUPA B4 MidCH1413-1732.6



HSUPA_B4_HighCH1513-1752.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 49 of 103


WCDMA B5 LowCH4132-826.4




WCDMA B5 MidCH4183-836.6




WCDMA_B5_HighCH4233-846.6



HSDPA B5 LowCH4132-826.4



HSDPA_B5_MidCH4183-836.6



HSDPA_B5_HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 50 of 103


HSUPA B5 LowCH4132-826.4




HSUPA B5 MidCH4183-836.6




HSUPA_B5_HighCH4233-846.6



GSM_850MHz_LowCH128-824.2



GSM 850MHz MidCH190-836.6



GSM_850MHz_HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度风险的工,大型化土领土公司事富统可,不可如心海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.





Freq Offset 0 Hz


.# **%** :: X

Page: 51 of 103

GPRS 850MHz LowCH128-824.2 ٥ Frequency KEYSIGHT Input: RF 4.057 GHz -31.31 dE Swept Span Zero Span Full Span AUTO TUNE #Video BW 1.0 MHz Start 3.000 GHz #Res BW 1.0 MHz Auto 4.057 GHz -31.31 dBm Freq Offset 0 Hz .# **%** :: X (10.31 PM








3.798 GHz -30.25 dBm






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 52 of 103


GSM_1900MHz_LowCH512-1850.2




GSM 1900MHz MidCH661-1880




GSM_1900MHz_HighCH810-1909.8




GPRS 1900MHz_LowCH512-1850.2



GPRS 1900MHz MidCH661-1880



GPRS_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



(1) (2) Oct 21, 2024 (5:21:28 PM


Report No.: TERF2407002101ER


Freq Offset 0 Hz

.# **%** :: X

Page: 53 of 103

EDGE_1900MHz_LowCH512-1850.2 Ö Frequency KEYSIGHT Input: RF 18.912 GHz Swept Span Zero Span Full Span •1 AUTO TUNE Start 3.000 GHz #Res BW 1.0 MH Auto 18.912 GHz -28.84 dBm Freq Offset 0 Hz .# **%** :: X







٥ Frequency KEYSIGHT Input: RF **P** 19.286 GHz Span 17.0000000 GHz -28.69 dE Swept Span Zero Span Full Span • 1 AUTO TUNE Start 3.000 GHz #Res BW 1.0 MH Auto

19.286 GHz -28.69 dBm

(1) C (19, 2024)

WCDMA B2 LowCH9262-1852.4





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw




Page: 54 of 103


HSDPA B2 LowCH9262-1852.4




HSDPA B2 MidCH9400-1880




HSDPA_B2_HighCH9538-1907.6




HSUPA B2 LowCH9262-1852.4



HSUPA_B2_MidCH9400-1880



HSUPA_B2_HighCH9538-1907.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



(1 5) (2 1 7 Oct 19, 2024 9 PM

Report No.: TERF2407002101ER


Page: 55 of 103


HSDPA B4 LowCH1312-1712.4


WCDMA B4 LowCH1312-1712.4 ٥ Frequency KEYSIGHT Input: RF kr2 3.425 GHz Swept Span Zero Span Full Span بية.2€ AUTO TUNE Start 3.000 GHz #Res BW 1.0 MHz Auto Freq Offset 0 Hz


.:: 🖫 🗄 💢

٥ KEYSIGHT Input: RF kr2 3.425 GHz Span 17.0000000 GHz -37.80 dE Swept Span Zero Span Full Span 12 mg AUTO TUNE Start 3.000 GHz #Res BW 1.0 MHz Auto Man Freq Offset 0 Hz .:: 👺 ::: 🔀










Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 56 of 103

HSUPA B4 LowCH1312-1712.4




HSUPA B4 MidCH1413-1732.6




HSUPA_B4_HighCH1513-1752.6



WCDMA B5 LowCH4132-826.4



WCDMA B5 MidCH4183-836.6



WCDMA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司




Page: 57 of 103


HSDPA B5 LowCH4132-826.4




HSDPA B5 MidCH4183-836.6




HSDPA_B5_HighCH4233-846.6



HSUPA B5 LowCH4132-826.4



HSUPA_B5_MidCH4183-836.6



HSUPA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 58 of 103

11 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

11.1 Standard Applicable


According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53(h)


Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

11.2 EUT Setup

Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz.



Radiated Emission Test Set-Up, Frequency Above 1GHz.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度风险的工,大型化土领土公司事富统可,不可如心海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 59 of 103

11.3 Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华红用摄影测过之样只有贵,同既此样只属是例如于。大数华土德太公司隶而连可,不可如公海测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 60 of 103




Measurement Result:

Test Site :SAC 3 Report Number :TERF2407002101ER

Operation Mode :2024-10-30 :GSM 850 Test Date

Test Mode :Tx Temp./Humi. :25.8°C/50%

EUT Pol :H Plane Antenna Pol. :Vertical :824.2 MHz Test Frequency Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
40.67	-65.23	-51.03	-13.03	-1.17	-13.00	-52.23
92.08	-77.25	-74.64	-0.85	-1.76	-13.00	-64.25
149.31	-70.13	-66.29	-1.60	-2.23	-13.00	-57.13
244.37	-73.80	-74.60	3.66	-2.86	-13.00	-60.80
270.56	-72.64	-73.43	3.79	-3.01	-13.00	-59.64
368.53	-71.12	-71.78	4.17	-3.50	-13.00	-58.12
1648.40	-53.32	-55.34	9.48	-7.46	-13.00	-40.32
2472.60	-22.61	-23.96	10.57	- 9.22	-13.00	-9.61
4121.00	-39.36	-39.91	12.56	-12.00	-13.00	-26.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 61 of 103


Report Number Test Site :SAC 3 :TERF2407002101ER

Operation Mode Test Date :2024-10-30 :GSM 850

Test Mode :Tx Temp./Humi. :25.8°C/50%

EUT Pol :H Plane Antenna Pol. :Horizontal

Test Frequency :824.2 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
39.70	-71.47	-57.07	-13.25	-1.16	-13.00	-58.47
149.31	-66.87	-63.03	-1.60	-2.23	-13.00	-53.87
244.37	-78.75	-79.56	3.66	-2.86	-13.00	-65.75
273.47	-76.95	-77.63	3.71	-3.03	-13.00	-63.95
372.41	-72.74	-73.32	4.10	-3.52	-13.00	-59.74
432.55	-75.05	-75.05	3.80	-3.79	-13.00	-62.05
1648.40	-50.39	-52.42	9.48	-7.46	-13.00	-37.39
2472.60	-24.07	-25.42	10.57	-9.22	-13.00	-11.07
4121.00	-39.49	-40.04	12.56	-12.00	-13.00	-26.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 62 of 103

Report Number Test Site :SAC 3 :TERF2407002101ER

Operation Mode Test Date :2024-10-30 :GSM 850

Test Mode :Tx Temp./Humi. :25.8°C/50%

EUT Pol :H Plane Antenna Pol. :Vertical **Test Frequency** :836.6 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
40.67	-65.73	- 51.52	-13.03	-1.17	-13.00	-52.73
74.62	-77.13	-70.48	-5.07	-1.58	-13.00	-64.13
144.46	-69.98	-65.97	-1.82	-2.20	-13.00	-56.98
176.47	-75.45	-73.72	0.71	-2.43	-13.00	-62.45
276.38	-73.05	-73.69	3.68	-3.04	-13.00	-60.05
371.44	-71.47	-72.07	4.12	-3.52	-13.00	-58.47
1673.20	-49.16	-51.37	9.73	-7.52	-13.00	-36.16
2509.80	-19.64	-21.05	10.70	-9.29	-13.00	-6.64
4183.00	-36.02	-36.43	12.50	-12.10	-13.00	-23.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 63 of 103


Report Number Test Site :SAC 3 :TERF2407002101ER

Operation Mode Test Date :2024-10-30 :GSM 850

Test Mode :Tx Temp./Humi. :25.8°C/50%

EUT Pol :H Plane Antenna Pol. :Horizontal

Test Frequency :836.6 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
39.70	-71.18	-56.78	-13.25	-1.16	-13.00	-58.18
73.65	-78.39	-71.50	-5.32	-1.57	-13.00	-65.39
152.22	-67.68	-63.88	-1.55	-2.26	-13.00	-54.68
272.50	-77.70	-78.42	3.74	-3.02	-13.00	-64.70
371.44	-72.48	-73.08	4.12	-3.52	-13.00	-59.48
418.00	-75.01	-75.42	4.14	-3.73	-13.00	-62.01
1673.20	-52.09	-54.30	9.73	-7.52	-13.00	-39.09
2509.80	-18.39	-19.80	10.70	-9.29	-13.00	-5.39
4183.00	-32.85	-33.25	12.50	-12.10	-13.00	-19.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 64 of 103


Report Number :TERF2407002101ER Test Site :SAC 3

Operation Mode :GSM 850 Test Date :2024-10-30

Test Mode :Tx Temp./Humi. :25.8°C/50%

EUT Pol :H Plane Antenna Pol. :Vertical

Test Frequency :848.8 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
40.67	-67.37	-53.17	-13.03	-1.17	-13.00	-54.37
74.62	-76.78	-70.13	-5.07	-1.58	-13.00	-63.78
153.19	-71.81	-68.11	-1.44	-2.26	-13.00	-58.81
275.41	-74.73	-75.37	3.67	-3.04	-13.00	-61.73
306.45	-73.75	-74.41	3.85	-3.19	-13.00	-60.75
372.41	-71.25	-71.83	4.10	-3.52	-13.00	-58.25
1697.60	-45.10	-47.50	9.98	-7.57	-13.00	-32.10
2546.40	-17.59	-18.83	10.60	-9.36	-13.00	-4.59
4244.00	-38.49	-38.89	12.59	-12.19	-13.00	-25.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度风险的工,大型化土领土公司事富统可,不可如心海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 65 of 103


Report Number Test Site :SAC 3 :TERF2407002101ER

Operation Mode Test Date :2024-10-30 :GSM 850

Test Mode :Tx Temp./Humi. :25.8°C/50%

EUT Pol :H Plane Antenna Pol. :Horizontal

Test Frequency :848.8 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
33.88	-71.70	-56.51	-14.12	-1.06	-13.00	-58.70
72.68	-78.39	-71.02	-5.82	-1.56	-13.00	-65.39
155.13	-67.49	-63.72	-1.49	-2.28	-13.00	-54.49
179.38	-79.06	-77.77	1.16	-2.45	-13.00	-66.06
268.62	-79.52	-80.45	3.93	-3.00	-13.00	-66.52
377.26	-74.02	-74.50	4.02	-3.55	-13.00	-61.02
1697.60	-50.65	-53.05	9.98	-7.57	-13.00	-37.65
2546.40	-17.49	-18.72	10.60	-9.36	-13.00	-4.49
4244.00	-37.08	-37.48	12.59	-12.19	-13.00	-24.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 66 of 103

Report Number :TERF2407002101ER Test Site :SAC 3

Operation Mode :GSM 1900 Test Date :2024-10-30

Test Mode :Tx Temp./Humi. :25.8°C/50%

EUT Pol :H Plane Antenna Pol. :Vertical Test Frequency :1850.2 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	[.] dBm	dBi/dBd	dB	dBm	dB
40.67	-67.26	-53.06	-13.03	-1.17	-13.00	-54.26
73.65	-76.32	-69.43	-5.32	-1.57	-13.00	-63.32
145.43	-72.55	-68.63	-1.72	-2.20	-13.00	-59.55
282.20	-75.66	-76.29	3.70	-3.07	-13.00	-62.66
373.38	-72.78	-73.34	4.09	-3.53	-13.00	-59.78
484.93	-72.05	-72.12	4.09	-4.02	-13.00	-59.05
3700.40	-49.52	-50.67	12.50	-11.35	-13.00	-36.52
5550.60	-22.65	-21.59	13.00	-14.06	-13.00	-9.65
9251.00	-31.50	-24.41	11.20	-18.29	-13.00	-18.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度风险的工,大型化土领土公司事富统可,不可如心海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 67 of 103


Report Number :TERF2407002101ER Test Site :SAC 3

Operation Mode :GSM 1900 Test Date :2024-10-30

Test Mode :Tx Temp./Humi. :25.8°C/50%

EUT Pol :H Plane Antenna Pol. :Horizontal

Test Frequency :1850.2 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
33.88	-72.81	-57.63	-14.12	-1.06	-13.00	-59.81
73.65	-78.45	-71.56	-5.32	-1.57	-13.00	-65.45
153.19	-68.05	-64.35	-1.44	-2.26	-13.00	-55.05
274.44	-79.13	-79.78	3.69	-3.03	-13.00	-66.13
369.50	-74.84	-75.48	4.15	-3.51	-13.00	-61.84
548.95	-75.76	-76.05	4.57	-4.28	-13.00	-62.76
3700.40	-53.39	-54.54	12.50	-11.35	-13.00	-40.39
5550.60	-27.59	-26.54	13.00	-14.06	-13.00	-14.59
9251.00	-30.92	-23.82	11.20	-18.29	-13.00	-17.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的时,他都是好用魔影测验之样只有害,同时他接见魔鬼匆匆子。木都些主领大八司事而验可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 68 of 103

Report Number Test Site :SAC 3 :TERF2407002101ER

Operation Mode Test Date :2024-10-30 :GSM 1900

Test Mode :Tx Temp./Humi. :25.8°C/50%

EUT Pol :H Plane Antenna Pol. :Vertical Test Frequency :1880 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
39.70	-66.88	-52.48	-13.25	-1.16	-13.00	-53.88
72.68	-76.54	-69.17	-5.82	-1.56	-13.00	-63.54
150.28	-71.63	-67.70	-1.68	-2.24	-13.00	-58.63
285.11	-75.17	-75.77	3.68	-3.09	-13.00	-62.17
365.62	-72.60	-73.33	4.22	-3.49	-13.00	-59.60
504.33	-72.29	-72.24	4.05	-4.10	-13.00	-59.29
3760.00	-43.46	-44.51	12.50	-11.44	-13.00	-30.46
5640.00	-23.54	-22.65	13.28	-14.17	-13.00	-10.54
9400.00	- 47.81	-40.55	11.20	-18.46	-13.00	-34.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 69 of 103


Report Number :TERF2407002101ER Test Site :SAC 3

Operation Mode :GSM 1900 Test Date :2024-10-30

Test Mode :Tx Temp./Humi. :25.8°C/50%

EUT Pol :H Plane Antenna Pol. :Horizontal

Test Frequency :1880 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
32.91	-71.76	-56.34	-14.37	-1.05	-13.00	-58.76
74.62	-77.39	-70.74	-5.07	-1.58	-13.00	-64.39
153.19	-67.73	-64.03	-1.44	-2.26	-13.00	-54.73
272.50	-79.95	-80.66	3.74	-3.02	-13.00	-66.95
376.29	-74.77	-75.27	4.04	-3.54	-13.00	-61.77
490.75	-75.94	-75.88	3.98	-4.04	-13.00	-62.94
3760.00	-50.71	-51.77	12.50	-11.44	-13.00	-37.71
5640.00	-24.51	-23.62	13.28	-14.17	-13.00	-11.51
9400.00	-46.43	-39.17	11.20	-18.46	-13.00	-33.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度风险的工,大型化土领土公司事富统可,不可如心海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 70 of 103

Report Number :TERF2407002101ER Test Site :SAC 3

Operation Mode :GSM 1900 Test Date :2024-10-30

Test Mode :Tx Temp./Humi. :25.8°C/50%

EUT Pol :H Plane Antenna Pol. :Vertical
Test Frequency :1909.8 MHz Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
39.70	-67.50	-53.10	-13.25	-1.16	-13.00	-54.50
73.65	-76.96	-70.07	-5.32	-1.57	-13.00	-63.96
146.40	-72.65	-68.71	-1.73	-2.21	-13.00	-59.65
265.71	-74.99	-76.18	4.18	-2.99	-13.00	-61.99
377.26	-72.10	-72.58	4.02	-3.55	-13.00	-59.10
434.49	-72.79	-72.75	3.76	-3.80	-13.00	-59.79
3819.60	-46.35	-47.28	12.46	-11.53	-13.00	-33.35
5729.40	-19.03	-17.84	13.10	-14.29	-13.00	-6.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度风险的工,大型化土领土公司事富统可,不可如心海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw