

FCC Test Report

Report No.: AGC08791210301FE03

FCC ID : 2AY7W9522

APPLICATION PURPOSE : Original Equipment

PRODUCT DESIGNATION: Remote control high speed car series

BRAND NAME : N/A

MODEL NAME : See Page 5

APPLICANT: ZHENYE TOYS FACTORY

DATE OF ISSUE : Mar. 17, 2021

STANDARD(S)

TEST PROCEDURE(S)

: FCC Part 15 Rules

REPORT VERSION: V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the condicated restrouting portion of Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Page 2 of 39

REPORT REVISE RECORD

| Report Version | Revise Time | Issued Date | Valid Version | Notes |
|----------------|-------------|---------------|---------------|-----------------|
| V1.0 | | Mar. 17, 2021 | Valid | Initial Release |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restrict/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc=cert.com.



TABLE OF CONTENTS

| 1. VERIFICATION OF CONFORMITY | |
|---|----------|
| 2. GENERAL INFORMATION | 6 |
| 2.1. PRODUCT DESCRIPTION | 7 |
| 4. DESCRIPTION OF TEST MODES | g |
| 5. SYSTEM TEST CONFIGURATION | 10 |
| 5.1. CONFIGURATION OF EUT SYSTEM | 10 |
| 6. TEST FACILITY | 11 |
| 7. RADIATED EMISSION | 12 |
| 7.1TEST LIMIT | 13 |
| 8. BAND EDGE EMISSION | 22 |
| 8.1. MEASUREMENT PROCEDURE 8.2 TEST SETUP | 22 |
| 9. 20DB BANDWIDTH | 27 |
| 9.1. MEASUREMENT PROCEDURE | 27 |
| 10. FCC LINE CONDUCTED EMISSION TEST | 30 |
| 10.1. LIMITS OF LINE CONDUCTED EMISSION TEST | 30 30 |
| 12.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST | 31 |
| 12.5 TEST RESULT OF TIME CONDUCTED EMISSION TEST | 31 |


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restriction Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter purportization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 4 of 39

| APPENDIX A: PHOTOGRAPHS OF TEST SETUP | 32 |
|---------------------------------------|----|
| APPENDIX B: PHOTOGRAPHS OF THE EUT | 3/ |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the special pedicated fresh dynaspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter appropriation of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





1. VERIFICATION OF CONFORMITY

| Applicant | ZHENYE TOYS FACTORY | |
|--|---|--|
| Address | No. 23, Middle Road, Huaize Dongguahu Industrial Zone, Lianxia Town, Chenghai District, Shantou City, Guangdong Province, China | |
| Manufacturer | ZHENYE TOYS FACTORY | |
| No. 23, Middle Road, Huaize Dongguahu Industrial Zone, Lianxia Town Chenghai District, Shantou City, Guangdong Province, China | | |
| Factory | ZHENYE TOYS FACTORY | |
| Address | No. 23, Middle Road, Huaize Dongguahu Industrial Zone, Lianxia Town, Chenghai District, Shantou City, Guangdong Province, China | |
| Product Designation | Remote control high speed car series | |
| Brand Name | N/A | |
| Test Model | 9522-1 | |
| Series Model | See page 6 | |
| Difference Description | All the same except for the appearance color. | |
| Date of test | Mar. 12, 2021 to Mar. 17, 2021 | |
| Deviation | No any deviation from the test method | |
| Condition of Test Sample | Normal | |
| Test Result | Pass | |
| Report Template | AGCRT-US-BR/RF | |
| | | |

We hereby certify that:

The above equipment was tested by Attestation of Global Compliance (Shenzhen) Co., Ltd. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10 (2013) and the energy emitted by the sample EUT tested as described in this report is in compliance with radiated emission limits of FCC Rules Part 15.249.

Reviewed By

Eddy Liu
(Project Engineer)

Max. 2hang
(Reviewer)

Max. 17, 2021

Approved By

Forrest Lei

Mar. 17, 2021

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC when the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issued by The test report. Further enquiry of validity or verification of the test report should be addressed to AGC by ago@ago-cert.com.



2. GENERAL INFORMATION

2.1. PRODUCT DESCRIPTION

A major technical description of EUT is described as following

| 7 (major toorimoar accomptio | TO LOT 13 described as following |
|------------------------------|---|
| Operation Frequency | 2410MHz-2473MHz |
| Maximum field strength | 83.93dBuV/m(Average)@3m |
| Modulation | GFSK |
| Number of channels | 32 |
| Antenna Gain | 0dBi |
| Antenna Designation | Wire Antenna (Met 15.203 Antenna requirement) |
| Hardware Version | REV:06 |
| Software Version | V1.0 |
| Power Supply | DC 4.5V by battery |

| | 9522-2, 9522-3, 9522-4, 9522-5, 9522-6, 9522-7, 9522-8, 9522-9, 9522-10, | |
|--------------|--|--|
| | 9521-1, 9521-2, 9521-3, 9521-4, 9521-5, 9521-6, 9521-7, 9521-8, 9521-9, | |
| | 9521-10, 9523-1, 9523-2, 9523-3, 9523-4, 9523-5, 9523-6, 9523-7, 9523-8, | |
| | 9523-9, 9523-10, 9524-1, 9524-2, 9524-3, 9524-4, 9524-5, 9524-6, 9524-7, | |
| | 9524-8, 9524-9, 9524-10, 9525-1, 9525-2, 9525-3, 9525-4, 9525-5, 9525-6, | |
| Series Model | 9525-7, 9525-8, 9525-9, 9525-10, 9526-1, 9526-2, 9526-3, 9526-4, 9526-5, | |
| | 9526-6, 9526-7, 9526-8, 9526-9, 9526-10, 9527-1, 9527-2, 9527-3, 9527-4, | |
| | 9527-5, 9527-6, 9527-7, 9527-8, 9527-9, 9527-10, 9528-1, 9528-2, 9528-3, | |
| | 9528-4, 9528-5, 9528-6, 9528-7, 9528-8, 9528-9, 9528-10, 9529-1, 9529-2, | |
| | 9529-3, 9529-4, 9529-5, 9529-6, 9529-7, 9529-8, 9529-9, 9529-10, 9530-1, | |
| | 9530-2, 9530-3, 9530-4, 9530-5, 9530-6, 9530-7, 9530-8, 518-20 | |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



2.2. TABLE OF CARRIER FREQUENCY

| Frequency Band | Channel Number | Frequency(MHZ) | Channel Number | Frequency(MHZ) |
|-----------------|-------------------|----------------|-------------------|----------------|
| | 1 | 2410 | 17 | 2441 |
| | 2 | 2414 | 18 | 2442 |
| | 3 | 2415 | 19 | 2444 |
| | 4 | 2416 | 20 | 2446 |
| | 5 | 2417 | 21 | 2450 |
| | 6 | 2418 | 22 | 2452 |
| | 7 | 2419 | 23 | 2454 |
| 0400 0400 51417 | 8 | 2421 | 24 | 2456 |
| 2400~2483.5MHZ | 9 | 2426 | 25 | 2458 |
| | 10 | 2428 | 26 | 2462 |
| | 11 | 2429 | 27 | 2464 |
| | 12 | 2430 | 28 | 2465 |
| | 13 | 2431 | 29 | 2466 |
| | 14 | 2433 | 30 | 2467 |
| | 15 | 2434 | 31 | 2469 |
| | 16 | 2439 | 32 | 2473 |

2.3. ANTENNA REQUIREMENT

This intentional radiator is designed with a permanently attached antenna of an antenna to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

For more information of the antenna, please refer to the APPENDIX B: PHOTOGRAPHS OF EUT.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Residual Any report having not been stamped by the Bedicated Residual Any Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written exphorization of ACC where the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 8 of 39

3. MEASUREMENT UNCERTAINTY

The uncertainty is calculated using the methods suggested in the "Guide to the Expression of Uncertainty in measurement" (GUM) published by CISPR and ANSI.

- Uncertainty of Conducted Emission, Uc = ±3.1 dB
- Uncertainty of Radiated Emission below 1GHz, Uc = ±4.0 dB
- Uncertainty of Radiated Emission above 1GHz, Uc = ±4.8 dB

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restrict/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 9 of 39

4. DESCRIPTION OF TEST MODES

| NO. | | TEST MODE DESCRIPTION | |
|-----|----|-----------------------|-----|
| 1 | | TX mode at 2410MHz | CO. |
| 2 | 6 | TX mode at 2442MHz | 10 |
| 3 | -C | TX mode at 2473MHz | 0 |

Note:

- 1. All the test modes can be supply by battery, only the result of the worst case was recorded in the report, if no other cases.
- 2. For Radiated Emission, 3axis were chosen for testing for each applicable mode.
- 3. Set the EUT into the individual test modes by pressing the EUT buttons.
- 4. For battery operated equipment, the equipment tests are performed using a new battery.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Page 10 of 39

5. SYSTEM TEST CONFIGURATION

5.1. CONFIGURATION OF EUT SYSTEM

Configure:



5.2 EQUIPMENT USED IN TESTED SYSTEM

| Item | Equipment | Model No. | ID or Specification | Remark |
|------|--------------------------------------|-----------|---------------------|--------|
| 1 | Remote control high speed car series | 9522-1 | 2AY7W9522 | EUT |

5.3. SUMMARY OF TEST RESULTS

| FCC RULES | DESCRIPTION OF TEST | RESULT |
|----------------|---------------------|----------------|
| §15.249&15.209 | Radiated Emission | Compliant |
| §15.249 | Band Edges | Compliant |
| §15.215 | 20dB bandwidth | Compliant |
| §15.207 | Conducted Emission | Not applicable |

Note: The conducted emission tests at AC port are not required for devices which only employ battery power for operation.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restriction Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 11 of 39

6. TEST FACILITY

| Test Site | Attestation of Global Compliance (Shenzhen) Co., Ltd | | | | |
|-----------------------------------|--|--|--|--|--|
| Location | 1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China | | | | |
| Designation Number | CN1259 | | | | |
| FCC Test Firm Registration Number | 975832 | | | | |
| A2LA Cert. No. | 5054.02 | | | | |
| Description | Description Attestation of Global Compliance(Shenzhen) Co., Ltd is accredited by A2LA | | | | |

TEST EQUIPMENT OF RADIATED EMISSION TEST

| Equipment | Manufacturer | Model | S/N | Cal. Date | Cal. Due |
|--------------------------------------|----------------|----------------------|------------|---------------|---------------|
| TEST RECEIVER | R&S | ESCI | 10096 | May 15, 2020 | May 14, 2021 |
| EXA Signal Analyzer | Aglient | N9010A | MY53470504 | Dec. 07, 2020 | Dec. 06, 2021 |
| 2.4GHz Fliter | EM Electronics | 2400-2500MHz | N/A | Mar. 23, 2020 | Mar. 22, 2022 |
| Attenuator | ZHINAN | E-002 | N/A | Sep. 03, 2020 | Sep. 02, 2022 |
| Horn antenna | SCHWARZBECK | BBHA 9170 | #768 | Sep.21, 2019 | Sep. 20, 2021 |
| Active loop antenna (9K-30MHz) | ZHINAN | ZN30900C | 18051 | May 22, 2020 | May 21, 2022 |
| Double-Ridged Waveguide Horn | ETS LINDGREN | 3117 | 00154520 | Oct. 26, 2019 | Oct. 25, 2021 |
| Broadband Preamplifier | ETS LINDGREN | 3117PA | 00225134 | Oct. 15, 2019 | Oct. 16, 2021 |
| ANTENNA | SCHWARZBECK | VULB9168 | 494 | Jan. 08, 2021 | Jan. 07, 2023 |
| Test software | Tonscend | JS32-RE (Ver.2.5) | N/A | N/A | N/A |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 12 of 39

/Inspection The test results

he test report.

7. RADIATED EMISSION

7.1TEST LIMIT

Standard FCC15.249

| Fundamental Frequency | Field Strength of Fundamental | Field Strength of Harmonics |
|-----------------------|-------------------------------|-----------------------------|
| | (millivolts/meter) | (microvolts/meter) |
| 900-928MHz | 50 | 500 |
| 2400-2483.5MHz | 50 | 500 |
| 5725-5875MHz | 50 | 500 |
| 24.0-24.25GHz | 250 | 2500 |

Standard FCC 15.209

| Frequency | Distance | Field Strengths Limit | | | |
|---------------|----------|-----------------------|--------------------------------|--|--|
| (MHz) | Meters | μ V/m | dB(μV)/m | | |
| 0.009 ~ 0.490 | 300 | 2400/F(kHz) | <u></u> | | |
| 0.490 ~ 1.705 | 30 | 24000/F(kHz) | | | |
| 1.705 ~ 30 | 30 | 30 | 0 20 | | |
| 30 ~ 88 | 3 | 100 | 40.0 | | |
| 88 ~ 216 | 3 | 150 | 43.5 | | |
| 216 ~ 960 | 3 | 200 | 46.0 | | |
| 960 ~ 1000 | 3 | 500 | 54.0 | | |
| Above 1000 | 3 | Other:74.0 dB(µV)/m | (Peak) 54.0 dB(μV)/m (Average) | | |

Remark:

- (1) Emission level dB μ V = 20 log Emission level μ V/m
- (2) The smaller limit shall apply at the cross point between two frequency bands.
- (3) Distance is the distance in meters between the measuring instrument, antenna and the closest point of any part of the device or system.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written exphorize presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day Safter the Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



7.2. MEASUREMENT PROCEDURE

1. The EUT was placed on the top of the turntable 0.8 or 1.5 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.

- 2. Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
- 3. The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
- 4. For each suspected emissions, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
- 5. Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
- 6. For emissions above 1GHz, use minimum resolution bandwidth of 1 MHz. Place the measurement antenna away from each area of the EUT determined to be a source of emissions at the specified measurement distance, while keeping the measurement antenna aimed at the source of emissions at each frequency of significant emissions, with polarization oriented for maximum response. The measurement antenna may have to be higher or lower than the EUT, depending on the radiation pattern of the emission and staying aimed at the emission source for receiving the maximum signal. The final measurement antenna elevation shall be that which maximizes the emissions. The measurement antenna elevation for maximum emissions shall be restricted to a range of heights of from 1 m to 4 m above the ground or reference ground plane.
- 7. When the radiated emissions limits are expressed in terms of the average value of the emissions, and pulsed operation is employed, the measurement field strength shall be determined by averaging over one complete pulse train, including blanking intervals, as long as the pulse train does not exceed 0.1 seconds. As an alternative (provided the transmitter operates for longer than 0.1 seconds) or in cases where the pulse train exceeds 0.1 seconds, the measured field strength shall be determined from the average absolute voltage during a 0.1 second interval during which the field strength is at its maximum values.
- 8.If the emissions level of the EUT in peak mode was 3 dB lower than the average limit specified, then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions which do not have 3 dB margin will be repeated one by one using the quasi-peak method for below 1GHz.
- 9. For testing above 1GHz, the emissions level of the EUT in peak mode was lower than average limit (that means the emissions level in peak mode also complies with the limit in average mode), then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.
- 10. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver. High Low scan is not required in this case.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 14 of 39

The following table is the setting of spectrum analyzer and receiver.

| Spectrum Parameter | Setting |
|-----------------------|--|
| Start ~Stop Frequency | 9KHz~150KHz/RB 200Hz for QP |
| Start ~Stop Frequency | 150KHz~30MHz/RB 9KHz for QP |
| Start ~Stop Frequency | 30MHz~1000MHz/RB 120KHz for QP |
| Chart Char Francisco | 1GHz~26.5GHz |
| Start ~Stop Frequency | RBW 2.4MHz/ VBW 8MHz for Peak, RBW 2.4MHz/3MHz for Average |


| Receiver Parameter | Setting |
|-----------------------|--------------------------------|
| Start ~Stop Frequency | 9KHz~150KHz/RB 200Hz for QP |
| Start ~Stop Frequency | 150KHz~30MHz/RB 9KHz for QP |
| Start ~Stop Frequency | 30MHz~1000MHz/RB 120KHz for QP |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




7.3. TEST SETUP


Radiated Emission Test-Setup Frequency Below 30MHz



RADIATED EMISSION TEST SETUP 30MHz-1000MHz



RADIATED EMISSION TEST SETUP ABOVE 1000MHz



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Coedicated Postuagina Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written pathorization of AGC where the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




7.4. TEST RESULT

RADIATED EMISSION BELOW 30MHZ

The amplitude of spurious emissions from 9kHz to 30MHz which are attenuated more than 20 dB below the permissible value need not be reported.

RADIATED EMISSION 30MHz-1GHZ

| EUT | Remote control high speed car series | Model Name | 9522-1 |
|-------------|--------------------------------------|-------------------|------------|
| Temperature | 25℃ | Relative Humidity | 60% |
| Pressure | 101kPa | Test Voltage | DC 4.5V |
| Test Mode | Mode 1 | Polarization | Horizontal |



| No. | Mk | . Freq. | Reading Level | Correct Factor | Measure- ment | Limit | Over | |
|-----|----|----------|------------------|-------------------|------------------|--------|--------|----------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | Detector |
| 1 | | 68.8000 | 3.57 | 16.96 | 20.53 | 40.00 | -19.47 | peak |
| 2 | | 296.7500 | 0.41 | 19.55 | 19.96 | 46.00 | -26.04 | peak |
| 3 | | 453.5667 | 0.56 | 24.06 | 24.62 | 46.00 | -21.38 | peak |
| 4 | | 623.3167 | 0.78 | 27.23 | 28.01 | 46.00 | -17.99 | peak |
| 5 | | 851.2667 | 1.02 | 31.07 | 32.09 | 46.00 | -13.91 | peak |
| 6 | * | 953.1167 | 1.10 | 32.16 | 33.26 | 46.00 | -12.74 | peak |

RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restriction Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter exphorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



| EUT | Remote control high speed car series | Model Name | 9522-1 |
|-------------|--------------------------------------|-------------------|----------|
| Temperature | 25 ℃ | Relative Humidity | 60% |
| Pressure | 101kPa | Test Voltage | DC 4.5V |
| Test Mode | Mode 1 | Polarization | Vertical |



| No. | Mk | . Freq. | Reading Level | Correct Factor | Measure- ment | Limit | Over | |
|-----|----|----------|------------------|-------------------|------------------|--------|--------|----------|
| | | MHz | dBuV | dB | dBuV/m | dBuV/m | dB | Detector |
| 1 | | 70.4167 | 2.64 | 17.02 | 19.66 | 40.00 | -20.34 | peak |
| 2 | | 162.5667 | 0.22 | 18.93 | 19.15 | 43.50 | -24.35 | peak |
| 3 | | 319.3833 | 0.29 | 20.15 | 20.44 | 46.00 | -25.56 | peak |
| 4 | | 472.9667 | 0.08 | 24.45 | 24.53 | 46.00 | -21.47 | peak |
| 5 | | 637.8667 | 1.65 | 27.40 | 29.05 | 46.00 | -16.95 | peak |
| 6 | * | 830.2500 | 1.39 | 30.80 | 32.19 | 46.00 | -13.81 | peak |


RESULT: PASS

Note: Factor=Antenna Factor + Cable loss, Margin=Level-Limit.

The "Factor" value can be calculated automatically by software of measurement system.

All modes of each antenna are tested. The mode 1 is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





FIELD STRENGTH OF FUNDAMENTAL


| EUT | Remote control high speed car series | Model Name | 9522-1 |
|-----------------|--------------------------------------|-------------------|------------|
| Temperature | 25℃ | Relative Humidity | 60% |
| Pressure | 101kPa | Test Voltage | DC 4.5V |
| Test Modulation | GFSK | Polarization | Horizontal |

| Frequency | Meter Reading | Factor | Emission Level | Limits | Margin | Value Time |
|---------------|-----------------|----------------|----------------|----------|--------|------------|
| (MHz) | (dBµV) | (dB) | (dBµV/m) | (dBµV/m) | (dB) | Value Type |
| 2410 | 46.08 | 49.05 | 95.13 | 114.00 | -18.87 | peak |
| 2410 | 34.88 | 49.05 | 83.93 | 94.00 | -10.07 | AVG |
| 2442 | 44.75 | 49.12 | 93.87 | 114.00 | -20.13 | peak |
| 2442 | 33.41 | 49.12 | 82.53 | 94.00 | -11.47 | AVG |
| 2473 | 43.35 | 49.25 | 92.60 | 114.00 | -21.40 | peak |
| 2473 | 31.88 | 49.25 | 81.13 | 94.00 | -12.87 | AVG |
| temark: | | | | ® | | |
| actor = Anter | na Factor + Cab | le Loss – Pre- | amplifier. | - 6 | 0 | |

| EUI | Remote control high speed car series | Model Name | 9522-1 |
|-----------------|--------------------------------------|-------------------|----------|
| Temperature | 25℃ | Relative Humidity | 60% |
| Pressure | 101kPa | Test Voltage | DC 4.5V |
| Test Modulation | GFSK | Polarization | Vertical |

| Frequency | Meter Reading | Factor | Emission Level | Limits | Margin | Value Type |
|-----------|---------------|--------|----------------|----------|--------|------------|
| (MHz) | (dBµV) | (dB) | (dBµV/m) | (dBµV/m) | (dB) | value Type |
| 2410 | 44.37 | 49.05 | 93.42 | 114.00 | -20.58 | peak |
| 2410 | 29.51 | 49.05 | 81.36 | 94.00 | -12.65 | AVG |
| 2442 | 45.31 | 49.12 | 92.08 | 114.00 | -21.93 | peak |
| 2442 | 30.11 | 49.12 | 80.36 | 94.00 | -13.64 | AVG |
| 2473 | 40.78 | 49.25 | 90.73 | 114.00 | -23.27 | peak |
| 2473 | 30.48 | 49.25 | 79.36 | 94.00 | -14.64 | AVG |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





RADIATED EMISSION ABOVE 1GHZ


| EUT | Remote control high speed car series | Model Name | 9522-1 |
|-------------|--------------------------------------|-------------------|------------|
| Temperature | 25℃ | Relative Humidity | 60% |
| Pressure | 101kPa | Test Voltage | DC 4.5V |
| Test Mode | Mode 1 | Polarization | Horizontal |

| Frequency | Meter Reading | Factor | Emission Level | Limits | Margin | |
|-----------------|--------------------|-------------|----------------|----------|--------|------------|
| (MHz) | (dBµV) | (dB) | (dBµV/m) | (dBµV/m) | (dB) | Value Type |
| 4820 | 41.67 | 0.08 | 41.75 | 74.00 | -32.25 | peak |
| 4820 | 35.26 | 0.08 | 35.34 | 54.00 | -18.66 | AVG |
| 7230 | 35.85 | 2.21 | 38.06 | 74.00 | -35.94 | peak |
| 7230 | 30.94 | 2.21 | 33.15 | 54.00 | -20.85 | AVG |
| 7230 Remark: | 30.94 | 2.21 | 33.15 | 54.00 | -20.85 | 3) |
| or = Anter | nna Factor + Cable | Loss – Pre- | amplifier. | | 20 | 8 |

| EUT | Remote control high speed car series | Model Name | 9522-1 |
|-------------|--------------------------------------|-------------------|----------|
| Temperature | 25℃ | Relative Humidity | 60% |
| Pressure | 101kPa | Test Voltage | DC 4.5V |
| Test Mode | Mode 1 | Polarization | Vertical |

| Frequency | Meter Reading | Factor | Emission Level | Limits | Margin | Value Type |
|----------------|------------------|-----------------|----------------|----------|--------|------------|
| (MHz) | (dBµV) | (dB) | (dBµV/m) | (dBµV/m) | (dB) | value Type |
| 4820 | 40.55 | 0.08 | 40.63 | 74.00 | -33.37 | peak |
| 4820 | 36.49 | 0.08 | 36.57 | 54.00 | -17.43 | AVG |
| 7230 | 36.76 | 2.21 | 38.97 | 74.00 | -35.03 | peak |
| 7230 | 32.18 | 2.21 | 34.39 | 54.00 | -19.61 | AVG |
| Remark: | | | 20 | ® | | |
| Factor = Anter | nna Factor + Cab | le Loss – Pre-a | amplifier. | - 0 | @ | |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



g/Inspection
The test results
the test report.




| EUT | Remote control high speed car series | Model Name | 9522-1 |
|-------------|--------------------------------------|-------------------|------------|
| Temperature | 25℃ | Relative Humidity | 60% |
| Pressure | 101kPa | Test Voltage | DC 4.5V |
| Test Mode | Mode 2 | Polarization | Horizontal |

| | Meter Reading | Factor | Emission Level | Limits | Margin | Value Tree |
|-------|---------------|--------|----------------|----------|--------|------------|
| (MHz) | (dBµV) | (dB) | (dBµV/m) | (dBµV/m) | (dB) | Value Type |
| 4884 | 42.39 | 0.14 | 42.53 | 74.00 | -31.47 | peak |
| 4884 | 36.71 | 0.14 | 36.85 | 54.00 | -17.15 | AVG |
| 7326 | 35.88 | 2.36 | 38.24 | 74.00 | -35.76 | peak |
| 7326 | 31.46 | 2.36 | 33.82 | 54.00 | -20.18 | AVG |

| EUT | Remote control high speed car series | Model Name | 9522-1 |
|-------------|--------------------------------------|-------------------|----------|
| Temperature | 25℃ | Relative Humidity | 60% |
| Pressure | 101kPa | Test Voltage | DC 4.5V |
| Test Mode | Mode 2 | Polarization | Vertical |

| Frequency | Meter Reading | Factor | Emission Level | Limits | Margin | Value Type |
|----------------|--------------------|-------------|----------------|----------|--------|------------|
| (MHz) | (dBµV) | (dB) | (dBµV/m) | (dBµV/m) | (dB) | value Type |
| 4884 | 41.25 | 0.14 | 41.39 | 74.00 | -32.61 | peak |
| 4884 | 36.89 | 0.14 | 37.03 | 54.00 | -16.97 | AVG |
| 7326 | 35.47 | 2.36 | 37.83 | 74.00 | -36.17 | peak |
| 7326 | 31.22 | 2.36 | 33.58 | 54.00 | -20.42 | AVG |
| Remark: | | | -6 | @ | | |
| -actor = Anter | nna Factor + Cable | Loss – Pre- | amplifier. | | @ | |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festive Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter bedicated Festive Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter bedicated Festive Stamp" and the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day Safter the issuance of the report should be addressed to AGC by agc@agc-cert.com.





| EUT | Remote control high speed car series | Model Name | 9522-1 |
|-------------|--------------------------------------|-------------------|------------|
| Temperature | 25 ℃ | Relative Humidity | 60% |
| Pressure | 101kPa | Test Voltage | DC 4.5V |
| Test Mode | Mode 3 | Polarization | Horizontal |

| Frequency | Meter Reading | Factor | Emission Level | Limits | Margin | Value Type |
|---------------|--------------------|-------------|----------------|----------|--------|------------|
| (MHz) | (dBµV) | (dB) | (dBµV/m) | (dBµV/m) | (dB) | Value Type |
| 4946 | 40.17 | 0.22 | 40.39 | 74.00 | -33.61 | peak |
| 4946 | 36.43 | 0.22 | 36.65 | 54.00 | -17.35 | AVG |
| 7419 | 37.98 | 2.64 | 40.62 | 74.00 | -33.38 | peak |
| 7419 | 33.65 | 2.64 | 36.29 | 54.00 | -17.71 | AVG |
| emark: | | | | . 60 | | |
| actor = Anter | nna Factor + Cable | Loss – Pre- | amplifier. | | | 0 |

| EUT | Remote control high speed car series | Model Name | 9522-1 |
|-------------|--------------------------------------|-------------------|----------|
| Temperature | 25℃ | Relative Humidity | 60% |
| Pressure | 101kPa | Test Voltage | DC 4.5V |
| Test Mode | Mode 3 | Polarization | Vertical |


| Frequency | Meter Reading | Factor | Emission Level | Limits | Margin | Value Type |
|---------------|-------------------|---------------|----------------|----------|--------|------------|
| (MHz) | (dBµV) | (dB) | (dBµV/m) | (dBµV/m) | (dB) | value Type |
| 4946 | 39.74 | 0.22 | 39.96 | 74.00 | -34.04 | peak |
| 4946 | 35.29 | 0.22 | 35.51 | 54.00 | -18.49 | AVG |
| 7419 | 36.81 | 2.64 | 39.45 | 74.00 | -34.55 | peak |
| 7419 | 33.62 | 2.64 | 36.26 | 54.00 | -17.74 | AVG |
| Remark: | | | G | ® | | |
| actor = Anter | na Factor + Cable | e Loss – Pre- | amplifier. | - 6 | @ | |

Note: The amplitude of other spurious emissions from 1G to 25 GHz which are attenuated more than 20 dB below the permissible value need not be reported.

Factor=Antenna Factor + Cable loss - Amplifier gain, Margin=Measurement-Limit.

The "Factor" value can be calculated automatically by software of measurement system.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





8. BAND EDGE EMISSION

8.1. MEASUREMENT PROCEDURE

- 1. The EUT operates at transmitting mode. The operate channel is tested to verify the largest transmission and spurious emissions power at the continuous transmission mode.
- 2. Set the spectrum analyzer in the following setting in order to capture the lower and upper band-edges of the emission: (a) PEAK: RBW=1MHz, VBW=3MHz / Sweep=AUTO
- (b) AVERAGE: RBW=1MHz; VBW=3MHz / Sweep=AUTO
- 3. Other procedures refer to clause 7.2.

8.2 TEST SETUP

RADIATED EMISSION TEST SETUP Ant. feed point 1.5m Metal Full Soldered Ground Plane System Simulator Spectrum Analyzer / Receiver

8.3 RADIATED TEST RESULT

Note:

- 1. Factor=Antenna Factor + Cable loss Amplifier gain. Field Strength=Factor + Reading level
- 2. The factor had been edited in the "Input Correction" of the Spectrum Analyzer. So the Amplitude of test plots is equal to Reading level plus the Factor in dB. Use the A dB(μ V) to represent the Amplitude. Use the F dB(μ V/m) to represent the Field Strength. So A=F.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesturo/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test result presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

the dest results of the test report.



| EUT | Remote control high speed car series | Model Name | 9522-1 |
|-------------|--------------------------------------|-------------------|------------|
| Temperature | 25℃ | Relative Humidity | 60% |
| Pressure | 101kPa | Test Voltage | DC 4.5V |
| Test Mode | Mode 1 | Polarization | Horizontal |

Peak Value



Average Value



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Sedicated Pestual Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

The test results



| EUT | Remote control high speed car series | Model Name | 9522-1 |
|-------------|--------------------------------------|-------------------|----------|
| Temperature | 25℃ | Relative Humidity | 60% |
| Pressure | 101kPa | Test Voltage | DC 4.5V |
| Test Mode | Mode 1 | Polarization | Vertical |

Peak Value



Average Value



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated restriction. Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

The test results



| EUT | Remote control high speed car series | Model Name | 9522-1 |
|-------------|--------------------------------------|-------------------|------------|
| Temperature | 25 ℃ | Relative Humidity | 60% |
| Pressure | 101kPa | Test Voltage | DC 4.5V |
| Test Mode | Mode 3 | Polarization | Horizontal |

Peak Value



Average Value



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated restriction. Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/

The test results



| IEUT | Remote control high speed car series | Model Name | 9522-1 |
|-------------|--------------------------------------|-------------------|----------|
| Temperature | 25℃ | Relative Humidity | 60% |
| Pressure | 101kPa | Test Voltage | DC 4.5V |
| Test Mode | Mode 3 | Polarization | Vertical |

Peak Value



Average Value



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated restriction. Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/




9. 20DB BANDWIDTH

9.1. MEASUREMENT PROCEDURE

- 1. Set the EUT Work on the top, the middle and the bottom operation frequency individually.
- 2. Set SPA Centre Frequency = Operation Frequency, RBW= 30 KHz, VBW ≥ × RBW.
- 3. Set SPA Trace 1 Max hold, then View.

9.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc=cert.com.




9.3. MEASUREMENT RESULTS

| TEST ITE | И | 20DB BANDWIDTH | 10 | ~GC | -6 | | ® |
|----------|----------|----------------|----|-----|-----|-----------------|---|
| TEST MOI | DULATION | GFSK | 8 | | 100 | ✓Q _C | 0 |

| Test Channel (MHz) | 20DB BANDWIDTH (MHz) | 99% BANDWIDTH (MHz) | Criteria |
|--------------------|-------------------------|------------------------|----------|
| 2410 | 1.095 | 1.060 | PASS |
| 2442 | 1.090 | 1.060 | PASS |
| 2473 | 1.107 | 1.084 | PASS |

TEST PLOT OF BANDWIDTH FOR LOW CHANNEL



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written perhorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




TEST PLOT OF BANDWIDTH FOR MIDDLE CHANNEL



TEST PLOT OF BANDWIDTH FOR HIGH CHANNEL



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





10. FCC LINE CONDUCTED EMISSION TEST


10.1. LIMITS OF LINE CONDUCTED EMISSION TEST

| F | Maximum RF Line Voltage | | |
|---------------|-------------------------|----------------|--|
| Frequency | Q.P.(dBuV) | Average(dBuV) | |
| 150kHz~500kHz | 66-56 | 56-46 | |
| 500kHz~5MHz | 56 | 46 | |
| 5MHz~30MHz | 60 | 50 | |


Note:

- 1. The lower limit shall apply at the transition frequency.
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

10.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Goldicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test resurresented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report and in the report apply only to the test report should be addressed to AGC by agc@agc~cert.com.





10.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST

- 1. The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
- 2. Support equipment, if needed, was placed as per ANSI C63.10.
- 3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
- 4. All support equipment received AC120V/60Hz power from a LISN, if any.
- 5. The EUT received DC 4.5V power from PC which received AC120V/60Hz power from a LISN.
- 6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
- 7. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
- 8. During the above scans, the emissions were maximized by cable manipulation.
- 9. The test mode(s) were scanned during the preliminary test.

Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

12.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST

- 1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
- 2. A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less –2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
- 3. The test data of the worst case condition(s) was reported on the Summary Data page.

12.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST

N/A

Note: The conducted emission tests at AC port are not required for devices which only employ battery power for operation.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



APPENDIX A: PHOTOGRAPHS OF TEST SETUP


FCC RADIATED EMISSION TEST SETUP BELOW 1GHZ



FCC RADIATED EMISSION TEST SETUP ABOVE 1GHZ




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the specificated resting/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





CONDUCTED TEST SETUP



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restriction Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



APPENDIX B: PHOTOGRAPHS OF THE EUT

ALL VIEW OF EUT



TOP VIEW OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



BOTTOM VIEW OF EUT



FRONT VIEW OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the specificated resting/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



BACK VIEW OF EUT



LEFT VIEW OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the specificated resting/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



RIGHT VIEW OF EUT




OPEN VIEW OF EUT-1




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the specificated resting/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



OPEN VIEW OF EUT-2




INTERNAL VIEW OF EUT-1




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



INTERNAL VIEW OF EUT-2



INTERNAL VIEW OF EUT-3



----END OF REPORT----

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written appropriation of AGC where the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3.The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. The non-CMA report issued by AGC is only permitted to be used by the client as internal reference use and shall not be used for public demonstration purpose.
- 5. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 6. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 7. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 8. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 9. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 10. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

he test report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the /Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter enhorization of AGE The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15da Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.