Report Number: 15205794-EP1V3

1. SCOPE

The purpose of this document is to show test setup diagrams and photos for the following reports.

Reports
15205794-E1 FCC WPT Report
15205794-E2 FCC WPT RF Exposure Report

2. WPT TECHNOLOGY (15205794-E2 Report)


2.1. DESCRIPTION OF TEST SETUP

SUPPORT TEST EQUIPMENT										
	Description	Manufacturer	Model	Serial Number		FCC ID/ DoC				
AC/DC Adapter		Belkin	A1C030A	A1C030A#2		DoC				
iPhone 12 (Navy Blue)		Apple	A2342	F2LFW43K0D42		BCG-E3548A				
iPhone 12 (Navy Blue)		Apple	A2342	F2MFLFJA0D42		BCG-E3548A				
iPhone 12 (Navy Blue)		Apple	A2342	F2MFLHTF0D42		BCG-E3548A				
Legacy iPhone (Silver, small)		Apple	A1901	G6TVQ8JUJCLJ		BCG-E3175A				
Legacy iPhone (grey)		Apple	A2161	FK1ZMDRGN70C		BCG-E3306A				
AirPods Pro Case (1)		Apple	A2700	PCWQTHFWXC		BCG-A2700				
AirPods Pro Case (2)		Apple	A2700	MGH2RNXRWX		BCG-A2700				
AirP	ods Pro Case (3)	Apple	A2700	F2LKXY3CW9		BCG-A2700				
Apple Watch Series 8		Apple	A2771	F544Y6F9TX		BCG- A2771				
Apple Watch Series 8		Apple	A2771	MNV2T7TXLY		BCG- A2771				
Apple Watch Series 8		Apple	A2771	HKJ5H4N6XN		BCG- A2771				
Apple Watch Series 8		Apple	A2771	H4WFWQH9LF		BCG- A2771				
Apple Watch Series 8		Apple	A2771	CFYGKG06W7		BCG- A2771				
Legacy Apple Watch SE		Apple	A2722	PMJH6F3QX9		BCG- A2722				
Legacy Apple Watch SE		Apple	A2722	G27Q467X61		BCG- A2722				
Legacy Apple Watch SE		Apple	A2722	J6TJ0LFQ2H		BCG- A2722				
Legacy Apple Watch SE		Apple	A2722	DDJK7F4VCX		BCG- A2722				
I/O CABLES (RADIATED EMISSIONS/ AC LINE CONDUCTED)										
Cable No.	Port	# of Identical Ports	Connector Type	Cable Type	Cable Length (m)	Remarks				
1	DC	1	USB Type C	shielded	1.5	-				


Note: All those support equipment (clients/receiving loads) were used during testing to help expedite testing due to battery levels.

TEST SETUP BLOCK DIAGRAM


CONFIGURATION 1: WPT ON STANDBY




CONFIGURATION 2: OPERATING MODE WITH iPhone (360kHz)




CONFIGURATION 3: OPERATING MODE WITH iPhone (127.7kHz)




CONFIGURATION 4: OPERATING MODE WITH AirPods Pro Case (127.7kHz)



CONFIGURATION 5/6: OPERATING MODE WITH Apple Watch



CONFIGURATION 7: OPERATING MODE WITH iPhone (360kHz) + Apple Watch (1.778MHz)



2.2. AC LINE CONDUCTED SETUP


2.2.1. CONFIGURATON 1: WPT ON STANDBY



2.2.2. CONFIGURATON 7: OPERATING MODE WITH iPhone (360kHz) + Apple Watch (1.778MHz)




2.3. WPT RADIATED RF MEASUREMENT SETUP




2.3.1. CONFIGURATION 1: WPT ON STANDBY


2.3.2. CONFIGURATION 2: OPERATING MODE WITH iPhone (360kHz)




2.3.3. CONFIGURATION 3: OPERATING MODE WITH iPhone (127.7kHz)




2.3.4. CONFIGURATION 4: OPERATING MODE WITH AirPods Pro Case (127.7kHz)



2.3.5. CONFIGURATION 5: OPERATING MODE WITH Apple Watch (326.5kHz)




2.3.6. CONFIGURATION 6: OPERATING MODE WITH Apple Watch (1.778MHz)



Page 10 of 24

2.3.7. CONFIGURATION 7: OPERATING MODE WITH iPhone (360kHz) + Apple Watch (1.778MHz)



3. RF EXPOSURE (15205794-E2 Report)

3.1. DESCRIPTION OF TEST SETUP

SUPPORT TEST EQUIPMENT										
	Description	Manufacturer	Model	Serial Number		FCC ID/ DoC				
AC/DC Adapter		Belkin	S1C030A	S1#3-24		DoC				
iPhone 12 (Golden color)		Apple	A2342	F2LFL6760D41		BCG-E3548A				
iPhone 12 (Golden color)		Apple	A2342	F2LFKNTW0D41		BCG-E3548A				
iPhone 12 (Golden color)		Apple	A2342	F2LFKP3R0D41		BCG-E3548A				
Legacy iPhone (black)		Apple	A2111	C6KZHK1XN72J		BCG-E3309A				
Legacy iPhone (black)		Apple	A2101	G6TX9247KPH1		BCG-E3234A				
Leç	jacy iPhone (black)	Apple	A1901	G6TV37H8JCLH		BCG-E3175A				
Air	Pods Pro Case (4)	Apple	A2700	YW326V6YJ3		BCG-A2700				
Air	Pods Pro Case (5)	Apple	A2700	N6001WGX35		BCG-A2700				
AirPods Pro Case (6)		Apple	A2700	LP6TYPWMM7		BCG-A2700				
Apple Watch Series 7		Apple	A2474	TF7MKCXC9Q		BCG-A2474				
Apple Watch Series 7		Apple	A2474	WNX9JYCXKH		BCG-A2474				
Apple Watch Series 7		Apple	A2474	K76R02RKQG		BCG-A2474				
Apple Watch Series 7		Apple	A2474	MH407G923N		BCG-A2474				
Apple Watch Series 7		Apple	A2474	QVW24T7HH6		BCG-A2474				
Legacy Apple Watch		Apple	A1554	FHLPNJQEG9J6		BCG-E2871				
Legacy Apple Watch		Apple	A2092	FHLZM8YQMLTK		BCG-A092				
Legacy Apple Watch SE		Apple	A2722	KNYPMV99QX		BCG- A2722				
I/O CABLES (RADIATED EMISSIONS)										
Cable No.	Port	# of Identical Ports	Connector Type	Cable Type	Cable Length (m)	Remarks				
1	DC	1	USB Type C	shielded	1.5	-				

Note: All those support equipment (clients/receiving loads) were used during testing to help expedite testing due to battery levels.

MEASUREMENT SETUP


The measurements were taken using a probe placed.

Desktop mode: 20 cm (RF Exposure) surrounding the device and 20 cm (RF Exposure) and above the top surface for all configurations on each individual coil per KDB 680106 D01


Measurement distance is determined from the center of the probe to the EUT.

TEST SETUP BLOCK DIAGRAM


CONFIGURATION 1: WPT ON STANDBY




CONFIGURATION 2/3: OPERATING MODE WITH iPhone




CONFIGURATION 4: OPERATING MODE WITH AirPods Pro Case (127.7kHz)



CONFIGURATION 5/6: OPERATING MODE WITH Apple Watch




<u>CONFIGURATION 7: OPERATING MODE WITH AirPods Pro Case (127.7kHz) + Apple Watch (1.778MHz)</u>





3.2. RF EXPOSURE SETUP PHOTO

3.2.1. CONFIGURATION 1: WPT ON STANDBY


Coil #1









3.2.2. CONFIGURATION 2: OPERATING MODE WITH iPhone (360kHz)




3.2.3. CONFIGURATION 3: OPERATING MODE WITH iPhone (127.7kHz)

3.2.4. CONFIGURATION 4: OPERATING MODE WITH AirPods Pro Case (127.7kHz)






3.2.5. CONFIGURATION 5: OPERATING MODE WITH Apple Watch (326.5kHz)




3.2.6. CONFIGURATION 6: OPERATING MODE WITH Apple Watch (1.778MHz)

3.2.7. CONFIGURATION 7: OPERATING MODE WITH AirPods Pro Case (127.7kHz) + Apple Watch (1.778MHz)







END OF REPORT