


802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1202G	45.91	54.00	-8.09	4.26	3	Vertical	156	1.59	-	41.65	33.04	5.84	34.62
AV	5.2594G	109.77	Inf	-Inf	4.37	3	Vertical	156	1.59	-	105.40	33.06	5.91	34.60
AV	5.353G	45.50	54.00	-8.50	4.10	3	Vertical	156	1.59	-	41.40	32.72	5.96	34.58
PK	5.1208G	55.37	74.00	-18.63	4.26	3	Vertical	156	1.59	-	51.11	33.04	5.84	34.62
PK	5.2594G	118.40	Inf	-Inf	4.37	3	Vertical	156	1.59	-	114.03	33.06	5.91	34.60
PK	5.38G	54.80	74.00	-19.20	4.28	3	Vertical	156	1.59	-	50.52	32.88	5.98	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	46.21	54.00	-7.79	4.34	3	Horizontal	294	1.55	-	41.87	33.10	5.86	34.62
AV	5.2606G	112.42	Inf	-Inf	4.37	3	Horizontal	294	1.55	-	108.05	33.06	5.91	34.60
AV	5.3548G	46.68	54.00	-7.32	4.12	3	Horizontal	294	1.55	-	42.56	32.73	5.97	34.58
PK	5.1202G	56.13	74.00	-17.87	4.26	3	Horizontal	294	1.55	-	51.87	33.04	5.84	34.62
PK	5.2606G	119.15	Inf	-Inf	4.37	3	Horizontal	294	1.55	-	114.78	33.06	5.91	34.60
PK	5.3542G	55.66	74.00	-18.34	4.11	3	Horizontal	294	1.55	-	51.55	32.73	5.96	34.58


802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2992G	109.26	Inf	-Inf	4.24	3	Vertical	158	1.62	-	105.02	32.90	5.93	34.59
AV	5.35G	49.27	54.00	-4.73	4.08	3	Vertical	158	1.62	-	45.19	32.70	5.96	34.58
PK	5.2988G	117.26	Inf	-Inf	4.24	3	Vertical	158	1.62	-	113.02	32.90	5.93	34.59
PK	5.3508G	61.87	74.00	-12.13	4.08	3	Vertical	158	1.62	-	57.79	32.70	5.96	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2988G	113.60	Inf	-Inf	4.24	3	Horizontal	286	2.92	-	109.36	32.90	5.93	34.59
AV	5.3504G	51.76	54.00	-2.24	4.08	3	Horizontal	286	2.92	-	47.68	32.70	5.96	34.58
PK	5.2988G	123.01	Inf	-Inf	4.24	3	Horizontal	286	2.92	-	118.77	32.90	5.93	34.59
PK	5.3516G	64.63	74.00	-9.37	4.09	3	Horizontal	286	2.92	-	60.54	32.71	5.96	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6012G	45.68	54.00	-8.32	12.33	3	Vertical	348	1.32	-	33.35	38.90	8.12	34.69
AV	15.9092G	42.81	54.00	-11.19	12.33	3	Vertical	279	1.50	-	30.48	37.60	9.91	35.18
PK	10.60176G	54.77	74.00	-19.23	12.33	3	Vertical	348	1.32	-	42.44	38.90	8.12	34.69
PK	15.918G	53.07	74.00	-20.93	12.32	3	Vertical	279	1.50	-	40.75	37.60	9.91	35.19

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60048G	44.49	54.00	-9.51	12.33	3	Horizontal	29	1.50	-	32.16	38.90	8.12	34.69
AV	15.9068G	42.77	54.00	-11.23	12.33	3	Horizontal	122	1.50	-	30.44	37.60	9.91	35.18
PK	10.60136G	54.30	74.00	-19.70	12.33	3	Horizontal	29	1.50	-	41.97	38.90	8.12	34.69
PK	15.89048G	52.79	74.00	-21.21	12.38	3	Horizontal	122	1.50	-	40.41	37.64	9.91	35.17

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3192G	107.88	Inf	-Inf	4.18	3	Vertical	155	1.56	-	103.70	32.82	5.95	34.59
AV	5.35G	48.73	54.00	-5.27	4.08	3	Vertical	155	1.56	-	44.65	32.70	5.96	34.58
PK	5.3194G	119.17	Inf	-Inf	4.18	3	Vertical	155	1.56	-	114.99	32.82	5.95	34.59
PK	5.3504G	62.19	74.00	-11.81	4.08	3	Vertical	155	1.56	-	58.11	32.70	5.96	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3186G	111.97	Inf	-Inf	4.19	3	Horizontal	284	2.89	-	107.78	32.83	5.95	34.59
AV	5.35G	51.21	54.00	-2.79	4.08	3	Horizontal	284	2.89	-	47.13	32.70	5.96	34.58
PK	5.318G	122.76	Inf	-Inf	4.18	3	Horizontal	284	2.89	-	118.58	32.83	5.94	34.59
PK	5.3504G	63.19	74.00	-10.81	4.08	3	Horizontal	284	2.89	-	59.11	32.70	5.96	34.58

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6416G	46.54	54.00	-7.46	12.44	3	Vertical	353	1.03	-	34.10	38.98	8.14	34.68
AV	15.97128G	42.91	54.00	-11.09	12.30	3	Vertical	204	2.02	-	30.61	37.60	9.93	35.23
PK	10.64086G	59.20	74.00	-14.80	12.44	3	Vertical	353	1.03	-	46.76	38.98	8.14	34.68
PK	15.9516G	54.18	74.00	-19.82	12.31	3	Vertical	204	2.02	-	41.87	37.60	9.92	35.21

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64101G	44.82	54.00	-9.18	12.44	3	Horizontal	29	1.67	-	32.38	38.98	8.14	34.68
AV	15.9672G	42.87	54.00	-11.13	12.30	3	Horizontal	210	1.32	-	30.57	37.60	9.93	35.23
PK	10.64062G	57.30	74.00	-16.70	12.44	3	Horizontal	29	1.67	-	44.86	38.98	8.14	34.68
PK	15.958G	55.43	74.00	-18.57	12.31	3	Horizontal	210	1.32	-	43.12	37.60	9.93	35.22

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.66	54.00	-6.34	4.26	3	Vertical	157	1.62	-	43.40	32.82	6.01	34.57
AV	5.5008G	108.32	Inf	-Inf	4.37	3	Vertical	157	1.62	-	103.95	32.90	6.03	34.56
PK	5.4698G	63.79	68.20	-4.41	4.29	3	Vertical	157	1.62	-	59.50	32.84	6.01	34.56
PK	5.5014G	115.75	Inf	-Inf	4.37	3	Vertical	157	1.62	-	111.38	32.90	6.03	34.56

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.06	54.00	-2.94	4.26	3	Horizontal	1	1.00	-	46.80	32.82	6.01	34.57
AV	5.501G	112.27	Inf	-Inf	4.37	3	Horizontal	1	1.00	-	107.90	32.90	6.03	34.56
PK	5.47G	66.68	68.20	-1.52	4.29	3	Horizontal	1	1.00	-	62.39	32.84	6.01	34.56
PK	5.503G	120.18	Inf	-Inf	4.38	3	Horizontal	1	1.00	-	115.80	32.91	6.03	34.56

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00008G	47.54	54.00	-6.46	12.41	3	Vertical	348	1.49	-	35.13	38.70	8.29	34.58
PK	11.00232G	55.49	74.00	-18.51	12.41	3	Vertical	348	1.49	-	43.08	38.70	8.29	34.58
PK	16.50528G	52.97	68.20	-15.23	13.99	3	Vertical	350	1.60	-	38.98	38.68	10.06	34.75

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00024G	45.09	54.00	-8.91	12.41	3	Horizontal	24	1.22	-	32.68	38.70	8.29	34.58
PK	11.00304G	55.25	74.00	-18.75	12.41	3	Horizontal	24	1.22	-	42.84	38.70	8.29	34.58
PK	16.49944G	53.84	68.20	-14.36	14.00	3	Horizontal	120	1.50	-	39.84	38.70	10.06	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4564G	44.95	54.00	-9.05	4.25	3	Vertical	277	1.67	-	40.70	32.81	6.01	34.57
AV	5.5794G	108.90	Inf	-Inf	4.50	3	Vertical	277	1.67	-	104.40	33.00	6.05	34.55
PK	5.463G	53.47	68.20	-14.73	4.27	3	Vertical	277	1.67	-	49.20	32.83	6.01	34.57
PK	5.5794G	116.01	Inf	-Inf	4.50	3	Vertical	277	1.67	-	111.51	33.00	6.05	34.55
PK	5.73G	55.14	68.20	-13.06	5.13	3	Vertical	277	1.67	-	50.01	33.52	6.15	34.54

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4594G	45.46	54.00	-8.54	4.26	3	Horizontal	4	1.00	-	41.20	32.82	6.01	34.57
AV	5.5812G	114.17	Inf	-Inf	4.50	3	Horizontal	4	1.00	-	109.67	33.00	6.05	34.55
PK	5.4684G	54.94	68.20	-13.26	4.28	3	Horizontal	4	1.00	-	50.66	32.84	6.01	34.57
PK	5.5806G	122.79	Inf	-Inf	4.50	3	Horizontal	4	1.00	-	118.29	33.00	6.05	34.55
PK	5.73G	55.70	68.20	-12.50	5.13	3	Horizontal	4	1.00	-	50.57	33.52	6.15	34.54


802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	110.06	Inf	-Inf	5.20	3	Vertical	154	1.31	-	104.86	33.58	6.16	34.54
PK	5.643G	56.44	68.20	-11.76	4.54	3	Vertical	154	1.31	-	51.90	33.00	6.09	34.55
PK	5.7426G	118.54	Inf	-Inf	5.19	3	Vertical	154	1.31	-	113.35	33.57	6.16	34.54
PK	5.9514G	57.36	68.20	-10.84	6.06	3	Vertical	154	1.31	-	51.30	34.30	6.28	34.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	112.54	Inf	-Inf	5.20	3	Horizontal	24	1.79	-	107.34	33.58	6.16	34.54
PK	5.6202G	56.36	68.20	-11.84	4.52	3	Horizontal	24	1.79	-	51.84	33.00	6.07	34.55
PK	5.7426G	120.75	Inf	-Inf	5.19	3	Horizontal	24	1.79	-	115.56	33.57	6.16	34.54
PK	5.9454G	57.15	68.20	-11.05	6.05	3	Horizontal	24	1.79	-	51.10	34.30	6.27	34.52


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	110.40	Inf	-Inf	5.45	3	Vertical	154	1.25	-	104.95	33.80	6.19	34.54
PK	5.5906G	56.25	68.20	-11.95	4.51	3	Vertical	154	1.25	-	51.74	33.00	6.06	34.55
PK	5.7838G	117.48	Inf	-Inf	5.45	3	Vertical	154	1.25	-	112.03	33.80	6.19	34.54
PK	5.9638G	58.07	68.20	-10.13	6.03	3	Vertical	154	1.25	-	52.04	34.27	6.28	34.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	113.11	Inf	-Inf	5.45	3	Horizontal	25	1.68	-	107.66	33.80	6.19	34.54
PK	5.5918G	56.76	68.20	-11.44	4.51	3	Horizontal	25	1.68	-	52.25	33.00	6.06	34.55
PK	5.7838G	120.18	Inf	-Inf	5.45	3	Horizontal	25	1.68	-	114.73	33.80	6.19	34.54
PK	5.9446G	56.84	68.20	-11.36	6.05	3	Horizontal	25	1.68	-	50.79	34.30	6.27	34.52


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	110.57	Inf	-Inf	5.68	3	Vertical	154	1.18	-	104.89	34.00	6.21	34.53
PK	5.6306G	60.20	68.20	-8.00	4.53	3	Vertical	154	1.18	-	55.67	33.00	6.08	34.55
PK	5.8238G	120.60	Inf	-Inf	5.68	3	Vertical	154	1.18	-	114.92	34.00	6.21	34.53
PK	5.9642G	58.46	68.20	-9.74	6.03	3	Vertical	154	1.18	-	52.43	34.27	6.28	34.52

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	113.09	Inf	-Inf	5.67	3	Horizontal	23	1.36	-	107.42	33.99	6.21	34.53
PK	5.6306G	61.42	68.20	-6.78	4.53	3	Horizontal	23	1.36	-	56.89	33.00	6.08	34.55
PK	5.8238G	122.94	Inf	-Inf	5.68	3	Horizontal	23	1.36	-	117.26	34.00	6.21	34.53
PK	5.9726G	58.90	68.20	-9.30	6.02	3	Horizontal	23	1.36	-	52.88	34.25	6.29	34.52


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX



5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1428G	49.41	54.00	-4.59	4.32	3	Vertical	176	1.50	-	45.09	33.09	5.85	34.62
AV	5.1888G	103.11	Inf	-Inf	4.44	3	Vertical	176	1.50	-	98.67	33.18	5.87	34.61
PK	5.1424G	64.41	74.00	-9.59	4.31	3	Vertical	176	1.50	-	60.10	33.08	5.85	34.62
PK	5.1888G	114.05	Inf	-Inf	4.44	3	Vertical	176	1.50	-	109.61	33.18	5.87	34.61

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	53.38	54.00	-0.62	4.33	3	Horizontal	14	1.08	-	49.05	33.09	5.86	34.62
AV	5.1892G	109.02	Inf	-Inf	4.45	3	Horizontal	14	1.08	-	104.57	33.18	5.88	34.61
PK	5.1424G	68.56	74.00	-5.44	4.31	3	Horizontal	14	1.08	-	64.25	33.08	5.85	34.62
PK	5.1884G	119.42	Inf	-Inf	4.44	3	Horizontal	14	1.08	-	114.98	33.18	5.87	34.61


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX



802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.00	54.00	-5.00	4.34	3	Vertical	157	1.72	-	44.66	33.10	5.86	34.62
AV	5.2292G	105.94	Inf	-Inf	4.44	3	Vertical	157	1.72	-	101.50	33.14	5.90	34.60
PK	5.15G	62.56	74.00	-11.44	4.34	3	Vertical	157	1.72	-	58.22	33.10	5.86	34.62
PK	5.2292G	115.76	Inf	-Inf	4.44	3	Vertical	157	1.72	-	111.32	33.14	5.90	34.60

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	52.37	54.00	-1.63	4.34	3	Horizontal	6	1.00	-	48.03	33.10	5.86	34.62
AV	5.2288G	110.33	Inf	-Inf	4.44	3	Horizontal	6	1.00	-	105.89	33.14	5.90	34.60
PK	5.1472G	67.33	74.00	-6.67	4.33	3	Horizontal	6	1.00	-	63.00	33.09	5.86	34.62
PK	5.2276G	120.17	Inf	-Inf	4.44	3	Horizontal	6	1.00	-	115.73	33.14	5.90	34.60


802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX



802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2688G	105.91	Inf	-Inf	4.34	3	Vertical	156	1.48	-	101.57	33.02	5.92	34.60
AV	5.35G	48.10	54.00	-5.90	4.08	3	Vertical	156	1.48	-	44.02	32.70	5.96	34.58
PK	5.2684G	115.96	Inf	-Inf	4.35	3	Vertical	156	1.48	-	111.61	33.03	5.92	34.60
PK	5.3576G	64.26	74.00	-9.74	4.14	3	Vertical	156	1.48	-	60.12	32.75	5.97	34.58

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2676G	110.16	Inf	-Inf	4.35	3	Horizontal	286	2.65	-	105.81	33.03	5.92	34.60
AV	5.35G	50.64	54.00	-3.36	4.08	3	Horizontal	286	2.65	-	46.56	32.70	5.96	34.58
PK	5.2668G	119.87	Inf	-Inf	4.35	3	Horizontal	286	2.65	-	115.52	33.03	5.92	34.60
PK	5.3504G	67.72	74.00	-6.28	4.08	3	Horizontal	286	2.65	-	63.64	32.70	5.96	34.58


802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX



5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3092G	104.36	Inf	-Inf	4.21	3	Vertical	146	1.68	-	100.15	32.86	5.94	34.59
AV	5.35G	51.22	54.00	-2.78	4.08	3	Vertical	146	1.68	-	47.14	32.70	5.96	34.58
PK	5.3088G	115.37	Inf	-Inf	4.21	3	Vertical	146	1.68	-	111.16	32.86	5.94	34.59
PK	5.35G	64.73	74.00	-9.27	4.08	3	Vertical	146	1.68	-	60.65	32.70	5.96	34.58

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3076G	108.48	Inf	-Inf	4.22	3	Horizontal	293	2.62	-	104.26	32.87	5.94	34.59
AV	5.35G	52.46	54.00	-1.54	4.08	3	Horizontal	293	2.62	-	48.38	32.70	5.96	34.58
PK	5.3076G	118.57	Inf	-Inf	4.22	3	Horizontal	293	2.62	-	114.35	32.87	5.94	34.59
PK	5.3552G	66.53	74.00	-7.47	4.12	3	Horizontal	293	2.62	-	62.41	32.73	5.97	34.58


5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	46.47	54.00	-7.53	4.26	3	Vertical	164	1.76	-	42.21	32.82	6.01	34.57
AV	5.5108G	103.57	Inf	-Inf	4.39	3	Vertical	164	1.76	-	99.18	32.92	6.03	34.56
PK	5.47G	59.56	68.20	-8.64	4.29	3	Vertical	164	1.76	-	55.27	32.84	6.01	34.56
PK	5.5104G	114.35	Inf	-Inf	4.39	3	Vertical	164	1.76	-	109.96	32.92	6.03	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	48.68	54.00	-5.32	4.26	3	Horizontal	295	2.58	-	44.42	32.82	6.01	34.57
AV	5.5092G	108.57	Inf	-Inf	4.39	3	Horizontal	295	2.58	-	104.18	32.92	6.03	34.56
PK	5.4664G	64.27	68.20	-3.93	4.27	3	Horizontal	295	2.58	-	60.00	32.83	6.01	34.57
PK	5.5092G	118.88	Inf	-Inf	4.39	3	Horizontal	295	2.58	-	114.49	32.92	6.03	34.56


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX



802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.97	54.00	-4.03	4.26	3	Vertical	157	1.47	-	45.71	32.82	6.01	34.57
AV	5.5508G	107.61	Inf	-Inf	4.48	3	Vertical	157	1.47	-	103.13	33.00	6.04	34.56
PK	5.4696G	64.46	68.20	-3.74	4.29	3	Vertical	157	1.47	-	60.17	32.84	6.01	34.56
PK	5.5508G	117.51	Inf	-Inf	4.48	3	Vertical	157	1.47	-	113.03	33.00	6.04	34.56

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.01	54.00	-0.99	4.26	3	Horizontal	0	1.00	-	48.75	32.82	6.01	34.57
AV	5.5512G	111.77	Inf	-Inf	4.48	3	Horizontal	0	1.00	-	107.29	33.00	6.04	34.56
PK	5.4696G	67.27	68.20	-0.93	4.29	3	Horizontal	0	1.00	-	62.98	32.84	6.01	34.56
PK	5.5512G	122.15	Inf	-Inf	4.48	3	Horizontal	0	1.00	-	117.67	33.00	6.04	34.56

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09148G	43.71	54.00	-10.29	12.36	3	Vertical	178	2.37	-	31.35	38.61	8.33	34.58
PK	11.10264G	55.27	74.00	-18.73	12.35	3	Vertical	178	2.37	-	42.92	38.60	8.33	34.58
PK	16.67088G	56.07	68.20	-12.13	13.72	3	Vertical	48	1.50	-	42.35	38.16	10.10	34.54

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07312G	41.97	54.00	-12.03	12.37	3	Horizontal	157	1.50	-	29.60	38.63	8.32	34.58
PK	11.07192G	53.66	74.00	-20.34	12.37	3	Horizontal	157	1.50	-	41.29	38.63	8.32	34.58
PK	16.65588G	56.88	68.20	-11.32	13.72	3	Horizontal	228	1.50	-	43.16	38.19	10.09	34.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6712G	103.39	Inf	-Inf	4.73	3	Vertical	153	1.34	-	98.66	33.17	6.11	34.55
PK	5.6706G	114.17	Inf	-Inf	4.72	3	Vertical	153	1.34	-	109.45	33.16	6.11	34.55
PK	5.7258G	63.04	68.20	-5.16	5.11	3	Vertical	153	1.34	-	57.93	33.50	6.15	34.54

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6712G	107.23	Inf	-Inf	4.73	3	Horizontal	360	1.03	-	102.50	33.17	6.11	34.55
PK	5.6712G	118.44	Inf	-Inf	4.73	3	Horizontal	360	1.03	-	113.71	33.17	6.11	34.55
PK	5.7264G	67.51	68.20	-0.69	5.12	3	Horizontal	360	1.03	-	62.39	33.51	6.15	34.54


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX



802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4184G	45.08	54.00	-8.92	4.36	3	Vertical	353	2.85	-	40.72	32.93	6.00	34.57
AV	5.7088G	108.33	Inf	-Inf	5.04	3	Vertical	353	2.85	-	103.29	33.44	6.14	34.54
PK	5.4616G	55.61	68.20	-12.59	4.26	3	Vertical	353	2.85	-	51.35	32.82	6.01	34.57
PK	5.7088G	117.86	Inf	-Inf	5.04	3	Vertical	353	2.85	-	112.82	33.44	6.14	34.54
PK	5.86G	58.70	68.20	-9.50	5.84	3	Vertical	353	2.85	-	52.86	34.14	6.23	34.53

802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4184G	45.67	54.00	-8.33	4.36	3	Horizontal	292	2.43	-	41.31	32.93	6.00	34.57
AV	5.7088G	113.69	Inf	-Inf	5.04	3	Horizontal	292	2.43	-	108.65	33.44	6.14	34.54
PK	5.4664G	55.81	68.20	-12.39	4.27	3	Horizontal	292	2.43	-	51.54	32.83	6.01	34.57
PK	5.7112G	123.68	Inf	-Inf	5.04	3	Horizontal	292	2.43	-	118.64	33.44	6.14	34.54
PK	5.8516G	62.02	68.20	-6.18	5.81	3	Horizontal	292	2.43	-	56.21	34.11	6.23	34.53


802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	108.67	Inf	-Inf	5.25	3	Vertical	250	1.40	-	103.42	33.62	6.17	34.54
PK	5.6518G	65.34	69.53	-4.19	4.56	3	Vertical	250	1.40	-	60.78	33.01	6.10	34.55
PK	5.7526G	117.69	Inf	-Inf	5.25	3	Vertical	250	1.40	-	112.44	33.62	6.17	34.54
PK	5.9254G	58.61	68.20	-9.59	6.03	3	Vertical	250	1.40	-	52.58	34.30	6.26	34.53

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7526G	110.77	Inf	-Inf	5.25	3	Horizontal	16	1.82	-	105.52	33.62	6.17	34.54
PK	5.6506G	68.37	68.64	-0.27	4.55	3	Horizontal	16	1.82	-	63.82	33.00	6.10	34.55
PK	5.761G	119.69	Inf	-Inf	5.30	3	Horizontal	16	1.82	-	114.39	33.67	6.17	34.54
PK	5.9254G	59.11	68.20	-9.09	6.03	3	Horizontal	16	1.82	-	53.08	34.30	6.26	34.53


5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	108.64	Inf	-Inf	5.54	3	Vertical	248	1.65	-	103.10	33.88	6.20	34.54
PK	5.6438G	57.71	68.20	-10.49	4.54	3	Vertical	248	1.65	-	53.17	33.00	6.09	34.55
PK	5.7962G	117.34	Inf	-Inf	5.54	3	Vertical	248	1.65	-	111.80	33.88	6.20	34.54
PK	5.9282G	60.18	68.20	-8.02	6.03	3	Vertical	248	1.65	-	54.15	34.30	6.26	34.53

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	111.33	Inf	-Inf	5.51	3	Horizontal	19	1.80	-	105.82	33.86	6.19	34.54
PK	5.6486G	59.07	68.20	-9.13	4.54	3	Horizontal	19	1.80	-	54.53	33.00	6.09	34.55
PK	5.7926G	123.06	Inf	-Inf	5.51	3	Horizontal	19	1.80	-	117.55	33.86	6.19	34.54
PK	5.9246G	62.87	68.50	-5.63	6.03	3	Horizontal	19	1.80	-	56.84	34.30	6.26	34.53

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58992G	44.53	54.00	-9.47	12.46	3	Vertical	357	1.50	-	32.07	38.52	8.54	34.60
PK	11.58888G	56.06	74.00	-17.94	12.46	3	Vertical	357	1.50	-	43.60	38.52	8.54	34.60
PK	17.38868G	66.28	68.20	-1.92	14.30	3	Vertical	4	1.54	-	51.98	38.38	10.27	34.35

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56708G	41.68	54.00	-12.32	12.51	3	Horizontal	9	1.50	-	29.17	38.57	8.53	34.59
PK	11.57296G	54.33	74.00	-19.67	12.49	3	Horizontal	9	1.50	-	41.84	38.55	8.53	34.59
PK	17.3994G	57.12	68.20	-11.08	14.31	3	Horizontal	0	1.00	-	42.81	38.40	10.27	34.36

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	50.43	54.00	-3.57	4.34	3	Vertical	162	2.88	-	46.09	33.10	5.86	34.62
AV	5.211G	101.26	Inf	-Inf	4.46	3	Vertical	162	2.88	-	96.80	33.18	5.89	34.61
AV	5.388G	45.37	54.00	-8.63	4.33	3	Vertical	162	2.88	-	41.04	32.93	5.98	34.58
PK	5.144G	62.34	74.00	-11.66	4.32	3	Vertical	162	2.88	-	58.02	33.09	5.85	34.62
PK	5.209G	111.26	Inf	-Inf	4.45	3	Vertical	162	2.88	-	106.81	33.18	5.88	34.61
PK	5.39G	56.54	74.00	-17.46	4.34	3	Vertical	162	2.88	-	52.20	32.94	5.98	34.58

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.146G	53.41	54.00	-0.59	4.33	3	Horizontal	356	1.12	-	49.08	33.09	5.86	34.62
AV	5.209G	105.42	Inf	-Inf	4.45	3	Horizontal	356	1.12	-	100.97	33.18	5.88	34.61
AV	5.4G	46.09	54.00	-7.91	4.41	3	Horizontal	356	1.12	-	41.68	33.00	5.99	34.58
PK	5.146G	65.85	74.00	-8.15	4.33	3	Horizontal	356	1.12	-	61.52	33.09	5.86	34.62
PK	5.207G	115.06	Inf	-Inf	4.46	3	Horizontal	356	1.12	-	110.60	33.19	5.88	34.61
PK	5.376G	57.41	74.00	-16.59	4.26	3	Horizontal	356	1.12	-	53.15	32.86	5.98	34.58


5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.142G	47.13	54.00	-6.87	4.31	3	Vertical	272.1	1.13	-	42.82	33.08	5.85	34.62
AV	5.292G	102.18	Inf	-Inf	4.27	3	Vertical	272.1	1.13	-	97.91	32.93	5.93	34.59
AV	5.353G	50.52	54.00	-3.48	4.10	3	Vertical	272.1	1.13	-	46.42	32.72	5.96	34.58
PK	5.131G	58.85	74.00	-15.15	4.29	3	Vertical	272.1	1.13	-	54.56	33.06	5.85	34.62
PK	5.292G	112.08	Inf	-Inf	4.27	3	Vertical	272.1	1.13	-	107.81	32.93	5.93	34.59
PK	5.353G	64.65	74.00	-9.35	4.10	3	Vertical	272.1	1.13	-	60.55	32.72	5.96	34.58

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.148G	48.90	54.00	-5.10	4.34	3	Horizontal	9	1.03	-	44.56	33.10	5.86	34.62
AV	5.288G	106.46	Inf	-Inf	4.29	3	Horizontal	9	1.03	-	102.17	32.95	5.93	34.59
AV	5.35G	53.89	54.00	-0.11	4.08	3	Horizontal	9	1.03	-	49.81	32.70	5.96	34.58
PK	5.145G	60.08	74.00	-13.92	4.33	3	Horizontal	9	1.03	-	55.75	33.09	5.86	34.62
PK	5.287G	115.83	Inf	-Inf	4.29	3	Horizontal	9	1.03	-	111.54	32.95	5.93	34.59
PK	5.351G	67.23	74.00	-6.77	4.09	3	Horizontal	9	1.03	-	63.14	32.71	5.96	34.58


5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	49.08	54.00	-4.92	4.26	3	Vertical	153	1.45	-	44.82	32.82	6.01	34.57
AV	5.531G	101.64	Inf	-Inf	4.44	3	Vertical	153	1.45	-	97.20	32.96	6.04	34.56
PK	5.47G	61.32	68.20	-6.88	4.29	3	Vertical	153	1.45	-	57.03	32.84	6.01	34.56
PK	5.531G	112.31	Inf	-Inf	4.44	3	Vertical	153	1.45	-	107.87	32.96	6.04	34.56
PK	5.76G	58.63	68.20	-9.57	5.29	3	Vertical	153	1.45	-	53.34	33.66	6.17	34.54

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	53.14	54.00	-0.86	4.26	3	Horizontal	0	1.07	-	48.88	32.82	6.01	34.57
AV	5.531G	106.20	Inf	-Inf	4.44	3	Horizontal	0	1.07	-	101.76	32.96	6.04	34.56
PK	5.469G	66.79	68.20	-1.41	4.29	3	Horizontal	0	1.07	-	62.50	32.84	6.01	34.56
PK	5.529G	116.93	Inf	-Inf	4.44	3	Horizontal	0	1.07	-	112.49	32.96	6.04	34.56
PK	5.749G	59.57	68.20	-8.63	5.22	3	Horizontal	0	1.07	-	54.35	33.60	6.16	34.54


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX



802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.457G	46.41	54.00	-7.59	4.25	3	Vertical	258	1.00	-	42.16	32.81	6.01	34.57
AV	5.607G	102.25	Inf	-Inf	4.51	3	Vertical	258	1.00	-	97.74	33.00	6.06	34.55
PK	5.464G	59.02	68.20	-9.18	4.27	3	Vertical	258	1.00	-	54.75	32.83	6.01	34.57
PK	5.615G	113.91	Inf	-Inf	4.52	3	Vertical	258	1.00	-	109.39	33.00	6.07	34.55
PK	5.729G	64.51	68.20	-3.69	5.13	3	Vertical	258	1.00	-	59.38	33.52	6.15	34.54

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	47.30	54.00	-6.70	4.26	3	Horizontal	11	1.14	-	43.04	32.82	6.01	34.57
AV	5.609G	105.67	Inf	-Inf	4.52	3	Horizontal	11	1.14	-	101.15	33.00	6.07	34.55
PK	5.467G	60.63	68.20	-7.57	4.27	3	Horizontal	11	1.14	-	56.36	32.83	6.01	34.57
PK	5.609G	118.42	Inf	-Inf	4.52	3	Horizontal	11	1.14	-	113.90	33.00	6.07	34.55
PK	5.728G	65.81	68.20	-2.39	5.12	3	Horizontal	11	1.14	-	60.69	33.51	6.15	34.54


802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4584G	45.50	54.00	-8.50	4.26	3	Vertical	254	1.35	-	41.24	32.82	6.01	34.57
AV	5.6888G	102.72	Inf	-Inf	4.89	3	Vertical	254	1.35	-	97.83	33.31	6.12	34.54
PK	5.4668G	56.97	68.20	-11.23	4.27	3	Vertical	254	1.35	-	52.70	32.83	6.01	34.57
PK	5.6888G	113.64	Inf	-Inf	4.89	3	Vertical	254	1.35	-	108.75	33.31	6.12	34.54
PK	5.858G	65.69	68.20	-2.51	5.83	3	Vertical	254	1.35	-	59.86	34.13	6.23	34.53

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4596G	46.66	54.00	-7.34	4.26	3	Horizontal	-0	1.01	-	42.40	32.82	6.01	34.57
AV	5.6912G	106.44	Inf	-Inf	4.91	3	Horizontal	-0	1.01	-	101.53	33.33	6.12	34.54
PK	5.4632G	59.09	68.20	-9.11	4.27	3	Horizontal	-0	1.01	-	54.82	32.83	6.01	34.57
PK	5.69G	116.63	Inf	-Inf	4.90	3	Horizontal	-0	1.01	-	111.73	33.32	6.12	34.54
PK	5.8604G	67.53	68.20	-0.67	5.84	3	Horizontal	-0	1.01	-	61.69	34.14	6.23	34.53


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7738G	103.21	Inf	-Inf	5.38	3	Vertical	251	1.37	-	97.83	33.74	6.18	34.54
PK	5.6406G	63.31	68.20	-4.89	4.54	3	Vertical	251	1.37	-	58.77	33.00	6.09	34.55
PK	5.7738G	113.35	Inf	-Inf	5.38	3	Vertical	251	1.37	-	107.97	33.74	6.18	34.54
PK	5.925G	64.57	68.20	-3.63	6.03	3	Vertical	251	1.37	-	58.54	34.30	6.26	34.53

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7714G	106.07	Inf	-Inf	5.37	3	Horizontal	17	1.79	-	100.70	33.73	6.18	34.54
PK	5.6406G	67.53	68.20	-0.67	4.54	3	Horizontal	17	1.79	-	62.99	33.00	6.09	34.55
PK	5.7714G	116.70	Inf	-Inf	5.37	3	Horizontal	17	1.79	-	111.33	33.73	6.18	34.54
PK	5.925G	64.73	68.20	-3.47	6.03	3	Horizontal	17	1.79	-	58.70	34.30	6.26	34.53


5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	50.12	54.00	-3.88	4.34	3	Vertical	150	1.60	-	45.78	33.10	5.86	34.62
AV	5.2512G	96.36	Inf	-Inf	4.41	3	Vertical	150	1.60	-	91.95	33.10	5.91	34.60
AV	5.3712G	48.61	54.00	-5.39	4.22	3	Vertical	150	1.60	-	44.39	32.83	5.97	34.58
PK	5.15G	60.41	74.00	-13.59	4.34	3	Vertical	150	1.60	-	56.07	33.10	5.86	34.62
PK	5.2512G	105.77	Inf	-Inf	4.41	3	Vertical	150	1.60	-	101.36	33.10	5.91	34.60
PK	5.5284G	57.53	68.20	-10.67	4.43	3	Vertical	150	1.60	-	53.10	32.96	6.03	34.56

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1276G	53.90	54.00	-0.10	4.29	3	Horizontal	3	1.03	-	49.61	33.06	5.85	34.62
AV	5.2476G	101.18	Inf	-Inf	4.41	3	Horizontal	3	1.03	-	96.77	33.10	5.91	34.60
AV	5.3688G	51.73	54.00	-2.27	4.20	3	Horizontal	3	1.03	-	47.53	32.81	5.97	34.58
PK	5.1336G	66.34	74.00	-7.66	4.30	3	Horizontal	3	1.03	-	62.04	33.07	5.85	34.62
PK	5.2464G	111.15	Inf	-Inf	4.42	3	Horizontal	3	1.03	-	106.73	33.11	5.91	34.60
PK	5.4708G	58.36	68.20	-9.84	4.29	3	Horizontal	3	1.03	-	54.07	32.84	6.01	34.56


5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4596G	50.15	54.00	-3.85	4.26	3	Vertical	151	1.46	-	45.89	32.82	6.01	34.57
AV	5.5724G	98.98	Inf	-Inf	4.50	3	Vertical	151	1.46	-	94.48	33.00	6.05	34.55
PK	5.4608G	60.76	68.20	-7.44	4.26	3	Vertical	151	1.46	-	56.50	32.82	6.01	34.57
PK	5.5808G	109.29	Inf	-Inf	4.50	3	Vertical	151	1.46	-	104.79	33.00	6.05	34.55
PK	5.732G	60.83	68.20	-7.37	5.14	3	Vertical	151	1.46	-	55.69	33.53	6.15	34.54

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4596G	53.23	54.00	-0.77	4.26	3	Horizontal	360	1.35	-	48.97	32.82	6.01	34.57
AV	5.5724G	103.28	Inf	-Inf	4.50	3	Horizontal	360	1.35	-	98.78	33.00	6.05	34.55
PK	5.462G	64.39	68.20	-3.81	4.26	3	Horizontal	360	1.35	-	60.13	32.82	6.01	34.57
PK	5.552G	112.40	Inf	-Inf	4.48	3	Horizontal	360	1.35	-	107.92	33.00	6.04	34.56
PK	5.7308G	62.36	68.20	-5.84	5.13	3	Horizontal	360	1.35	-	57.23	33.52	6.15	34.54


5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX





Radiated Emissions above 1GHz

Appendix F

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.81092G	48.16	54.00	-5.84	Horizontal



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.80396G	45.95	54.00	-8.05	3	Vertical	19	1.83	-
Mode 1	Pass	AV	4.81087G	46.39	54.00	-7.61	3	Vertical	308	2.24	-
Mode 1	Pass	AV	4.82401G	33.28	54.00	-20.72	3	Vertical	70	1.30	-
Mode 1	Pass	AV	11.65912G	45.35	54.00	-8.65	3	Vertical	16	1.50	-
Mode 1	Pass	AV	12.187G	47.49	54.00	-6.51	3	Vertical	360	2.17	-
Mode 1	Pass	PK	4.80438G	50.36	74.00	-23.64	3	Vertical	19	1.83	-
Mode 1	Pass	PK	4.80899G	53.25	74.00	-20.75	3	Vertical	308	2.24	-
Mode 1	Pass	PK	4.82399G	45.35	74.00	-28.65	3	Vertical	70	1.30	-
Mode 1	Pass	PK	11.64562G	57.34	74.00	-16.66	3	Vertical	16	1.50	-
Mode 1	Pass	PK	12.196G	60.08	74.00	-13.92	3	Vertical	360	2.17	-
Mode 1	Pass	AV	4.80399G	46.87	54.00	-7.13	3	Horizontal	25	1.69	-
Mode 1	Pass	AV	4.81092G	48.16	54.00	-5.84	3	Horizontal	56	1.00	-
Mode 1	Pass	AV	4.82398G	27.82	54.00	-26.18	3	Horizontal	152	1.51	-
Mode 1	Pass	AV	11.65874G	27.68	54.00	-26.32	3	Horizontal	48	2.80	-
Mode 1	Pass	AV	12.1888G	44.96	54.00	-9.04	3	Horizontal	336	2.18	-
Mode 1	Pass	PK	4.80421G	51.10	74.00	-22.90	3	Horizontal	25	1.69	-
Mode 1	Pass	PK	4.80912G	55.09	74.00	-18.91	3	Horizontal	56	1.00	-
Mode 1	Pass	PK	4.82402G	38.75	74.00	-35.25	3	Horizontal	152	1.51	-
Mode 1	Pass	PK	11.63532G	38.73	74.00	-35.27	3	Horizontal	48	2.80	-
Mode 1	Pass	PK	12.1934G	56.78	74.00	-17.22	3	Horizontal	336	2.18	-

Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1

