

FCC / ISED DFS Client Test Report

For: Ezlo Inc.

Model Name: e550-US, EzloSecure-US

Product Description:
Smart Home Controller

FCC ID: 2AIYW-E550 IC ID: 26382-E550

Applied Rules and Standards: 47 CFR Part 15.407 (UNII) RSS-247 Issue 2 (DTSs)

REPORT #: EMC_EZLOI-001-20001_15.407_DFS

DATE: 2020-10-21



A2LA Accredited

IC recognized # 3462B-1

CETECOM Inc.

411 Dixon Landing Road • Milpitas, CA 95035 • U.S.A.

Phone: +1 (408) 586 6200 • Fax: +1 (408) 586 6299 • E-mail: info@cetecom.com • http://www.cetecom.com CETECOM Inc. is a Delaware Corporation with Corporation number: 2905571

2020-10-21

FCC ID: 2AIYW-E550 IC ID: 26382-E550



TABLE OF CONTENTS

Page 2 of 21

1	Α	SSESSMENT	3
2	Α	DMINISTRATIVE DATA	4
	2.1 2.2 2.3	IDENTIFICATION OF THE TESTING LABORATORY ISSUING THE EMC TEST REPORT	4
3	E	QUIPMENT UNDER TEST (EUT)	5
	3.1 3.2 3.3 3.4 3.5 3.6	EUT SPECIFICATIONS EUT SAMPLE DETAILS ACCESSORY EQUIPMENT (AE) DETAILS. TEST SAMPLE CONFIGURATION JUSTIFICATION FOR WORST CASE MODE OF OPERATION. POWER SETTING TABLE	6 6
4	S	UBJECT OF INVESTIGATION	7
5	M	IEASUREMENT RESULTS SUMMARY	7
6	М	IEASUREMENT UNCERTAINTY	8
	6.1 6.2	ENVIRONMENTAL CONDITIONS DURING TESTING: DATES OF TESTING:	
7	D	6.2 DATES OF TESTING:	
	7.1 7.2 7.3 7.4 7.5 7.6 7.7		10 10 11 11
8	M	IEASUREMENT PROCEDURES	12
	8.1 8.2 8.3 8.4	RADAR WAVEFORM GENERATION	12
9	TI	EST RESULT DATA	14
	9.1 9.2 9.3	TEST SIGNAL LEVEL CALIBRATION	16
10	TI	EST SETUP PHOTOS	19
11	TI	EST EQUIPMENT AND ANCILLARIES USED FOR TESTING	20
12	Н	IISTORY	21

EMC_EZLOI-001-20001_15.407_DFS_Client

2020-10-21 Page 3 of 21

FCC ID: 2AIYW-E550 IC ID: 26382-E550



1 Assessment

The following device was evaluated against the applicable DFS criteria specified in FCC rules Parts 15.407 of Title 47 of the Code of Federal Regulations and the relevant ISED Canada standard RSS-247.

No deviations were ascertained.

Company	Description	Model #
Ezlo Inc.	Smart Home Controller	e550-US, EzloSecure-US

Responsible for Testing Laboratory:

Cindy Li

 2020-10-21	Compliance	(EMC Lab Manager)	
Date	Section	Name	Signature

Responsible for the Report:

Kevin Wang

2020-10-21	20-10-21 Compliance (Senior EMC Er		ineer)		
Date	Section	Name	Signature		

The test results of this test report relate exclusively to the test item specified in Section3.

CETECOM Inc. USA does not assume responsibility for any conclusions and generalizations drawn from the test results with regard to other specimens or samples of the type of the equipment represented by the test item. The test report may only be reproduced or published in full. Reproduction or publication of extracts from the report requires the prior written approval of CETECOM Inc. USA.

FCC ID: 2AIYW-E550 IC ID: 26382-E550



2 Administrative Data

2.1 Identification of the Testing Laboratory Issuing the EMC Test Report

Company Name:	CETECOM Inc.
Department:	Compliance
Street Address:	411 Dixon Landing Road
City/Zip Code	Milpitas, CA 95035
Country	USA
Telephone:	+1 (408) 586 6200
Fax:	+1 (408) 586 6299
EMC Lab Manager:	Cindy Li
Responsible Project Leader:	Akanksha Baskaran

2.2 Identification of the Client

Applicant's Name:	Ezlo Inc.
Street Address:	1255 Broad St.
City/Zip Code	Clifton, NJ / 07013
Country	US

2.3 Identification of the Manufacturer

Manufacturer's Name:	Same as Applicant
Manufacturers Address:	
City/Zip Code	
Country	

EMC_EZLOI-001-20001_15.407_DFS_Client 2020-10-21 Page 5

Page 5 of 21 IC ID: 26382-E550

FCC ID: 2AIYW-E550




3 Equipment Under Test (EUT)

3.1 EUT Specifications

Model No:	e550-US, EzloSecure-US						
HW Version :	1.4						
SW Version :	2.0.1.1112.7						
FCC-ID:	2AIYW-E550						
IC-ID:	26382-E550						
FWIN:	N/A						
HVIN:	e550-US, EzloSecure-US						
PMN:	Ezlo Secure, Smart Home Controller, Connect Hub 2.0	CC Compass Monitoring Hub,					
Product Description:	Smart Home Controller All 4 variant models are electrically ide	entical					
	Frequency Range (MHz)	Channel Number					
	5150-5250	36-48 [4]					
Frequency Range / number of channels:	5250-5350	52-64[4]					
of Chamileis.	5470-5725	100-140 [11]					
	5725-5850	149-165 [5]					
	IEEE Std. 802.11(xxxx)	Data Rate / MCS					
Modes of Operation /	а	6-54 Mbps					
Channel Bandwidths:	n: HT20 & HT40	MCS 0-7; MCS 8-15					
	ac: VHT20; VHT40; VHT80	MCS 0-9					
Transmit Chains(N⊤x)	1						
Radio Information:	Module Number: Ampak AP6256 Modulation: OFDM						
Antenna Information as declared:	max gain 2.3 dBi						
Max. Output Power:	Conducted Power 11.96dBm						
Power Supply/ Rated Operating Voltage Range:	4.8V (Low) / 5.0V (Nominal) / 5.2V (Max)						
Operating Temperature Range	0°C to +35°C						
Other Radios included in the device:	ed in Wi-Fi 2.4GHz ; Cellular; Bluetooth; Zigbee; Zwave						
Sample Revision	□Prototype Unit; ■Production Un	it; □Pre-Production					

EMC_EZLOI-001-20001_15.407_DFS_Client

Page 6 of 21



IC ID: 26382-E550



Radio Information:

2020-10-21

Module Number: Ampak AP6256

Modulation: OFDM

3.2 EUT Sample details

EUT#	Serial Number	HW Version	SW Version	Notes/Comments
1	#1	1.4	2.0.1.1112.7	Conducted Sample

3.3 Accessory Equipment (AE) details

AE#	Туре	Model	Manufacturer	Serial Number
1	AC/DC Adaptor	FX18U-050300C		

3.4 Test Sample Configuration

EUT Set-up #	Combination of AE used for test set up	Comments
1	EUT#1 + AE#1	An Access Point was used as the DFS host device. The EUT was declared as Client Without Radar Detection.

3.5 Justification for Worst Case Mode of Operation

Since the EUT was Client without Radar Detection, only one channel was used for the test.

3.6 Power Setting Table

	CH36 - CH 64	CH100 - CH 140	CH149 - CH165
а	10	10	10
ac20	10	10	10

	CH38	CH46	CH54	CH62	CH102	CH110	CH118	CH126	CH134	CH151	CH159
ac40	10	10	10	10	10	10	10	10	10	10	10

	CH42	CH58	CH106	CH122	CH155
ac80	8	10	10	10	10

EMC_EZLOI-001-20001_15.407_DFS_Client

2020-10-21 Page 7 of 21

FCC ID: 2AIYW-E550 IC ID: 26382-E550



4 Subject of Investigation

The objective of the measurements done by CETECOM Inc. was to assess the DFS performance of the EUT according to the relevant requirements specified in FCC rules Part 15.407 of Title 47 of the Code of Federal Regulations and Radio Standard Specification RSS-247 of ISED Canada.

This test report is to support a request for new equipment authorization under the:

FCC ID: 2AIYW-E550IC ID: 26382-E550

5 <u>Measurement Results Summary</u>

The tests in this section are run sequentially and the EUT must pass all tests successfully. If the EUT fails any one of the tests it will count as a failure of compliance. To show compliance, all tests must be performed with waveforms randomly generated as specified with test results meeting the required percentage of successful detection criteria. All test results must be reported to the FCC. One frequency will be chosen from the operating Channels of the UUT within the 5250-5350 MHz or 5470-5725 MHz bands.

Test Specification	Test Case	Temperature and Voltage Conditions	Mode	Pass	NA	NP	Result
§15.407(h) RSS-247 6.3	U-NII Detection Bandwidth	Nominal	-		•		Note 2
§15.407(h) RSS-247 6.3	Performance Requirements Check	Nominal	-		•		Note 2
§15.407(h) RSS-247 6.3	In Service Monitoring	Nominal	802.11ac / HT20	•			Complies
§15.407(h) RSS-247 6.3	Statistical Performance Check	Nominal	-		•		Note 2

Note 1: NA= Not Applicable; NP= Not Performed.

Note 2: The EUT is a client device without radar detection.

EMC_EZLOI-001-20001_15.407_DFS_Client

2020-10-21 Page 8 of 21





6 Measurement Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus, with 95% confidence interval (in dB delta to result), based on a coverage factor k=1.

Radiated measurement

1 GHz to 40 GHz ±2.3 dB (Horn Antenna)

Conducted measurement

RF conducted measurement ±0.5 dB

According to TR 102 273 a multiplicative propagation of error is assumed for RF measurement systems. For this reason the RMS method is applied to dB values and not to linear values as appropriate for additive propagation of error. Also used: http://physics.nist.gov/cuu/Uncertainty/typeb.html. The above calculated uncertainties apply to direct application of the Substitution method. The Substitution method is always used when the EUT comes closer than 3 dB to the limit.

6.1 Environmental Conditions during Testing:

The following environmental conditions were maintained during the course of testing:

Ambient Temperature: 20-25° C

• Relative humidity: 40-60%


6.2 Dates of Testing:

10/12/2020 - 10/20/2020

EMC_EZLOI-001-20001_15.407_DFS_Client

2020-10-21

Page 9 of 21



IC ID: 26382-E550



7 DFS Requirements in the 5250-5350 MHz and 5470-5725 MHz Bands

The test methods used for this DFS functionality evaluation are based on FCC 905462 D02 UNII DFS Compliance Procedures New Rules v02

A U-NII network will employ a DFS function to detect signals from radar systems and to avoid co-channel operation with these systems. This applies to the 5250-5350 MHz and/or 5470-5725 MHz bands

7.1 Applicability of DFS Requirements Prior to Use of a Channel

Requirement	Operational Mode					
	Master	Client Without Radar Detection	Client With Radar Detection			
Non-Occupancy Period	Yes	Not required	Yes			
DFS Detection Threshold	Yes	Not required	Yes			
Channel Availability Check Time	Yes	Not required	Not required			
U-NII Detection Bandwidth	Yes	Not required	Yes			

7.2 Applicability of DFS requirements during normal operation

Requirement	Operational Mode				
	Master Device or Client With Radar Detection	Client Without Radar Detection			
DFS Detection Threshold	Yes	Not required			
Channel Closing Transmission Time	Yes	Yes			
Channel Move Time	Yes	Yes			
U-NII Detection Bandwidth	Yes	Not required			

Additional requirements for devices with multiple bandwidth modes	Master Device or Client With Radar Detection	Client Without Radar Detection
U-NII Detection Bandwidth and Statistical Performance Check	All BW modes must be tested	Not required
Channel Move Time and Channel Closing Transmission Time	Test using widest BW mode available	Test using the widest BW mode available for the link
All other tests	Any single BW mode	Not required

Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the bonded 20 MHz channels and the channel center frequency.

EMC_EZLOI-001-20001_15.407_DFS_Client

2020-10-21

Page 10 of 21

FCC ID: 2AIYW-E550 IC ID: 26382-E550



7.3 DFS Detection Thresholds for Master Devices and Client Devices with Radar Detection

Maximum Transmit Power	Value (See Notes 1, 2, and 3)
EIRP ≥ 200 milliwatt	-64 dBm
EIRP < 200 milliwatt and power spectral density < 10 dBm/MHz	-62 dBm
EIRP < 200 milliwatt that do not meet the power spectral density requirement	-64 dBm

Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna.

Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.

Note3: EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.

7.4 DFS Response Requirement Values

Parameter	Value				
Non-occupancy period	Minimum 30 minutes				
Channel Availability Check Time	60 seconds				
Channel Move Time	10 seconds - See Note 1.				
Channel Closing Transmission Time	200 milliseconds + an aggregate of 60 milliseconds over remaining 10 second period See Notes 1 and 2.				
U-NII Detection Bandwidth	Minimum 100% of the U-NII 99% transmission power bandwidth. See Note 3.				

- **Note 1:** Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.
- **Note 2:** The *Channel Closing Transmission Time* is comprised of 200 milliseconds starting at the beginning of the *Channel Move Time* plus any additional intermittent control signals required to facilitate a *Channel* move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.
- **Note 3:** During the *U-NII Detection Bandwidth* detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.

2020-10-21 Page 11 of 21

FCC ID: 2AIYW-E550 IC ID: 26382-E550



7.5 Short Pulse Radar Test Waveforms

Radar Type	Pulse Width (µsec)	PRI (µsec)	Number of Pulses	Minimum Percentage of Successful Detection	Minimum Number of Trials
0	1	1428	18	See Note 1	See Note 1
1	1	Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a	Roundup $ \left\{ \left(\frac{1}{360} \right). \\ \left(\frac{19 \cdot 10^6}{PRI_{\mu sec}} \right) \right\} $	60%	30
		Test B: 15 unique PRI values randomly selected within the range of 518-3066 µsec, with a minimum increment of 1 µsec, excluding PRI values selected in Test A			
2	1-5	150-230	23-29	60%	30
3	6-10	200-500	16-18	60%	30
4	11-20	200-500	12-16	60%	30
Aggrega	ate (Rada	r Types 1-4)		80%	120

Note 1: Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests.

7.6 Long Pulse Radar Test Waveform

Radar Type	Pulse Width (µsec)	Chirp Width (MHz)	PRI (µsec)	Number of Pulses per <i>Burst</i>	Number of Bursts	Minimum Percentage of Successful Detection	Minimum Number of Trials
5	50-100	5-20	1000- 2000	1-3	8-20	80%	30

7.7 Frequency Hopping Radar Test Waveform

Radar Type	Pulse Width (µsec)	PRI (µsec)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (msec)	Minimum Percentage of Successful Detection	Minimum Number of Trials
6	1	333	9	0.333	300	70%	30



8 Measurement Procedures


8.1 Radar Waveform Generation

2020-10-21

DFS waveform generator system NI PXI-1042 is used for all testing. The PXI system is a standard RF test system from National Instruments, Inc. It includes an embedded controller (with Windows XP), an RF signal generator comprised of an arbitrary waveform generator and two up / down-conversion modules. The parameters of the generated by the system waveforms are set and controlled through the integrated testing application iDFS by Redwolf Technology, LLC. The application is modeled around the FCC (06-96) guidelines for performing repetitive testing of different pre-defined radar signals along with scoring each trial in a test. The results of a test composed of a series of trials, typically 30 or more, can be save to a text file. That file is compatible with other applications, such as Microsoft's Word or Excel. The chirp has been verified by detuning the center frequency of the spectrum analyzer from the center frequency of the radar pulse and observing the slope on the burst.

8.2 DFS Test Setup Block Diagram

The section below contains block diagram example of conducted setup, where the EUT is master and the radar test waveforms are injected into the master.



For other test configurations for client testing and radiated measurements please refer to FCC 905462 D02 UNII DFS Compliance Procedures New Rules v02.

8.3 Setting the Test Signal Level

The test setup was calibrated at the EUT antenna port to the appropriate DFS threshold level are specified in Table 3 of the FCC 905462, with a spectrum analyzer according to Section 7.5 of the same KDB publication. The spectrum analyzer was centered on the channel under test and configured to zero span mode with a peak detector at a resolution and video bandwidth of at least 3MHz.

Signal level verification plots are included in section 9.1 of this report.

EMC_EZLOI-001-20001_15.407_DFS_Client

Page 13 of 21

FCC ID: 2AIYW-E550 IC ID: 26382-E550



8.4 Channel Loading / Data Streaming

2020-10-21

System testing will be performed with channel-loading using means appropriate to the data types that are used by the unlicensed device. The following requirements apply:

- The data file must be of a type that is typical for the device (i.e., MPEG-2, MPEG-4, WAV, MP3, MP4, AVI, etc.) and must generally be transmitting in a streaming mode.
- Software to ping the client is permitted to simulate data transfer but must have random ping intervals.
- Timing plots are required with calculations demonstrating a minimum channel loading of approximately 17% or greater. For example, channel loading can be estimated by setting the spectrum analyzer for zero span and approximate the Time On/ (Time On + Off Time). This can be done with any appropriate channel BW and modulation type.
- Unicast or Multicast protocols are preferable but other protocols may be used. The appropriate protocol used must be described in the test procedures.

Signal level verification plots are included in section 9.2 of this report.



9 **Test Result Data**

9.1 **Test Signal Level Calibration**

9.1.1 Measurement according to FCC 905462 D02 UNII DFS Compliance Procedures New Rules v02.


Spectrum Analyzer Settings

- Center Frequency = Channel Frequency
- Span = Zero Span
- RBW ≥ 3 MHz
- VBW ≥ 3 MHz
- Detector = Peak

Target Signal Level: 9.1.2

For all DFS test pulses the target level is -64 dBm.

9.1.3 Measurement result:




Test Report #:

EMC_EZLOI-001-20001_15.407_DFS_Client 2020-10-21 Page 15

FCC ID: 2AIYW-E550 IC ID: 26382-E550







9.2 **Channel Loading**

9.2.1 Measurement according to FCC 905462 D02 UNII DFS Compliance Procedures New Rules v02


Spectrum Analyzer Settings

- Center Frequency = Channel Frequency
- Span = Zero Span
- RBW ≥ 1 MHz
- VBW ≥ 3 MHz
- Detector = Peak

9.2.2 **Target Channel Loading Level:**

The channel loading shall be 17% or greater for each mode of operation

9.2.3 Measurement result:



2020-10-21 Page 17 of 21

FCC ID: 2AIYW-E550 IC ID: 26382-E550



9.3 In Service Monitoring

9.3.1 Measurement according to FCC 905462 D02 UNII DFS Compliance Procedures New Rules v02

Waveform Generator Settings

- Radar pulse used = Type 0
- Center frequency of the radar pulse = EUT operating channel
- Radar Pulse amplitude = DFS detection threshold level

Spectrum Analyzer Settings

- Center Frequency = Channel Frequency
- Span = Zero Span
- Sweep Time ≥ 11 s
- RBW ≥ 1 MHz
- VBW ≥ 3 MHz
- Detector = Peak

EUT Settings

- The EUT was streaming the channel loading test file to the Client Device
- The EUT was set to HT20 mode
- The EUT was set to a channel where control signals are detected

9.3.2 Requirements FCC§15.407; RSS-247:

Channel Closing Transmission Time

200 milliseconds + an aggregate of 60 milliseconds over remaining 10 second period

Channel Move Time

• 10 seconds

Non-occupancy period

Minimum 30 minutes

9.3.3 Test conditions and setup:

Ambient Temperature	EUT Set-Up #	EUT operating mode	Power Input
22° C	1	802.11ac80	120V AC

9.3.4 Measurement result:


Plot #	Frequency (MHz)	Channel Closing Transmission Time (ms)	Channel Move Time (s)	Non-occupancy period (s)	Limit (s)	Result
1	5520	123.8	2.2	N/A	<10	Pass

IC ID: 26382-E550

FCC ID: 2AIYW-E550




9.3.5 Measurement Plots:



 FCC ID: 2AIYW-E550 IC ID: 26382-E550




10 Test setup photos



EMC_EZLOI-001-20001_15.407_DFS_Client

2020-10-21 Page 20 of 21





11 Test Equipment And Ancillaries Used For Testing

Item Name	Equipment Type	Manufacturer	Model	Serial #	Calibration Cycle	Last Calibration Date
FSU26	Spectrum Analyzer	R&S	FSU26	200302	3 years	7/16/2019
PXI-5421	Arbitrary waveform Generator	National Instrument	PXI-5421	E965F1	3 years	4/4/2019

Note:

^{1.} Equipment used meets the measurement uncertainty requirements as required per applicable standards for 95% confidence levels.

Calibration due dates, unless defined specifically, falls on the last day of the month. Items indicated "N/A" for cal status either do not specifically require calibration or is internally characterized before use.

Test Report #: EMC_EZLOI-001-20001_15.407_DFS_Client Date of Report

Page 21 of 21 2020-10-21 IC ID: 26382-E550



FCC ID: 2AIYW-E550

12 <u>History</u>

Date	Report Name	Changes to report	Report prepared by	
2020-10-20	EMC_EZLOI-001-20001_15.407_DFS_Client	Initial Version	Kevin Wang	

<<< The End >>>