

Label location:

**Electrical label:** Restart the computer > When the logo screen is displayed, press F9 > The E-label screen is displayed.

## Lenovo

## **Regulatory Information**




CAN ICES-3(B)/NMB-3(B)

ご使用のコンピュータにIEEEB02.11a準拠の無線機が搭載されている場合は、電波法の規定により5.15-5.35GHz周波数帯での使用は雇内に限られます。

This product contains a lithium-ion battery and a lithium battery; dispose of according to local, state, or federal laws.

Copyrighted code and parts contained herein. © Copyright Lenovo 2005, 2018. M/N: TP00098A

FCC ID: 2AOUD-TP00098A, IC: 23551-TP00098A Contains FCC ID: TX2-RTL8822BE, IC: 6317A-RTL8822BE Contains FCC ID: MCLT77H747, IC: 2878D-T77H747



TA-2016/2137 TA-2015/1461 TA-2015/1461 TA-2016/2877 APPROVED

R 201-160557

MIC/KS	能務省指定
	第AC-16074号

ress Enter to exit and restart your computer

## **Regulatory Information**



CAN ICES-3(B)/NMB-3(B)


Lenovo.

ご使用のコンピュータにIEEE802.11a準拠の無線機が搭載されている場合は、電波法の規定により5.15-5.35GHz周波数帯での使用は屋内に限られます。


This product contains a lithium-ion battery and a lithium battery; dispose of according to local, state, or federal laws.

Copyrighted code and parts contained herein. © Copyright Lenovo 2005, 2018. M/N: TP00098A

FCC ID: 2AOUD-TP00098A, IC: 23551-TP00098A Contains FCC ID: PD99560NG, IC: 1000M-9560NG Contains FCC ID: MCLT77H747, IC: 2878D-T77H747







MIC/KS 第AC-16074号

Press Enter to exit and restart your computer