


## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.4397G | 42.07         | 54.00         | -11.93     | 16.09      | 3       | V         | 267        | 1.51      | -        |
| PK   | 11.4262G | 55.58         | 74.00         | -18.42     | 16.08      | 3       | V         | 267        | 1.51      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.4397G | 42.50         | 54.00         | -11.50     | 16.09      | 3       | H         | 44         | 2.70      | -        |
| PK   | 11.4472G | 55.88         | 74.00         | -18.12     | 16.10      | 3       | H         | 44         | 2.70      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.4798G | 41.92         | 54.00         | -12.08     | 16.12      | 3       | V         | 342        | 1.50      | -        |
| PK   | 11.4762G | 55.16         | 74.00         | -18.84     | 16.11      | 3       | V         | 342        | 1.50      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.4811G | 41.95         | 54.00         | -12.05     | 16.12      | 3       | H         | 20         | 2.18      | -        |
| PK   | 11.4668G | 55.73         | 74.00         | -18.27     | 16.11      | 3       | H         | 20         | 2.18      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.5699G | 42.44         | 54.00         | -11.56     | 16.18      | 3       | V         | 37         | 1.24      | -        |
| PK   | 11.5724G | 55.56         | 74.00         | -18.44     | 16.18      | 3       | V         | 37         | 1.24      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.5713G | 42.18         | 54.00         | -11.82     | 16.18      | 3       | H         | 10         | 1.33      | -        |
| PK   | 11.558G  | 56.05         | 74.00         | -17.95     | 16.17      | 3       | H         | 10         | 1.33      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.6704G | 42.10         | 54.00         | -11.90     | 16.24      | 3       | V         | 33         | 1.16      | -        |
| PK   | 11.657G  | 55.49         | 74.00         | -18.51     | 16.23      | 3       | V         | 33         | 1.16      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.6621G | 42.52         | 54.00         | -11.48     | 16.24      | 3       | H         | 24         | 1.62      | -        |
| PK   | 11.6641G | 56.32         | 74.00         | -17.68     | 16.24      | 3       | H         | 24         | 1.62      | -        |



## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.5715G | 49.16         | 54.00         | -4.84      | 17.82      | 3       | V         | 32         | 1.01      | -        |
| PK   | 15.5556G | 61.44         | 74.00         | -12.56     | 17.81      | 3       | V         | 32         | 1.01      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.5465G | 48.35         | 54.00         | -5.65      | 17.80      | 3       | H         | 78         | 1.50      | -        |
| PK   | 15.5635G | 61.55         | 74.00         | -12.45     | 17.82      | 3       | H         | 78         | 1.50      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.6948G | 47.67         | 54.00         | -6.33      | 17.92      | 3       | V         | 326        | 1.50      | -        |
| PK   | 15.7072G | 60.77         | 74.00         | -13.23     | 17.93      | 3       | V         | 326        | 1.50      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.6937G | 48.12         | 54.00         | -5.88      | 17.92      | 3       | H         | 87         | 2.17      | -        |
| PK   | 15.7109G | 60.55         | 74.00         | -13.45     | 17.94      | 3       | H         | 87         | 2.17      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.8042G | 47.66         | 54.00         | -6.34      | 18.01      | 3       | V         | 128        | 1.50      | -        |
| PK   | 15.7955G | 60.11         | 74.00         | -13.89     | 18.00      | 3       | V         | 128        | 1.50      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.8072G | 48.27         | 54.00         | -5.73      | 18.01      | 3       | H         | 34         | 2.49      | -        |
| PK   | 15.7873G | 60.65         | 74.00         | -13.35     | 18.00      | 3       | H         | 34         | 2.49      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.943G  | 48.53         | 54.00         | -5.47      | 18.12      | 3       | V         | 70         | 1.50      | -        |
| PK   | 15.9509G | 61.63         | 74.00         | -12.37     | 18.13      | 3       | V         | 70         | 1.50      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.932G  | 49.66         | 54.00         | -4.34      | 18.11      | 3       | H         | 20         | 1.48      | -        |
| PK   | 15.9323G | 61.92         | 74.00         | -12.08     | 18.12      | 3       | H         | 20         | 1.48      | -        |



## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.0204G | 43.73         | 54.00         | -10.27     | 15.81      | 3       | V         | 92         | 1.48      | -        |
| PK   | 11.0078G | 56.35         | 74.00         | -17.65     | 15.81      | 3       | V         | 92         | 1.48      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.0127G | 43.65         | 54.00         | -10.35     | 15.81      | 3       | H         | 39         | 2.35      | -        |
| PK   | 11.0215G | 56.64         | 74.00         | -17.36     | 15.81      | 3       | H         | 39         | 2.35      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.0871G | 42.98         | 54.00         | -11.02     | 15.86      | 3       | V         | 259        | 1.50      | -        |
| PK   | 11.1249G | 55.67         | 74.00         | -18.33     | 15.88      | 3       | V         | 259        | 1.50      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.0904G | 43.31         | 54.00         | -10.69     | 15.86      | 3       | H         | 67         | 1.48      | -        |
| PK   | 11.0995G | 56.80         | 74.00         | -17.20     | 15.87      | 3       | H         | 67         | 1.48      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.3511G | 42.49         | 54.00         | -11.51     | 16.03      | 3       | V         | 142        | 1.51      | -        |
| PK   | 11.3472G | 55.50         | 74.00         | -18.50     | 16.03      | 3       | V         | 142        | 1.51      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.3443G | 42.55         | 54.00         | -11.45     | 16.03      | 3       | H         | 70         | 1.46      | -        |
| PK   | 11.3472G | 55.25         | 74.00         | -18.75     | 16.03      | 3       | H         | 70         | 1.46      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.3991G | 42.84         | 54.00         | -11.16     | 16.06      | 3       | V         | 29         | 1.50      | -        |
| PK   | 11.3961G | 55.29         | 74.00         | -18.71     | 16.06      | 3       | V         | 29         | 1.50      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.4054G | 42.69         | 54.00         | -11.31     | 16.07      | 3       | H         | 343        | 1.07      | -        |
| PK   | 11.4054G | 55.89         | 74.00         | -18.11     | 16.07      | 3       | H         | 343        | 1.07      | -        |



## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.5333G | 42.14         | 54.00         | -11.86     | 16.15      | 3       | V         | 37         | 2.98      | -        |
| PK   | 11.5333G | 55.24         | 74.00         | -18.76     | 16.15      | 3       | V         | 37         | 2.98      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.4862G | 42.18         | 54.00         | -11.82     | 16.12      | 3       | H         | 284        | 1.50      | -        |
| PK   | 11.5014G | 54.73         | 74.00         | -19.27     | 16.13      | 3       | H         | 284        | 1.50      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.6136G | 42.70         | 54.00         | -11.30     | 16.20      | 3       | V         | 327        | 1.50      | -        |
| PK   | 11.6051G | 55.28         | 74.00         | -18.72     | 16.20      | 3       | V         | 327        | 1.50      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.6074G | 42.65         | 54.00         | -11.35     | 16.20      | 3       | H         | 141        | 2.09      | -        |
| PK   | 11.6086G | 55.27         | 74.00         | -18.73     | 16.20      | 3       | H         | 141        | 2.09      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.6214G | 48.12         | 54.00         | -5.88      | 17.86      | 3       | V         | 324        | 1.50      | -        |
| PK   | 15.6337G | 62.09         | 74.00         | -11.91     | 17.87      | 3       | V         | 324        | 1.50      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.639G  | 48.61         | 54.00         | -5.39      | 17.88      | 3       | H         | 34         | 2.66      | -        |
| PK   | 15.6192G | 61.34         | 74.00         | -12.66     | 17.86      | 3       | H         | 34         | 2.66      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.8694G | 48.15         | 54.00         | -5.85      | 18.06      | 3       | V         | 106        | 1.01      | -        |
| PK   | 15.8838G | 61.98         | 74.00         | -12.02     | 18.08      | 3       | V         | 106        | 1.01      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.8697G | 48.27         | 54.00         | -5.73      | 18.06      | 3       | H         | 19         | 1.48      | -        |
| PK   | 15.8694G | 61.60         | 74.00         | -12.40     | 18.06      | 3       | H         | 19         | 1.48      | -        |



## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.0814G | 42.94         | 54.00         | -11.06     | 15.85      | 3       | V         | 89         | 2.97      | -        |
| PK   | 11.0849G | 55.70         | 74.00         | -18.30     | 15.86      | 3       | V         | 89         | 2.97      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.0805G | 42.97         | 54.00         | -11.03     | 15.85      | 3       | H         | 272        | 1.90      | -        |
| PK   | 11.0835G | 56.28         | 74.00         | -17.72     | 15.86      | 3       | H         | 272        | 1.90      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.2097G | 42.61         | 54.00         | -11.39     | 15.94      | 3       | V         | 343        | 2.24      | -        |
| PK   | 11.2163G | 55.24         | 74.00         | -18.76     | 15.94      | 3       | V         | 343        | 2.24      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.2202G | 42.50         | 54.00         | -11.50     | 15.95      | 3       | H         | 103        | 2.26      | -        |
| PK   | 11.209G  | 56.00         | 74.00         | -18.00     | 15.94      | 3       | H         | 103        | 2.26      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.3942G | 42.50         | 54.00         | -11.50     | 16.06      | 3       | V         | 166        | 2.22      | -        |
| PK   | 11.3868G | 55.28         | 74.00         | -18.72     | 16.06      | 3       | V         | 166        | 2.22      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.4018G | 42.42         | 54.00         | -11.58     | 16.07      | 3       | H         | 36         | 1.68      | -        |
| PK   | 11.3722G | 55.62         | 74.00         | -18.38     | 16.05      | 3       | H         | 36         | 1.68      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.5392G | 42.22         | 54.00         | -11.78     | 16.16      | 3       | V         | 321        | 1.08      | -        |
| PK   | 11.5568G | 54.81         | 74.00         | -19.19     | 16.17      | 3       | V         | 321        | 1.08      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170624  
EUT X 4TX ANT (Patch大方)  
Setting 25  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.5486G | 42.07         | 54.00         | -11.93     | 16.16      | 3       | H         | 61         | 1.13      | -        |
| PK   | 11.5358G | 55.12         | 74.00         | -18.88     | 16.15      | 3       | H         | 61         | 1.13      | -        |



## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.52506G | 49.18         | 54.00         | -4.82      | 17.79      | 3       | V         | 304        | 1.95      | -        |
| PK   | 15.5316G  | 62.40         | 74.00         | -11.60     | 17.79      | 3       | V         | 304        | 1.95      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.5283G  | 49.07         | 54.00         | -4.93      | 17.79      | 3       | H         | 206        | 1.91      | -        |
| PK   | 15.52566G | 62.09         | 74.00         | -11.91     | 17.79      | 3       | H         | 206        | 1.91      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.58596G | 49.01         | 54.00         | -4.99      | 17.83      | 3       | V         | 200        | 1.46      | -        |
| PK   | 15.60372G | 61.40         | 74.00         | -12.60     | 17.85      | 3       | V         | 200        | 1.46      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.59094G | 48.91         | 54.00         | -5.09      | 17.84      | 3       | H         | 9          | 1.96      | -        |
| PK   | 15.59016G | 61.97         | 74.00         | -12.03     | 17.84      | 3       | H         | 9          | 1.96      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.72666G | 48.04         | 54.00         | -5.96      | 17.95      | 3       | V         | 334        | 1.41      | -        |
| PK   | 15.72894G | 61.16         | 74.00         | -12.84     | 17.95      | 3       | V         | 334        | 1.41      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.72204G | 47.95         | 54.00         | -6.05      | 17.94      | 3       | H         | 127        | 2.18      | -        |
| PK   | 15.7341G  | 61.08         | 74.00         | -12.92     | 17.95      | 3       | H         | 127        | 2.18      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.79056G | 47.77         | 54.00         | -6.23      | 18.00      | 3       | V         | 208        | 1.81      | -        |
| PK   | 15.79362G | 60.83         | 74.00         | -13.17     | 18.00      | 3       | V         | 208        | 1.81      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.79488G | 47.90         | 54.00         | -6.10      | 18.00      | 3       | H         | 79         | 1.82      | -        |
| PK   | 15.76728G | 60.52         | 74.00         | -13.48     | 17.98      | 3       | H         | 79         | 1.82      | -        |



## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.8895G  | 48.73         | 54.00         | -5.27      | 18.08      | 3       | V         | 335        | 2.16      | -        |
| PK   | 15.91338G | 61.51         | 74.00         | -12.49     | 18.10      | 3       | V         | 335        | 2.16      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.88746G | 48.79         | 54.00         | -5.21      | 18.08      | 3       | H         | 67         | 1.60      | -        |
| PK   | 15.8883G  | 61.40         | 74.00         | -12.60     | 18.08      | 3       | H         | 67         | 1.60      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.95916G | 49.25         | 54.00         | -4.75      | 18.14      | 3       | V         | 281        | 1.47      | -        |
| PK   | 15.96798G | 61.93         | 74.00         | -12.07     | 18.14      | 3       | V         | 281        | 1.47      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.96306G | 49.09         | 54.00         | -4.91      | 18.14      | 3       | H         | 115        | 2.43      | -        |
| PK   | 15.9681G  | 62.43         | 74.00         | -11.57     | 18.14      | 3       | H         | 115        | 2.43      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 10.99124G | 43.85         | 54.00         | -10.15     | 15.79      | 3       | V         | 291        | 1.46      | -        |
| PK   | 10.98818G | 56.99         | 74.00         | -17.01     | 15.78      | 3       | V         | 291        | 1.46      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 10.9958G | 43.87         | 54.00         | -10.13     | 15.79      | 3       | H         | 143        | 1.13      | -        |
| PK   | 11.0027G | 56.68         | 74.00         | -17.32     | 15.80      | 3       | H         | 143        | 1.13      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.15064G | 43.27         | 54.00         | -10.73     | 15.90      | 3       | V         | 100        | 1.60      | -        |
| PK   | 11.14668G | 56.55         | 74.00         | -17.45     | 15.90      | 3       | V         | 100        | 1.60      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.14602G | 43.51         | 54.00         | -10.49     | 15.90      | 3       | H         | 93         | 2.43      | -        |
| PK   | 11.14782G | 56.63         | 74.00         | -17.37     | 15.90      | 3       | H         | 93         | 2.43      | -        |



## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.39682G | 43.62         | 54.00         | -10.38     | 16.06      | 3       | V         | 208        | 2.48      | -        |
| PK   | 11.3856G  | 56.66         | 74.00         | -17.34     | 16.05      | 3       | V         | 208        | 2.48      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.3922G  | 43.68         | 54.00         | -10.32     | 16.06      | 3       | H         | 47         | 1.46      | -        |
| PK   | 11.38614G | 56.30         | 74.00         | -17.70     | 16.05      | 3       | H         | 47         | 1.46      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.4352G  | 43.74         | 54.00         | -10.26     | 16.09      | 3       | V         | 199        | 1.61      | -        |
| PK   | 11.44456G | 56.81         | 74.00         | -17.19     | 16.09      | 3       | V         | 199        | 1.61      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.43412G | 43.61         | 54.00         | -10.39     | 16.09      | 3       | H         | 175        | 1.20      | -        |
| PK   | 11.43412G | 56.78         | 74.00         | -17.22     | 16.09      | 3       | H         | 175        | 1.20      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.5005G  | 42.76         | 54.00         | -11.24     | 16.13      | 3       | V         | 284        | 2.13      | -        |
| PK   | 11.48796G | 55.71         | 74.00         | -18.29     | 16.12      | 3       | V         | 284        | 2.13      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.50236G | 42.78         | 54.00         | -11.22     | 16.13      | 3       | H         | 250        | 1.11      | -        |
| PK   | 11.5038G  | 55.40         | 74.00         | -18.60     | 16.13      | 3       | H         | 250        | 1.11      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.58458G | 43.18         | 54.00         | -10.82     | 16.19      | 3       | V         | 335        | 1.67      | -        |
| PK   | 11.58122G | 56.32         | 74.00         | -17.68     | 16.18      | 3       | V         | 335        | 1.67      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.5847G  | 43.20         | 54.00         | -10.80     | 16.19      | 3       | H         | 84         | 1.14      | -        |
| PK   | 11.57942G | 55.89         | 74.00         | -18.11     | 16.18      | 3       | H         | 84         | 1.14      | -        |



## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.64022G | 43.56         | 54.00         | -10.44     | 16.22      | 3       | V         | 25         | 2.48      | -        |
| PK   | 11.65738G | 57.07         | 74.00         | -16.93     | 16.23      | 3       | V         | 25         | 2.48      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.64136G | 43.55         | 54.00         | -10.45     | 16.22      | 3       | H         | 10         | 1.09      | -        |
| PK   | 11.63608G | 56.95         | 74.00         | -17.05     | 16.22      | 3       | H         | 10         | 1.09      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.5742G  | 48.56         | 54.00         | -5.44      | 17.83      | 3       | V         | 303        | 1.34      | -        |
| PK   | 15.56916G | 62.82         | 74.00         | -11.18     | 17.82      | 3       | V         | 303        | 1.34      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.57366G | 48.54         | 54.00         | -5.46      | 17.82      | 3       | H         | 3          | 1.41      | -        |
| PK   | 15.57918G | 62.17         | 74.00         | -11.83     | 17.83      | 3       | H         | 3          | 1.41      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.6783G  | 47.97         | 54.00         | -6.03      | 17.91      | 3       | V         | 1          | 1.96      | -        |
| PK   | 15.68028G | 61.28         | 74.00         | -12.72     | 17.91      | 3       | V         | 1          | 1.96      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.68292G | 47.87         | 54.00         | -6.13      | 17.91      | 3       | H         | 91         | 2.04      | -        |
| PK   | 15.67704G | 61.74         | 74.00         | -12.26     | 17.91      | 3       | H         | 91         | 2.04      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.81936G | 47.67         | 54.00         | -6.33      | 18.02      | 3       | V         | 48         | 1.78      | -        |
| PK   | 15.8007G  | 61.18         | 74.00         | -12.82     | 18.01      | 3       | V         | 48         | 1.78      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.81012G | 47.83         | 54.00         | -6.17      | 18.02      | 3       | H         | 195        | 1.10      | -        |
| PK   | 15.81492G | 62.06         | 74.00         | -11.94     | 18.02      | 3       | H         | 195        | 1.10      | -        |



## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.94272G | 48.26         | 54.00         | -5.74      | 18.12      | 3       | V         | 311        | 2.02      | -        |
| PK   | 15.91728G | 61.82         | 74.00         | -12.18     | 18.10      | 3       | V         | 311        | 2.02      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.94182G | 48.29         | 54.00         | -5.71      | 18.12      | 3       | H         | 102        | 2.42      | -        |
| PK   | 15.94446G | 62.59         | 74.00         | -11.41     | 18.13      | 3       | H         | 102        | 2.42      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.005G   | 42.77         | 54.00         | -11.23     | 15.80      | 3       | V         | 87         | 1.37      | -        |
| PK   | 11.03062G | 56.06         | 74.00         | -17.94     | 15.82      | 3       | V         | 87         | 1.37      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.00638G | 42.86         | 54.00         | -11.14     | 15.80      | 3       | H         | 88         | 1.62      | -        |
| PK   | 11.00602G | 56.27         | 74.00         | -17.73     | 15.80      | 3       | H         | 88         | 1.62      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.09826G | 43.31         | 54.00         | -10.69     | 15.86      | 3       | V         | 225        | 1.85      | -        |
| PK   | 11.0988G  | 56.63         | 74.00         | -17.37     | 15.87      | 3       | V         | 225        | 1.85      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.0904G | 43.28         | 54.00         | -10.72     | 15.86      | 3       | H         | 258        | 1.98      | -        |
| PK   | 11.0955G | 56.98         | 74.00         | -17.02     | 15.86      | 3       | H         | 258        | 1.98      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.32566G | 43.06         | 54.00         | -10.94     | 16.01      | 3       | V         | 204        | 2.34      | -        |
| PK   | 11.34588G | 56.84         | 74.00         | -17.16     | 16.03      | 3       | V         | 204        | 2.34      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.32536G | 43.11         | 54.00         | -10.89     | 16.01      | 3       | H         | 157        | 2.04      | -        |
| PK   | 11.3304G  | 56.51         | 74.00         | -17.49     | 16.02      | 3       | H         | 157        | 2.04      | -        |



## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.42594G | 42.99         | 54.00         | -11.01     | 16.08      | 3       | V         | 258        | 2.39      | -        |
| PK   | 11.42906G | 56.91         | 74.00         | -17.09     | 16.08      | 3       | V         | 258        | 2.39      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.4155G | 43.08         | 54.00         | -10.92     | 16.07      | 3       | H         | 229        | 1.99      | -        |
| PK   | 11.4179G | 56.75         | 74.00         | -17.25     | 16.08      | 3       | H         | 229        | 1.99      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.51786G | 42.74         | 54.00         | -11.26     | 16.14      | 3       | V         | 100        | 1.55      | -        |
| PK   | 11.5082G  | 56.03         | 74.00         | -17.97     | 16.14      | 3       | V         | 100        | 1.55      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.5163G  | 42.76         | 54.00         | -11.24     | 16.14      | 3       | H         | 186        | 1.64      | -        |
| PK   | 11.51126G | 55.69         | 74.00         | -18.31     | 16.14      | 3       | H         | 186        | 1.64      | -        |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

## 5795MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.5924G  | 42.88         | 54.00         | -11.12     | 16.19      | 3       | V         | 88         | 2.29      | -        |
| PK   | 11.58832G | 56.51         | 74.00         | -17.49     | 16.19      | 3       | V         | 88         | 2.29      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.60272G | 42.80         | 54.00         | -11.20     | 16.20      | 3       | H         | 200        | 1.59      | -        |
| PK   | 11.58196G | 56.15         | 74.00         | -17.85     | 16.18      | 3       | H         | 200        | 1.59      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.645G   | 48.16         | 54.00         | -5.84      | 17.88      | 3       | V         | 212        | 2.18      | -        |
| PK   | 15.62994G | 62.19         | 74.00         | -11.81     | 17.87      | 3       | V         | 212        | 2.18      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.64404G | 48.24         | 54.00         | -5.76      | 17.88      | 3       | H         | 54         | 1.79      | -        |
| PK   | 15.6168G  | 61.34         | 74.00         | -12.66     | 17.86      | 3       | H         | 54         | 1.79      | -        |



## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.87978G | 48.59         | 54.00         | -5.41      | 18.07      | 3       | V         | 358        | 2.40      | -        |
| PK   | 15.8757G  | 62.47         | 74.00         | -11.53     | 18.07      | 3       | V         | 358        | 2.40      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.88422G | 48.64         | 54.00         | -5.36      | 18.08      | 3       | H         | 173        | 1.11      | -        |
| PK   | 15.87618G | 61.74         | 74.00         | -12.26     | 18.07      | 3       | H         | 173        | 1.11      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.0741G  | 43.12         | 54.00         | -10.88     | 15.85      | 3       | V         | 27         | 1.87      | -        |
| PK   | 11.06516G | 56.86         | 74.00         | -17.14     | 15.84      | 3       | V         | 27         | 1.87      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.0723G  | 43.16         | 54.00         | -10.84     | 15.85      | 3       | H         | 237        | 1.18      | -        |
| PK   | 11.07278G | 56.31         | 74.00         | -17.69     | 15.85      | 3       | H         | 237        | 1.18      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.20512G | 43.31         | 54.00         | -10.69     | 15.94      | 3       | V         | 257        | 1.61      | -        |
| PK   | 11.20548G | 57.00         | 74.00         | -17.00     | 15.94      | 3       | V         | 257        | 1.61      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.20758G | 43.21         | 54.00         | -10.79     | 15.94      | 3       | H         | 115        | 1.37      | -        |
| PK   | 11.21136G | 56.54         | 74.00         | -17.46     | 15.94      | 3       | H         | 115        | 1.37      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.39038G | 42.70         | 54.00         | -11.30     | 16.06      | 3       | V         | 169        | 2.18      | -        |
| PK   | 11.37742G | 56.16         | 74.00         | -17.84     | 16.05      | 3       | V         | 169        | 2.18      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.38744G | 42.73         | 54.00         | -11.27     | 16.06      | 3       | H         | 287        | 1.28      | -        |
| PK   | 11.3881G  | 56.65         | 74.00         | -17.35     | 16.06      | 3       | H         | 287        | 1.28      | -        |



## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.53512G | 42.19         | 54.00         | -11.81     | 16.15      | 3       | V         | 126        | 2.03      | -        |
| PK   | 11.53812G | 55.05         | 74.00         | -18.95     | 16.16      | 3       | V         | 126        | 2.03      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170629  
EUT X 4TX ANT (Patch大方)  
Setting 29  
04-J-5  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.53524G | 42.10         | 54.00         | -11.90     | 16.15      | 3       | H         | 133        | 1.19      | -        |
| PK   | 11.54802G | 55.90         | 74.00         | -18.10     | 16.16      | 3       | H         | 133        | 1.19      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.527G  | 45.89         | 54.00         | -8.11      | 16.35      | 3       | V         | 0          | 1.79      | -        |
| PK   | 15.5273G | 59.35         | 74.00         | -14.65     | 16.35      | 3       | V         | 0          | 1.79      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.52704G | 45.80         | 54.00         | -8.20      | 16.35      | 3       | H         | 97         | 1.50      | -        |
| PK   | 15.52938G | 59.34         | 74.00         | -14.66     | 16.34      | 3       | H         | 97         | 1.50      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.6147G  | 45.73         | 54.00         | -8.27      | 16.06      | 3       | V         | 134        | 1.50      | -        |
| PK   | 15.61332G | 59.99         | 74.00         | -14.01     | 16.07      | 3       | V         | 134        | 1.50      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.6147G  | 46.14         | 54.00         | -7.86      | 16.06      | 3       | H         | 295        | 1.50      | -        |
| PK   | 15.60438G | 59.93         | 74.00         | -14.07     | 16.10      | 3       | H         | 295        | 1.50      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.7098G  | 45.80         | 54.00         | -8.20      | 15.75      | 3       | V         | 338        | 2.91      | -        |
| PK   | 15.70566G | 59.82         | 74.00         | -14.18     | 15.77      | 3       | V         | 338        | 2.91      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.71052G | 45.66         | 54.00         | -8.34      | 15.75      | 3       | H         | 105        | 2.64      | -        |
| PK   | 15.72336G | 59.58         | 74.00         | -14.42     | 15.71      | 3       | H         | 105        | 2.64      | -        |



## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.78366G | 45.77         | 54.00         | -8.23      | 15.51      | 3       | V         | 283        | 1.50      | -        |
| PK   | 15.77728G | 58.98         | 74.00         | -15.02     | 15.53      | 3       | V         | 283        | 1.50      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.77624G | 45.60         | 54.00         | -8.40      | 15.54      | 3       | H         | 0          | 2.34      | -        |
| PK   | 15.77678G | 58.94         | 74.00         | -15.06     | 15.54      | 3       | H         | 0          | 2.34      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.89596G | 45.86         | 54.00         | -8.14      | 15.15      | 3       | V         | 339        | 1.50      | -        |
| PK   | 15.9033G  | 58.87         | 74.00         | -15.13     | 15.12      | 3       | V         | 339        | 1.50      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.89624G | 45.66         | 54.00         | -8.34      | 15.15      | 3       | H         | 58         | 1.50      | -        |
| PK   | 15.902G   | 58.97         | 74.00         | -15.03     | 15.13      | 3       | H         | 58         | 1.50      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5320MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.9564G  | 45.29         | 54.00         | -8.71      | 14.95      | 3       | V         | 322        | 1.50      | -        |
| PK   | 15.96078G | 58.72         | 74.00         | -15.28     | 14.94      | 3       | V         | 322        | 1.50      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5320MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.95538G | 45.28         | 54.00         | -8.72      | 14.96      | 3       | H         | 131        | 1.79      | -        |
| PK   | 15.9619G  | 58.30         | 74.00         | -15.70     | 14.93      | 3       | H         | 131        | 1.79      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.00102G | 39.93         | 54.00         | -14.07     | 12.92      | 3       | V         | 71         | 1.83      | -        |
| PK   | 10.99956G | 53.35         | 74.00         | -20.65     | 12.92      | 3       | V         | 71         | 1.83      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.00446G | 39.76         | 54.00         | -14.24     | 12.92      | 3       | H         | 107        | 1.63      | -        |
| PK   | 11.00098G | 53.63         | 74.00         | -20.37     | 12.92      | 3       | H         | 107        | 1.63      | -        |



## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.16468G | 40.18         | 54.00         | -13.82     | 13.09      | 3       | V         | 64         | 1.07      | -        |
| PK   | 11.15562G | 53.64         | 74.00         | -20.36     | 13.08      | 3       | V         | 64         | 1.07      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.16246G | 40.21         | 54.00         | -13.79     | 13.09      | 3       | H         | 303        | 1.52      | -        |
| PK   | 11.16082G | 53.19         | 74.00         | -20.81     | 13.08      | 3       | H         | 303        | 1.52      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.40298G | 40.51         | 54.00         | -13.49     | 13.33      | 3       | V         | 314        | 1.13      | -        |
| PK   | 11.40184G | 53.93         | 74.00         | -20.07     | 13.33      | 3       | V         | 314        | 1.13      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.40428G | 40.60         | 54.00         | -13.40     | 13.33      | 3       | H         | 258        | 1.38      | -        |
| PK   | 11.3962G  | 53.46         | 74.00         | -20.54     | 13.32      | 3       | H         | 258        | 1.38      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.43532G | 40.53         | 54.00         | -13.47     | 13.36      | 3       | V         | 105        | 1.80      | -        |
| PK   | 11.44052G | 54.03         | 74.00         | -19.97     | 13.37      | 3       | V         | 105        | 1.80      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.43766G | 40.54         | 54.00         | -13.46     | 13.37      | 3       | H         | 336        | 2.14      | -        |
| PK   | 11.43562G | 54.37         | 74.00         | -19.63     | 13.36      | 3       | H         | 336        | 2.14      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.49094G | 40.14         | 54.00         | -13.86     | 13.42      | 3       | V         | 349        | 2.49      | -        |
| PK   | 11.48528G | 52.92         | 74.00         | -21.08     | 13.41      | 3       | V         | 349        | 2.49      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.49186G | 40.32         | 54.00         | -13.68     | 13.42      | 3       | H         | 176        | 1.61      | -        |
| PK   | 11.48666G | 53.28         | 74.00         | -20.72     | 13.42      | 3       | H         | 176        | 1.61      | -        |



## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.5744G  | 40.73         | 54.00         | -13.27     | 13.51      | 3       | V         | 237        | 1.38      | -        |
| PK   | 11.56932G | 54.42         | 74.00         | -19.58     | 13.50      | 3       | V         | 237        | 1.38      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.57462G | 40.72         | 54.00         | -13.28     | 13.51      | 3       | H         | 174        | 2.31      | -        |
| PK   | 11.57232G | 54.15         | 74.00         | -19.85     | 13.50      | 3       | H         | 174        | 2.31      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.64528G | 41.26         | 54.00         | -12.74     | 13.58      | 3       | V         | 337        | 1.68      | -        |
| PK   | 11.6502G  | 54.32         | 74.00         | -19.68     | 13.58      | 3       | V         | 337        | 1.68      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.6458G  | 41.08         | 54.00         | -12.92     | 13.58      | 3       | H         | 154        | 1.60      | -        |
| PK   | 11.64858G | 54.41         | 74.00         | -19.59     | 13.58      | 3       | H         | 154        | 1.60      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5190MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.56832G | 46.09         | 54.00         | -7.91      | 16.21      | 3       | V         | 295        | 1.49      | -        |
| PK   | 15.57094G | 59.55         | 74.00         | -14.45     | 16.20      | 3       | V         | 295        | 1.49      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5190MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.57148G | 46.05         | 54.00         | -7.95      | 16.20      | 3       | H         | 310        | 1.64      | -        |
| PK   | 15.5708G  | 59.52         | 74.00         | -14.48     | 16.20      | 3       | H         | 310        | 1.64      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.685G  | 45.70         | 54.00         | -8.30      | 15.83      | 3       | V         | 61         | 1.57      | -        |
| PK   | 15.6881G | 58.82         | 74.00         | -15.18     | 15.82      | 3       | V         | 61         | 1.57      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.69288G | 45.60         | 54.00         | -8.40      | 15.81      | 3       | H         | 138        | 2.08      | -        |
| PK   | 15.69332G | 58.53         | 74.00         | -15.47     | 15.81      | 3       | H         | 138        | 2.08      | -        |



## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.81486G | 45.46         | 54.00         | -8.54      | 15.41      | 3       | V         | 69         | 1.90      | -        |
| PK   | 15.80616G | 58.51         | 74.00         | -15.49     | 15.44      | 3       | V         | 69         | 1.90      | -        |

# 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

## 5270MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.814G  | 45.36         | 54.00         | -8.64      | 15.41      | 3       | H         | 263        | 1.73      | -        |
| PK   | 15.8056G | 58.87         | 74.00         | -15.13     | 15.44      | 3       | H         | 263        | 1.73      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.9267G  | 45.40         | 54.00         | -8.60      | 15.05      | 3       | V         | 1          | 1.91      | -        |
| PK   | 15.93072G | 58.58         | 74.00         | -15.42     | 15.04      | 3       | V         | 1          | 1.91      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.93086G | 45.61         | 54.00         | -8.39      | 15.03      | 3       | H         | 14         | 2.33      | -        |
| PK   | 15.93152G | 59.06         | 74.00         | -14.94     | 15.03      | 3       | H         | 14         | 2.33      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.01546G | 40.03         | 54.00         | -13.97     | 12.94      | 3       | V         | 251        | 1.83      | -        |
| PK   | 11.02482G | 53.22         | 74.00         | -20.78     | 12.95      | 3       | V         | 251        | 1.83      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.0188G  | 40.16         | 54.00         | -13.84     | 12.94      | 3       | H         | 284        | 1.17      | -        |
| PK   | 11.01626G | 52.98         | 74.00         | -21.02     | 12.94      | 3       | H         | 284        | 1.17      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.10144G | 40.13         | 54.00         | -13.87     | 13.02      | 3       | V         | 314        | 1.64      | -        |
| PK   | 11.10184G | 53.32         | 74.00         | -20.68     | 13.02      | 3       | V         | 314        | 1.64      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.09844G | 40.15         | 54.00         | -13.85     | 13.02      | 3       | H         | 278        | 1.53      | -        |
| PK   | 11.09922G | 53.18         | 74.00         | -20.82     | 13.02      | 3       | H         | 278        | 1.53      | -        |



## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.34074G | 40.55         | 54.00         | -13.45     | 13.27      | 3       | V         | 255        | 1.03      | -        |
| PK   | 11.33708G | 53.67         | 74.00         | -20.33     | 13.26      | 3       | V         | 255        | 1.03      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.3436G  | 40.45         | 54.00         | -13.55     | 13.27      | 3       | H         | 113        | 1.55      | -        |
| PK   | 11.34438G | 53.38         | 74.00         | -20.62     | 13.27      | 3       | H         | 113        | 1.55      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.42376G | 40.76         | 54.00         | -13.24     | 13.35      | 3       | V         | 86         | 1.80      | -        |
| PK   | 11.42238G | 54.19         | 74.00         | -19.81     | 13.35      | 3       | V         | 86         | 1.80      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.41762G | 40.73         | 54.00         | -13.27     | 13.35      | 3       | H         | 104        | 1.14      | -        |
| PK   | 11.4209G  | 54.69         | 74.00         | -19.31     | 13.35      | 3       | H         | 104        | 1.14      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.50522G | 40.73         | 54.00         | -13.27     | 13.44      | 3       | V         | 132        | 2.29      | -        |
| PK   | 11.51232G | 53.64         | 74.00         | -20.36     | 13.44      | 3       | V         | 132        | 2.29      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.515G   | 40.67         | 54.00         | -13.33     | 13.45      | 3       | H         | 192        | 1.38      | -        |
| PK   | 11.50518G | 53.74         | 74.00         | -20.26     | 13.44      | 3       | H         | 192        | 1.38      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.5907G  | 41.03         | 54.00         | -12.97     | 13.52      | 3       | V         | 345        | 1.52      | -        |
| PK   | 11.59236G | 54.14         | 74.00         | -19.86     | 13.52      | 3       | V         | 345        | 1.52      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.59398G | 41.09         | 54.00         | -12.91     | 13.53      | 3       | H         | 139        | 1.10      | -        |
| PK   | 11.59466G | 54.24         | 74.00         | -19.76     | 13.53      | 3       | H         | 139        | 1.10      | -        |



## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.6323G | 46.79         | 54.00         | -7.21      | 16.01      | 3       | V         | 331        | 1.20      | -        |
| PK   | 15.6273G | 59.48         | 74.00         | -14.52     | 16.02      | 3       | V         | 331        | 1.20      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.63038G | 46.95         | 54.00         | -7.05      | 16.01      | 3       | H         | 277        | 1.81      | -        |
| PK   | 15.62916G | 59.24         | 74.00         | -14.76     | 16.02      | 3       | H         | 277        | 1.81      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5290MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.86746G | 46.21         | 54.00         | -7.79      | 15.24      | 3       | V         | 96         | 2.33      | -        |
| PK   | 15.86658G | 58.39         | 74.00         | -15.61     | 15.24      | 3       | V         | 96         | 2.33      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5290MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 15.87118G | 46.34         | 54.00         | -7.66      | 15.23      | 3       | H         | 263        | 1.83      | -        |
| PK   | 15.86822G | 58.98         | 74.00         | -15.02     | 15.24      | 3       | H         | 263        | 1.83      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.06492G | 41.40         | 54.00         | -12.60     | 12.99      | 3       | V         | 176        | 2.45      | -        |
| PK   | 11.05762G | 53.75         | 74.00         | -20.25     | 12.98      | 3       | V         | 176        | 2.45      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.06322G | 41.18         | 54.00         | -12.82     | 12.98      | 3       | H         | 230        | 1.79      | -        |
| PK   | 11.06288G | 53.61         | 74.00         | -20.39     | 12.98      | 3       | H         | 230        | 1.79      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.22402G | 41.52         | 54.00         | -12.48     | 13.15      | 3       | V         | 322        | 2.30      | -        |
| PK   | 11.22186G | 53.82         | 74.00         | -20.18     | 13.15      | 3       | V         | 322        | 2.30      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.2226G  | 41.24         | 54.00         | -12.76     | 13.15      | 3       | H         | 98         | 1.17      | -        |
| PK   | 11.21576G | 53.73         | 74.00         | -20.27     | 13.14      | 3       | H         | 98         | 1.17      | -        |



## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.38304G | 41.21         | 54.00         | -12.79     | 13.31      | 3       | V         | 213        | 1.61      | -        |
| PK   | 11.37626G | 54.52         | 74.00         | -19.48     | 13.30      | 3       | V         | 213        | 1.61      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.3778G | 41.52         | 54.00         | -12.48     | 13.31      | 3       | H         | 230        | 1.07      | -        |
| PK   | 11.3795G | 53.26         | 74.00         | -20.74     | 13.31      | 3       | H         | 230        | 1.07      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX




20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.55132G | 41.70         | 54.00         | -12.30     | 13.48      | 3       | V         | 83         | 1.14      | -        |
| PK   | 11.54918G | 55.08         | 74.00         | -18.92     | 13.48      | 3       | V         | 83         | 1.14      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX



20170815  
EUT X 4TX  
Setting 29  
03-B-2  
FSP(100019)  
(大方ANT)


| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 11.55362G | 41.42         | 54.00         | -12.58     | 13.48      | 3       | H         | 220        | 1.94      | -        |
| PK   | 11.54882G | 53.75         | 74.00         | -20.25     | 13.48      | 3       | H         | 220        | 1.94      | -        |

**For set 4 antenna****Summary**

| Mode                              | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Pol.<br>(H/V) | Azimuth<br>(°) | Height<br>(m) | Comments |
|-----------------------------------|--------|------|--------------|-------------------|-------------------|----------------|----------------|-------------|---------------|----------------|---------------|----------|
| 802.11ac VHT80-BF_Nss1,(MCS0)_4TX | -      | -    | -            | -                 | -                 | -              | -              | -           | -             | -              | -             | -        |
| 5.725-5.85GHz                     | Pass   | PK   | 5.638G       | 68.18             | 68.20             | -0.02          | 9.89           | 3           | V             | 277            | 2.29          | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 21  
04-J-4-10  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 53.55         | 54.00         | -0.45      | 5.31       | 3       | V         | 179        | 1.45      | -        |
| AV   | 5.1732G   | 109.71        | Inf           | -Inf       | 5.40       | 3       | V         | 179        | 1.45      | -        |
| PK   | 5.149995G | 67.25         | 74.00         | -6.75      | 5.31       | 3       | V         | 179        | 1.45      | -        |
| PK   | 5.174G    | 120.62        | Inf           | -Inf       | 5.40       | 3       | V         | 179        | 1.45      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 21  
04-J-4-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.144G   | 53.15         | 54.00         | -0.85      | 5.29       | 3       | H         | 187        | 1.82      | -        |
| AV   | 5.1828G  | 109.80        | Inf           | -Inf       | 5.43       | 3       | H         | 187        | 1.82      | -        |
| PK   | 5.1444G  | 67.88         | 74.00         | -6.12      | 5.30       | 3       | H         | 187        | 1.82      | -        |
| PK   | 5.1828G  | 120.14        | Inf           | -Inf       | 5.43       | 3       | H         | 187        | 1.82      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 22.5  
04-J-4-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1432G  | 51.83         | 54.00         | -2.17      | 5.29       | 3       | V         | 199        | 1.16      | -        |
| AV   | 5.2028G  | 111.56        | Inf           | -Inf       | 5.49       | 3       | V         | 199        | 1.16      | -        |
| PK   | 5.1436G  | 67.60         | 74.00         | -6.40      | 5.29       | 3       | V         | 199        | 1.16      | -        |
| PK   | 5.2028G  | 122.00        | Inf           | -Inf       | 5.49       | 3       | V         | 199        | 1.16      | -        |



## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 22.5  
04-J-4-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1416G  | 53.67         | 54.00         | -0.33      | 5.29       | 3       | H         | 199        | 2.35      | -        |
| AV   | 5.2016G  | 112.66        | Inf           | -Inf       | 5.49       | 3       | H         | 199        | 2.35      | -        |
| PK   | 5.1424G  | 67.62         | 74.00         | -6.38      | 5.29       | 3       | H         | 199        | 2.35      | -        |
| PK   | 5.2012G  | 122.99        | Inf           | -Inf       | 5.49       | 3       | H         | 199        | 2.35      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 24.5  
04-J-4-10  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 49.97         | 54.00         | -4.03      | 5.31       | 3       | V         | 176        | 1.50      | -        |
| AV   | 5.2334G   | 113.62        | Inf           | -Inf       | 5.53       | 3       | V         | 176        | 1.50      | -        |
| AV   | 5.350005G | 51.10         | 54.00         | -2.90      | 5.65       | 3       | V         | 176        | 1.50      | -        |
| PK   | 5.1488G   | 64.06         | 74.00         | -9.94      | 5.31       | 3       | V         | 176        | 1.50      | -        |
| PK   | 5.234G    | 123.34        | Inf           | -Inf       | 5.53       | 3       | V         | 176        | 1.50      | -        |
| PK   | 5.350005G | 62.83         | 74.00         | -11.17     | 5.65       | 3       | V         | 176        | 1.50      | -        |

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 24.5  
04-J-4-10  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1476G   | 51.93         | 54.00         | -2.07      | 5.31       | 3       | H         | 196        | 2.43      | -        |
| AV   | 5.2412G   | 114.89        | Inf           | -Inf       | 5.54       | 3       | H         | 196        | 2.43      | -        |
| AV   | 5.350005G | 50.81         | 54.00         | -3.19      | 5.65       | 3       | H         | 196        | 2.43      | -        |
| PK   | 5.1458G   | 64.79         | 74.00         | -9.21      | 5.30       | 3       | H         | 196        | 2.43      | -        |
| PK   | 5.2418G   | 125.59        | Inf           | -Inf       | 5.54       | 3       | H         | 196        | 2.43      | -        |
| PK   | 5.3504G   | 63.35         | 74.00         | -10.65     | 5.65       | 3       | H         | 196        | 2.43      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 24  
04-J-4-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1376G  | 46.99         | 54.00         | -7.01      | 5.27       | 3       | V         | 179        | 1.50      | -        |
| AV   | 5.252G   | 112.27        | Inf           | -Inf       | 5.55       | 3       | V         | 179        | 1.50      | -        |
| AV   | 5.3512G  | 52.80         | 54.00         | -1.20      | 5.65       | 3       | V         | 179        | 1.50      | -        |
| PK   | 5.1224G  | 59.68         | 74.00         | -14.32     | 5.22       | 3       | V         | 179        | 1.50      | -        |
| PK   | 5.252G   | 122.27        | Inf           | -Inf       | 5.55       | 3       | V         | 179        | 1.50      | -        |
| PK   | 5.352G   | 65.97         | 74.00         | -8.03      | 5.65       | 3       | V         | 179        | 1.50      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 24  
04-J-4-10  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1336G   | 46.89         | 54.00         | -7.11      | 5.26       | 3       | H         | 181        | 2.08      | -        |
| AV   | 5.2616G   | 113.06        | Inf           | -Inf       | 5.56       | 3       | H         | 181        | 2.08      | -        |
| AV   | 5.350005G | 53.89         | 54.00         | -0.11      | 5.65       | 3       | H         | 181        | 2.08      | -        |
| PK   | 5.1232G   | 59.96         | 74.00         | -14.04     | 5.22       | 3       | H         | 181        | 2.08      | -        |
| PK   | 5.2616G   | 123.24        | Inf           | -Inf       | 5.56       | 3       | H         | 181        | 2.08      | -        |
| PK   | 5.3504G   | 66.66         | 74.00         | -7.34      | 5.65       | 3       | H         | 181        | 2.08      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 22.5  
04-J-4-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.292G   | 110.63        | Inf           | -Inf       | 5.59       | 3       | V         | 179        | 1.46      | -        |
| AV   | 5.352G   | 53.66         | 54.00         | -0.34      | 5.65       | 3       | V         | 179        | 1.46      | -        |
| PK   | 5.2924G  | 120.94        | Inf           | -Inf       | 5.59       | 3       | V         | 179        | 1.46      | -        |
| PK   | 5.3528G  | 70.66         | 74.00         | -3.34      | 5.65       | 3       | V         | 179        | 1.46      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 22.5  
04-J-4-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3032G  | 110.76        | Inf           | -Inf       | 5.60       | 3       | H         | 171        | 1.31      | -        |
| AV   | 5.3628G  | 49.69         | 54.00         | -4.31      | 5.66       | 3       | H         | 171        | 1.31      | -        |
| PK   | 5.3028G  | 121.74        | Inf           | -Inf       | 5.60       | 3       | H         | 171        | 1.31      | -        |
| PK   | 5.3624G  | 64.01         | 74.00         | -9.99      | 5.66       | 3       | H         | 171        | 1.31      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 20.5  
04-J-4-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.312G   | 109.28        | Inf           | -Inf       | 5.61       | 3       | V         | 178        | 1.50      | -        |
| AV   | 5.352G   | 53.72         | 54.00         | -0.28      | 5.65       | 3       | V         | 178        | 1.50      | -        |
| PK   | 5.3124G  | 119.93        | Inf           | -Inf       | 5.61       | 3       | V         | 178        | 1.50      | -        |
| PK   | 5.3524G  | 68.89         | 74.00         | -5.11      | 5.65       | 3       | V         | 178        | 1.50      | -        |



## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 20.5  
04-J-4-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3216G  | 110.04        | Inf           | -Inf       | 5.62       | 3       | H         | 182        | 1.86      | -        |
| AV   | 5.3592G  | 50.85         | 54.00         | -3.15      | 5.66       | 3       | H         | 182        | 1.86      | -        |
| PK   | 5.3216G  | 121.35        | Inf           | -Inf       | 5.62       | 3       | H         | 182        | 1.86      | -        |
| PK   | 5.3588G  | 64.07         | 74.00         | -9.93      | 5.66       | 3       | H         | 182        | 1.86      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 21  
04-J-4-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.46G    | 49.04         | 54.00         | -4.96      | 5.98       | 3       | V         | 198        | 1.02      | -        |
| AV   | 5.4652G  | 53.06         | 54.00         | -0.94      | 6.00       | 3       | V         | 198        | 1.02      | -        |
| AV   | 5.5032G  | 110.50        | Inf           | -Inf       | 6.18       | 3       | V         | 198        | 1.02      | -        |
| PK   | 5.46G    | 63.24         | 74.00         | -10.76     | 5.98       | 3       | V         | 198        | 1.02      | -        |
| PK   | 5.464G   | 69.60         | 74.00         | -4.40      | 5.99       | 3       | V         | 198        | 1.02      | -        |
| PK   | 5.5028G  | 121.35        | Inf           | -Inf       | 6.18       | 3       | V         | 198        | 1.02      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 21  
04-J-4-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.458G   | 49.36         | 54.00         | -4.64      | 5.97       | 3       | H         | 170        | 1.50      | -        |
| AV   | 5.4664G  | 53.54         | 54.00         | -0.46      | 6.01       | 3       | H         | 170        | 1.50      | -        |
| AV   | 5.5056G  | 109.82        | Inf           | -Inf       | 6.19       | 3       | H         | 170        | 1.50      | -        |
| PK   | 5.4564G  | 62.81         | 74.00         | -11.19     | 5.96       | 3       | H         | 170        | 1.50      | -        |
| PK   | 5.4676G  | 70.63         | 74.00         | -3.37      | 6.01       | 3       | H         | 170        | 1.50      | -        |
| PK   | 5.5052G  | 121.01        | Inf           | -Inf       | 6.19       | 3       | H         | 170        | 1.50      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 24.5  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4528G  | 48.42         | 54.00         | -5.58      | 5.94       | 3       | V         | 177        | 1.50      | -        |
| AV   | 5.572G   | 113.09        | Inf           | -Inf       | 6.61       | 3       | V         | 177        | 1.50      | -        |
| PK   | 5.4552G  | 60.39         | 74.00         | -13.61     | 5.95       | 3       | V         | 177        | 1.50      | -        |
| PK   | 5.4672G  | 64.36         | 68.20         | -3.84      | 6.01       | 3       | V         | 177        | 1.50      | -        |
| PK   | 5.5728G  | 123.50        | Inf           | -Inf       | 6.61       | 3       | V         | 177        | 1.50      | -        |
| PK   | 5.7296G  | 59.74         | 68.20         | -8.46      | 7.03       | 3       | V         | 177        | 1.50      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 24.5  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4576G  | 48.69         | 54.00         | -5.31      | 5.96       | 3       | H         | 196        | 2.54      | -        |
| AV   | 5.5824G  | 114.12        | Inf           | -Inf       | 6.67       | 3       | H         | 196        | 2.54      | -        |
| PK   | 5.4576G  | 61.44         | 74.00         | -12.56     | 5.96       | 3       | H         | 196        | 2.54      | -        |
| PK   | 5.4632G  | 63.09         | 68.20         | -5.11      | 5.99       | 3       | H         | 196        | 2.54      | -        |
| PK   | 5.5816G  | 125.16        | Inf           | -Inf       | 6.67       | 3       | H         | 196        | 2.54      | -        |
| PK   | 5.7344G  | 60.61         | 68.20         | -7.59      | 7.04       | 3       | H         | 196        | 2.54      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 20.5  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6932G  | 106.77        | Inf           | -Inf       | 6.96       | 3       | V         | 174        | 1.65      | -        |
| AV   | 5.7336G  | 51.85         | 54.00         | -2.15      | 7.04       | 3       | V         | 174        | 1.65      | -        |
| PK   | 5.6936G  | 117.76        | Inf           | -Inf       | 6.96       | 3       | V         | 174        | 1.65      | -        |
| PK   | 5.726G   | 68.54         | 74.00         | -5.46      | 7.02       | 3       | V         | 174        | 1.65      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 20.5  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6932G  | 109.60        | Inf           | -Inf       | 6.96       | 3       | H         | 201        | 1.74      | -        |
| AV   | 5.7328G  | 53.57         | 54.00         | -0.43      | 7.04       | 3       | H         | 201        | 1.74      | -        |
| PK   | 5.6936G  | 120.43        | Inf           | -Inf       | 6.96       | 3       | H         | 201        | 1.74      | -        |
| PK   | 5.734G   | 66.86         | 74.00         | -7.14      | 7.04       | 3       | H         | 201        | 1.74      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 25  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4572G  | 47.20         | 54.00         | -6.80      | 5.96       | 3       | V         | 173        | 1.50      | -        |
| AV   | 5.4692G  | 47.32         | 54.00         | -6.68      | 6.02       | 3       | V         | 173        | 1.50      | -        |
| AV   | 5.7128G  | 114.43        | Inf           | -Inf       | 7.00       | 3       | V         | 173        | 1.50      | -        |
| PK   | 5.4548G  | 59.97         | 74.00         | -14.03     | 5.95       | 3       | V         | 173        | 1.50      | -        |
| PK   | 5.4692G  | 59.88         | 74.00         | -14.12     | 6.02       | 3       | V         | 173        | 1.50      | -        |
| PK   | 5.7128G  | 125.89        | Inf           | -Inf       | 7.00       | 3       | V         | 173        | 1.50      | -        |
| PK   | 5.9852G  | 61.54         | 68.20         | -6.66      | 8.38       | 3       | V         | 173        | 1.50      | -        |



## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170626  
EUT\_X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 25  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4512G   | 47.25         | 54.00         | -6.75      | 5.94       | 3       | H         | 203        | 1.74      | -        |
| AV   | 5.4692G   | 47.25         | 54.00         | -6.75      | 6.02       | 3       | H         | 203        | 1.74      | -        |
| AV   | 5.7152G   | 114.47        | Inf           | -Inf       | 7.00       | 3       | H         | 203        | 1.74      | -        |
| PK   | 5.4584G   | 60.24         | 74.00         | -13.76     | 5.97       | 3       | H         | 203        | 1.74      | -        |
| PK   | 5.460005G | 59.42         | 74.00         | -14.58     | 5.98       | 3       | H         | 203        | 1.74      | -        |
| PK   | 5.7152G   | 124.82        | Inf           | -Inf       | 7.00       | 3       | H         | 203        | 1.74      | -        |
| PK   | 5.9708G   | 61.74         | 68.20         | -6.46      | 8.29       | 3       | H         | 203        | 1.74      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 24  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.738G   | 113.74        | Inf           | -Inf       | 7.05       | 3       | V         | 173        | 1.71      | -        |
| PK   | 5.644G   | 67.58         | 68.20         | -0.62      | 6.86       | 3       | V         | 173        | 1.71      | -        |
| PK   | 5.739G   | 124.53        | Inf           | -Inf       | 7.05       | 3       | V         | 173        | 1.71      | -        |
| PK   | 5.983G   | 61.42         | 68.20         | -6.78      | 8.37       | 3       | V         | 173        | 1.71      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 24  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.74G    | 112.88        | Inf           | -Inf       | 7.05       | 3       | H         | 204        | 1.49      | -        |
| PK   | 5.644G   | 65.63         | 68.20         | -2.57      | 6.86       | 3       | H         | 204        | 1.49      | -        |
| PK   | 5.74G    | 122.74        | Inf           | -Inf       | 7.05       | 3       | H         | 204        | 1.49      | -        |
| PK   | 5.961G   | 61.24         | 68.20         | -6.96      | 8.23       | 3       | H         | 204        | 1.49      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 24  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.78G    | 111.99        | Inf           | -Inf       | 7.14       | 3       | V         | 172        | 1.94      | -        |
| PK   | 5.601G   | 61.56         | 68.20         | -6.64      | 6.78       | 3       | V         | 172        | 1.94      | -        |
| PK   | 5.781G   | 122.72        | Inf           | -Inf       | 7.14       | 3       | V         | 172        | 1.94      | -        |
| PK   | 5.961G   | 62.10         | 68.20         | -6.10      | 8.23       | 3       | V         | 172        | 1.94      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 24  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.78G    | 111.99        | Inf           | -Inf       | 7.14       | 3       | H         | 202        | 1.48      | -        |
| PK   | 5.644G   | 61.52         | 68.20         | -6.68      | 6.86       | 3       | H         | 202        | 1.48      | -        |
| PK   | 5.779G   | 122.33        | Inf           | -Inf       | 7.14       | 3       | H         | 202        | 1.48      | -        |
| PK   | 5.975G   | 61.87         | 68.20         | -6.33      | 8.32       | 3       | H         | 202        | 1.48      | -        |

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 24.5  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.83G    | 113.16        | Inf           | -Inf       | 7.37       | 3       | V         | 198        | 2.52      | -        |
| PK   | 5.646G   | 61.91         | 68.20         | -6.29      | 6.87       | 3       | V         | 198        | 2.52      | -        |
| PK   | 5.83G    | 123.90        | Inf           | -Inf       | 7.37       | 3       | V         | 198        | 2.52      | -        |
| PK   | 5.927G   | 67.38         | 68.20         | -0.82      | 8.01       | 3       | V         | 198        | 2.52      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 24.5  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.83G    | 113.22        | Inf           | -Inf       | 7.37       | 3       | H         | 198        | 2.52      | -        |
| PK   | 5.633G   | 62.09         | 68.20         | -6.11      | 6.84       | 3       | H         | 198        | 2.52      | -        |
| PK   | 5.831G   | 123.75        | Inf           | -Inf       | 7.38       | 3       | H         | 198        | 2.52      | -        |
| PK   | 5.922G   | 69.79         | 70.42         | -0.63      | 7.97       | 3       | H         | 198        | 2.52      | -        |

# 802.11ac VHT40\_Nss1,(MCS0)\_4TX

## 5190MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 20  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1428G  | 53.43         | 54.00         | -0.57      | 5.29       | 3       | V         | 178        | 1.50      | -        |
| AV   | 5.1832G  | 106.22        | Inf           | -Inf       | 5.43       | 3       | V         | 178        | 1.50      | -        |
| PK   | 5.1428G  | 73.00         | 74.00         | -1.00      | 5.29       | 3       | V         | 178        | 1.50      | -        |
| PK   | 5.1824G  | 117.48        | Inf           | -Inf       | 5.43       | 3       | V         | 178        | 1.50      | -        |



## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 20  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1416G  | 53.53         | 54.00         | -0.47      | 5.29       | 3       | H         | 204        | 1.45      | -        |
| AV   | 5.182G   | 105.34        | Inf           | -Inf       | 5.43       | 3       | H         | 204        | 1.45      | -        |
| PK   | 5.1428G  | 71.44         | 74.00         | -2.56      | 5.29       | 3       | H         | 204        | 1.45      | -        |
| PK   | 5.182G   | 116.23        | Inf           | -Inf       | 5.43       | 3       | H         | 204        | 1.45      | -        |

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 21.5  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1436G  | 53.73         | 54.00         | -0.27      | 5.29       | 3       | V         | 177        | 1.49      | -        |
| AV   | 5.2228G  | 108.27        | Inf           | -Inf       | 5.52       | 3       | V         | 177        | 1.49      | -        |
| AV   | 5.3628G  | 48.51         | 54.00         | -5.49      | 5.66       | 3       | V         | 177        | 1.49      | -        |
| PK   | 5.1428G  | 69.76         | 74.00         | -4.24      | 5.29       | 3       | V         | 177        | 1.49      | -        |
| PK   | 5.2436G  | 118.58        | Inf           | -Inf       | 5.54       | 3       | V         | 177        | 1.49      | -        |
| PK   | 5.3628G  | 62.42         | 74.00         | -11.58     | 5.66       | 3       | V         | 177        | 1.49      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 21.5  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.142G   | 53.58         | 54.00         | -0.42      | 5.29       | 3       | H         | 203        | 1.50      | -        |
| AV   | 5.242G   | 107.89        | Inf           | -Inf       | 5.54       | 3       | H         | 203        | 1.50      | -        |
| AV   | 5.3636G  | 48.43         | 54.00         | -5.57      | 5.66       | 3       | H         | 203        | 1.50      | -        |
| PK   | 5.142G   | 68.42         | 74.00         | -5.58      | 5.29       | 3       | H         | 203        | 1.50      | -        |
| PK   | 5.2428G  | 118.47        | Inf           | -Inf       | 5.54       | 3       | H         | 203        | 1.50      | -        |
| PK   | 5.3628G  | 62.40         | 74.00         | -11.60     | 5.66       | 3       | H         | 203        | 1.50      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 20.5  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.074G   | 46.77         | 54.00         | -7.23      | 5.03       | 3       | V         | 180        | 1.50      | -        |
| AV   | 5.262G   | 108.07        | Inf           | -Inf       | 5.56       | 3       | V         | 180        | 1.50      | -        |
| AV   | 5.3628G  | 52.85         | 54.00         | -1.15      | 5.66       | 3       | V         | 180        | 1.50      | -        |
| PK   | 5.1372G  | 59.48         | 74.00         | -14.52     | 5.27       | 3       | V         | 180        | 1.50      | -        |
| PK   | 5.2628G  | 118.59        | Inf           | -Inf       | 5.56       | 3       | V         | 180        | 1.50      | -        |
| PK   | 5.3636G  | 67.59         | 74.00         | -6.41      | 5.66       | 3       | V         | 180        | 1.50      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 20.5  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 46.20         | 54.00         | -7.80      | 5.31       | 3       | H         | 198        | 2.66      | -        |
| AV   | 5.2716G   | 106.97        | Inf           | -Inf       | 5.57       | 3       | H         | 198        | 2.66      | -        |
| AV   | 5.3516G   | 53.97         | 54.00         | -0.03      | 5.65       | 3       | H         | 198        | 2.66      | -        |
| PK   | 5.1276G   | 59.06         | 74.00         | -14.94     | 5.24       | 3       | H         | 198        | 2.66      | -        |
| PK   | 5.2716G   | 118.77        | Inf           | -Inf       | 5.57       | 3       | H         | 198        | 2.66      | -        |
| PK   | 5.3516G   | 69.19         | 74.00         | -4.81      | 5.65       | 3       | H         | 198        | 2.66      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170626  
EUT\_X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 18.5  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1164G  | 46.34         | 54.00         | -7.66      | 5.20       | 3       | V         | 175        | 1.50      | -        |
| AV   | 5.3012G  | 105.66        | Inf           | -Inf       | 5.60       | 3       | V         | 175        | 1.50      | -        |
| AV   | 5.3612G  | 51.15         | 54.00         | -2.85      | 5.66       | 3       | V         | 175        | 1.50      | -        |
| PK   | 5.1204G  | 58.75         | 74.00         | -15.25     | 5.21       | 3       | V         | 175        | 1.50      | -        |
| PK   | 5.3012G  | 115.99        | Inf           | -Inf       | 5.60       | 3       | V         | 175        | 1.50      | -        |
| PK   | 5.3612G  | 63.30         | 74.00         | -10.70     | 5.66       | 3       | V         | 175        | 1.50      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 18.5  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1252G  | 46.32         | 54.00         | -7.68      | 5.23       | 3       | H         | 198        | 2.63      | -        |
| AV   | 5.3124G  | 106.37        | Inf           | -Inf       | 5.61       | 3       | H         | 198        | 2.63      | -        |
| AV   | 5.3516G  | 53.89         | 54.00         | -0.11      | 5.65       | 3       | H         | 198        | 2.63      | -        |
| PK   | 5.1348G  | 59.62         | 74.00         | -14.38     | 5.26       | 3       | H         | 198        | 2.63      | -        |
| PK   | 5.3108G  | 116.20        | Inf           | -Inf       | 5.61       | 3       | H         | 198        | 2.63      | -        |
| PK   | 5.3532G  | 66.50         | 74.00         | -7.50      | 5.65       | 3       | H         | 198        | 2.63      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 19.5  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.459995G | 51.43         | 54.00         | -2.57      | 5.98       | 3       | V         | 173        | 1.50      | -        |
| AV   | 5.4628G   | 52.98         | 54.00         | -1.02      | 5.99       | 3       | V         | 173        | 1.50      | -        |
| AV   | 5.5028G   | 107.57        | Inf           | -Inf       | 6.18       | 3       | V         | 173        | 1.50      | -        |
| PK   | 5.459995G | 66.20         | 74.00         | -7.80      | 5.98       | 3       | V         | 173        | 1.50      | -        |
| PK   | 5.462G    | 68.32         | 74.00         | -5.68      | 5.99       | 3       | V         | 173        | 1.50      | -        |
| PK   | 5.502G    | 118.05        | Inf           | -Inf       | 6.17       | 3       | V         | 173        | 1.50      | -        |



## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 19.5  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4564G  | 51.69         | 54.00         | -2.31      | 5.96       | 3       | H         | 204        | 2.98      | -        |
| AV   | 5.4692G  | 53.89         | 54.00         | -0.11      | 6.02       | 3       | H         | 204        | 2.98      | -        |
| AV   | 5.5092G  | 107.70        | Inf           | -Inf       | 6.22       | 3       | H         | 204        | 2.98      | -        |
| PK   | 5.4564G  | 66.12         | 74.00         | -7.88      | 5.96       | 3       | H         | 204        | 2.98      | -        |
| PK   | 5.4692G  | 66.70         | 74.00         | -7.30      | 6.02       | 3       | H         | 204        | 2.98      | -        |
| PK   | 5.5092G  | 117.73        | Inf           | -Inf       | 6.22       | 3       | H         | 204        | 2.98      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 21  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4588G  | 52.81         | 54.00         | -1.19      | 5.97       | 3       | V         | 173        | 1.50      | -        |
| AV   | 5.5404G  | 109.80        | Inf           | -Inf       | 6.41       | 3       | V         | 173        | 1.50      | -        |
| PK   | 5.4588G  | 67.88         | 74.00         | -6.12      | 5.97       | 3       | V         | 173        | 1.50      | -        |
| PK   | 5.4604G  | 67.78         | 68.20         | -0.42      | 5.98       | 3       | V         | 173        | 1.50      | -        |
| PK   | 5.5412G  | 119.38        | Inf           | -Inf       | 6.42       | 3       | V         | 173        | 1.50      | -        |
| PK   | 5.7444G  | 60.32         | 68.20         | -7.88      | 7.06       | 3       | V         | 173        | 1.50      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 21  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4508G  | 52.65         | 54.00         | -1.35      | 5.93       | 3       | H         | 197        | 2.56      | -        |
| AV   | 5.5516G  | 110.95        | Inf           | -Inf       | 6.48       | 3       | H         | 197        | 2.56      | -        |
| PK   | 5.4508G  | 68.35         | 74.00         | -5.65      | 5.93       | 3       | H         | 197        | 2.56      | -        |
| PK   | 5.4684G  | 67.66         | 68.20         | -0.54      | 6.01       | 3       | H         | 197        | 2.56      | -        |
| PK   | 5.5524G  | 120.47        | Inf           | -Inf       | 6.48       | 3       | H         | 197        | 2.56      | -        |
| PK   | 5.738G   | 60.62         | 68.20         | -7.58      | 7.05       | 3       | H         | 197        | 2.56      | -        |

### 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 20  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6628G  | 106.75        | Inf           | -Inf       | 6.90       | 3       | V         | 177        | 1.50      | -        |
| AV   | 5.7252G  | 53.58         | 54.00         | -0.42      | 7.02       | 3       | V         | 177        | 1.50      | -        |
| PK   | 5.6628G  | 116.20        | Inf           | -Inf       | 6.90       | 3       | V         | 177        | 1.50      | -        |
| PK   | 5.7252G  | 70.76         | 74.00         | -3.24      | 7.02       | 3       | V         | 177        | 1.50      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 20  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6644G  | 106.90        | Inf           | -Inf       | 6.90       | 3       | H         | 205        | 1.69      | -        |
| AV   | 5.7252G  | 53.83         | 54.00         | -0.17      | 7.02       | 3       | H         | 205        | 1.69      | -        |
| PK   | 5.6652G  | 117.37        | Inf           | -Inf       | 6.90       | 3       | H         | 205        | 1.69      | -        |
| PK   | 5.7252G  | 72.58         | 74.00         | -1.42      | 7.02       | 3       | H         | 205        | 1.69      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 25  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4544G  | 51.25         | 54.00         | -2.75      | 5.95       | 3       | V         | 192        | 1.39      | -        |
| AV   | 5.4628G  | 49.62         | 54.00         | -4.38      | 5.99       | 3       | V         | 192        | 1.39      | -        |
| AV   | 5.7136G  | 111.42        | Inf           | -Inf       | 7.00       | 3       | V         | 192        | 1.39      | -        |
| PK   | 5.452G   | 63.02         | 74.00         | -10.98     | 5.94       | 3       | V         | 192        | 1.39      | -        |
| PK   | 5.4628G  | 61.34         | 74.00         | -12.66     | 5.99       | 3       | V         | 192        | 1.39      | -        |
| PK   | 5.7124G  | 121.81        | Inf           | -Inf       | 7.00       | 3       | V         | 192        | 1.39      | -        |
| PK   | 5.9404G  | 65.73         | 68.20         | -2.47      | 8.09       | 3       | V         | 192        | 1.39      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5710MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 25  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4472G  | 49.88         | 54.00         | -4.12      | 5.92       | 3       | H         | 196        | 2.55      | -        |
| AV   | 5.4688G  | 50.52         | 54.00         | -3.48      | 6.02       | 3       | H         | 196        | 2.55      | -        |
| AV   | 5.7136G  | 113.05        | Inf           | -Inf       | 7.00       | 3       | H         | 196        | 2.55      | -        |
| PK   | 5.4508G  | 63.63         | 74.00         | -10.37     | 5.93       | 3       | H         | 196        | 2.55      | -        |
| PK   | 5.4604G  | 62.51         | 74.00         | -11.49     | 5.98       | 3       | H         | 196        | 2.55      | -        |
| PK   | 5.7136G  | 123.73        | Inf           | -Inf       | 7.00       | 3       | H         | 196        | 2.55      | -        |
| PK   | 5.9536G  | 65.89         | 68.20         | -2.31      | 8.18       | 3       | H         | 196        | 2.55      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 22  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.749G   | 108.36        | Inf           | -Inf       | 7.07       | 3       | V         | 173        | 1.78      | -        |
| PK   | 5.649G   | 67.95         | 68.20         | -0.25      | 6.87       | 3       | V         | 173        | 1.78      | -        |
| PK   | 5.75G    | 118.06        | Inf           | -Inf       | 7.08       | 3       | V         | 173        | 1.78      | -        |
| PK   | 5.957G   | 61.53         | 68.20         | -6.67      | 8.20       | 3       | V         | 173        | 1.78      | -        |



## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170626  
EUT\_X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 22  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.759G   | 109.68        | Inf           | -Inf       | 7.09       | 3       | H         | 196        | 2.50      | -        |
| PK   | 5.637G   | 68.12         | 68.20         | -0.08      | 6.85       | 3       | H         | 196        | 2.50      | -        |
| PK   | 5.759G   | 119.12        | Inf           | -Inf       | 7.09       | 3       | H         | 196        | 2.50      | -        |
| PK   | 5.923G   | 62.91         | 69.68         | -6.77      | 7.98       | 3       | H         | 196        | 2.50      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170626  
EUT\_X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 23  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.788G   | 109.25        | Inf           | -Inf       | 7.15       | 3       | V         | 172        | 1.66      | -        |
| PK   | 5.647G   | 65.82         | 68.20         | -2.38      | 6.87       | 3       | V         | 172        | 1.66      | -        |
| PK   | 5.788G   | 118.80        | Inf           | -Inf       | 7.15       | 3       | V         | 172        | 1.66      | -        |
| PK   | 5.928G   | 66.10         | 68.20         | -2.10      | 8.01       | 3       | V         | 172        | 1.66      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170626  
EUT\_X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 23  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.789G   | 109.81        | Inf           | -Inf       | 7.16       | 3       | H         | 201        | 1.65      | -        |
| PK   | 5.635G   | 66.55         | 68.20         | -1.65      | 6.85       | 3       | H         | 201        | 1.65      | -        |
| PK   | 5.79G    | 120.00        | Inf           | -Inf       | 7.16       | 3       | H         | 201        | 1.65      | -        |
| PK   | 5.936G   | 67.64         | 68.20         | -0.56      | 8.06       | 3       | H         | 201        | 1.65      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170626  
EUT\_X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 19.5  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.142G   | 53.94         | 54.00         | -0.06      | 5.29       | 3       | V         | 175        | 1.50      | -        |
| AV   | 5.223G   | 102.65        | Inf           | -Inf       | 5.52       | 3       | V         | 175        | 1.50      | -        |
| AV   | 5.363G   | 50.44         | 54.00         | -3.56      | 5.66       | 3       | V         | 175        | 1.50      | -        |
| PK   | 5.143G   | 67.62         | 74.00         | -6.38      | 5.29       | 3       | V         | 175        | 1.50      | -        |
| PK   | 5.222G   | 112.44        | Inf           | -Inf       | 5.51       | 3       | V         | 175        | 1.50      | -        |
| PK   | 5.363G   | 63.43         | 74.00         | -10.57     | 5.66       | 3       | V         | 175        | 1.50      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170626  
EUT\_X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 19.5  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.142G   | 52.88         | 54.00         | -1.12      | 5.29       | 3       | H         | 204        | 1.50      | -        |
| AV   | 5.243G   | 102.27        | Inf           | -Inf       | 5.54       | 3       | H         | 204        | 1.50      | -        |
| AV   | 5.364G   | 50.13         | 54.00         | -3.87      | 5.66       | 3       | H         | 204        | 1.50      | -        |
| PK   | 5.143G   | 67.10         | 74.00         | -6.90      | 5.29       | 3       | H         | 204        | 1.50      | -        |
| PK   | 5.243G   | 112.40        | Inf           | -Inf       | 5.54       | 3       | H         | 204        | 1.50      | -        |
| PK   | 5.364G   | 62.20         | 74.00         | -11.80     | 5.66       | 3       | H         | 204        | 1.50      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170626  
EUT\_X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 17  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.142G   | 46.31         | 54.00         | -7.69      | 5.29       | 3       | V         | 179        | 1.49      | -        |
| AV   | 5.282G   | 99.51         | Inf           | -Inf       | 5.58       | 3       | V         | 179        | 1.49      | -        |
| AV   | 5.363G   | 52.06         | 54.00         | -1.94      | 5.66       | 3       | V         | 179        | 1.49      | -        |
| PK   | 5.141G   | 58.93         | 74.00         | -15.07     | 5.28       | 3       | V         | 179        | 1.49      | -        |
| PK   | 5.283G   | 110.79        | Inf           | -Inf       | 5.58       | 3       | V         | 179        | 1.49      | -        |
| PK   | 5.355G   | 64.34         | 74.00         | -9.66      | 5.66       | 3       | V         | 179        | 1.49      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170626  
EUT\_X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 17  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149G    | 46.54         | 54.00         | -7.46      | 5.31       | 3       | H         | 178        | 1.80      | -        |
| AV   | 5.268G    | 100.57        | Inf           | -Inf       | 5.56       | 3       | H         | 178        | 1.80      | -        |
| AV   | 5.350005G | 53.81         | 54.00         | -0.19      | 5.65       | 3       | H         | 178        | 1.80      | -        |
| PK   | 5.135G    | 59.08         | 74.00         | -14.92     | 5.26       | 3       | H         | 178        | 1.80      | -        |
| PK   | 5.269G    | 111.70        | Inf           | -Inf       | 5.57       | 3       | H         | 178        | 1.80      | -        |
| PK   | 5.350005G | 66.31         | 74.00         | -7.69      | 5.65       | 3       | H         | 178        | 1.80      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 19  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.442G   | 52.56         | 54.00         | -1.44      | 5.89       | 3       | V         | 175        | 1.70      | -        |
| AV   | 5.461G   | 53.18         | 54.00         | -0.82      | 5.98       | 3       | V         | 175        | 1.70      | -        |
| AV   | 5.543G   | 104.59        | Inf           | -Inf       | 6.43       | 3       | V         | 175        | 1.70      | -        |
| AV   | 5.733G   | 48.10         | 54.00         | -5.90      | 7.04       | 3       | V         | 175        | 1.70      | -        |
| PK   | 5.441G   | 66.10         | 74.00         | -7.90      | 5.89       | 3       | V         | 175        | 1.70      | -        |
| PK   | 5.462G   | 69.45         | 74.00         | -4.55      | 5.99       | 3       | V         | 175        | 1.70      | -        |
| PK   | 5.542G   | 114.29        | Inf           | -Inf       | 6.42       | 3       | V         | 175        | 1.70      | -        |
| PK   | 5.763G   | 60.17         | 74.00         | -13.83     | 7.10       | 3       | V         | 175        | 1.70      | -        |



## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 19  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.452G   | 53.39         | 54.00         | -0.61      | 5.94       | 3       | H         | 196        | 2.58      | -        |
| AV   | 5.469G   | 53.76         | 54.00         | -0.24      | 6.02       | 3       | H         | 196        | 2.58      | -        |
| AV   | 5.511G   | 105.37        | Inf           | -Inf       | 6.23       | 3       | H         | 196        | 2.58      | -        |
| AV   | 5.731G   | 48.06         | 54.00         | -5.94      | 7.04       | 3       | H         | 196        | 2.58      | -        |
| PK   | 5.453G   | 66.84         | 74.00         | -7.16      | 5.94       | 3       | H         | 196        | 2.58      | -        |
| PK   | 5.469G   | 67.94         | 74.00         | -6.06      | 6.02       | 3       | H         | 196        | 2.58      | -        |
| PK   | 5.511G   | 115.76        | Inf           | -Inf       | 6.23       | 3       | H         | 196        | 2.58      | -        |
| PK   | 5.729G   | 60.64         | 74.00         | -13.36     | 7.03       | 3       | H         | 196        | 2.58      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 20  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.459G   | 52.59         | 54.00         | -1.41      | 5.97       | 3       | V         | 175        | 1.57      | -        |
| AV   | 5.622G   | 104.58        | Inf           | -Inf       | 6.82       | 3       | V         | 175        | 1.57      | -        |
| PK   | 5.46G    | 65.54         | 74.00         | -8.46      | 5.98       | 3       | V         | 175        | 1.57      | -        |
| PK   | 5.461G   | 67.16         | 68.20         | -1.04      | 5.98       | 3       | V         | 175        | 1.57      | -        |
| PK   | 5.602G   | 113.86        | Inf           | -Inf       | 6.78       | 3       | V         | 175        | 1.57      | -        |
| PK   | 5.741G   | 67.84         | 68.20         | -0.36      | 7.06       | 3       | V         | 175        | 1.57      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 20  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.449G   | 51.09         | 54.00         | -2.91      | 5.93       | 3       | H         | 190        | 2.32      | -        |
| AV   | 5.588G   | 106.77        | Inf           | -Inf       | 6.71       | 3       | H         | 190        | 2.32      | -        |
| PK   | 5.448G   | 65.20         | 74.00         | -8.80      | 5.92       | 3       | H         | 190        | 2.32      | -        |
| PK   | 5.468G   | 66.83         | 68.20         | -1.37      | 6.01       | 3       | H         | 190        | 2.32      | -        |
| PK   | 5.588G   | 116.41        | Inf           | -Inf       | 6.71       | 3       | H         | 190        | 2.32      | -        |
| PK   | 5.728G   | 67.85         | 68.20         | -0.35      | 7.03       | 3       | H         | 190        | 2.32      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 21.5  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.459995G | 53.41         | 54.00         | -0.59      | 5.98       | 3       | V         | 173        | 1.63      | -        |
| AV   | 5.7032G   | 104.80        | Inf           | -Inf       | 6.98       | 3       | V         | 173        | 1.63      | -        |
| PK   | 5.459995G | 64.60         | 74.00         | -9.40      | 5.98       | 3       | V         | 173        | 1.63      | -        |
| PK   | 5.462G    | 67.05         | 68.20         | -1.15      | 5.99       | 3       | V         | 173        | 1.63      | -        |
| PK   | 5.6828G   | 114.40        | Inf           | -Inf       | 6.94       | 3       | V         | 173        | 1.63      | -        |
| PK   | 5.9252G   | 66.07         | 68.20         | -2.13      | 7.99       | 3       | V         | 173        | 1.63      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5690MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 21.5  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4536G  | 53.16         | 54.00         | -0.84      | 5.95       | 3       | H         | 200        | 2.99      | -        |
| AV   | 5.6684G  | 105.41        | Inf           | -Inf       | 6.91       | 3       | H         | 200        | 2.99      | -        |
| PK   | 5.4536G  | 65.65         | 74.00         | -8.35      | 5.95       | 3       | H         | 200        | 2.99      | -        |
| PK   | 5.4644G  | 64.29         | 68.20         | -3.91      | 6.00       | 3       | H         | 200        | 2.99      | -        |
| PK   | 5.6756G  | 115.01        | Inf           | -Inf       | 6.92       | 3       | H         | 200        | 2.99      | -        |
| PK   | 5.9324G  | 64.14         | 68.20         | -4.06      | 8.04       | 3       | H         | 200        | 2.99      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170626  
EUT X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 20  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.769G   | 102.22        | Inf           | -Inf       | 7.11       | 3       | V         | 175        | 1.68      | -        |
| PK   | 5.649G   | 64.57         | 68.20         | -3.63      | 6.87       | 3       | V         | 175        | 1.68      | -        |
| PK   | 5.768G   | 111.91        | Inf           | -Inf       | 7.11       | 3       | V         | 175        | 1.68      | -        |
| PK   | 5.984G   | 62.27         | 68.20         | -5.93      | 8.38       | 3       | V         | 175        | 1.68      | -        |

## 802.11ac VHT80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170626  
EUT\_X\_4TX ANT Skynet-WP(Patch/小方)  
Setting 20  
04-B-2-10  
FSP(100304)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.769G   | 102.54        | Inf           | -Inf       | 7.11       | 3       | H         | 200        | 1.67      | -        |
| PK   | 5.65G    | 64.63         | 68.20         | -3.57      | 6.87       | 3       | H         | 200        | 1.67      | -        |
| PK   | 5.768G   | 112.42        | Inf           | -Inf       | 7.11       | 3       | H         | 200        | 1.67      | -        |
| PK   | 5.932G   | 61.96         | 68.20         | -6.24      | 8.04       | 3       | H         | 200        | 1.67      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170712  
EUT X\_4TX  
Setting 27  
04-J-6-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 52.92         | 54.00         | -1.08      | 9.03       | 3       | V         | 281        | 1.39      | -        |
| AV   | 5.1866G   | 107.87        | Inf           | -Inf       | 9.13       | 3       | V         | 281        | 1.39      | -        |
| PK   | 5.1486G   | 65.37         | 74.00         | -8.63      | 9.03       | 3       | V         | 281        | 1.39      | -        |
| PK   | 5.1802G   | 117.81        | Inf           | -Inf       | 9.11       | 3       | V         | 281        | 1.39      | -        |



# 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

## 5180MHz\_TX




20170712  
EUT X\_4TX  
Setting 27  
04-J-6-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1494G  | 51.29         | 54.00         | -2.71      | 9.03       | 3       | H         | 270        | 1.67      | -        |
| AV   | 5.1806G  | 105.87        | Inf           | -Inf       | 9.11       | 3       | H         | 270        | 1.67      | -        |
| PK   | 5.1484G  | 63.65         | 74.00         | -10.35     | 9.03       | 3       | H         | 270        | 1.67      | -        |
| PK   | 5.1794G  | 118.00        | Inf           | -Inf       | 9.11       | 3       | H         | 270        | 1.67      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170712  
EUT\_X\_4TX  
Setting 29  
04-J-6-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1492G  | 50.51         | 54.00         | -3.49      | 9.03       | 3       | V         | 277        | 1.21      | -        |
| AV   | 5.1936G  | 109.82        | Inf           | -Inf       | 9.14       | 3       | V         | 277        | 1.21      | -        |
| PK   | 5.1468G  | 62.27         | 74.00         | -11.73     | 9.03       | 3       | V         | 277        | 1.21      | -        |
| PK   | 5.1956G  | 119.46        | Inf           | -Inf       | 9.15       | 3       | V         | 277        | 1.21      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170712  
EUT\_X\_4TX  
Setting 29  
04-J-6-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 49.85         | 54.00         | -4.15      | 9.03       | 3       | H         | 277        | 1.02      | -        |
| AV   | 5.2008G   | 109.77        | Inf           | -Inf       | 9.16       | 3       | H         | 277        | 1.02      | -        |
| PK   | 5.1436G   | 62.79         | 74.00         | -11.21     | 9.02       | 3       | H         | 277        | 1.02      | -        |
| PK   | 5.2012G   | 120.31        | Inf           | -Inf       | 9.16       | 3       | H         | 277        | 1.02      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170712  
EUT X\_4TX  
Setting 29  
04-J-6-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1458G  | 47.16         | 54.00         | -6.84      | 9.02       | 3       | V         | 270        | 1.50      | -        |
| AV   | 5.2424G  | 110.89        | Inf           | -Inf       | 9.24       | 3       | V         | 270        | 1.50      | -        |
| AV   | 5.3756G  | 47.49         | 54.00         | -6.51      | 9.48       | 3       | V         | 270        | 1.50      | -        |
| PK   | 5.1398G  | 59.18         | 74.00         | -14.82     | 9.01       | 3       | V         | 270        | 1.50      | -        |
| PK   | 5.246G   | 121.90        | Inf           | -Inf       | 9.25       | 3       | V         | 270        | 1.50      | -        |
| PK   | 5.3594G  | 59.95         | 74.00         | -14.05     | 9.45       | 3       | V         | 270        | 1.50      | -        |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

## 5240MHz\_TX




20170712  
EUT X\_4TX  
Setting 29  
04-J-6-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 47.25         | 54.00         | -6.75      | 9.03       | 3       | H         | 288        | 1.06      | -        |
| AV   | 5.2424G   | 111.34        | Inf           | -Inf       | 9.24       | 3       | H         | 288        | 1.06      | -        |
| AV   | 5.36G     | 47.68         | 54.00         | -6.32      | 9.45       | 3       | H         | 288        | 1.06      | -        |
| PK   | 5.1398G   | 59.33         | 74.00         | -14.67     | 9.01       | 3       | H         | 288        | 1.06      | -        |
| PK   | 5.2442G   | 121.88        | Inf           | -Inf       | 9.24       | 3       | H         | 288        | 1.06      | -        |
| PK   | 5.3786G   | 60.22         | 74.00         | -13.78     | 9.48       | 3       | H         | 288        | 1.06      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170712  
EUT\_X\_4TX  
Setting 29  
04-J-6-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1484G   | 46.90         | 54.00         | -7.10      | 9.03       | 3       | V         | 263        | 1.48      | -        |
| AV   | 5.2654G   | 108.68        | Inf           | -Inf       | 9.28       | 3       | V         | 263        | 1.48      | -        |
| AV   | 5.350005G | 48.69         | 54.00         | -5.31      | 9.44       | 3       | V         | 263        | 1.48      | -        |
| PK   | 5.149995G | 59.76         | 74.00         | -14.24     | 9.03       | 3       | V         | 263        | 1.48      | -        |
| PK   | 5.2648G   | 120.36        | Inf           | -Inf       | 9.28       | 3       | V         | 263        | 1.48      | -        |
| PK   | 5.3524G   | 60.72         | 74.00         | -13.28     | 9.44       | 3       | V         | 263        | 1.48      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170712  
EUT\_X\_4TX  
Setting 29  
04-J-6-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1496G  | 47.41         | 54.00         | -6.59      | 9.03       | 3       | H         | 286        | 1.02      | -        |
| AV   | 5.2666G  | 111.49        | Inf           | -Inf       | 9.29       | 3       | H         | 286        | 1.02      | -        |
| AV   | 5.3524G  | 50.63         | 54.00         | -3.37      | 9.44       | 3       | H         | 286        | 1.02      | -        |
| PK   | 5.1424G  | 59.11         | 74.00         | -14.89     | 9.02       | 3       | H         | 286        | 1.02      | -        |
| PK   | 5.2606G  | 122.08        | Inf           | -Inf       | 9.28       | 3       | H         | 286        | 1.02      | -        |
| PK   | 5.3512G  | 62.81         | 74.00         | -11.19     | 9.44       | 3       | H         | 286        | 1.02      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170712  
EUT\_X\_4TX  
Setting 27  
04-J-6-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.298G    | 110.10        | Inf           | -Inf       | 9.35       | 3       | V         | 268        | 1.66      | -        |
| AV   | 5.350005G | 52.60         | 54.00         | -1.40      | 9.44       | 3       | V         | 268        | 1.66      | -        |
| PK   | 5.2976G   | 120.89        | Inf           | -Inf       | 9.35       | 3       | V         | 268        | 1.66      | -        |
| PK   | 5.350005G | 65.42         | 74.00         | -8.58      | 9.44       | 3       | V         | 268        | 1.66      | -        |



## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170712  
EUT\_X\_4TX  
Setting 27  
04-J-6-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.302G   | 109.50        | Inf           | -Inf       | 9.35       | 3       | H         | 281        | 1.40      | -        |
| AV   | 5.3508G  | 49.92         | 54.00         | -4.08      | 9.44       | 3       | H         | 281        | 1.40      | -        |
| PK   | 5.302G   | 119.44        | Inf           | -Inf       | 9.35       | 3       | H         | 281        | 1.40      | -        |
| PK   | 5.3504G  | 64.39         | 74.00         | -9.61      | 9.44       | 3       | H         | 281        | 1.40      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170712  
EUT\_X\_4TX  
Setting 26  
04-J-6-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3266G  | 109.08        | Inf           | -Inf       | 9.40       | 3       | V         | 283        | 1.13      | -        |
| AV   | 5.3504G  | 52.52         | 54.00         | -1.48      | 9.44       | 3       | V         | 283        | 1.13      | -        |
| PK   | 5.3262G  | 119.20        | Inf           | -Inf       | 9.39       | 3       | V         | 283        | 1.13      | -        |
| PK   | 5.3506G  | 65.19         | 74.00         | -8.81      | 9.44       | 3       | V         | 283        | 1.13      | -        |

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170712  
EUT\_X\_4TX  
Setting 26  
04-J-6-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3266G  | 107.17        | Inf           | -Inf       | 9.40       | 3       | H         | 270        | 1.45      | -        |
| AV   | 5.3504G  | 52.53         | 54.00         | -1.47      | 9.44       | 3       | H         | 270        | 1.45      | -        |
| PK   | 5.3182G  | 118.82        | Inf           | -Inf       | 9.38       | 3       | H         | 270        | 1.45      | -        |
| PK   | 5.3526G  | 65.00         | 74.00         | -9.00      | 9.44       | 3       | H         | 270        | 1.45      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170712  
EUT\_X\_4TX  
Setting 26  
04-J-6-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4536G  | 49.90         | 54.00         | -4.10      | 9.66       | 3       | V         | 270        | 1.96      | -        |
| AV   | 5.5036G  | 108.79        | Inf           | -Inf       | 9.79       | 3       | V         | 270        | 1.96      | -        |
| PK   | 5.4536G  | 61.69         | 74.00         | -12.31     | 9.66       | 3       | V         | 270        | 1.96      | -        |
| PK   | 5.4696G  | 65.54         | 68.20         | -2.66      | 9.71       | 3       | V         | 270        | 1.96      | -        |
| PK   | 5.5044G  | 119.25        | Inf           | -Inf       | 9.79       | 3       | V         | 270        | 1.96      | -        |

# 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

## 5500MHz\_TX




20170712  
EUT\_X\_4TX  
Setting 26  
04-J-6-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4596G  | 49.92         | 54.00         | -4.08      | 9.68       | 3       | H         | 281        | 1.02      | -        |
| AV   | 5.4988G  | 108.80        | Inf           | -Inf       | 9.79       | 3       | H         | 281        | 1.02      | -        |
| PK   | 5.4528G  | 61.39         | 74.00         | -12.61     | 9.66       | 3       | H         | 281        | 1.02      | -        |
| PK   | 5.4696G  | 64.83         | 68.20         | -3.37      | 9.71       | 3       | H         | 281        | 1.02      | -        |
| PK   | 5.4984G  | 120.31        | Inf           | -Inf       | 9.79       | 3       | H         | 281        | 1.02      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4592G  | 47.84         | 54.00         | -6.16      | 9.68       | 3       | V         | 271        | 1.29      | -        |
| AV   | 5.5736G  | 111.19        | Inf           | -Inf       | 9.86       | 3       | V         | 271        | 1.29      | -        |
| PK   | 5.3936G  | 59.86         | 74.00         | -14.14     | 9.51       | 3       | V         | 271        | 1.29      | -        |
| PK   | 5.4672G  | 60.61         | 68.20         | -7.59      | 9.70       | 3       | V         | 271        | 1.29      | -        |
| PK   | 5.576G   | 121.81        | Inf           | -Inf       | 9.86       | 3       | V         | 271        | 1.29      | -        |
| PK   | 5.7552G  | 60.24         | 68.20         | -7.96      | 9.91       | 3       | V         | 271        | 1.29      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4528G   | 47.79         | 54.00         | -6.21      | 9.66       | 3       | H         | 283        | 1.74      | -        |
| AV   | 5.584G    | 112.36        | Inf           | -Inf       | 9.87       | 3       | H         | 283        | 1.74      | -        |
| PK   | 5.452G    | 59.65         | 74.00         | -14.35     | 9.66       | 3       | H         | 283        | 1.74      | -        |
| PK   | 5.460005G | 59.53         | 68.20         | -8.67      | 9.68       | 3       | H         | 283        | 1.74      | -        |
| PK   | 5.5848G   | 123.13        | Inf           | -Inf       | 9.87       | 3       | H         | 283        | 1.74      | -        |
| PK   | 5.7704G   | 60.37         | 68.20         | -7.83      | 9.91       | 3       | H         | 283        | 1.74      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 25  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.698G   | 106.12        | Inf           | -Inf       | 9.90       | 3       | V         | 270        | 1.50      | -        |
| PK   | 5.696G   | 116.56        | Inf           | -Inf       | 9.90       | 3       | V         | 270        | 1.50      | -        |
| PK   | 5.726G   | 62.85         | 68.20         | -5.35      | 9.91       | 3       | V         | 270        | 1.50      | -        |



## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170713  
EUT X\_4TX  
Setting 25 (升1會Over)  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.7064G  | 107.92        | Inf           | -Inf       | 9.90       | 3       | H         | 281        | 2.26      | -        |
| PK   | 5.704G   | 118.38        | Inf           | -Inf       | 9.90       | 3       | H         | 281        | 2.26      | -        |
| PK   | 5.7252G  | 64.87         | 68.20         | -3.33      | 9.91       | 3       | H         | 281        | 2.26      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4368G  | 47.29         | 54.00         | -6.71      | 9.62       | 3       | V         | 265        | 1.50      | -        |
| AV   | 5.7176G  | 110.69        | Inf           | -Inf       | 9.90       | 3       | V         | 265        | 1.50      | -        |
| PK   | 5.4224G  | 59.26         | 74.00         | -14.74     | 9.58       | 3       | V         | 265        | 1.50      | -        |
| PK   | 5.4632G  | 58.10         | 68.20         | -10.10     | 9.69       | 3       | V         | 265        | 1.50      | -        |
| PK   | 5.714G   | 120.91        | Inf           | -Inf       | 9.90       | 3       | V         | 265        | 1.50      | -        |
| PK   | 5.942G   | 59.92         | 68.20         | -8.28      | 10.12      | 3       | V         | 265        | 1.50      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5720MHz\_TX




20170713  
EUT X\_4TX  
Setting 29  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.45G    | 47.24         | 54.00         | -6.76      | 9.66       | 3       | H         | 292        | 2.51      | -        |
| AV   | 5.7176G  | 111.32        | Inf           | -Inf       | 9.90       | 3       | H         | 292        | 2.51      | -        |
| PK   | 5.4536G  | 59.02         | 74.00         | -14.98     | 9.66       | 3       | H         | 292        | 2.51      | -        |
| PK   | 5.4668G  | 58.66         | 68.20         | -9.54      | 9.70       | 3       | H         | 292        | 2.51      | -        |
| PK   | 5.7164G  | 121.21        | Inf           | -Inf       | 9.90       | 3       | H         | 292        | 2.51      | -        |
| PK   | 5.9576G  | 60.60         | 68.20         | -7.60      | 10.14      | 3       | H         | 292        | 2.51      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.748G   | 110.54        | Inf           | -Inf       | 9.91       | 3       | V         | 265        | 1.37      | -        |
| PK   | 5.547G   | 60.17         | 68.20         | -8.03      | 9.83       | 3       | V         | 265        | 1.37      | -        |
| PK   | 5.75G    | 121.26        | Inf           | -Inf       | 9.91       | 3       | V         | 265        | 1.37      | -        |
| PK   | 5.966G   | 60.02         | 68.20         | -8.18      | 10.15      | 3       | V         | 265        | 1.37      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.747G   | 111.07        | Inf           | -Inf       | 9.91       | 3       | H         | 280        | 1.49      | -        |
| PK   | 5.518G   | 60.40         | 68.20         | -7.80      | 9.81       | 3       | H         | 280        | 1.49      | -        |
| PK   | 5.747G   | 120.88        | Inf           | -Inf       | 9.91       | 3       | H         | 280        | 1.49      | -        |
| PK   | 5.979G   | 60.18         | 68.20         | -8.02      | 10.17      | 3       | H         | 280        | 1.49      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.789G   | 108.83        | Inf           | -Inf       | 9.92       | 3       | V         | 263        | 1.00      | -        |
| PK   | 5.63G    | 60.28         | 68.20         | -7.92      | 9.89       | 3       | V         | 263        | 1.00      | -        |
| PK   | 5.788G   | 118.45        | Inf           | -Inf       | 9.92       | 3       | V         | 263        | 1.00      | -        |
| PK   | 5.981G   | 61.18         | 68.20         | -7.02      | 10.17      | 3       | V         | 263        | 1.00      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.779G   | 110.30        | Inf           | -Inf       | 9.92       | 3       | H         | 279        | 1.87      | -        |
| PK   | 5.594G   | 60.01         | 68.20         | -8.19      | 9.87       | 3       | H         | 279        | 1.87      | -        |
| PK   | 5.79G    | 120.91        | Inf           | -Inf       | 9.92       | 3       | H         | 279        | 1.87      | -        |
| PK   | 5.933G   | 59.86         | 68.20         | -8.34      | 10.11      | 3       | H         | 279        | 1.87      | -        |

## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.819G   | 109.93        | Inf           | -Inf       | 9.95       | 3       | V         | 276        | 1.92      | -        |
| PK   | 5.588G   | 59.60         | 68.20         | -8.60      | 9.87       | 3       | V         | 276        | 1.92      | -        |
| PK   | 5.82G    | 120.78        | Inf           | -Inf       | 9.95       | 3       | V         | 276        | 1.92      | -        |
| PK   | 5.95G    | 61.37         | 68.20         | -6.83      | 10.13      | 3       | V         | 276        | 1.92      | -        |



## 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

### 5825MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.827G   | 109.81        | Inf           | -Inf       | 9.96       | 3       | H         | 277        | 1.50      | -        |
| PK   | 5.601G   | 59.20         | 68.20         | -9.00      | 9.88       | 3       | H         | 277        | 1.50      | -        |
| PK   | 5.828G   | 119.60        | Inf           | -Inf       | 9.96       | 3       | H         | 277        | 1.50      | -        |
| PK   | 5.953G   | 60.24         | 68.20         | -7.96      | 10.13      | 3       | H         | 277        | 1.50      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 25  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 52.69         | 54.00         | -1.31      | 9.03       | 3       | V         | 269        | 2.98      | -        |
| AV   | 5.1824G   | 102.09        | Inf           | -Inf       | 9.12       | 3       | V         | 269        | 2.98      | -        |
| PK   | 5.1496G   | 68.28         | 74.00         | -5.72      | 9.03       | 3       | V         | 269        | 2.98      | -        |
| PK   | 5.1768G   | 113.92        | Inf           | -Inf       | 9.10       | 3       | V         | 269        | 2.98      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 25  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1496G   | 51.02         | 54.00         | -2.98      | 9.03       | 3       | H         | 292        | 1.50      | -        |
| AV   | 5.1952G   | 101.77        | Inf           | -Inf       | 9.15       | 3       | H         | 292        | 1.50      | -        |
| PK   | 5.149995G | 73.55         | 74.00         | -0.45      | 9.03       | 3       | H         | 292        | 1.50      | -        |
| PK   | 5.1824G   | 112.42        | Inf           | -Inf       | 9.12       | 3       | H         | 292        | 1.50      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 53.62         | 54.00         | -0.38      | 9.03       | 3       | V         | 266        | 1.50      | -        |
| AV   | 5.2264G   | 107.22        | Inf           | -Inf       | 9.21       | 3       | V         | 266        | 1.50      | -        |
| AV   | 5.3554G   | 49.52         | 54.00         | -4.48      | 9.44       | 3       | V         | 266        | 1.50      | -        |
| PK   | 5.1328G   | 70.20         | 74.00         | -3.80      | 8.99       | 3       | V         | 266        | 1.50      | -        |
| PK   | 5.2276G   | 119.39        | Inf           | -Inf       | 9.21       | 3       | V         | 266        | 1.50      | -        |
| PK   | 5.3512G   | 65.71         | 74.00         | -8.29      | 9.44       | 3       | V         | 266        | 1.50      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170713  
EUT X\_4TX  
Setting 29  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 53.46         | 54.00         | -0.54      | 9.03       | 3       | H         | 282        | 2.81      | -        |
| AV   | 5.2264G   | 106.01        | Inf           | -Inf       | 9.21       | 3       | H         | 282        | 2.81      | -        |
| AV   | 5.3554G   | 48.53         | 54.00         | -5.47      | 9.44       | 3       | H         | 282        | 2.81      | -        |
| PK   | 5.1466G   | 68.85         | 74.00         | -5.15      | 9.03       | 3       | H         | 282        | 2.81      | -        |
| PK   | 5.242G    | 117.87        | Inf           | -Inf       | 9.24       | 3       | H         | 282        | 2.81      | -        |
| PK   | 5.365G    | 63.12         | 74.00         | -10.88     | 9.46       | 3       | H         | 282        | 2.81      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 26  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 46.90         | 54.00         | -7.10      | 9.03       | 3       | V         | 267        | 1.93      | -        |
| AV   | 5.2688G   | 104.80        | Inf           | -Inf       | 9.29       | 3       | V         | 267        | 1.93      | -        |
| AV   | 5.350005G | 51.57         | 54.00         | -2.43      | 9.44       | 3       | V         | 267        | 1.93      | -        |
| PK   | 5.149995G | 62.37         | 74.00         | -11.63     | 9.03       | 3       | V         | 267        | 1.93      | -        |
| PK   | 5.2688G   | 115.08        | Inf           | -Inf       | 9.29       | 3       | V         | 267        | 1.93      | -        |
| PK   | 5.3534G   | 73.27         | 74.00         | -0.73      | 9.44       | 3       | V         | 267        | 1.93      | -        |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

## 5270MHz\_TX




20170713  
EUT X\_4TX  
Setting 26  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1476G  | 46.95         | 54.00         | -7.05      | 9.03       | 3       | H         | 282        | 1.08      | -        |
| AV   | 5.2688G  | 104.39        | Inf           | -Inf       | 9.29       | 3       | H         | 282        | 1.08      | -        |
| AV   | 5.3504G  | 50.57         | 54.00         | -3.43      | 9.44       | 3       | H         | 282        | 1.08      | -        |
| PK   | 5.1458G  | 62.60         | 74.00         | -11.40     | 9.02       | 3       | H         | 282        | 1.08      | -        |
| PK   | 5.2628G  | 115.40        | Inf           | -Inf       | 9.28       | 3       | H         | 282        | 1.08      | -        |
| PK   | 5.3606G  | 73.66         | 74.00         | -0.34      | 9.45       | 3       | H         | 282        | 1.08      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170713  
EUT X\_4TX  
Setting 24 (升1就Over)  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3012G  | 103.13        | Inf           | -Inf       | 9.35       | 3       | V         | 276        | 1.02      | -        |
| AV   | 5.3544G  | 50.99         | 54.00         | -3.01      | 9.44       | 3       | V         | 276        | 1.02      | -        |
| PK   | 5.3008G  | 113.67        | Inf           | -Inf       | 9.35       | 3       | V         | 276        | 1.02      | -        |
| PK   | 5.3524G  | 65.71         | 74.00         | -8.29      | 9.44       | 3       | V         | 276        | 1.02      | -        |



## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 24  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3212G   | 102.03        | Inf           | -Inf       | 9.39       | 3       | H         | 278        | 2.36      | -        |
| AV   | 5.350005G | 51.17         | 54.00         | -2.83      | 9.44       | 3       | H         | 278        | 2.36      | -        |
| PK   | 5.3056G   | 116.04        | Inf           | -Inf       | 9.36       | 3       | H         | 278        | 2.36      | -        |
| PK   | 5.366G    | 67.66         | 74.00         | -6.34      | 9.46       | 3       | H         | 278        | 2.36      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 24  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.46G    | 49.31         | 54.00         | -4.69      | 9.68       | 3       | V         | 280        | 1.73      | -        |
| AV   | 5.518G   | 104.47        | Inf           | -Inf       | 9.81       | 3       | V         | 280        | 1.73      | -        |
| PK   | 5.442G   | 67.57         | 74.00         | -6.43      | 9.63       | 3       | V         | 280        | 1.73      | -        |
| PK   | 5.4692G  | 66.67         | 68.20         | -1.53      | 9.71       | 3       | V         | 280        | 1.73      | -        |
| PK   | 5.5168G  | 114.95        | Inf           | -Inf       | 9.81       | 3       | V         | 280        | 1.73      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 24  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.46G    | 49.36         | 54.00         | -4.64      | 9.68       | 3       | H         | 278        | 2.09      | -        |
| AV   | 5.516G   | 104.81        | Inf           | -Inf       | 9.80       | 3       | H         | 278        | 2.09      | -        |
| PK   | 5.4572G  | 65.32         | 74.00         | -8.68      | 9.67       | 3       | H         | 278        | 2.09      | -        |
| PK   | 5.4668G  | 67.36         | 68.20         | -0.84      | 9.70       | 3       | H         | 278        | 2.09      | -        |
| PK   | 5.5164G  | 115.15        | Inf           | -Inf       | 9.80       | 3       | H         | 278        | 2.09      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170713  
EUT X\_4TX  
Setting 25  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4556G  | 49.99         | 54.00         | -4.01      | 9.67       | 3       | V         | 278        | 2.09      | -        |
| AV   | 5.554G   | 107.07        | Inf           | -Inf       | 9.84       | 3       | V         | 278        | 2.09      | -        |
| PK   | 5.4548G  | 72.38         | 74.00         | -1.62      | 9.67       | 3       | V         | 278        | 2.09      | -        |
| PK   | 5.4612G  | 67.86         | 68.20         | -0.34      | 9.69       | 3       | V         | 278        | 2.09      | -        |
| PK   | 5.5532G  | 117.68        | Inf           | -Inf       | 9.84       | 3       | V         | 278        | 2.09      | -        |
| PK   | 5.7268G  | 60.25         | 68.20         | -7.95      | 9.91       | 3       | V         | 278        | 2.09      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 25  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4572G  | 48.17         | 54.00         | -5.83      | 9.67       | 3       | H         | 266        | 1.50      | -        |
| AV   | 5.5412G  | 104.92        | Inf           | -Inf       | 9.83       | 3       | H         | 266        | 1.50      | -        |
| PK   | 5.4564G  | 65.38         | 74.00         | -8.62      | 9.67       | 3       | H         | 266        | 1.50      | -        |
| PK   | 5.466G   | 64.61         | 68.20         | -3.59      | 9.70       | 3       | H         | 266        | 1.50      | -        |
| PK   | 5.5404G  | 115.94        | Inf           | -Inf       | 9.83       | 3       | H         | 266        | 1.50      | -        |
| PK   | 5.7308G  | 60.07         | 68.20         | -8.13      | 9.91       | 3       | H         | 266        | 1.50      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 24  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6612G  | 102.75        | Inf           | -Inf       | 9.89       | 3       | V         | 266        | 1.38      | -        |
| PK   | 5.6612G  | 114.14        | Inf           | -Inf       | 9.89       | 3       | V         | 266        | 1.38      | -        |
| PK   | 5.7356G  | 67.57         | 68.20         | -0.63      | 9.91       | 3       | V         | 266        | 1.38      | -        |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

## 5670MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 24  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6732G  | 104.16        | Inf           | -Inf       | 9.89       | 3       | H         | 286        | 1.52      | -        |
| PK   | 5.658G   | 114.35        | Inf           | -Inf       | 9.89       | 3       | H         | 286        | 1.52      | -        |
| PK   | 5.7396G  | 66.58         | 68.20         | -1.62      | 9.91       | 3       | H         | 286        | 1.52      | -        |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

## 5710MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4328G  | 47.57         | 54.00         | -6.43      | 9.61       | 3       | V         | 279        | 1.50      | -        |
| AV   | 5.7064G  | 108.19        | Inf           | -Inf       | 9.90       | 3       | V         | 279        | 1.50      | -        |
| PK   | 5.416G   | 59.50         | 74.00         | -14.50     | 9.56       | 3       | V         | 279        | 1.50      | -        |
| PK   | 5.4652G  | 58.53         | 68.20         | -9.67      | 9.70       | 3       | V         | 279        | 1.50      | -        |
| PK   | 5.722G   | 118.79        | Inf           | -Inf       | 9.90       | 3       | V         | 279        | 1.50      | -        |
| PK   | 5.9428G  | 61.45         | 68.20         | -6.75      | 10.12      | 3       | V         | 279        | 1.50      | -        |



## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

## 5710MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4556G  | 47.48         | 54.00         | -6.52      | 9.67       | 3       | H         | 283        | 1.23      | -        |
| AV   | 5.7124G  | 108.12        | Inf           | -Inf       | 9.90       | 3       | H         | 283        | 1.23      | -        |
| PK   | 5.4568G  | 59.13         | 74.00         | -14.87     | 9.67       | 3       | H         | 283        | 1.23      | -        |
| PK   | 5.4676G  | 59.21         | 68.20         | -8.99      | 9.70       | 3       | H         | 283        | 1.23      | -        |
| PK   | 5.7136G  | 117.93        | Inf           | -Inf       | 9.90       | 3       | H         | 283        | 1.23      | -        |
| PK   | 5.938G   | 64.42         | 68.20         | -3.78      | 10.11      | 3       | H         | 283        | 1.23      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.747G   | 106.46        | Inf           | -Inf       | 9.91       | 3       | V         | 275        | 2.22      | -        |
| PK   | 5.657G   | 71.42         | 73.38         | -1.96      | 9.89       | 3       | V         | 275        | 2.22      | -        |
| PK   | 5.739G   | 119.88        | Inf           | -Inf       | 9.91       | 3       | V         | 275        | 2.22      | -        |
| PK   | 5.952G   | 60.70         | 68.20         | -7.50      | 10.13      | 3       | V         | 275        | 2.22      | -        |

## 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.747G   | 107.83        | Inf           | -Inf       | 9.91       | 3       | H         | 276        | 1.07      | -        |
| PK   | 5.639G   | 66.42         | 68.20         | -1.78      | 9.89       | 3       | H         | 276        | 1.07      | -        |
| PK   | 5.747G   | 118.51        | Inf           | -Inf       | 9.91       | 3       | H         | 276        | 1.07      | -        |
| PK   | 5.96G    | 61.04         | 68.20         | -7.16      | 10.14      | 3       | H         | 276        | 1.07      | -        |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

## 5795MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.804G   | 106.94        | Inf           | -Inf       | 9.93       | 3       | V         | 270        | 1.31      | -        |
| PK   | 5.648G   | 60.05         | 68.20         | -8.15      | 9.89       | 3       | V         | 270        | 1.31      | -        |
| PK   | 5.804G   | 117.94        | Inf           | -Inf       | 9.93       | 3       | V         | 270        | 1.31      | -        |
| PK   | 5.94G    | 63.62         | 68.20         | -4.58      | 10.12      | 3       | V         | 270        | 1.31      | -        |

# 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

## 5795MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.788G   | 106.28        | Inf           | -Inf       | 9.92       | 3       | H         | 273        | 1.02      | -        |
| PK   | 5.646G   | 60.71         | 68.20         | -7.49      | 9.89       | 3       | H         | 273        | 1.02      | -        |
| PK   | 5.792G   | 118.39        | Inf           | -Inf       | 9.92       | 3       | H         | 273        | 1.02      | -        |
| PK   | 5.926G   | 62.15         | 68.20         | -6.05      | 10.10      | 3       | H         | 273        | 1.02      | -        |

# 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

## 5210MHz\_TX




20170713  
EUT X\_4TX  
Setting 24 (升1 Over)  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.132G    | 50.17         | 54.00         | -3.83      | 8.99       | 3       | V         | 283        | 2.37      | -        |
| AV   | 5.223G    | 99.10         | Inf           | -Inf       | 9.20       | 3       | V         | 283        | 2.37      | -        |
| AV   | 5.351G    | 48.23         | 54.00         | -5.77      | 9.44       | 3       | V         | 283        | 2.37      | -        |
| PK   | 5.149995G | 66.18         | 74.00         | -7.82      | 9.03       | 3       | V         | 283        | 2.37      | -        |
| PK   | 5.224G    | 110.13        | Inf           | -Inf       | 9.21       | 3       | V         | 283        | 2.37      | -        |
| PK   | 5.353G    | 60.70         | 74.00         | -13.30     | 9.44       | 3       | V         | 283        | 2.37      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 24  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.137G   | 49.07         | 54.00         | -4.93      | 9.00       | 3       | H         | 275        | 2.93      | -        |
| AV   | 5.242G   | 97.66         | Inf           | -Inf       | 9.24       | 3       | H         | 275        | 2.93      | -        |
| AV   | 5.351G   | 47.73         | 54.00         | -6.27      | 9.44       | 3       | H         | 275        | 2.93      | -        |
| PK   | 5.134G   | 63.48         | 74.00         | -10.52     | 9.00       | 3       | H         | 275        | 2.93      | -        |
| PK   | 5.176G   | 108.53        | Inf           | -Inf       | 9.10       | 3       | H         | 275        | 2.93      | -        |
| PK   | 5.36G    | 59.80         | 74.00         | -14.20     | 9.45       | 3       | H         | 275        | 2.93      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 24  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.144G   | 47.03         | 54.00         | -6.97      | 9.02       | 3       | V         | 303        | 1.37      | -        |
| AV   | 5.266G   | 99.42         | Inf           | -Inf       | 9.29       | 3       | V         | 303        | 1.37      | -        |
| AV   | 5.351G   | 52.52         | 54.00         | -1.48      | 9.44       | 3       | V         | 303        | 1.37      | -        |
| PK   | 5.144G   | 61.08         | 74.00         | -12.92     | 9.02       | 3       | V         | 303        | 1.37      | -        |
| PK   | 5.266G   | 112.37        | Inf           | -Inf       | 9.29       | 3       | V         | 303        | 1.37      | -        |
| PK   | 5.379G   | 72.29         | 74.00         | -1.71      | 9.48       | 3       | V         | 303        | 1.37      | -        |



## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TX




20170713  
EUT X\_4TX  
Setting 24  
04-R-1-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.148G   | 47.29         | 54.00         | -6.71      | 9.03       | 3       | H         | 291        | 2.48      | -        |
| AV   | 5.313G   | 99.12         | Inf           | -Inf       | 9.37       | 3       | H         | 291        | 2.48      | -        |
| AV   | 5.351G   | 53.36         | 54.00         | -0.64      | 9.44       | 3       | H         | 291        | 2.48      | -        |
| PK   | 5.132G   | 59.53         | 74.00         | -14.47     | 8.99       | 3       | H         | 291        | 2.48      | -        |
| PK   | 5.301G   | 111.06        | Inf           | -Inf       | 9.35       | 3       | H         | 291        | 2.48      | -        |
| PK   | 5.354G   | 70.98         | 74.00         | -3.02      | 9.44       | 3       | H         | 291        | 2.48      | -        |

# **802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX**

## **5530MHz\_TX**




20170713  
EUT X\_4TX  
Setting 24 (升1 Over 5.29)  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.455G   | 52.29         | 54.00         | -1.71      | 9.67       | 3       | V         | 283        | 1.50      | -        |
| AV   | 5.534G   | 100.62        | Inf           | -Inf       | 9.82       | 3       | V         | 283        | 1.50      | -        |
| PK   | 5.456G   | 71.06         | 74.00         | -2.94      | 9.67       | 3       | V         | 283        | 1.50      | -        |
| PK   | 5.466G   | 65.87         | 68.20         | -2.33      | 9.70       | 3       | V         | 283        | 1.50      | -        |
| PK   | 5.559G   | 112.09        | Inf           | -Inf       | 9.84       | 3       | V         | 283        | 1.50      | -        |
| PK   | 5.738G   | 60.19         | 68.20         | -8.01      | 9.91       | 3       | V         | 283        | 1.50      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TX




20170713  
EUT X\_4TX  
Setting 24 (升1 Over 5.29)  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.459G   | 52.12         | 54.00         | -1.88      | 9.68       | 3       | H         | 271        | 1.50      | -        |
| AV   | 5.507G   | 100.91        | Inf           | -Inf       | 9.80       | 3       | H         | 271        | 1.50      | -        |
| PK   | 5.459G   | 67.60         | 74.00         | -6.40      | 9.68       | 3       | H         | 271        | 1.50      | -        |
| PK   | 5.465G   | 66.02         | 68.20         | -2.18      | 9.70       | 3       | H         | 271        | 1.50      | -        |
| PK   | 5.498G   | 114.43        | Inf           | -Inf       | 9.78       | 3       | H         | 271        | 1.50      | -        |
| PK   | 5.777G   | 60.68         | 68.20         | -7.52      | 9.92       | 3       | H         | 271        | 1.50      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TX




20170713  
EUT X\_4TX  
Setting 24  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.458G   | 47.99         | 54.00         | -6.01      | 9.68       | 3       | V         | 270        | 1.49      | -        |
| AV   | 5.603G   | 99.72         | Inf           | -Inf       | 9.88       | 3       | V         | 270        | 1.49      | -        |
| PK   | 5.453G   | 61.42         | 74.00         | -12.58     | 9.66       | 3       | V         | 270        | 1.49      | -        |
| PK   | 5.462G   | 59.60         | 68.20         | -8.60      | 9.69       | 3       | V         | 270        | 1.49      | -        |
| PK   | 5.602G   | 111.97        | Inf           | -Inf       | 9.88       | 3       | V         | 270        | 1.49      | -        |
| PK   | 5.733G   | 68.05         | 68.20         | -0.15      | 9.91       | 3       | V         | 270        | 1.49      | -        |

# 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

## 5610MHz\_TX




20170713  
EUT X\_4TX  
Setting 24  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.459G   | 48.32         | 54.00         | -5.68      | 9.68       | 3       | H         | 283        | 1.86      | -        |
| AV   | 5.614G   | 101.21        | Inf           | -Inf       | 9.88       | 3       | H         | 283        | 1.86      | -        |
| PK   | 5.454G   | 63.98         | 74.00         | -10.02     | 9.67       | 3       | H         | 283        | 1.86      | -        |
| PK   | 5.464G   | 66.32         | 68.20         | -1.88      | 9.69       | 3       | H         | 283        | 1.86      | -        |
| PK   | 5.623G   | 111.99        | Inf           | -Inf       | 9.88       | 3       | H         | 283        | 1.86      | -        |
| PK   | 5.726G   | 67.95         | 68.20         | -0.25      | 9.91       | 3       | H         | 283        | 1.86      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




20170713  
EUT X\_4TX  
Setting 27 (升1 Over 2.41)  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.459995G | 51.36         | 54.00         | -2.64      | 9.68       | 3       | V         | 275        | 1.01      | -        |
| AV   | 5.7008G   | 103.00        | Inf           | -Inf       | 9.90       | 3       | V         | 275        | 1.01      | -        |
| PK   | 5.4116G   | 66.43         | 74.00         | -7.57      | 9.55       | 3       | V         | 275        | 1.01      | -        |
| PK   | 5.4692G   | 67.16         | 68.20         | -1.04      | 9.71       | 3       | V         | 275        | 1.01      | -        |
| PK   | 5.702G    | 113.53        | Inf           | -Inf       | 9.90       | 3       | V         | 275        | 1.01      | -        |
| PK   | 5.9624G   | 67.14         | 68.20         | -1.06      | 10.15      | 3       | V         | 275        | 1.01      | -        |

# 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

## 5690MHz Straddle 5.47-5.725GHz\_TX




20170713  
EUT X\_4TX  
Setting 27 (升1 Over 2.41)  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.459995G | 51.63         | 54.00         | -2.37      | 9.68       | 3       | H         | 283        | 2.38      | -        |
| AV   | 5.7044G   | 102.51        | Inf           | -Inf       | 9.90       | 3       | H         | 283        | 2.38      | -        |
| PK   | 5.4584G   | 69.81         | 74.00         | -4.19      | 9.68       | 3       | H         | 283        | 2.38      | -        |
| PK   | 5.4656G   | 66.09         | 68.20         | -2.11      | 9.70       | 3       | H         | 283        | 2.38      | -        |
| PK   | 5.6864G   | 114.10        | Inf           | -Inf       | 9.90       | 3       | H         | 283        | 2.38      | -        |
| PK   | 5.942G    | 66.89         | 68.20         | -1.31      | 10.12      | 3       | H         | 283        | 2.38      | -        |

## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 27  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.752G   | 101.80        | Inf           | -Inf       | 9.91       | 3       | V         | 277        | 2.29      | -        |
| PK   | 5.638G   | 68.18         | 68.20         | -0.02      | 9.89       | 3       | V         | 277        | 2.29      | -        |
| PK   | 5.75G    | 113.36        | Inf           | -Inf       | 9.91       | 3       | V         | 277        | 2.29      | -        |
| PK   | 5.938G   | 62.16         | 68.20         | -6.04      | 10.11      | 3       | V         | 277        | 2.29      | -        |



## 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 27  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.758G   | 100.13        | Inf           | -Inf       | 9.91       | 3       | H         | 305        | 1.42      | -        |
| PK   | 5.642G   | 68.17         | 68.20         | -0.03      | 9.89       | 3       | H         | 305        | 1.42      | -        |
| PK   | 5.742G   | 111.08        | Inf           | -Inf       | 9.91       | 3       | H         | 305        | 1.42      | -        |
| PK   | 5.927G   | 63.67         | 68.20         | -4.53      | 10.10      | 3       | H         | 305        | 1.42      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TX




20170713  
EUT X\_4TX  
Setting 25 (升1 Over1.13)  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1496G  | 49.64         | 54.00         | -4.36      | 9.03       | 3       | V         | 301        | 1.44      | -        |
| AV   | 5.1732G  | 104.02        | Inf           | -Inf       | 9.09       | 3       | V         | 301        | 1.44      | -        |
| PK   | 5.149G   | 62.74         | 74.00         | -11.26     | 9.03       | 3       | V         | 307        | 1.44      | -        |
| PK   | 5.1786G  | 115.55        | Inf           | -Inf       | 9.11       | 3       | V         | 301        | 1.44      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TX




20170713  
EUT X\_4TX  
Setting 25 (升1 Over1.13)  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1494G  | 50.54         | 54.00         | -3.46      | 9.03       | 3       | H         | 311        | 2.01      | -        |
| AV   | 5.1836G  | 104.39        | Inf           | -Inf       | 9.12       | 3       | H         | 311        | 2.01      | -        |
| PK   | 5.1486G  | 64.26         | 74.00         | -9.74      | 9.03       | 3       | H         | 311        | 2.01      | -        |
| PK   | 5.1832G  | 115.32        | Inf           | -Inf       | 9.12       | 3       | H         | 311        | 2.01      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TX




20170713  
EUT X\_4TX  
Setting 28(升1 Over 2.78)  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1484G   | 50.19         | 54.00         | -3.81      | 9.03       | 3       | V         | 317        | 1.46      | -        |
| AV   | 5.2084G   | 106.45        | Inf           | -Inf       | 9.18       | 3       | V         | 317        | 1.46      | -        |
| PK   | 5.149995G | 64.22         | 74.00         | -9.78      | 9.03       | 3       | V         | 317        | 1.46      | -        |
| PK   | 5.204G    | 117.91        | Inf           | -Inf       | 9.17       | 3       | V         | 317        | 1.46      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TX




20170713  
EUT X\_4TX  
Setting 28(升1 Over 2.78)  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1496G   | 49.87         | 54.00         | -4.13      | 9.03       | 3       | H         | 256        | 2.01      | -        |
| AV   | 5.2024G   | 108.40        | Inf           | -Inf       | 9.16       | 3       | H         | 256        | 2.01      | -        |
| PK   | 5.149995G | 64.76         | 74.00         | -9.24      | 9.03       | 3       | H         | 256        | 2.01      | -        |
| PK   | 5.202G    | 120.01        | Inf           | -Inf       | 9.16       | 3       | H         | 256        | 2.01      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TX




20170713  
EUT X\_4TX  
Setting 29  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1488G  | 47.77         | 54.00         | -6.23      | 9.03       | 3       | V         | 298        | 1.48      | -        |
| AV   | 5.2352G  | 109.80        | Inf           | -Inf       | 9.23       | 3       | V         | 298        | 1.48      | -        |
| AV   | 5.3516G  | 47.71         | 54.00         | -6.29      | 9.44       | 3       | V         | 298        | 1.48      | -        |
| PK   | 5.1098G  | 59.44         | 74.00         | -14.56     | 8.93       | 3       | V         | 298        | 1.48      | -        |
| PK   | 5.2424G  | 121.85        | Inf           | -Inf       | 9.24       | 3       | V         | 298        | 1.48      | -        |
| PK   | 5.3834G  | 60.47         | 74.00         | -13.53     | 9.49       | 3       | V         | 298        | 1.48      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1488G  | 47.78         | 54.00         | -6.22      | 9.03       | 3       | H         | 273        | 2.06      | -        |
| AV   | 5.2382G  | 110.02        | Inf           | -Inf       | 9.23       | 3       | H         | 273        | 2.06      | -        |
| AV   | 5.3552G  | 47.78         | 54.00         | -6.22      | 9.44       | 3       | H         | 273        | 2.06      | -        |
| PK   | 5.144G   | 59.99         | 74.00         | -14.01     | 9.02       | 3       | H         | 273        | 2.06      | -        |
| PK   | 5.2424G  | 123.69        | Inf           | -Inf       | 9.24       | 3       | H         | 273        | 2.06      | -        |
| PK   | 5.3768G  | 60.38         | 74.00         | -13.62     | 9.48       | 3       | H         | 273        | 2.06      | -        |

# 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

## 5260MHz\_TX




20170713  
EUT X\_4TX  
Setting 29  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1496G   | 47.23         | 54.00         | -6.77      | 9.03       | 3       | V         | 281        | 1.50      | -        |
| AV   | 5.2546G   | 110.03        | Inf           | -Inf       | 9.26       | 3       | V         | 281        | 1.50      | -        |
| AV   | 5.350005G | 49.75         | 54.00         | -4.25      | 9.44       | 3       | V         | 281        | 1.50      | -        |
| PK   | 5.1436G   | 60.30         | 74.00         | -13.70     | 9.02       | 3       | V         | 281        | 1.50      | -        |
| PK   | 5.2558G   | 121.32        | Inf           | -Inf       | 9.27       | 3       | V         | 281        | 1.50      | -        |
| PK   | 5.353G    | 62.99         | 74.00         | -11.01     | 9.44       | 3       | V         | 281        | 1.50      | -        |



## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TX




20170713  
EUT X\_4TX  
Setting 29  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1478G  | 47.37         | 54.00         | -6.63      | 9.03       | 3       | H         | 293        | 1.56      | -        |
| AV   | 5.2624G  | 110.84        | Inf           | -Inf       | 9.28       | 3       | H         | 293        | 1.56      | -        |
| AV   | 5.3506G  | 50.07         | 54.00         | -3.93      | 9.44       | 3       | H         | 293        | 1.56      | -        |
| PK   | 5.1406G  | 59.28         | 74.00         | -14.72     | 9.01       | 3       | H         | 293        | 1.56      | -        |
| PK   | 5.266G   | 121.47        | Inf           | -Inf       | 9.29       | 3       | H         | 293        | 1.56      | -        |
| PK   | 5.353G   | 64.32         | 74.00         | -9.68      | 9.44       | 3       | H         | 293        | 1.56      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 28  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.2956G   | 108.75        | Inf           | -Inf       | 9.34       | 3       | V         | 277        | 1.58      | -        |
| AV   | 5.350005G | 53.98         | 54.00         | -0.02      | 9.44       | 3       | V         | 277        | 1.58      | -        |
| PK   | 5.294G    | 120.72        | Inf           | -Inf       | 9.34       | 3       | V         | 277        | 1.58      | -        |
| PK   | 5.3544G   | 67.44         | 74.00         | -6.56      | 9.44       | 3       | V         | 277        | 1.58      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TX




20170713  
EUT X\_4TX  
Setting 28  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3024G  | 111.63        | Inf           | -Inf       | 9.35       | 3       | H         | 294        | 1.61      | -        |
| AV   | 5.3504G  | 53.91         | 54.00         | -0.09      | 9.44       | 3       | H         | 294        | 1.61      | -        |
| PK   | 5.2972G  | 119.91        | Inf           | -Inf       | 9.34       | 3       | H         | 294        | 1.61      | -        |
| PK   | 5.3528G  | 67.60         | 74.00         | -6.40      | 9.44       | 3       | H         | 294        | 1.61      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5320MHz\_TX




20170713  
EUT X\_4TX  
Setting 26(升1 Over 4.28)  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.322G   | 108.40        | Inf           | -Inf       | 9.39       | 3       | V         | 271        | 1.20      | -        |
| AV   | 5.3504G  | 51.89         | 54.00         | -2.11      | 9.44       | 3       | V         | 271        | 1.20      | -        |
| PK   | 5.3214G  | 120.52        | Inf           | -Inf       | 9.39       | 3       | V         | 271        | 1.20      | -        |
| PK   | 5.3502G  | 67.00         | 74.00         | -7.00      | 9.44       | 3       | V         | 271        | 1.20      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5320MHz\_TX




20170713  
EUT X\_4TX  
Setting 26(升1 Over 4.28)  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3188G   | 107.21        | Inf           | -Inf       | 9.38       | 3       | H         | 293        | 1.20      | -        |
| AV   | 5.350005G | 51.67         | 54.00         | -2.33      | 9.44       | 3       | H         | 293        | 1.20      | -        |
| PK   | 5.3172G   | 120.36        | Inf           | -Inf       | 9.38       | 3       | H         | 293        | 1.20      | -        |
| PK   | 5.3512G   | 65.48         | 74.00         | -8.52      | 9.44       | 3       | H         | 293        | 1.20      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX




20170713  
EUT X\_4TX  
Setting 26(升1 Over 5.48)  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4588G  | 49.19         | 54.00         | -4.81      | 9.68       | 3       | V         | 277        | 1.01      | -        |
| AV   | 5.4976G  | 108.59        | Inf           | -Inf       | 9.78       | 3       | V         | 277        | 1.01      | -        |
| PK   | 5.4572G  | 60.91         | 74.00         | -13.09     | 9.67       | 3       | V         | 277        | 1.01      | -        |
| PK   | 5.4696G  | 65.21         | 68.20         | -2.99      | 9.71       | 3       | V         | 277        | 1.01      | -        |
| PK   | 5.5008G  | 119.24        | Inf           | -Inf       | 9.79       | 3       | V         | 277        | 1.01      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TX




20170713  
EUT X\_4TX  
Setting 26(升1 Over 5.48)  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4588G  | 48.70         | 54.00         | -5.30      | 9.68       | 3       | H         | 302        | 2.99      | -        |
| AV   | 5.5012G  | 108.56        | Inf           | -Inf       | 9.79       | 3       | H         | 302        | 2.99      | -        |
| PK   | 5.4464G  | 60.77         | 74.00         | -13.23     | 9.65       | 3       | H         | 302        | 2.99      | -        |
| PK   | 5.4692G  | 65.10         | 68.20         | -3.10      | 9.71       | 3       | H         | 302        | 2.99      | -        |
| PK   | 5.4992G  | 120.64        | Inf           | -Inf       | 9.79       | 3       | H         | 302        | 2.99      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX




20170713  
EUT X\_4TX  
Setting 29  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4568G  | 47.69         | 54.00         | -6.31      | 9.67       | 3       | V         | 307        | 1.44      | -        |
| AV   | 5.5776G  | 110.40        | Inf           | -Inf       | 9.86       | 3       | V         | 307        | 1.44      | -        |
| PK   | 5.4544G  | 59.98         | 74.00         | -14.02     | 9.67       | 3       | V         | 307        | 1.44      | -        |
| PK   | 5.4632G  | 59.48         | 68.20         | -8.72      | 9.69       | 3       | V         | 307        | 1.44      | -        |
| PK   | 5.5744G  | 120.13        | Inf           | -Inf       | 9.86       | 3       | V         | 307        | 1.44      | -        |
| PK   | 5.7512G  | 59.45         | 68.20         | -8.75      | 9.91       | 3       | V         | 307        | 1.44      | -        |



## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TX




20170713  
EUT X\_4TX  
Setting 29  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4592G  | 47.89         | 54.00         | -6.11      | 9.68       | 3       | H         | 276        | 1.03      | -        |
| AV   | 5.5872G  | 112.01        | Inf           | -Inf       | 9.87       | 3       | H         | 276        | 1.03      | -        |
| PK   | 5.4016G  | 59.92         | 74.00         | -14.08     | 9.52       | 3       | H         | 276        | 1.03      | -        |
| PK   | 5.4648G  | 59.88         | 68.20         | -8.32      | 9.69       | 3       | H         | 276        | 1.03      | -        |
| PK   | 5.5856G  | 122.30        | Inf           | -Inf       | 9.87       | 3       | H         | 276        | 1.03      | -        |
| PK   | 5.7624G  | 60.00         | 68.20         | -8.20      | 9.91       | 3       | H         | 276        | 1.03      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 26  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.7022G  | 108.25        | Inf           | -Inf       | 9.90       | 3       | V         | 275        | 1.48      | -        |
| PK   | 5.703G   | 119.57        | Inf           | -Inf       | 9.90       | 3       | V         | 275        | 1.48      | -        |
| PK   | 5.7262G  | 67.94         | 68.20         | -0.26      | 9.91       | 3       | V         | 275        | 1.48      | -        |

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TX




20170713  
EUT X\_4TX  
Setting 26  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.708G   | 106.18        | Inf           | -Inf       | 9.90       | 3       | H         | 292        | 2.04      | -        |
| PK   | 5.7016G  | 117.55        | Inf           | -Inf       | 9.90       | 3       | H         | 292        | 2.04      | -        |
| PK   | 5.7336G  | 67.06         | 68.20         | -1.14      | 9.91       | 3       | H         | 292        | 2.04      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4236G  | 47.34         | 54.00         | -6.66      | 9.58       | 3       | V         | 267        | 1.26      | -        |
| AV   | 5.714G   | 111.43        | Inf           | -Inf       | 9.90       | 3       | V         | 267        | 1.26      | -        |
| PK   | 5.4212G  | 59.25         | 74.00         | -14.75     | 9.58       | 3       | V         | 267        | 1.26      | -        |
| PK   | 5.4668G  | 57.96         | 68.20         | -10.24     | 9.70       | 3       | V         | 267        | 1.26      | -        |
| PK   | 5.7176G  | 122.25        | Inf           | -Inf       | 9.90       | 3       | V         | 267        | 1.26      | -        |
| PK   | 5.9732G  | 60.59         | 68.20         | -7.61      | 10.16      | 3       | V         | 267        | 1.26      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4344G  | 47.34         | 54.00         | -6.66      | 9.61       | 3       | H         | 290        | 2.05      | -        |
| AV   | 5.7224G  | 109.82        | Inf           | -Inf       | 9.90       | 3       | H         | 290        | 2.05      | -        |
| PK   | 5.444G   | 59.32         | 74.00         | -14.68     | 9.64       | 3       | H         | 290        | 2.05      | -        |
| PK   | 5.4656G  | 59.32         | 68.20         | -8.88      | 9.70       | 3       | H         | 290        | 2.05      | -        |
| PK   | 5.7212G  | 119.97        | Inf           | -Inf       | 9.90       | 3       | H         | 290        | 2.05      | -        |
| PK   | 5.9672G  | 60.10         | 68.20         | -8.10      | 10.15      | 3       | H         | 290        | 2.05      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.743G   | 108.96        | Inf           | -Inf       | 9.91       | 3       | V         | 298        | 1.41      | -        |
| PK   | 5.63G    | 59.66         | 68.20         | -8.54      | 9.89       | 3       | V         | 298        | 1.41      | -        |
| PK   | 5.752G   | 119.31        | Inf           | -Inf       | 9.91       | 3       | V         | 298        | 1.41      | -        |
| PK   | 5.926G   | 59.74         | 68.20         | -8.46      | 10.10      | 3       | V         | 298        | 1.41      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.747G   | 110.98        | Inf           | -Inf       | 9.91       | 3       | H         | 278        | 1.13      | -        |
| PK   | 5.594G   | 60.40         | 68.20         | -7.80      | 9.87       | 3       | H         | 278        | 1.13      | -        |
| PK   | 5.749G   | 121.43        | Inf           | -Inf       | 9.91       | 3       | H         | 278        | 1.13      | -        |
| PK   | 5.959G   | 60.37         | 68.20         | -7.83      | 10.14      | 3       | H         | 278        | 1.13      | -        |

# **802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX**

## **5785MHz\_TX**




20170713  
EUT\_X\_4TX  
Setting 29  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.783G   | 110.71        | Inf           | -Inf       | 9.92       | 3       | V         | 274        | 1.08      | -        |
| PK   | 5.617G   | 60.74         | 68.20         | -7.46      | 9.88       | 3       | V         | 274        | 1.08      | -        |
| PK   | 5.781G   | 122.23        | Inf           | -Inf       | 9.92       | 3       | V         | 274        | 1.08      | -        |
| PK   | 5.985G   | 62.23         | 68.20         | -5.97      | 10.18      | 3       | V         | 274        | 1.08      | -        |



# 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

## 5785MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.792G   | 109.05        | Inf           | -Inf       | 9.92       | 3       | H         | 300        | 2.30      | -        |
| PK   | 5.627G   | 60.65         | 68.20         | -7.55      | 9.89       | 3       | H         | 300        | 2.30      | -        |
| PK   | 5.788G   | 120.03        | Inf           | -Inf       | 9.92       | 3       | H         | 300        | 2.30      | -        |
| PK   | 5.961G   | 60.45         | 68.20         | -7.75      | 10.15      | 3       | H         | 300        | 2.30      | -        |

## 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.827G   | 109.16        | Inf           | -Inf       | 9.96       | 3       | V         | 257        | 1.48      | -        |
| PK   | 5.624G   | 59.97         | 68.20         | -8.23      | 9.88       | 3       | V         | 257        | 1.48      | -        |
| PK   | 5.828G   | 118.93        | Inf           | -Inf       | 9.96       | 3       | V         | 257        | 1.48      | -        |
| PK   | 5.935G   | 60.31         | 68.20         | -7.89      | 10.11      | 3       | V         | 257        | 1.48      | -        |

# 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

## 5825MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.833G   | 110.16        | Inf           | -Inf       | 9.97       | 3       | H         | 281        | 1.69      | -        |
| PK   | 5.597G   | 60.61         | 68.20         | -7.59      | 9.88       | 3       | H         | 281        | 1.69      | -        |
| PK   | 5.831G   | 120.37        | Inf           | -Inf       | 9.96       | 3       | H         | 281        | 1.69      | -        |
| PK   | 5.929G   | 60.87         | 68.20         | -7.33      | 10.10      | 3       | H         | 281        | 1.69      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5190MHz\_TX




20170713  
EUT X\_4TX  
Setting 25  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1496G  | 51.40         | 54.00         | -2.60      | 9.03       | 3       | V         | 267        | 1.07      | -        |
| AV   | 5.1868G  | 103.28        | Inf           | -Inf       | 9.13       | 3       | V         | 267        | 1.07      | -        |
| PK   | 5.1496G  | 72.89         | 74.00         | -1.11      | 9.03       | 3       | V         | 267        | 1.07      | -        |
| PK   | 5.2004G  | 113.86        | Inf           | -Inf       | 9.16       | 3       | V         | 267        | 1.07      | -        |

# 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

## 5190MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 25  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1488G  | 49.96         | 54.00         | -4.04      | 9.03       | 3       | H         | 257        | 1.87      | -        |
| AV   | 5.1936G  | 102.69        | Inf           | -Inf       | 9.14       | 3       | H         | 257        | 1.87      | -        |
| PK   | 5.1496G  | 70.58         | 74.00         | -3.42      | 9.03       | 3       | H         | 257        | 1.87      | -        |
| PK   | 5.1824G  | 112.89        | Inf           | -Inf       | 9.12       | 3       | H         | 257        | 1.87      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 28  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1492G   | 50.50         | 54.00         | -3.50      | 9.03       | 3       | V         | 283        | 1.80      | -        |
| AV   | 5.238G    | 106.29        | Inf           | -Inf       | 9.23       | 3       | V         | 283        | 1.80      | -        |
| PK   | 5.149995G | 71.50         | 74.00         | -2.50      | 9.03       | 3       | V         | 283        | 1.80      | -        |
| PK   | 5.2388G   | 118.03        | Inf           | -Inf       | 9.23       | 3       | V         | 283        | 1.80      | -        |

# 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

## 5230MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 28  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1472G   | 50.35         | 54.00         | -3.65      | 9.03       | 3       | H         | 295        | 1.37      | -        |
| AV   | 5.2216G   | 106.80        | Inf           | -Inf       | 9.20       | 3       | H         | 295        | 1.37      | -        |
| PK   | 5.149995G | 70.87         | 74.00         | -3.13      | 9.03       | 3       | H         | 295        | 1.37      | -        |
| PK   | 5.2212G   | 117.69        | Inf           | -Inf       | 9.20       | 3       | H         | 295        | 1.37      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TX




20170713  
EUT X\_4TX  
Setting 26  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.2736G  | 104.76        | Inf           | -Inf       | 9.30       | 3       | V         | 271        | 1.47      | -        |
| AV   | 5.3512G  | 50.96         | 54.00         | -3.04      | 9.44       | 3       | V         | 271        | 1.47      | -        |
| PK   | 5.2524G  | 118.32        | Inf           | -Inf       | 9.26       | 3       | V         | 271        | 1.47      | -        |
| PK   | 5.3544G  | 73.96         | 74.00         | -0.04      | 9.44       | 3       | V         | 271        | 1.47      | -        |



## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 26  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.2584G  | 103.37        | Inf           | -Inf       | 9.27       | 3       | H         | 271        | 1.43      | -        |
| AV   | 5.3564G  | 49.82         | 54.00         | -4.18      | 9.45       | 3       | H         | 271        | 1.43      | -        |
| PK   | 5.2644G  | 118.95        | Inf           | -Inf       | 9.28       | 3       | H         | 271        | 1.43      | -        |
| PK   | 5.3576G  | 73.94         | 74.00         | -0.06      | 9.45       | 3       | H         | 271        | 1.43      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TX




20170713  
EUT X\_4TX  
Setting 24  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.322G    | 103.16        | Inf           | -Inf       | 9.39       | 3       | V         | 280        | 1.02      | -        |
| AV   | 5.350005G | 52.65         | 54.00         | -1.35      | 9.44       | 3       | V         | 280        | 1.02      | -        |
| PK   | 5.3216G   | 114.40        | Inf           | -Inf       | 9.39       | 3       | V         | 280        | 1.02      | -        |
| PK   | 5.3564G   | 68.27         | 74.00         | -5.73      | 9.45       | 3       | V         | 280        | 1.02      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TX




20170713  
EUT X\_4TX  
Setting 24  
01-Z-1-10  
FSP  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.2992G   | 106.09        | Inf           | -Inf       | 9.35       | 3       | H         | 275        | 1.85      | -        |
| AV   | 5.350005G | 53.89         | 54.00         | -0.11      | 9.44       | 3       | H         | 275        | 1.85      | -        |
| PK   | 5.2984G   | 118.45        | Inf           | -Inf       | 9.35       | 3       | H         | 275        | 1.85      | -        |
| PK   | 5.3604G   | 67.40         | 74.00         | -6.60      | 9.45       | 3       | H         | 275        | 1.85      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX




20170713  
EUT X\_4TX  
Setting 25  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.459995G | 51.26         | 54.00         | -2.74      | 9.68       | 3       | V         | 296        | 2.00      | -        |
| AV   | 5.4698G   | 51.62         | 54.00         | -2.38      | 9.71       | 3       | V         | 296        | 2.00      | -        |
| AV   | 5.5046G   | 105.91        | Inf           | -Inf       | 9.79       | 3       | V         | 296        | 2.00      | -        |
| PK   | 5.459995G | 71.88         | 74.00         | -2.12      | 9.68       | 3       | V         | 296        | 2.00      | -        |
| PK   | 5.4614G   | 73.74         | 74.00         | -0.26      | 9.69       | 3       | V         | 296        | 2.00      | -        |
| PK   | 5.5022G   | 120.55        | Inf           | -Inf       | 9.79       | 3       | V         | 296        | 2.00      | -        |

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TX




20170713  
EUT X\_4TX  
Setting 25  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.459995G | 50.41         | 54.00         | -3.59      | 9.68       | 3       | H         | 280        | 2.74      | -        |
| AV   | 5.4692G   | 51.14         | 54.00         | -2.86      | 9.71       | 3       | H         | 280        | 2.74      | -        |
| AV   | 5.5178G   | 105.85        | Inf           | -Inf       | 9.81       | 3       | H         | 280        | 2.74      | -        |
| PK   | 5.459995G | 70.26         | 74.00         | -3.74      | 9.68       | 3       | H         | 280        | 2.74      | -        |
| PK   | 5.462G    | 73.98         | 74.00         | -0.02      | 9.69       | 3       | H         | 280        | 2.74      | -        |
| PK   | 5.5226G   | 118.07        | Inf           | -Inf       | 9.81       | 3       | H         | 280        | 2.74      | -        |

# 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

## 5550MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 26  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4534G  | 49.87         | 54.00         | -4.13      | 9.66       | 3       | V         | 276        | 1.50      | -        |
| AV   | 5.4666G  | 50.22         | 54.00         | -3.78      | 9.70       | 3       | V         | 276        | 1.50      | -        |
| AV   | 5.5536G  | 107.82        | Inf           | -Inf       | 9.84       | 3       | V         | 276        | 1.50      | -        |
| PK   | 5.4564G  | 72.82         | 74.00         | -1.18      | 9.67       | 3       | V         | 276        | 1.50      | -        |
| PK   | 5.4666G  | 71.01         | 74.00         | -2.99      | 9.70       | 3       | V         | 276        | 1.50      | -        |
| PK   | 5.5356G  | 120.05        | Inf           | -Inf       | 9.82       | 3       | V         | 276        | 1.50      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TX




20170713  
EUT X\_4TX  
Setting 26  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.457G   | 49.96         | 54.00         | -4.04      | 9.67       | 3       | H         | 265        | 1.47      | -        |
| AV   | 5.4636G  | 50.17         | 54.00         | -3.83      | 9.69       | 3       | H         | 265        | 1.47      | -        |
| AV   | 5.5464G  | 105.57        | Inf           | -Inf       | 9.83       | 3       | H         | 265        | 1.47      | -        |
| PK   | 5.4552G  | 71.44         | 74.00         | -2.56      | 9.67       | 3       | H         | 265        | 1.47      | -        |
| PK   | 5.4648G  | 73.87         | 74.00         | -0.13      | 9.69       | 3       | H         | 265        | 1.47      | -        |
| PK   | 5.5368G  | 117.73        | Inf           | -Inf       | 9.82       | 3       | H         | 265        | 1.47      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX




20170713  
EUT X\_4TX  
Setting 24  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6718G  | 103.20        | Inf           | -Inf       | 9.89       | 3       | V         | 276        | 1.25      | -        |
| AV   | 5.7252G  | 50.18         | 54.00         | -3.82      | 9.91       | 3       | V         | 276        | 1.25      | -        |
| PK   | 5.6634G  | 115.70        | Inf           | -Inf       | 9.89       | 3       | V         | 276        | 1.25      | -        |
| PK   | 5.7414G  | 68.94         | 74.00         | -5.06      | 9.91       | 3       | V         | 276        | 1.25      | -        |



## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TX




20170713  
EUT X\_4TX  
Setting 24  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6736G  | 105.67        | Inf           | -Inf       | 9.89       | 3       | H         | 293        | 2.31      | -        |
| AV   | 5.7768G  | 52.55         | 54.00         | -1.45      | 9.92       | 3       | H         | 293        | 2.31      | -        |
| PK   | 5.6796G  | 115.28        | Inf           | -Inf       | 9.90       | 3       | H         | 293        | 2.31      | -        |
| PK   | 5.7276G  | 73.63         | 74.00         | -0.37      | 9.91       | 3       | H         | 276        | 1.25      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.434G   | 47.81         | 54.00         | -6.19      | 9.61       | 3       | V         | 270        | 1.46      | -        |
| AV   | 5.4664G  | 47.53         | 54.00         | -6.47      | 9.70       | 3       | V         | 270        | 1.46      | -        |
| AV   | 5.7028G  | 108.97        | Inf           | -Inf       | 9.90       | 3       | V         | 270        | 1.46      | -        |
| PK   | 5.4592G  | 60.65         | 74.00         | -13.35     | 9.68       | 3       | V         | 270        | 1.46      | -        |
| PK   | 5.4688G  | 59.21         | 74.00         | -14.79     | 9.71       | 3       | V         | 270        | 1.46      | -        |
| PK   | 5.7028G  | 121.36        | Inf           | -Inf       | 9.90       | 3       | V         | 270        | 1.46      | -        |
| PK   | 5.962G   | 62.04         | 68.20         | -6.16      | 10.15      | 3       | V         | 270        | 1.46      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




20170713  
EUT X\_4TX  
Setting 29  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4532G  | 47.57         | 54.00         | -6.43      | 9.66       | 3       | H         | 289        | 1.76      | -        |
| AV   | 5.4688G  | 47.48         | 54.00         | -6.52      | 9.71       | 3       | H         | 289        | 1.76      | -        |
| AV   | 5.7184G  | 108.51        | Inf           | -Inf       | 9.90       | 3       | H         | 289        | 1.76      | -        |
| PK   | 5.4304G  | 60.58         | 74.00         | -13.42     | 9.60       | 3       | H         | 289        | 1.76      | -        |
| PK   | 5.4628G  | 59.40         | 74.00         | -14.60     | 9.69       | 3       | H         | 289        | 1.76      | -        |
| PK   | 5.7016G  | 118.68        | Inf           | -Inf       | 9.90       | 3       | H         | 289        | 1.76      | -        |
| PK   | 5.9368G  | 62.72         | 68.20         | -5.48      | 10.11      | 3       | H         | 289        | 1.76      | -        |

# 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

## 5755MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.749G   | 108.25        | Inf           | -Inf       | 9.91       | 3       | V         | 273        | 1.50      | -        |
| PK   | 5.65G    | 68.05         | 68.20         | -0.15      | 9.89       | 3       | V         | 273        | 1.50      | -        |
| PK   | 5.77G    | 119.05        | Inf           | -Inf       | 9.91       | 3       | V         | 273        | 1.50      | -        |
| PK   | 5.94G    | 60.47         | 68.20         | -7.73      | 10.12      | 3       | V         | 273        | 1.50      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.758G   | 109.27        | Inf           | -Inf       | 9.91       | 3       | H         | 289        | 1.93      | -        |
| PK   | 5.759G   | 120.23        | Inf           | -Inf       | 9.91       | 3       | H         | 289        | 1.93      | -        |
| PK   | 5.943G   | 60.58         | 68.20         | -7.62      | 10.12      | 3       | H         | 289        | 1.93      | -        |
| PK   | 5.641G   | 65.46         | 68.20         | -2.74      | 9.89       | 3       | H         | 289        | 1.93      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.8G     | 106.90        | Inf           | -Inf       | 9.92       | 3       | V         | 262        | 1.01      | -        |
| PK   | 5.649G   | 61.40         | 68.20         | -6.80      | 9.89       | 3       | V         | 262        | 1.01      | -        |
| PK   | 5.786G   | 117.96        | Inf           | -Inf       | 9.92       | 3       | V         | 262        | 1.01      | -        |
| PK   | 5.937G   | 62.25         | 68.20         | -5.95      | 10.11      | 3       | V         | 262        | 1.01      | -        |

## 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 29  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.79G    | 106.95        | Inf           | -Inf       | 9.92       | 3       | H         | 298        | 2.98      | -        |
| PK   | 5.646G   | 62.28         | 68.20         | -5.92      | 9.89       | 3       | H         | 298        | 2.98      | -        |
| PK   | 5.806G   | 119.08        | Inf           | -Inf       | 9.93       | 3       | H         | 298        | 2.98      | -        |
| PK   | 5.929G   | 63.67         | 68.20         | -4.53      | 10.10      | 3       | H         | 298        | 2.98      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TX




20170713  
EUT X\_4TX  
Setting 25  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.134G    | 53.10         | 54.00         | -0.90      | 9.00       | 3       | V         | 279        | 1.03      | -        |
| AV   | 5.1772G   | 101.29        | Inf           | -Inf       | 9.10       | 3       | V         | 279        | 1.03      | -        |
| AV   | 5.350005G | 49.54         | 54.00         | -4.46      | 9.44       | 3       | V         | 279        | 1.03      | -        |
| PK   | 5.1356G   | 73.69         | 74.00         | -0.31      | 9.00       | 3       | V         | 279        | 1.03      | -        |
| PK   | 5.1988G   | 112.33        | Inf           | -Inf       | 9.16       | 3       | V         | 279        | 1.03      | -        |
| PK   | 5.3604G   | 62.94         | 74.00         | -11.06     | 9.45       | 3       | V         | 279        | 1.03      | -        |



## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5210MHz\_TX




20170713  
EUT X\_4TX  
Setting 25  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.146G   | 53.59         | 54.00         | -0.41      | 9.02       | 3       | H         | 261        | 1.54      | -        |
| AV   | 5.1796G  | 100.26        | Inf           | -Inf       | 9.11       | 3       | H         | 261        | 1.54      | -        |
| AV   | 5.3556G  | 49.25         | 54.00         | -4.75      | 9.44       | 3       | H         | 261        | 1.54      | -        |
| PK   | 5.1444G  | 70.54         | 74.00         | -3.46      | 9.02       | 3       | H         | 261        | 1.54      | -        |
| PK   | 5.234G   | 110.44        | Inf           | -Inf       | 9.22       | 3       | H         | 261        | 1.54      | -        |
| PK   | 5.366G   | 62.01         | 74.00         | -11.99     | 9.46       | 3       | H         | 261        | 1.54      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5290MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 24  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1324G  | 48.00         | 54.00         | -6.00      | 8.99       | 3       | V         | 275        | 1.48      | -        |
| AV   | 5.2572G  | 100.89        | Inf           | -Inf       | 9.27       | 3       | V         | 275        | 1.48      | -        |
| AV   | 5.3652G  | 53.51         | 54.00         | -0.49      | 9.46       | 3       | V         | 275        | 1.48      | -        |
| PK   | 5.1356G  | 63.79         | 74.00         | -10.21     | 9.00       | 3       | V         | 275        | 1.48      | -        |
| PK   | 5.2748G  | 111.01        | Inf           | -Inf       | 9.30       | 3       | V         | 275        | 1.48      | -        |
| PK   | 5.3548G  | 68.76         | 74.00         | -5.24      | 9.44       | 3       | V         | 275        | 1.48      | -        |

# 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

## 5290MHz\_TX




20170713  
EUT X\_4TX  
Setting 24  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1332G  | 47.90         | 54.00         | -6.10      | 8.99       | 3       | H         | 270        | 1.02      | -        |
| AV   | 5.302G   | 101.44        | Inf           | -Inf       | 9.35       | 3       | H         | 270        | 1.02      | -        |
| AV   | 5.3516G  | 53.84         | 54.00         | -0.16      | 9.44       | 3       | H         | 270        | 1.02      | -        |
| PK   | 5.122G   | 59.87         | 74.00         | -14.13     | 8.96       | 3       | H         | 270        | 1.02      | -        |
| PK   | 5.3012G  | 110.76        | Inf           | -Inf       | 9.35       | 3       | H         | 270        | 1.02      | -        |
| PK   | 5.374G   | 73.14         | 74.00         | -0.86      | 9.48       | 3       | H         | 270        | 1.02      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 24  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.458G   | 52.14         | 54.00         | -1.86      | 9.68       | 3       | V         | 280        | 1.85      | -        |
| AV   | 5.468G   | 52.12         | 54.00         | -1.88      | 9.70       | 3       | V         | 280        | 1.85      | -        |
| AV   | 5.534G   | 101.47        | Inf           | -Inf       | 9.82       | 3       | V         | 280        | 1.85      | -        |
| AV   | 5.733G   | 48.61         | 54.00         | -5.39      | 9.91       | 3       | V         | 280        | 1.85      | -        |
| PK   | 5.437G   | 66.93         | 74.00         | -7.07      | 9.62       | 3       | V         | 280        | 1.85      | -        |
| PK   | 5.468G   | 66.91         | 74.00         | -7.09      | 9.70       | 3       | V         | 280        | 1.85      | -        |
| PK   | 5.547G   | 112.00        | Inf           | -Inf       | 9.83       | 3       | V         | 280        | 1.85      | -        |
| PK   | 5.748G   | 61.36         | 74.00         | -12.64     | 9.91       | 3       | V         | 280        | 1.85      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TX




20170713  
EUT X\_4TX  
Setting 24  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.456G   | 52.26         | 54.00         | -1.74      | 9.67       | 3       | H         | 265        | 1.21      | -        |
| AV   | 5.464G   | 53.74         | 54.00         | -0.26      | 9.69       | 3       | H         | 265        | 1.21      | -        |
| AV   | 5.502G   | 105.09        | Inf           | -Inf       | 9.79       | 3       | H         | 265        | 1.21      | -        |
| AV   | 5.729G   | 48.60         | 54.00         | -5.40      | 9.91       | 3       | H         | 265        | 1.21      | -        |
| PK   | 5.445G   | 66.89         | 74.00         | -7.11      | 9.64       | 3       | H         | 265        | 1.21      | -        |
| PK   | 5.462G   | 66.78         | 74.00         | -7.22      | 9.69       | 3       | H         | 265        | 1.21      | -        |
| PK   | 5.54G    | 112.55        | Inf           | -Inf       | 9.83       | 3       | H         | 265        | 1.21      | -        |
| PK   | 5.758G   | 60.37         | 74.00         | -13.63     | 9.91       | 3       | H         | 265        | 1.21      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 25  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.457G   | 50.99         | 54.00         | -3.01      | 9.67       | 3       | V         | 274        | 1.39      | -        |
| AV   | 5.466G   | 49.84         | 54.00         | -4.16      | 9.70       | 3       | V         | 274        | 1.39      | -        |
| AV   | 5.633G   | 103.57        | Inf           | -Inf       | 9.89       | 3       | V         | 274        | 1.39      | -        |
| AV   | 5.739G   | 53.98         | 54.00         | -0.02      | 9.91       | 3       | V         | 274        | 1.39      | -        |
| PK   | 5.454G   | 66.60         | 74.00         | -7.40      | 9.67       | 3       | V         | 274        | 1.39      | -        |
| PK   | 5.465G   | 63.85         | 74.00         | -10.15     | 9.70       | 3       | V         | 274        | 1.39      | -        |
| PK   | 5.629G   | 114.91        | Inf           | -Inf       | 9.89       | 3       | V         | 274        | 1.39      | -        |
| PK   | 5.74G    | 70.51         | 74.00         | -3.49      | 9.91       | 3       | V         | 274        | 1.39      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 25  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.453G    | 50.99         | 54.00         | -3.01      | 9.66       | 3       | H         | 288        | 1.92      | -        |
| AV   | 5.469G    | 53.14         | 54.00         | -0.86      | 9.71       | 3       | H         | 288        | 1.92      | -        |
| AV   | 5.613G    | 102.38        | Inf           | -Inf       | 9.88       | 3       | H         | 288        | 1.92      | -        |
| AV   | 5.735G    | 53.91         | 54.00         | -0.09      | 9.91       | 3       | H         | 288        | 1.92      | -        |
| PK   | 5.453G    | 67.83         | 74.00         | -6.17      | 9.66       | 3       | H         | 288        | 1.92      | -        |
| PK   | 5.460005G | 64.96         | 74.00         | -9.04      | 9.68       | 3       | H         | 288        | 1.92      | -        |
| PK   | 5.584G    | 113.72        | Inf           | -Inf       | 9.87       | 3       | H         | 288        | 1.92      | -        |
| PK   | 5.735G    | 73.35         | 74.00         | -0.65      | 9.91       | 3       | H         | 288        | 1.92      | -        |

# **802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX**

## **5690MHz Straddle 5.47-5.725GHz\_TX**




20170713  
EUT X\_4TX  
Setting 27  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4512G  | 51.84         | 54.00         | -2.16      | 9.66       | 3       | V         | 261        | 1.55      | -        |
| AV   | 5.4608G  | 50.44         | 54.00         | -3.56      | 9.68       | 3       | V         | 261        | 1.55      | -        |
| AV   | 5.714G   | 103.60        | Inf           | -Inf       | 9.90       | 3       | V         | 261        | 1.55      | -        |
| PK   | 5.4308G  | 69.49         | 74.00         | -4.51      | 9.60       | 3       | V         | 261        | 1.55      | -        |
| PK   | 5.4692G  | 65.82         | 74.00         | -8.18      | 9.71       | 3       | V         | 261        | 1.55      | -        |
| PK   | 5.6936G  | 114.42        | Inf           | -Inf       | 9.90       | 3       | V         | 261        | 1.55      | -        |
| PK   | 5.9576G  | 67.34         | 68.20         | -0.86      | 10.14      | 3       | V         | 261        | 1.55      | -        |



### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz Straddle 5.47-5.725GHz\_TX




20170713  
EUT X\_4TX  
Setting 27  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4452G  | 52.35         | 54.00         | -1.65      | 9.64       | 3       | H         | 279        | 1.53      | -        |
| AV   | 5.4632G  | 53.14         | 54.00         | -0.86      | 9.69       | 3       | H         | 279        | 1.53      | -        |
| AV   | 5.7176G  | 107.01        | Inf           | -Inf       | 9.90       | 3       | H         | 279        | 1.53      | -        |
| PK   | 5.4416G  | 68.79         | 74.00         | -5.21      | 9.63       | 3       | H         | 279        | 1.53      | -        |
| PK   | 5.4644G  | 68.25         | 74.00         | -5.75      | 9.69       | 3       | H         | 279        | 1.53      | -        |
| PK   | 5.6816G  | 113.29        | Inf           | -Inf       | 9.90       | 3       | H         | 279        | 1.53      | -        |
| PK   | 5.9504G  | 67.96         | 68.20         | -0.24      | 10.13      | 3       | H         | 279        | 1.53      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX




20170713  
EUT\_X\_4TX  
Setting 26  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.747G   | 106.11        | Inf           | -Inf       | 9.91       | 3       | V         | 270        | 1.43      | -        |
| PK   | 5.648G   | 66.95         | 68.20         | -1.25      | 9.89       | 3       | V         | 270        | 1.43      | -        |
| PK   | 5.747G   | 116.18        | Inf           | -Inf       | 9.91       | 3       | V         | 270        | 1.43      | -        |
| PK   | 5.93G    | 64.66         | 68.20         | -3.54      | 10.10      | 3       | V         | 270        | 1.43      | -        |

## 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TX



20170713  
EUT\_X\_4TX  
Setting 26  
01-J-6-10  
FSU  
ANT Skynet-WP(Patch/小方)


| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.772G   | 102.40        | Inf           | -Inf       | 9.91       | 3       | H         | 284        | 2.56      | -        |
| PK   | 5.648G   | 68.13         | 68.20         | -0.07      | 9.89       | 3       | H         | 284        | 2.56      | -        |
| PK   | 5.751G   | 116.52        | Inf           | -Inf       | 9.91       | 3       | H         | 284        | 2.56      | -        |
| PK   | 5.931G   | 64.38         | 68.20         | -3.82      | 10.10      | 3       | H         | 284        | 2.56      | -        |

**For set 5 antenna****Summary**

| Mode                              | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Pol.<br>(H/V) | Azimuth<br>(°) | Height<br>(m) | Comments |
|-----------------------------------|--------|------|--------------|-------------------|-------------------|----------------|----------------|-------------|---------------|----------------|---------------|----------|
| 802.11ac VHT80-BF_Nss1,(MCS0)_4TX | -      | -    | -            | -                 | -                 | -              | -              | -           | -             | -              | -             | -        |
| 5.25-5.35GHz                      | Pass   | AV   | 5.36G        | 53.98             | 54.00             | -0.02          | 9.45           | 3           | V             | 93             | 2.32          | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170721  
EUT X 4TX  
Setting 20.5 (升0.5 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-OC

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 52.90         | 54.00         | -1.10      | 9.03       | 3       | V         | 296        | 2.05      | -        |
| AV   | 5.1746G   | 109.30        | Inf           | -Inf       | 9.10       | 3       | V         | 296        | 2.05      | -        |
| PK   | 5.142G    | 66.19         | 74.00         | -7.81      | 9.02       | 3       | V         | 296        | 2.05      | -        |
| PK   | 5.174G    | 119.92        | Inf           | -Inf       | 9.09       | 3       | V         | 296        | 2.05      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5180MHz\_TX




20170721  
EUT X 4TX  
Setting 20.5 (升0.5 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-OC

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1486G  | 50.08         | 54.00         | -3.92      | 9.03       | 3       | H         | 360        | 1.19      | -        |
| AV   | 5.1796G  | 101.03        | Inf           | -Inf       | 9.11       | 3       | H         | 360        | 1.19      | -        |
| PK   | 5.1484G  | 63.22         | 74.00         | -10.78     | 9.03       | 3       | H         | 360        | 1.19      | -        |
| PK   | 5.1816G  | 111.33        | Inf           | -Inf       | 9.11       | 3       | H         | 360        | 1.19      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170721  
EUT X 4TX  
Setting 21.5  
02-Z-1-10  
FSU  
ANT omni Skynet-OC

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149995G | 53.89         | 54.00         | -0.11      | 9.03       | 3       | V         | 354        | 2.34      | -        |
| AV   | 5.1928G   | 111.58        | Inf           | -Inf       | 9.14       | 3       | V         | 354        | 2.34      | -        |
| PK   | 5.14G     | 68.93         | 74.00         | -5.07      | 9.01       | 3       | V         | 354        | 2.34      | -        |
| PK   | 5.1932G   | 122.40        | Inf           | -Inf       | 9.14       | 3       | V         | 354        | 2.34      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5200MHz\_TX




20170721  
EUT X 4TX  
Setting 21.5  
02-Z-1-10  
FSU  
ANT omni Skynet-OC

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1468G  | 47.95         | 54.00         | -6.05      | 9.03       | 3       | H         | 359        | 1.69      | -        |
| AV   | 5.2004G  | 99.49         | Inf           | -Inf       | 9.16       | 3       | H         | 359        | 1.69      | -        |
| PK   | 5.1408G  | 61.69         | 74.00         | -12.31     | 9.01       | 3       | H         | 359        | 1.69      | -        |
| PK   | 5.2012G  | 109.87        | Inf           | -Inf       | 9.16       | 3       | H         | 359        | 1.69      | -        |



## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170721  
EUT X 4TX  
Setting 22.5 (升0.5 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1476G   | 50.98         | 54.00         | -3.02      | 9.03       | 3       | V         | 1          | 2.04      | -        |
| AV   | 5.2382G   | 112.92        | Inf           | -Inf       | 9.23       | 3       | V         | 1          | 2.04      | -        |
| AV   | 5.350005G | 48.53         | 54.00         | -5.47      | 9.44       | 3       | V         | 1          | 2.04      | -        |
| PK   | 5.147G    | 63.33         | 74.00         | -10.67     | 9.03       | 3       | V         | 1          | 2.04      | -        |
| PK   | 5.2382G   | 123.64        | Inf           | -Inf       | 9.23       | 3       | V         | 1          | 2.04      | -        |
| PK   | 5.3558G   | 61.16         | 74.00         | -12.84     | 9.44       | 3       | V         | 1          | 2.04      | -        |

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5240MHz\_TX




20170721  
EUT X 4TX  
Setting 22.5 (↑0.5 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1494G   | 47.31         | 54.00         | -6.69      | 9.03       | 3       | H         | 360        | 1.92      | -        |
| AV   | 5.2382G   | 103.48        | Inf           | -Inf       | 9.23       | 3       | H         | 360        | 1.92      | -        |
| AV   | 5.350005G | 47.20         | 54.00         | -6.80      | 9.44       | 3       | H         | 360        | 1.92      | -        |
| PK   | 5.1368G   | 69.86         | 74.00         | -4.14      | 9.00       | 3       | H         | 360        | 1.92      | -        |
| PK   | 5.2382G   | 113.64        | Inf           | -Inf       | 9.23       | 3       | H         | 360        | 1.92      | -        |
| PK   | 5.351G    | 68.32         | 74.00         | -5.68      | 9.44       | 3       | H         | 360        | 1.92      | -        |

# 802.11ac VHT20\_Nss1,(MCS0)\_4TX

## 5260MHz\_TX




20170721  
EUT X 4TX  
Setting 23 (升0.5 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.149G   | 49.35         | 54.00         | -4.65      | 9.03       | 3       | V         | 1          | 2.19      | -        |
| AV   | 5.2588G  | 112.88        | Inf           | -Inf       | 9.27       | 3       | V         | 1          | 2.19      | -        |
| AV   | 5.3542G  | 52.75         | 54.00         | -1.25      | 9.44       | 3       | V         | 1          | 2.19      | -        |
| PK   | 5.149G   | 62.15         | 74.00         | -11.85     | 9.03       | 3       | V         | 1          | 2.19      | -        |
| PK   | 5.2582G  | 123.18        | Inf           | -Inf       | 9.27       | 3       | V         | 1          | 2.19      | -        |
| PK   | 5.3554G  | 67.43         | 74.00         | -6.57      | 9.44       | 3       | V         | 1          | 2.19      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




20170721  
EUT X 4TX  
Setting 23 (升0.5 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1448G  | 46.37         | 54.00         | -7.63      | 9.02       | 3       | H         | 352        | 2.95      | -        |
| AV   | 5.2546G  | 104.75        | Inf           | -Inf       | 9.26       | 3       | H         | 352        | 2.95      | -        |
| AV   | 5.3506G  | 48.68         | 54.00         | -5.32      | 9.44       | 3       | H         | 352        | 2.95      | -        |
| PK   | 5.1154G  | 58.60         | 74.00         | -15.40     | 8.95       | 3       | H         | 352        | 2.95      | -        |
| PK   | 5.254G   | 115.93        | Inf           | -Inf       | 9.26       | 3       | H         | 352        | 2.95      | -        |
| PK   | 5.353G   | 62.06         | 74.00         | -11.94     | 9.44       | 3       | H         | 352        | 2.95      | -        |

# **802.11ac VHT20\_Nss1,(MCS0)\_4TX**

## **5300MHz\_TX**




20170721  
EUT X 4TX  
Setting 22  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.2984G  | 112.06        | Inf           | -Inf       | 9.35       | 3       | V         | 1          | 2.10      | -        |
| AV   | 5.358G   | 53.84         | 54.00         | -0.16      | 9.45       | 3       | V         | 1          | 2.10      | -        |
| PK   | 5.2984G  | 122.34        | Inf           | -Inf       | 9.35       | 3       | V         | 1          | 2.10      | -        |
| PK   | 5.3592G  | 69.04         | 74.00         | -4.96      | 9.45       | 3       | V         | 1          | 2.10      | -        |

### 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TX




20170721  
EUT X 4TX  
Setting 22  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3032G  | 102.17        | Inf           | -Inf       | 9.36       | 3       | H         | 273        | 2.90      | -        |
| AV   | 5.3516G  | 50.43         | 54.00         | -3.57      | 9.44       | 3       | H         | 273        | 2.90      | -        |
| PK   | 5.3028G  | 113.17        | Inf           | -Inf       | 9.35       | 3       | H         | 273        | 2.90      | -        |
| PK   | 5.352G   | 64.94         | 74.00         | -9.06      | 9.44       | 3       | H         | 273        | 2.90      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170721  
EUT X 4TX  
Setting 20  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.314G   | 109.01        | Inf           | -Inf       | 9.37       | 3       | V         | 265        | 1.83      | -        |
| AV   | 5.353G   | 53.78         | 54.00         | -0.22      | 9.44       | 3       | V         | 265        | 1.83      | -        |
| PK   | 5.3136G  | 120.32        | Inf           | -Inf       | 9.37       | 3       | V         | 265        | 1.83      | -        |
| PK   | 5.3522G  | 69.36         | 74.00         | -4.64      | 9.44       | 3       | V         | 265        | 1.83      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TX




20170721  
EUT X 4TX  
Setting 20  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3232G  | 100.54        | Inf           | -Inf       | 9.39       | 3       | H         | 272        | 2.92      | -        |
| AV   | 5.3522G  | 48.13         | 54.00         | -5.87      | 9.44       | 3       | H         | 272        | 2.92      | -        |
| PK   | 5.324G   | 110.84        | Inf           | -Inf       | 9.39       | 3       | H         | 272        | 2.92      | -        |
| PK   | 5.3538G  | 61.38         | 74.00         | -12.62     | 9.44       | 3       | H         | 272        | 2.92      | -        |



## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170721  
EUT X 4TX  
Setting 20  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.45998G | 49.98         | 54.00         | -4.02      | 9.68       | 3       | V         | 293        | 2.12      | -        |
| AV   | 5.506G   | 109.87        | Inf           | -Inf       | 9.80       | 3       | V         | 293        | 2.12      | -        |
| PK   | 5.4592G  | 62.42         | 74.00         | -11.58     | 9.68       | 3       | V         | 293        | 2.12      | -        |
| PK   | 5.468G   | 68.18         | 68.20         | -0.02      | 9.70       | 3       | V         | 293        | 2.12      | -        |
| PK   | 5.506G   | 120.58        | Inf           | -Inf       | 9.80       | 3       | V         | 293        | 2.12      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TX




20170721  
EUT X 4TX  
Setting 20  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4588G  | 46.91         | 54.00         | -7.09      | 9.68       | 3       | H         | 356        | 2.22      | -        |
| AV   | 5.5052G  | 100.75        | Inf           | -Inf       | 9.79       | 3       | H         | 356        | 2.22      | -        |
| PK   | 5.4592G  | 59.31         | 74.00         | -14.69     | 9.68       | 3       | H         | 356        | 2.22      | -        |
| PK   | 5.466G   | 62.21         | 68.20         | -5.99      | 9.70       | 3       | H         | 356        | 2.22      | -        |
| PK   | 5.5056G  | 111.53        | Inf           | -Inf       | 9.80       | 3       | H         | 356        | 2.22      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170721  
EUT X 4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4576G  | 53.74         | 54.00         | -0.26      | 9.68       | 3       | V         | 0          | 2.14      | -        |
| AV   | 5.5784G  | 114.02        | Inf           | -Inf       | 9.86       | 3       | V         | 0          | 2.14      | -        |
| PK   | 5.4568G  | 68.39         | 74.00         | -5.61      | 9.67       | 3       | V         | 0          | 2.14      | -        |
| PK   | 5.4688G  | 67.78         | 68.20         | -0.42      | 9.71       | 3       | V         | 0          | 2.14      | -        |
| PK   | 5.5792G  | 124.67        | Inf           | -Inf       | 9.86       | 3       | V         | 0          | 2.14      | -        |
| PK   | 5.728G   | 64.45         | 68.20         | -3.75      | 9.91       | 3       | V         | 0          | 2.14      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TX




20170721  
EUT X 4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4552G  | 50.09         | 54.00         | -3.91      | 9.67       | 3       | H         | 356        | 2.25      | -        |
| AV   | 5.588G   | 104.97        | Inf           | -Inf       | 9.87       | 3       | H         | 356        | 2.25      | -        |
| PK   | 5.4568G  | 63.86         | 74.00         | -10.14     | 9.67       | 3       | H         | 356        | 2.25      | -        |
| PK   | 5.4648G  | 62.79         | 68.20         | -5.41      | 9.69       | 3       | H         | 356        | 2.25      | -        |
| PK   | 5.588G   | 117.15        | Inf           | -Inf       | 9.87       | 3       | H         | 356        | 2.25      | -        |
| PK   | 5.7272G  | 60.26         | 68.20         | -7.94      | 9.91       | 3       | H         | 356        | 2.25      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170721  
EUT X 4TX  
Setting 20 (升0.5 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6974G  | 109.00        | Inf           | -Inf       | 9.90       | 3       | V         | 332        | 1.50      | -        |
| PK   | 5.6982G  | 119.25        | Inf           | -Inf       | 9.90       | 3       | V         | 332        | 1.50      | -        |
| PK   | 5.7254G  | 66.60         | 68.20         | -1.60      | 9.91       | 3       | V         | 332        | 1.50      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TX




20170721  
EUT X 4TX  
Setting 20 (↑0.5 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.7014G  | 99.72         | Inf           | -Inf       | 9.90       | 3       | H         | 125        | 1.98      | -        |
| PK   | 5.7014G  | 111.19        | Inf           | -Inf       | 9.90       | 3       | H         | 125        | 1.98      | -        |
| PK   | 5.7252G  | 62.25         | 68.20         | -5.95      | 9.91       | 3       | H         | 125        | 1.98      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

## 5720MHz Straddle 5.47-5.725GHz\_TX




20170721  
EUT X 4TX  
Setting 25  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.426G   | 47.02         | 54.00         | -6.98      | 9.59       | 3       | V         | 45         | 2.06      | -        |
| AV   | 5.7176G  | 115.62        | Inf           | -Inf       | 9.90       | 3       | V         | 45         | 2.06      | -        |
| PK   | 5.4536G  | 59.22         | 74.00         | -14.78     | 9.66       | 3       | V         | 45         | 2.06      | -        |
| PK   | 5.4632G  | 58.79         | 68.20         | -9.41      | 9.69       | 3       | V         | 45         | 2.06      | -        |
| PK   | 5.7176G  | 126.73        | Inf           | -Inf       | 9.90       | 3       | V         | 45         | 2.06      | -        |
| PK   | 5.9408G  | 61.33         | 68.20         | -6.87      | 10.12      | 3       | V         | 45         | 2.06      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TX




20170721  
EUT X 4TX  
Setting 25  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4296G  | 46.69         | 54.00         | -7.31      | 9.60       | 3       | H         | 128        | 1.01      | -        |
| AV   | 5.7236G  | 105.21        | Inf           | -Inf       | 9.90       | 3       | H         | 128        | 1.01      | -        |
| PK   | 5.4404G  | 59.00         | 74.00         | -15.00     | 9.63       | 3       | H         | 128        | 1.01      | -        |
| PK   | 5.462G   | 58.57         | 68.20         | -9.63      | 9.69       | 3       | H         | 128        | 1.01      | -        |
| PK   | 5.7236G  | 115.62        | Inf           | -Inf       | 9.90       | 3       | H         | 128        | 1.01      | -        |
| PK   | 5.9264G  | 59.98         | 68.20         | -8.22      | 10.10      | 3       | H         | 128        | 1.01      | -        |



## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

## 5745MHz\_TX




20170721  
EUT X 4TX  
Setting 23 (升0.5 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.742G   | 112.96        | Inf           | -Inf       | 9.91       | 3       | V         | 45         | 2.02      | -        |
| PK   | 5.647G   | 65.32         | 68.20         | -2.88      | 9.89       | 3       | V         | 45         | 2.02      | -        |
| PK   | 5.741G   | 123.47        | Inf           | -Inf       | 9.91       | 3       | V         | 45         | 2.02      | -        |
| PK   | 5.93G    | 60.97         | 68.20         | -7.23      | 10.10      | 3       | V         | 45         | 2.02      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TX




20170721  
EUT X 4TX  
Setting 23 (升0.5 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.742G   | 98.20         | Inf           | -Inf       | 9.91       | 3       | H         | 336        | 1.49      | -        |
| PK   | 5.64G    | 60.25         | 68.20         | -7.95      | 9.89       | 3       | H         | 336        | 1.49      | -        |
| PK   | 5.741G   | 108.63        | Inf           | -Inf       | 9.91       | 3       | H         | 336        | 1.49      | -        |
| PK   | 5.973G   | 59.40         | 68.20         | -8.80      | 10.16      | 3       | H         | 336        | 1.49      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170721  
EUT X 4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.782G   | 113.80        | Inf           | -Inf       | 9.92       | 3       | V         | 42         | 1.92      | -        |
| PK   | 5.646G   | 68.18         | 68.20         | -0.02      | 9.89       | 3       | V         | 42         | 1.92      | -        |
| PK   | 5.782G   | 124.40        | Inf           | -Inf       | 9.92       | 3       | V         | 42         | 1.92      | -        |
| PK   | 5.928G   | 65.14         | 68.20         | -3.06      | 10.10      | 3       | V         | 42         | 1.92      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TX




20170721  
EUT X 4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.783G   | 97.76         | Inf           | -Inf       | 9.92       | 3       | H         | 203        | 1.08      | -        |
| PK   | 5.578G   | 60.32         | 68.20         | -7.88      | 9.86       | 3       | H         | 203        | 1.08      | -        |
| PK   | 5.784G   | 108.16        | Inf           | -Inf       | 9.92       | 3       | H         | 203        | 1.08      | -        |
| PK   | 5.955G   | 60.22         | 68.20         | -7.98      | 10.14      | 3       | H         | 203        | 1.08      | -        |

## 802.11ac VHT20\_Nss1,(MCS0)\_4TX

## 5825MHz\_TX




20170721  
EUT X 4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.833G   | 112.77        | Inf           | -Inf       | 9.97       | 3       | V         | 296        | 1.00      | -        |
| PK   | 5.647G   | 61.67         | 68.20         | -6.53      | 9.89       | 3       | V         | 296        | 1.00      | -        |
| PK   | 5.832G   | 123.13        | Inf           | -Inf       | 9.96       | 3       | V         | 296        | 1.00      | -        |
| PK   | 5.925G   | 67.96         | 68.20         | -0.24      | 10.09      | 3       | V         | 296        | 1.00      | -        |

# **802.11ac VHT20\_Nss1,(MCS0)\_4TX**

## **5825MHz\_TX**




20170721  
EUT X 4TX  
Setting 24  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.817G   | 95.07         | Inf           | -Inf       | 9.94       | 3       | H         | 31         | 1.50      | -        |
| PK   | 5.578G   | 59.40         | 68.20         | -8.80      | 9.86       | 3       | H         | 31         | 1.50      | -        |
| PK   | 5.819G   | 105.43        | Inf           | -Inf       | 9.95       | 3       | H         | 31         | 1.50      | -        |
| PK   | 5.99G    | 59.94         | 68.20         | -8.26      | 10.19      | 3       | H         | 31         | 1.50      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TX




20170721  
EUT X 4TX  
Setting 19  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1424G  | 53.77         | 54.00         | -0.23      | 9.02       | 3       | V         | 352        | 2.18      | -        |
| AV   | 5.182G   | 106.61        | Inf           | -Inf       | 9.11       | 3       | V         | 352        | 2.18      | -        |
| PK   | 5.1428G  | 69.07         | 74.00         | -4.93      | 9.02       | 3       | V         | 352        | 2.18      | -        |
| PK   | 5.1824G  | 116.70        | Inf           | -Inf       | 9.12       | 3       | V         | 352        | 2.18      | -        |

# 802.11ac VHT40\_Nss1,(MCS0)\_4TX

## 5190MHz\_TX




20170721  
EUT X 4TX  
Setting 19  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1452G  | 47.93         | 54.00         | -6.07      | 9.02       | 3       | H         | 257        | 1.71      | -        |
| AV   | 5.1844G  | 95.16         | Inf           | -Inf       | 9.12       | 3       | H         | 257        | 1.71      | -        |
| PK   | 5.1452G  | 61.38         | 74.00         | -12.62     | 9.02       | 3       | H         | 257        | 1.71      | -        |
| PK   | 5.1848G  | 105.65        | Inf           | -Inf       | 9.12       | 3       | H         | 257        | 1.71      | -        |



## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170721  
EUT X 4TX  
Setting 20.5 (升0.5 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1392G  | 52.48         | 54.00         | -1.52      | 9.01       | 3       | V         | 353        | 2.08      | -        |
| AV   | 5.2408G  | 107.84        | Inf           | -Inf       | 9.24       | 3       | V         | 353        | 2.08      | -        |
| PK   | 5.1396G  | 66.87         | 74.00         | -7.13      | 9.01       | 3       | V         | 353        | 2.08      | -        |
| PK   | 5.2212G  | 117.95        | Inf           | -Inf       | 9.20       | 3       | V         | 353        | 2.08      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TX




20170721  
EUT X 4TX  
Setting 20.5 (升0.5 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.1472G  | 48.69         | 54.00         | -5.31      | 9.03       | 3       | H         | 359        | 1.88      | -        |
| AV   | 5.2288G  | 98.96         | Inf           | -Inf       | 9.21       | 3       | H         | 359        | 1.88      | -        |
| PK   | 5.1476G  | 62.33         | 74.00         | -11.67     | 9.03       | 3       | H         | 359        | 1.88      | -        |
| PK   | 5.2288G  | 108.54        | Inf           | -Inf       | 9.21       | 3       | H         | 359        | 1.88      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170721  
EUT X 4TX  
Setting 20  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz)  | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|-----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.2688G   | 107.27        | Inf           | -Inf       | 9.29       | 3       | V         | 1          | 2.09      | -        |
| AV   | 5.350005G | 53.78         | 54.00         | -0.22      | 9.44       | 3       | V         | 1          | 2.09      | -        |
| PK   | 5.2688G   | 116.94        | Inf           | -Inf       | 9.29       | 3       | V         | 1          | 2.09      | -        |
| PK   | 5.3512G   | 65.32         | 74.00         | -8.68      | 9.44       | 3       | V         | 1          | 2.09      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TX




20170721  
EUT X 4TX  
Setting 20  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.2724G  | 98.28         | Inf           | -Inf       | 9.30       | 3       | H         | 273        | 2.59      | -        |
| AV   | 5.3528G  | 48.33         | 54.00         | -5.67      | 9.44       | 3       | H         | 273        | 2.59      | -        |
| PK   | 5.272G   | 107.94        | Inf           | -Inf       | 9.30       | 3       | H         | 273        | 2.59      | -        |
| PK   | 5.3528G  | 61.05         | 74.00         | -12.95     | 9.44       | 3       | H         | 273        | 2.59      | -        |

# **802.11ac VHT40\_Nss1,(MCS0)\_4TX**

## **5310MHz\_TX**




20170721  
 EUT X 4TX  
 Setting 19  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3028G  | 106.76        | Inf           | -Inf       | 9.35       | 3       | V         | 265        | 1.53      | -        |
| AV   | 5.364G   | 53.88         | 54.00         | -0.12      | 9.46       | 3       | V         | 265        | 1.53      | -        |
| PK   | 5.3024G  | 116.46        | Inf           | -Inf       | 9.35       | 3       | V         | 265        | 1.53      | -        |
| PK   | 5.3628G  | 68.87         | 74.00         | -5.13      | 9.46       | 3       | V         | 265        | 1.53      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TX




20170721  
EUT X 4TX  
Setting 19  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.3144G  | 97.13         | Inf           | -Inf       | 9.37       | 3       | H         | 271        | 2.78      | -        |
| AV   | 5.3536G  | 49.04         | 54.00         | -4.96      | 9.44       | 3       | H         | 271        | 2.78      | -        |
| PK   | 5.3136G  | 107.23        | Inf           | -Inf       | 9.37       | 3       | H         | 271        | 2.78      | -        |
| PK   | 5.3516G  | 62.08         | 74.00         | -11.92     | 9.44       | 3       | H         | 271        | 2.78      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170721  
EUT X 4TX  
Setting 18.5( 升0.5 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4444G  | 49.49         | 54.00         | -4.51      | 9.64       | 3       | V         | 48         | 1.93      | -        |
| AV   | 5.5056G  | 105.39        | Inf           | -Inf       | 9.80       | 3       | V         | 48         | 1.93      | -        |
| PK   | 5.4516G  | 63.29         | 74.00         | -10.71     | 9.66       | 3       | V         | 48         | 1.93      | -        |
| PK   | 5.466G   | 66.39         | 68.20         | -1.81      | 9.70       | 3       | V         | 48         | 1.93      | -        |
| PK   | 5.5048G  | 115.57        | Inf           | -Inf       | 9.79       | 3       | V         | 48         | 1.93      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TX




20170721  
EUT X 4TX  
Setting 18.5( 升0.5 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4556G  | 47.76         | 54.00         | -6.24      | 9.67       | 3       | H         | 355        | 2.04      | -        |
| AV   | 5.5156G  | 97.02         | Inf           | -Inf       | 9.80       | 3       | H         | 355        | 2.04      | -        |
| PK   | 5.454G   | 60.91         | 74.00         | -13.09     | 9.67       | 3       | H         | 355        | 2.04      | -        |
| PK   | 5.4636G  | 60.09         | 68.20         | -8.11      | 9.69       | 3       | H         | 355        | 2.04      | -        |
| PK   | 5.5152G  | 107.34        | Inf           | -Inf       | 9.80       | 3       | H         | 355        | 2.04      | -        |



## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170721  
EUT X 4TX  
Setting 20.5  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4564G  | 53.95         | 54.00         | -0.05      | 9.67       | 3       | V         | 290        | 2.06      | -        |
| AV   | 5.5578G  | 107.98        | Inf           | -Inf       | 9.84       | 3       | V         | 290        | 2.06      | -        |
| PK   | 5.4564G  | 68.04         | 74.00         | -5.96      | 9.67       | 3       | V         | 290        | 2.06      | -        |
| PK   | 5.4696G  | 66.64         | 68.20         | -1.56      | 9.71       | 3       | V         | 290        | 2.06      | -        |
| PK   | 5.5572G  | 118.07        | Inf           | -Inf       | 9.84       | 3       | V         | 290        | 2.06      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TX




20170721  
EUT X 4TX  
Setting 20.5  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4546G  | 49.08         | 54.00         | -4.92      | 9.67       | 3       | H         | 354        | 1.93      | -        |
| AV   | 5.556G   | 99.31         | Inf           | -Inf       | 9.84       | 3       | H         | 354        | 1.93      | -        |
| PK   | 5.4558G  | 61.39         | 74.00         | -12.61     | 9.67       | 3       | H         | 354        | 1.93      | -        |
| PK   | 5.469G   | 62.17         | 68.20         | -6.03      | 9.71       | 3       | H         | 354        | 1.93      | -        |
| PK   | 5.554G   | 108.69        | Inf           | -Inf       | 9.84       | 3       | H         | 354        | 1.93      | -        |

# 802.11ac VHT40\_Nss1,(MCS0)\_4TX

## 5670MHz\_TX




20170721  
EUT X 4TX  
Setting 19  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6684G  | 106.64        | Inf           | -Inf       | 9.89       | 3       | V         | 225        | 1.96      | -        |
| PK   | 5.6688G  | 116.21        | Inf           | -Inf       | 9.89       | 3       | V         | 225        | 1.96      | -        |
| PK   | 5.7288G  | 67.89         | 68.20         | -0.31      | 9.91       | 3       | V         | 225        | 1.96      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TX




20170721  
EUT X 4TX  
Setting 19  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.6776G  | 97.67         | Inf           | -Inf       | 9.90       | 3       | H         | 269        | 2.88      | -        |
| PK   | 5.6776G  | 107.95        | Inf           | -Inf       | 9.90       | 3       | H         | 269        | 2.88      | -        |
| PK   | 5.7372G  | 59.79         | 68.20         | -8.41      | 9.91       | 3       | H         | 269        | 2.88      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




20170721  
EUT X 4TX  
Setting 24.5  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4352G  | 49.81         | 54.00         | -4.19      | 9.62       | 3       | V         | 224        | 1.92      | -        |
| AV   | 5.7088G  | 111.31        | Inf           | -Inf       | 9.90       | 3       | V         | 224        | 1.92      | -        |
| PK   | 5.4508G  | 63.09         | 74.00         | -10.91     | 9.66       | 3       | V         | 224        | 1.92      | -        |
| PK   | 5.464G   | 63.05         | 68.20         | -5.15      | 9.69       | 3       | V         | 224        | 1.92      | -        |
| PK   | 5.7088G  | 121.62        | Inf           | -Inf       | 9.90       | 3       | V         | 224        | 1.92      | -        |
| PK   | 5.9836G  | 68.17         | 68.20         | -0.03      | 10.18      | 3       | V         | 224        | 1.92      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TX




20170721  
EUT X 4TX  
Setting 24.5  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.4496G  | 48.18         | 54.00         | -5.82      | 9.65       | 3       | H         | 128        | 1.93      | -        |
| AV   | 5.7136G  | 102.46        | Inf           | -Inf       | 9.90       | 3       | H         | 128        | 1.93      | -        |
| PK   | 5.4484G  | 60.36         | 74.00         | -13.64     | 9.65       | 3       | H         | 128        | 1.93      | -        |
| PK   | 5.4664G  | 60.07         | 68.20         | -8.13      | 9.70       | 3       | H         | 128        | 1.93      | -        |
| PK   | 5.7136G  | 112.56        | Inf           | -Inf       | 9.90       | 3       | H         | 128        | 1.93      | -        |
| PK   | 5.944G   | 62.09         | 68.20         | -6.11      | 10.12      | 3       | H         | 128        | 1.93      | -        |

# **802.11ac VHT40\_Nss1,(MCS0)\_4TX**

## **5755MHz\_TX**




20170721  
 EUT X 4TX  
 Setting 21.5  
 02-Z-1-10  
 FSU  
 ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.752G   | 108.04        | Inf           | -Inf       | 9.91       | 3       | V         | 44         | 2.02      | -        |
| PK   | 5.649G   | 67.82         | 68.20         | -0.38      | 9.89       | 3       | V         | 44         | 2.02      | -        |
| PK   | 5.751G   | 117.74        | Inf           | -Inf       | 9.91       | 3       | V         | 44         | 2.02      | -        |
| PK   | 5.953G   | 60.90         | 68.20         | -7.30      | 10.13      | 3       | V         | 44         | 2.02      | -        |

## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TX




20170721  
EUT X 4TX  
Setting 21.5  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.765G   | 94.50         | Inf           | -Inf       | 9.91       | 3       | H         | 249        | 1.09      | -        |
| PK   | 5.642G   | 60.35         | 68.20         | -7.85      | 9.89       | 3       | H         | 249        | 1.09      | -        |
| PK   | 5.764G   | 103.81        | Inf           | -Inf       | 9.91       | 3       | H         | 249        | 1.09      | -        |
| PK   | 5.99G    | 59.61         | 68.20         | -8.59      | 10.19      | 3       | H         | 249        | 1.09      | -        |



## 802.11ac VHT40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TX




20170721  
EUT X 4TX  
Setting 23 (升0.5 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.788G   | 109.43        | Inf           | -Inf       | 9.92       | 3       | V         | 269        | 1.76      | -        |
| PK   | 5.647G   | 63.51         | 68.20         | -4.69      | 9.89       | 3       | V         | 269        | 1.76      | -        |
| PK   | 5.807G   | 119.07        | Inf           | -Inf       | 9.93       | 3       | V         | 269        | 1.76      | -        |
| PK   | 5.928G   | 67.06         | 68.20         | -1.14      | 10.10      | 3       | V         | 269        | 1.76      | -        |

# **802.11ac VHT40\_Nss1,(MCS0)\_4TX**

## **5795MHz\_TX**



20170721  
EUT X 4TX  
Setting 23 (升0.5 Over)  
02-Z-1-10  
FSU  
ANT omni Skynet-CO

| Type | Freq(Hz) | Level(dBuV/m) | Limit(dBuV/m) | Margin(dB) | Factor(dB) | Dist(m) | Pol.(H/V) | Azimuth(°) | Height(m) | Comments |
|------|----------|---------------|---------------|------------|------------|---------|-----------|------------|-----------|----------|
| AV   | 5.785G   | 100.55        | Inf           | -Inf       | 9.92       | 3       | H         | 5          | 1.24      | -        |
| PK   | 5.647G   | 60.83         | 68.20         | -7.37      | 9.89       | 3       | H         | 5          | 1.24      | -        |
| PK   | 5.786G   | 111.54        | Inf           | -Inf       | 9.92       | 3       | H         | 5          | 1.24      | -        |
| PK   | 5.934G   | 61.38         | 68.20         | -6.82      | 10.11      | 3       | H         | 5          | 1.24      | -        |