

Report No.: SUCR240300004402

Rev.: 01 Page: 1 of 7

TEST REPORT

Application No.: SUCR2403000044MO

Applicant: Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin **Address of Applicant:**

Road, Minhang District, Shanghai, China 200233

Manufacturer: Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Address of Manufacturer:

Road, Minhang District, Shanghai, China 200233

EUT Description: LTE-A Cat 6 LGA Module

Model No.: EG060K-NA Trade Mark: Quectel

FCC ID: XMR2022EG060KNA Standards: 47 CFR Part 2.1091


FCC KDB 447498 D01 v06

Date of Receipt: 2024/03/06 Date of Issue: 2024/04/03

Test Result: PASS*

In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:



Well Wei Wireless Laboratory Manager



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国。苏州。中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240300004402

Rev.: 01 Page: 2 of 7

1 Version

Revision Record								
Version	Chapter	Date	Modifier	Remark				
01		2024/04/03		Original				

Prepared By	(Nick Hu) / Test Engineer				
Checked By	(Stone Gu) / Reviewer				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAD Doccheck@sss.com

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Ploti Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240300004402

Rev.: 01 Page: 3 of 7

Contents

1	Ver	rsion	2
		neral Information	
		Client Information Test Facility	
	2.3	General Description of EUT	5
3	RF	Exposure Evaluation	6
		RF Exposure Compliance Requirement	
		.1 Limits	
		.3 FUT RF Exposure Evaluation	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-a-Document.asp attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content. appearance of this document is unlawful and offenders may be prosecuted to the fullest extend to the law. Unless otherwise stated it results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜裔1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240300004402

Rev.: 01 Page: 4 of 7

2 General Information

2.1 Client Information

Applicant:	Quectel Wireless Solutions Co., Ltd.				
Address of Applicant:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233				
Manufacturer:	Quectel Wireless Solutions Co., Ltd.				
Address of Manufacturer:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233				

2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327



t (86-512) 62992980



Report No.: SUCR240300004402

Rev.: 01 Page: 5 of 7

2.3 General Description of EUT

EUT Description:	LTE-A Cat 6 LGA	LTE-A Cat 6 LGA Module							
Model No.:	EG060K-NA	EG060K-NA							
Trade Mark:	Quectel	Quectel							
Hardware Version:	R1.0	R1.0							
Software Version:	EG060KNACARO	EG060KNACAR01A01M4G							
Power Supply:	5V								
Antenna Type:									
	LTE Band 2:	1.59dBi(Ant0)	LTE Band 4:	1.94dBi(Ant0)					
	LTE Band 5:	2.53dBi(Ant0)	LTE Band 7:	3dBi(Ant0)					
	LTE Band 12:	3.95dBi(Ant0)	LTE Band 13:	4.45dBi(Ant0)					
	LTE Band 14:	4.45dBi(Ant0)	LTE Band 25:	1.59dBi(Ant0)					
Antenna Gain:	LTE Band 26:	3.19dBi(Ant0)	LTE Band 30:	-5.7dBi(Ant1)					
7	LTE Band 41:	3.6dBi(Ant0)	LTE Band 48:	-1.36dBi(Ant2)					
	LTE Band 66:	2dBi(Ant0)	LTE Band 71:	1.66dBi(Ant0)					
	Note:								
	The antenna gain manufacturer.	are derived from the	gain information repo	ort provided by the					

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUCR240300004402

Rev.: 01 Page: 6 of 7

3 RF Exposure Evaluation

3.1 RF Exposure Compliance Requirement

3.1.1 Limits

Frequency range (MHz)	range Electric field strength (V/m) Magnetic field strength (A/m)		Power density (mW/cm2)	Averaging time (minutes)						
(A) Limits for Occupational/Controlled Exposures										
0.3-3.0 614 1.63 *(100) 6										
3.0-30	1842/f	4.89/f	*(900/f2)	6						
30-300	61.4	0.163	1.0	6						
300-1500	300-1500 /		/ f/300							
1500-100,000	1500-100,000 /		5	6						
	(B) Limits for General Population/Uncontrolled Exposure									
0.3-1.34	0.3-1.34 614 1.63 *(100) 30									
1.34-30	1.34-30 824/f		*(180/f2)	30						
30-300	30-300 27.5		0.073 0.2							
300-1500	1	1	f/1500	30						
1500-100,000	/	1	1.0	30						

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: Pd = (Pout*G)/(4* Pi * R2)

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com

⁼Plane-wave equivalent power density



Report No.: SUCR240300004402

Rev.: 01 Page: 7 of 7

3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

3.1.3 EUT RF Exposure Evaluation

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	Max Conducted Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Gain according to EIRP(ERP) (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusion
LTE Band 2	1850.7	1.59	25.00	26.59	33.00	0.0907	1.0000	8.00	12.01	8.00	Pass
LTE Band 4	1710.7	1.94	25.00	26.94	30.00	0.0983	1.0000	5.00	12.01	5.00	Pass
LTE Band 5	824.7	2.53	25.00	25.38	38.45	0.1126	0.5498	15.60	9.41	9.41	Pass
LTE Band 7	2502.5	3.00	25.00	28.00	33.00	0.1255	1.0000	8.00	12.01	8.00	Pass
LTE Band 12	699.7	3.95	25.00	26.80	34.77	0.1562	0.4665	11.92	8.70	8.70	Pass
LTE Band 13	779.5	4.45	25.00	27.30	34.77	0.1753	0.5197	11.92	9.16	9.16	Pass
LTE Band 14	790.5	4.45	25.00	27.30	34.77	0.1753	0.5270	11.92	9.23	9.23	Pass
LTE Band 25	1852.5	1.59	25.00	26.59	33.00	0.0907	1.0000	8.00	12.01	8.00	Pass
LTE B26(814-824)	814.7	3.19	25.00	26.04	NA	0.1311	0.5431	NA	9.36	9.36	Pass
LTE B26(824-849)	824.7	3.19	25.00	26.04	38.50	0.1311	0.5498	15.65	9.41	9.41	Pass
LTE Band 30	2307.5	-5.70	21.18	15.48	23.98	0.0070	1.0000	2.80	15.83	2.80	Pass
LTE Band 41	2498.5	3.60	25.00	28.60	33.00	0.1441	1.0000	8.00	12.01	8.00	Pass
LTE Band 48	3552.5	-1.36	20.20	18.84	23.00	0.0152	1.0000	2.80	16.81	2.80	Pass
LTE Band 66	1710.7	2.00	25.00	27.00	30.00	0.0997	1.0000	5.00	12.01	5.00	Pass
LTE Band 71	665.5	1.66	25.00	24.51	34.77	0.0922	0.4437	11.92	8.48	8.48	Pass

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980