NII Declaration Letter

For Certification Service in the USA

Federal Communications Commission

Equipment Authorization Division, Application Processing Branch 7435 Oakland Mills Road Columbia, MD 21048

To whom it may concern

(3) Meet 15.202 requirement

| | MODEL NUMBER: (MODEL NUMBER OF UNIT TESTED) | | | C107, A10, A10PRO, A10L, C108, C10, C11, C12, C13, C136, KT1028, KT1026, KT1016 | | | | | |
|----------------------|--|----------------------|--|---|------------|-------------|-----------|--------------|--|
| FCC ID: | | | | 2AW9M-C107 | | | | | |
| Product description: | | | | Tablet | | | | | |
| The | following featu | res and technical ca | apabilitie | es are declare | ed for the | product sh | nown abov | e: | |
| (1) DFS Device: | | Maste | Master ☐ Client with Radar detection ☐ Client without radar detection, | | | | | | |
| (2) | Service capabili | ty listing | | | | | | | |
| | Frequency | Active Scanning | passi | passive scanning | | Ad Hoc Mode | | Access point | |
| | Band (MHz) | (the device can | (w | (where the | | capability | | capability | |
| | | transmit a probe | dev | device is can | | | | | |
| | | (beacon)) | liste | listen only with | | | | | |
| | | | no | probes) | | | | | |
| | 2412-2462 | Yes No | ⊠ Y€ | s No | Yes | ⊠ No | Yes | No | |
| | 5745-5825 | Yes No | ⊠ Y€ | s No | Yes | ⊠ No | Yes | No | |
| | 5755-5795 | Yes No | ⊠ Y€ | s No | Yes | ⊠ No | Yes | ⊠ No | |
| | 5775-5775 | Yes No | ⊠ Y€ | s No | Yes | ⊠ No | Yes | ⊠ No | |
| | 5180-5240 | Yes No | ⊠ Y€ | s No | Yes | ⊠ No | Yes | ⊠ No | |
| | 5190-5230 | Yes No | ⊠ Y€ | s No | Yes | ⊠ No | Yes | ⊠ No | |
| | 5210-5210 | Yes No | ⊠ Y€ | s No | Yes | ⊠ No | Yes | ⊠ No | |
| | 5260-5320 | Yes No | ⊠ Y€ | s No | Yes | ⊠ No | Yes | ⊠ No | |
| | 5270-5310 | Yes No | ⊠ Y€ | s No | Yes | No | Yes | No | |
| | 5290-5290 | Yes No | ⊠ Y€ | s No | Yes | No | Yes | No | |
| | 5500-5700 | Yes No | ⊠ Y€ | s No | Yes | No | Yes | No | |
| | 5510-5670 | Yes No | ⊠ Y€ | s No | Yes | No | Yes | No | |
| | 5530-5610 | Yes No | × | s No | Yes | No | Yes | No. | |

A master device is defined as a device operating in a mode in which it has the capability to transmit without receiving an
enabling signal. In this mode it is able to select a channel and initiate a network by sending enabling signals to other devices

X Yes

 A client device is defined as a device operating in a mode in which the transmissions of the device are under control of the master. A device in client mode is not able to initiate a network.

(4) Statement of Conformity for the Client in Non-Associated mode

The client software and associated drivers will not initiate any transmission on DFS frequencies without initiation by a master. This includes restriction on transmissions for beacons and support for ad-hoc peer-to- peer modes.

☐ Apply ☐ Does not apply

(If apply, pls help to provide explanation on it was implement, and how software was controlled)

Sincerely,

wang hong you

| e 2025-1-6 |
|--|
| |
| Room 901, Block E, Building 1, Section 1, Chuangzhi Yuncheng, |
| Liuxian Avenue, Xili Community, Xili |
| Street, Nanshan District, Shenzhen |
| 518126 China hongyan.wang@yihengke.cn |
| |