


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Apos	Tpos	Remark	Pol/Phase	Note
	MHz	dBu/m	dBu	dB/m	dBu/m	dB	cm	deg			
1	2388.41	61.34	24.82	37.32	74.00	-12.66	100	83	Peak	Vertical	
2	2412.00	119.83	82.39	37.44	74.00	-15.93	100	83	Peak	Vertical	
3	2491.83	59.01	21.35	37.66	74.00	44.89	100	83	Peak	Vertical	

802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.47	40.54	3.21	37.33	54.00	-13.46	100	330	Average	Horizontal		
2 *	2412.00	102.49	65.05	37.44	54.00	48.49	100	330	Average	Horizontal		
3	2496.54	41.01	3.34	37.67	54.00	-12.99	100	330	Average	Horizontal		

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2372.02	50.26	12.97	37.29	54.00	-3.74	100	83	Average	Vertical		
2 *	2412.00	117.35	79.91	37.44	54.00	63.35	100	83	Average	Vertical		
3	2490.96	46.19	8.53	37.66	54.00	-7.81	100	83	Average	Vertical		

802.11b

Middle Channel (Horizontal) Peak



Middle Channel (Vertical) Peak




802.11b

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2373.57	40.54	3.24	37.30	54.00	-13.46	119	61 Average	Horizontal	
2 *	2437.00	102.69	65.13	37.56	54.00	48.69	119	61 Average	Horizontal	
3	2499.05	41.53	3.86	37.67	54.00	-12.47	119	61 Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2355.41	44.85	7.61	37.24	54.00	-9.15	262	331 Average	Vertical	
2 *	2437.00	116.82	79.26	37.56	54.00	62.82	262	331 Average	Vertical	
3	2485.18	44.78	7.12	37.66	54.00	-9.22	262	331 Average	Vertical	

802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2372.43	54.58	17.29	37.29	74.00	-19.42	100	143	Peak	Horizontal		
2 *	2462.00	107.17	69.54	37.63	74.00	33.17	100	143	Peak	Horizontal		
3	2491.41	55.31	17.65	37.66	74.00	-18.69	100	143	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2365.37	58.27	21.00	37.27	74.00	-15.73	139	224	Peak	Vertical		
2 *	2462.00	118.62	80.99	37.63	74.00	44.62	139	224	Peak	Vertical		
3	2484.27	59.15	21.50	37.65	74.00	-14.85	139	224	Peak	Vertical		

802.11b

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2381.59	40.72	3.40	37.32	54.00	-13.28	100	143	Average	Horizontal		
2 *	2462.00	104.64	67.01	37.63	54.00	50.64	100	143	Average	Horizontal		
3	2491.07	41.98	4.32	37.66	54.00	-12.02	100	143	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2383.38	45.63	8.30	37.33	54.00	-8.37	139	224	Average	Vertical		
2 *	2462.00	116.11	78.48	37.63	54.00	62.11	139	224	Average	Vertical		
3	2484.38	46.41	8.75	37.66	54.00	-7.59	139	224	Average	Vertical		

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.57	59.44	22.10	37.34	74.00	-14.56	100	177	Peak	Horizontal		
2 *	2412.00	118.64	81.20	37.44	74.00	44.64	100	177	Peak	Horizontal		
3	2499.85	58.13	20.46	37.67	74.00	-15.87	100	177	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.76	70.56	33.22	37.34	74.00	-3.44	100	261	Peak	Vertical		
2 *	2412.00	123.85	86.41	37.44	74.00	49.85	100	261	Peak	Vertical		
3	2487.23	60.58	22.92	37.66	74.00	-13.42	100	261	Peak	Vertical		

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2371.94	46.58	9.29	37.29	54.00	-7.42	100	177	Average	Horizontal		
2 *	2412.00	108.79	71.35	37.44	54.00	54.79	100	177	Average	Horizontal		
3	2499.05	44.92	7.25	37.67	54.00	-9.08	100	177	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.99	51.87	14.53	37.34	54.00	-2.13	100	261	Average	Vertical		
2 *	2412.00	113.59	76.15	37.44	54.00	59.59	100	261	Average	Vertical		
3	2488.18	47.16	9.50	37.66	54.00	-6.84	100	261	Average	Vertical		

802.11g

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	2389.88	58.42	21.08	37.34	74.00	-15.58	134	159 Peak	Horizontal	
2 *	2437.00	117.86	80.30	37.56	74.00	43.86	134	159 Peak	Horizontal	
3	2485.22	57.93	20.27	37.66	74.00	-16.07	134	159 Peak	Horizontal	


	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	2372.85	67.90	30.60	37.30	74.00	-6.10	100	103 Peak	Vertical	
2 *	2437.00	129.97	92.41	37.56	74.00	55.97	100	103 Peak	Vertical	
3 !	2496.31	68.16	30.49	37.67	74.00	-5.84	100	103 Peak	Vertical	

802.11g

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2333.67	53.88	16.74	37.14	74.00	-20.12	342	82	Peak	Horizontal		
2 *	2462.00	113.13	75.50	37.63	74.00	39.13	342	82	Peak	Horizontal		
3	2486.21	59.12	21.46	37.66	74.00	-14.88	342	82	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2381.74	59.29	21.97	37.32	74.00	-14.71	236	333	Peak	Vertical		
2 *	2462.00	123.71	86.08	37.63	74.00	49.71	236	333	Peak	Vertical		
3 !	2483.55	71.58	33.93	37.65	74.00	-2.42	236	333	Peak	Vertical		

802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2346.71	40.54	3.33	37.21	54.00	-13.46	342	82	Average	Horizontal	
2 *	2462.00	102.07	65.24	37.63	54.00	48.07	342	82	Average	Horizontal	
3	2483.85	42.06	4.43	37.65	54.00	-11.92	342	82	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2382.50	45.63	8.30	37.33	54.00	-8.37	236	333	Average	Vertical	
2 *	2462.00	114.32	76.69	37.63	54.00	60.32	236	333	Average	Vertical	
3 !	2483.51	51.16	13.51	37.65	54.00	-2.84	236	333	Average	Vertical	

802.11ax HE20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.58	57.82	20.48	37.34	74.00	-16.18	100	166 Peak	Horizontal	
2 *	2412.00	111.93	74.49	37.44	74.00	37.93	100	166 Peak	Horizontal	
3	2487.92	54.81	17.15	37.66	74.00	-19.19	100	166 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.84	70.93	33.59	37.34	74.00	-3.07	100	155 Peak	Vertical	
2 *	2412.00	123.64	86.20	37.44	74.00	49.64	100	155 Peak	Vertical	
3	2484.65	57.85	20.19	37.66	74.00	-16.15	100	155 Peak	Vertical	

802.11ax HE20

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2372.02	43.21	5.92	37.29	54.00	-10.79	100	166	Average	Horizontal		
2 *	2412.00	100.61	63.17	37.44	54.00	46.61	100	166	Average	Horizontal		
3	2492.74	42.90	5.24	37.66	54.00	-11.10	100	166	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.76	51.97	14.63	37.34	54.00	-2.03	100	155	Average	Vertical		
2 *	2412.00	111.51	74.07	37.44	54.00	57.51	100	155	Average	Vertical		
3	2498.78	45.87	8.20	37.67	54.00	-8.13	100	155	Average	Vertical		

802.11ax HE20

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.04	54.68	17.35	37.33	74.00	-19.32	147	83 Peak	Horizontal	
2 *	2437.00	118.54	80.98	37.56	74.00	44.54	147	83 Peak	Horizontal	
3	2485.52	55.56	17.90	37.66	74.00	-18.44	147	83 Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2387.90	66.64	29.30	37.34	74.00	-7.36	158	216 Peak	Vertical	
2 *	2437.00	129.37	91.81	37.56	74.00	55.37	158	216 Peak	Vertical	
3	2487.31	65.21	27.55	37.66	74.00	-8.79	158	216 Peak	Vertical	

802.11ax HE 20

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2386.19	42.70	5.37	37.33	54.00	-11.30	147	83	Average	Horizontal		
2 *	2437.00	107.44	69.88	37.56	54.00	53.44	147	83	Average	Horizontal		
3	2485.86	43.16	5.50	37.66	54.00	-10.84	147	83	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.52	51.15	13.81	37.34	54.00	-2.85	158	216	Average	Vertical		
2 *	2437.00	110.28	80.72	37.56	54.00	64.28	158	216	Average	Vertical		
3	2487.65	50.46	12.80	37.66	54.00	-3.54	158	216	Average	Vertical		

802.11ax HE20


High Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2366.66	46.96	9.69	37.27	54.00	-7.04	100	160	Average	Horizontal		
2 *	2462.00	106.03	69.40	37.63	54.00	52.03	100	160	Average	Horizontal		
3 !	2484.15	49.61	11.96	37.65	54.00	-4.39	100	160	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 !	2385.09	49.06	11.73	37.33	54.00	-4.94	100	265	Average	Vertical		
2 *	2462.00	113.04	75.41	37.63	54.00	59.04	100	265	Average	Vertical		
3 !	2485.41	51.46	13.80	37.66	54.00	-2.54	100	265	Average	Vertical		

802.11ax HE40

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.76	55.51	18.17	37.34	74.00	-18.49	180	145 Peak	Horizontal	
2 *	2422.00	104.05	66.56	37.49	74.00	30.05	180	145 Peak	Horizontal	
3	2488.49	54.90	17.24	37.66	74.00	-19.10	180	145 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.80	65.02	27.68	37.34	74.00	-8.98	180	263 Peak	Vertical	
2 *	2422.00	118.36	80.87	37.49	74.00	46.36	180	263 Peak	Vertical	
3	2489.66	60.54	22.88	37.66	74.00	-13.46	180	263 Peak	Vertical	

802.11ax HE40

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2374.14	41.95	4.65	37.30	54.00	-12.05	180	145	Average	Horizontal		
2 *	2422.00	91.94	54.45	37.49	54.00	37.94	180	145	Average	Horizontal		
3	2499.51	42.72	5.05	37.67	54.00	-11.28	180	145	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2382.05	50.34	13.02	37.32	54.00	-3.66	100	263	Average	Vertical		
2 *	2422.00	105.35	67.86	37.49	54.00	51.35	100	263	Average	Vertical		
3	2484.80	45.76	8.10	37.66	54.00	-8.24	100	263	Average	Vertical		


802.11ax HE40

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.96	57.38	20.04	37.34	74.00	-16.62	124	81 Peak	Horizontal	
2 *	2437.00	110.95	73.39	37.56	74.00	36.95	124	81 Peak	Horizontal	
3	2490.54	55.82	18.16	37.66	74.00	-18.18	124	81 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.12	66.01	28.67	37.34	74.00	-7.99	100	38 Peak	Vertical	
2 *	2437.00	120.98	83.42	37.56	74.00	46.98	100	38 Peak	Vertical	
3	2483.77	59.83	22.18	37.65	74.00	-14.17	100	38 Peak	Vertical	

802.11ax HE40

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.27	43.09	5.75	37.34	54.00	-10.91	124	81 Average	Horizontal	
2 *	2437.00	99.24	61.68	37.56	54.00	45.24	124	81 Average	Horizontal	
3	2483.66	43.33	5.68	37.65	54.00	-10.67	124	81 Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.34	51.25	13.91	37.34	54.00	-2.75	100	38 Average	Vertical	
2 *	2437.00	109.49	71.93	37.56	54.00	55.49	100	38 Average	Vertical	
3	2484.88	47.34	9.68	37.66	54.00	-6.66	100	38 Average	Vertical	

802.11ax HE40

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.54	54.67	17.34	37.33	74.00	-19.33	128	160	Peak	Horizontal		
2 *	2452.00	106.31	69.69	37.62	74.00	32.31	128	160	Peak	Horizontal		
3	2484.23	55.61	17.96	37.65	74.00	-18.39	128	160	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.00	59.74	22.40	37.34	74.00	-14.26	100	104	Peak	Vertical		
2 *	2452.00	118.33	80.71	37.62	74.00	44.33	100	104	Peak	Vertical		
3	2484.38	63.63	25.97	37.66	74.00	-10.37	100	104	Peak	Vertical		

802.11ax HE40

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2363.09	42.53	5.26	37.27	54.00	-11.47	128	160	Average	Horizontal		
2 *	2452.00	94.95	57.33	37.62	54.00	40.95	128	160	Average	Horizontal		
3	2492.10	44.77	7.11	37.66	54.00	-9.23	128	160	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2368.85	47.97	10.63	37.34	54.00	-6.03	100	104	Average	Vertical		
2 *	2452.00	106.81	69.19	37.62	54.00	52.81	100	104	Average	Vertical		
3 !	2483.62	51.55	13.90	37.65	54.00	-2.45	100	104	Average	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11g

Middle Channel(Open) 9kHz~150kHz

Middle Channel(Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	0.026	57.69	38.15	19.54	119.13	-61.44	100	169	Peak	Open	
2	0.060	50.70	31.40	19.30	112.05	-61.35	100	126	Peak	Open	
3	0.104	35.43	16.92	18.51	107.22	-71.79	100	250	Peak	Open	
4	0.111	49.44	30.91	18.53	106.71	-57.27	100	244	Peak	Open	
5	0.115	47.79	29.25	18.54	106.39	-58.60	100	251	Peak	Open	
6	0.121	44.23	25.68	18.55	105.97	-61.74	100	284	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	0.100	55.28	36.58	18.70	102.50	-47.22	100	115	Peak	Open	
2	0.508	46.83	27.73	19.10	73.48	-26.65	100	254	Peak	Open	
3	4.508	32.62	13.24	19.38	69.50	-36.88	100	51	Peak	Open	
4	10.747	34.83	13.74	21.09	69.50	-34.67	100	105	Peak	Open	
5	17.403	36.28	14.39	21.89	69.50	-33.22	100	305	Peak	Open	
6	21.911	36.38	14.12	22.26	69.50	-33.12	100	335	Peak	Open	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11g

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	63.958	31.28	48.33	-9.13	48.00	-8.08	100	224	Peak	Horizontal		
2	106.630	33.41	45.45	-12.04	43.50	-10.09	300	293	Peak	Horizontal		
3	444.190	32.39	37.28	-4.81	46.00	-13.61	200	182	Peak	Horizontal		
4	482.020	33.69	38.28	-4.59	46.00	-12.31	100	163	Peak	Horizontal		
5	536.340	30.34	34.05	-3.71	46.00	-15.66	100	62	Peak	Horizontal		
6	845.770	32.35	36.92	-1.43	46.00	-13.65	100	236	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	35.820	37.98	47.18	-9.20	48.00	-2.18	100	107	QP	Vertical		
2	106.630	35.31	47.35	-12.04	43.50	-8.19	100	176	Peak	Vertical		
3	485.900	31.36	36.88	-4.72	46.00	-14.64	100	99	Peak	Vertical		
4	602.300	29.91	32.89	-2.18	46.00	-16.09	100	178	Peak	Vertical		
5	731.310	30.55	30.92	-0.37	46.00	-15.45	200	125	Peak	Vertical		
6	844.800	32.81	31.36	1.45	46.00	-13.19	185	360	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	45.20	55.13	-9.93	54.00	-8.80	106	289	Average	Horizontal		
2	4824.00	49.51	59.44	-9.93	74.00	-24.49	106	289	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	51.82	61.75	-9.93	54.00	-2.18	244	347	Average	Vertical		
2	4824.00	55.32	65.25	-9.93	74.00	-18.68	244	347	Peak	Vertical		


802.11b

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	42.97	52.84	-9.87	54.00	-11.03	114	172	Average	Horizontal		
2	4874.00	48.19	58.06	-9.87	74.00	-25.81	114	172	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	51.72	61.59	-9.87	54.00	-2.28	311	327	Average	Vertical		
2	4874.00	55.25	65.12	-9.87	74.00	-18.75	311	327	Peak	Vertical		


802.11b

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	40.00	49.78	-9.78	54.00	-13.92	277	175	Average	Horizontal		
2	4924.00	46.95	56.65	-9.70	74.00	-27.05	277	175	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	50.96	60.66	-9.70	54.00	-3.04	300	46	Average	Vertical		
2	4924.00	53.59	63.29	-9.70	74.00	-20.41	300	46	Peak	Vertical		


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	35.72	45.65	-9.93	54.00	-18.28	100	298	Average	Horizontal		
2	4824.00	46.54	56.47	-9.93	74.00	-27.46	100	298	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	41.64	51.57	-9.93	54.00	-12.36	231	334	Average	Vertical		
2	4824.00	54.30	64.23	-9.93	74.00	-19.70	231	334	Peak	Vertical		


802.11g

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	42.70	52.57	-9.87	54.00	-11.30	100	293	Average	Horizontal		
2	4874.00	61.39	71.26	-9.87	74.00	-12.61	100	293	Peak	Horizontal		
3	7311.00	34.43	42.26	-7.83	54.00	-19.57	100	289	Average	Horizontal		
4	7311.00	52.29	60.12	-7.83	74.00	-21.71	100	289	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	50.74	60.61	-9.87	54.00	-3.26	238	208	Average	Vertical		
2	4874.00	69.88	79.75	-9.87	74.00	-4.12	238	208	Peak	Vertical		
3	7311.00	38.25	46.08	-7.83	54.00	-15.75	237	58	Average	Vertical		
4	7311.00	57.54	65.37	-7.83	74.00	-16.46	237	58	Peak	Vertical		


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	35.21	44.91	-9.70	54.00	-18.79	153	148	Average	Horizontal		
2	4924.00	43.17	52.87	-9.70	74.00	-30.83	153	148	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	42.79	52.49	-9.70	54.00	-11.21	200	55	Average	Vertical		
2	4924.00	51.05	60.75	-9.70	74.00	-22.95	200	55	Peak	Vertical		


802.11ax HE20

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	36.72	46.65	-9.93	54.00	-17.28	183	292	Average	Horizontal		
2	4824.00	45.62	55.55	-9.93	74.00	-28.38	183	292	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	43.03	52.96	-9.93	54.00	-10.97	390	358	Average	Vertical		
2	4824.00	50.25	60.18	-9.93	74.00	-23.75	390	358	Peak	Vertical		

802.11ax HE20

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	43.22	53.09	-9.87	54.00	-10.78	120	144	Average	Horizontal		
2	4874.00	59.39	69.26	-9.87	74.00	-14.61	120	144	Peak	Horizontal		
3	7311.00	33.69	41.52	-7.83	54.00	-20.31	100	286	Average	Horizontal		
4	7311.00	49.22	57.05	-7.83	74.00	-24.78	100	286	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	51.16	61.03	-9.87	54.00	-2.84	287	107	Average	Vertical		
2	4874.00	66.88	76.75	-9.87	74.00	-7.12	287	107	Peak	Vertical		
3	7311.00	36.71	44.54	-7.83	54.00	-17.29	344	360	Average	Vertical		
4	7311.00	52.04	59.87	-7.83	74.00	-21.96	344	360	Peak	Vertical		


802.11ax HE20

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	32.63	42.33	-9.70	54.00	-21.37	300	214	Average	Horizontal		
2	4924.00	38.97	48.67	-9.70	74.00	-35.03	300	214	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	39.39	49.09	-9.70	54.00	-14.61	238	111	Average	Vertical		
2	4924.00	46.28	55.98	-9.70	74.00	-27.72	238	111	Peak	Vertical		


802.11ax HE40

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4844.00	37.69	47.55	-9.86	54.00	-16.31	100	201	Average	Horizontal		
2	4844.00	43.37	53.23	-9.86	74.00	-30.63	100	201	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4844.00	42.59	52.45	-9.86	54.00	-11.41	100	141	Average	Vertical		
2	4844.00	47.75	57.61	-9.86	74.00	-26.25	100	141	Peak	Vertical		


802.11ax HE40

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV/m	dBuV/m	dB	cm	deg			
1	4874.00	32.07	41.94	-9.87	54.00	-21.93	200	2 Average	Horizontal
2	4874.00	41.21	51.08	-9.87	74.00	-32.79	200	2 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV/m	dBuV/m	dB	cm	deg			
1	4874.00	38.67	48.54	-9.87	54.00	-15.33	100	110 Average	Vertical
2	4874.00	49.57	59.44	-9.87	74.00	-24.43	100	110 Peak	Vertical


802.11ax HE40

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4904.00	30.02	39.87	-9.85	54.00	-23.98	200	184	Average	Horizontal		
2	4904.00	39.17	49.02	-9.85	74.00	-34.83	200	184	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4904.00	31.15	41.00	-9.85	54.00	-22.85	300	54	Average	Vertical		
2	4904.00	39.90	49.75	-9.85	74.00	-34.10	300	54	Peak	Vertical		

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

