




802.11ax/20MHz/MCS0/2412MHz/Ch1




802.11ax/20MHz/MCS0/2437MHz/Ch6




802.11ax/20MHz/MCS0/2462MHz/Ch11




802.11ax/40MHz/MCS0/2422MHz/Ch3




802.11ax/40MHz/MCS0/2437MHz/Ch6




802.11ax/40MHz/MCS0/2452MHz/Ch9




Appendix E. Test Result of Antenna Port Conducted Emission




802.11g/20MHz/6M/2412MHz/Ch1 (Ref.)




802.11g/20MHz/6M/2412MHz/Ch1




802.11g/20MHz/6M/2437MHz/Ch6 (Ref.)




802.11g/20MHz/6M/2437MHz/Ch6




802.11g/20MHz/6M/2462MHz/Ch11 (Ref.)




802.11g/20MHz/6M/2462MHz/Ch11




802.11ax/20MHz/MCS0/2412MHz/Ch1 (Ref.)




802.11ax/20MHz/MCS0/2412MHz/Ch1




802.11ax/20MHz/MCS0/2437MHz/Ch6 (Ref.)




802.11ax/20MHz/MCS0/2437MHz/Ch6




802.11ax/20MHz/MCS0/2462MHz/Ch11 (Ref.)




802.11ax/20MHz/MCS0/2462MHz/Ch11




802.11ax/40MHz/MCS0/2422MHz/Ch3 (Ref.)




802.11ax/40MHz/MCS0/2422MHz/Ch3




802.11ax/40MHz/MCS0/2437MHz/Ch6 (Ref.)




802.11ax/40MHz/MCS0/2437MHz/Ch6




802.11ax/40MHz/MCS0/2452MHz/Ch9 (Ref.)




802.11ax/40MHz/MCS0/2452MHz/Ch9




802.11b/20MHz/1M/2412MHz/Ch1 (Band Edge)




802.11b/20MHz/1M/2437MHz/Ch6 (Band Edge)




802.11b/20MHz/1M/2462MHz/Ch11 (Band Edge)




802.11g/20MHz/6M/2412MHz/Ch1 (Band Edge)




802.11g/20MHz/6M/2437MHz/Ch6 (Band Edge)




802.11g/20MHz/6M/2462MHz/Ch11 (Band Edge)




802.11ax/20MHz/MCS0/2412MHz/Ch1 (Band Edge)




802.11ax/20MHz/MCS0/2437MHz/Ch6 (Band Edge)




802.11ax/20MHz/MCS0/2462MHz/Ch11 (Band Edge)




802.11ax/40MHz/MCS0/2422MHz/Ch3 (Band Edge)



802.11ax/40MHz/MCS0/2437MHz/Ch6 (Band Edge)



802.11ax/40MHz/MCS0/2452MHz/Ch9 (Band Edge)




Appendix F. Test Result of Transmitter Radiated Spurious Emission

30 MHz ~ 1 GHz

<Mode 1>

Site :HC-CB02
Condition :3m Horizontal
Mode :LF_TX_WIFI_2.4G
Test by :Scott Chnag




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	119.240	20.19	43.50	-23.31	25.51	-5.32	QP
2	176.955	23.63	43.50	-19.87	27.27	-3.64	QP
3	313.725	23.47	46.00	-22.53	25.03	-1.56	QP
4	384.050	27.05	46.00	-18.95	26.72	0.33	QP
5	503.845	25.92	46.00	-20.08	22.87	3.05	QP
6	637.220	28.24	46.00	-17.76	22.33	5.91	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LF_TX_WIFI_2.4G
Test by :Scott Chnag




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	42.610	32.63	40.00	-7.37	34.32	-1.69	QP
2	306.450	23.15	46.00	-22.85	25.02	-1.87	QP
3	490.265	25.62	46.00	-20.38	22.79	2.83	QP
4	578.050	27.12	46.00	-18.88	22.47	4.65	QP
5	643.040	27.59	46.00	-18.41	21.54	6.05	QP
6	807.455	31.66	46.00	-14.34	23.07	8.59	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

<Mode 2>

Site :HC-CB02
 Condition :3m Horizontal
 Mode :WIFI 2.4G_TX_LF
 Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	175.112	20.04	43.50	-23.46	23.50	-3.46	QP
2	262.412	23.61	46.00	-22.39	26.80	-3.19	QP
3	355.920	20.54	46.00	-25.46	21.39	-0.85	QP
4	500.935	21.74	46.00	-24.26	18.76	2.98	QP
5	629.557	23.10	46.00	-22.90	17.27	5.83	QP
6	772.244	26.81	46.00	-19.19	18.49	8.32	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :WIFI 2.4G_TX_LF
 Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	173.560	25.14	43.50	-18.36	28.50	-3.36	QP
2	270.948	19.30	46.00	-26.70	22.11	-2.81	QP
3	416.739	20.62	46.00	-25.38	19.58	1.04	QP
4	523.536	21.16	46.00	-24.84	17.80	3.36	QP
5	629.557	22.04	46.00	-23.16	17.01	5.83	QP
6	770.692	25.99	46.00	-20.01	17.67	8.32	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

<Mode 3>

Site :HC-CB02
 Condition :3m Horizontal
 Mode :WIFI 2.4G_TX_LF
 Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	136.118	17.93	43.50	-25.57	21.66	-3.73	QP
2	235.931	20.30	46.00	-25.70	24.71	-4.41	QP
3	363.001	21.66	46.00	-24.34	22.36	-0.70	QP
4	453.405	22.22	46.00	-23.78	20.03	2.19	QP
5	559.426	23.89	46.00	-22.11	19.86	4.03	QP
6	647.502	26.96	46.00	-19.04	20.80	6.16	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :WIFI 2.4G_TX_LF
 Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	161.047	17.53	43.50	-25.97	20.21	-2.68	QP
2	282.685	21.27	46.00	-24.73	23.68	-2.41	QP
3	364.553	22.98	46.00	-23.02	23.62	-0.64	QP
4	435.460	20.21	46.00	-25.79	18.47	1.74	QP
5	541.481	21.45	46.00	-24.55	17.71	3.74	QP
6	673.304	27.80	46.00	-18.20	21.39	6.41	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Above 1 GHz

Site :HC-CB02
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 3000
Mode :b_TX_2412MHz
Test by :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.500	46.83	74.00	-27.17	34.90	11.93	Peak
2	2411.200	103.17	-----	-----	91.14	12.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 1
Mode :b_TX_2412MHz
Test by :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2363.200	37.65	54.00	-16.35	25.85	11.80	Average
2	2411.300	100.35	-----	-----	88.32	12.03	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Vertical
RB/VB(kHz):1000 / 3000
Mode :b_TX_2412MHz
Test by :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2384.800	58.25	74.00	-15.75	46.35	11.90	Peak
2	2411.200	115.90	-----	-----	103.87	12.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Vertical
RB/VB(kHz):1000 / 1
Mode :b_TX_2412MHz
Test by :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2362.400	47.93	54.00	-6.07	36.14	11.79	Average
2	2411.200	113.16	-----	-----	101.13	12.03	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Horizontal
Mode :b_TX_2412MHz
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	43.99	74.00	-30.01	58.67	-14.68	Peak
2	7236.000	49.03	74.00	-24.97	56.98	-7.95	Peak
3	9648.000	49.80	74.00	-24.20	54.28	-4.48	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Vertical
Mode :b_TX_2412MHz
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	43.90	74.00	-30.10	58.58	-14.68	Peak
2	7236.000	51.55	74.00	-22.45	59.50	-7.95	Peak
3	9648.000	50.49	74.00	-23.51	54.97	-4.48	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 3000
Mode :b_TX_2437MHz
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2388.300	45.55	74.00	-28.45	33.63	11.92	Peak
2	2436.200	104.83	-----	-----	92.67	12.16	Peak
3	2486.700	44.72	74.00	-29.28	32.31	12.41	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 1
Mode :b_TX_2437MHz
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2388.700	35.83	54.00	-18.17	23.90	11.93	Average
2	2436.300	101.97	-----	-----	89.81	12.16	Average
3	2493.200	32.86	54.00	-21.14	20.41	12.45	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Vertical
RB/VB(kHz):1000 / 3000
Mode :b_TX_2437MHz
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.300	58.63	74.00	-15.37	46.70	11.93	Peak
2	2436.200	118.49	-----	-----	106.33	12.16	Peak
3	2496.000	57.17	74.00	-16.83	44.71	12.46	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Vertical
RB/VB(kHz):1000 / 1
Mode :b_TX_2437MHz
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.600	50.03	54.00	-3.97	38.10	11.93	Average
2	2436.300	115.63	-----	-----	103.47	12.16	Average
3	2490.400	45.83	54.00	-8.17	33.40	12.43	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Horizontal
Mode :b_TX_2437MHz
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	44.83	74.00	-29.17	59.31	-14.48	Peak
2	7311.000	50.09	74.00	-23.91	57.97	-7.88	Peak
3	9748.000	51.45	74.00	-22.55	55.73	-4.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Vertical
Mode :b_TX_2437MHz
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	44.65	74.00	-29.35	59.13	-14.48	Peak
2	7311.000	49.05	74.00	-24.95	56.93	-7.88	Peak
3	9748.000	50.05	74.00	-23.95	54.33	-4.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 3000
Mode :b_TX_2462MHz
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2461.300	105.52	-----	-----	93.22	12.30	Peak
2	2487.700	48.66	74.00	-25.34	36.23	12.43	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 1
Mode :b_TX_2462MHz
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2461.300	102.73	-----	-----	90.44	12.29	Average
2	2487.300	41.33	54.00	-12.67	28.91	12.42	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Vertical
RB/VB(kHz):1000 / 3000
Mode :b_TX_2462MHz
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2461.200	117.23	-----	-----	104.94	12.29	Peak
2	2487.500	62.07	74.00	-11.93	49.64	12.43	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Vertical
RB/VB(kHz):1000 / 1
Mode :b_TX_2462MHz
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2461.300	114.48	-----	-----	102.19	12.29	Average
2	2487.700	52.99	54.00	-1.01	40.56	12.43	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Horizontal
Mode :b_TX_2462MHz
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	47.42	74.00	-26.58	61.70	-14.28	Peak
2	7386.000	49.39	74.00	-24.61	57.18	-7.79	Peak
3	9848.000	51.03	74.00	-22.97	55.11	-4.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Vertical
Mode :b_TX_2462MHz
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	45.66	74.00	-28.34	59.94	-14.28	Peak
2	7386.000	50.65	74.00	-23.35	58.44	-7.79	Peak
3	9848.000	51.60	74.00	-22.40	55.68	-4.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 3000
Mode :g_TX_2412MHz
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2338.600	55.31	74.00	-18.69	43.63	11.68	Peak
2	2411.200	102.03	74.00	28.03	90.00	12.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 1
Mode :g_TX_2412MHz
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.300	42.72	54.00	-11.28	30.79	11.93	Average
2	2411.300	92.67	74.00	18.67	80.64	12.03	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Vertical
RB/VB(kHz):1000 / 3000
Mode :g_TX_2412MHz
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2385.700	59.47	74.00	-14.53	47.56	11.91	Peak
2	2410.400	115.17	-----	-----	103.14	12.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Vertical
RB/VB(kHz):1000 / 1
Mode :g_TX_2412MHz
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.900	47.35	54.00	-6.65	35.42	11.93	Average
2	2410.500	105.13	-----	-----	93.10	12.03	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Horizontal
Mode :g_TX_2412MHz
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	44.16	74.00	-29.84	58.84	-14.68	Peak
2	7236.000	49.65	74.00	-24.35	57.60	-7.95	Peak
3	9648.000	50.19	74.00	-23.81	54.67	-4.48	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Vertical
Mode :g_TX_2412MHz
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	44.71	74.00	-29.29	59.39	-14.68	Peak
2	7236.000	51.48	74.00	-22.52	59.43	-7.95	Peak
3	9648.000	49.79	74.00	-24.21	54.27	-4.48	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 3000
Mode :g_TX_2437MHz
Test by :Brook Cheng



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2354.700	55.84	74.00	-18.16	44.08	11.76	Peak
2	2437.800	106.35	-----	-----	94.18	12.17	Peak
3	2486.400	55.44	74.00	-18.56	43.04	12.40	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 1
Mode :g_TX_2437MHz
Test by :Brook Cheng



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2384.400	42.74	54.00	-11.26	30.84	11.90	Average
2	2437.800	96.77	-----	-----	84.60	12.17	Average
3	2490.000	43.10	54.00	-10.90	30.67	12.43	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m ,Vertical
RB/VB(kHz):1000 / 3000
Mode :g_TX_2437MHz
Test by :Brook Cheng



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2388.200	60.28	74.00	-13.72	48.36	11.92	Peak
2	2437.800	118.94	-----	-----	106.77	12.17	Peak
3	2483.900	57.66	74.00	-16.34	45.26	12.40	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m ,Vertical
RB/VB(kHz):1000 / 1
Mode :g_TX_2437MHz
Test by :Brook Cheng



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2388.400	46.47	54.00	-7.53	34.54	11.93	Average
2	2438.000	109.57	-----	-----	97.40	12.17	Average
3	2483.600	44.97	54.00	-9.03	32.57	12.40	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Horizontal
Mode :g_TX_2437MHz
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	44.03	74.00	-29.97	58.51	-14.48	Peak
2	7311.000	48.63	74.00	-25.37	56.51	-7.88	Peak
3	9748.000	49.92	74.00	-24.08	54.20	-4.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Vertical
Mode :g_TX_2437MHz
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	44.02	74.00	-29.98	58.50	-14.48	Peak
2	7311.000	49.52	74.00	-24.48	57.40	-7.88	Peak
3	9748.000	49.70	74.00	-24.30	53.98	-4.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 3000
Mode :g_TX_2462MHz
Test by :Scott Chang




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2463.100	104.41	-----	-----	92.11	12.30	Peak
2	2487.800	56.61	74.00	-17.39	44.18	12.43	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 1
Mode :g_TX_2462MHz
Test by :Scott Chang



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2462.900	95.02	-----	-----	82.72	12.30	Average
2	2483.600	43.99	54.00	-10.01	31.59	12.40	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.