









Mode	80																																																																																																												
	Harmonic																																																																																																												
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																												
ANT	0																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>43.09</td><td>74.00</td><td>-30.91</td><td>52.73</td><td>38.25</td><td>16.08</td><td>63.97</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	43.09	74.00	-30.91	52.73	38.25	16.08	63.97	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>43.85</td><td>74.00</td><td>-30.15</td><td>53.49</td><td>38.25</td><td>16.08</td><td>63.97</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	43.85	74.00	-30.15	53.49	38.25	16.08	63.97	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11440.00	43.09	74.00	-30.91	52.73	38.25	16.08	63.97	0.00	--	--	PEAK																																																																																																	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11440.00	43.85	74.00	-30.15	53.49	38.25	16.08	63.97	0.00	--	--	PEAK																																																																																																	





Mode	81																																																																																																												
	Harmonic																																																																																																												
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>43.57</td><td>74.00</td><td>-30.43</td><td>53.21</td><td>38.25</td><td>16.08</td><td>63.97</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	43.57	74.00	-30.43	53.21	38.25	16.08	63.97	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>43.10</td><td>74.00</td><td>-30.90</td><td>52.74</td><td>38.25</td><td>16.08</td><td>63.97</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	43.10	74.00	-30.90	52.74	38.25	16.08	63.97	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11440.00	43.57	74.00	-30.43	53.21	38.25	16.08	63.97	0.00	--	--	PEAK																																																																																																	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11440.00	43.10	74.00	-30.90	52.74	38.25	16.08	63.97	0.00	--	--	PEAK																																																																																																	







Mode	82																																																																																																												
	Harmonic																																																																																																												
	U-NII-2C_5.47-5.85_802.11n HT20_CH144_5720MHz																																																																																																												
ANT	CDD																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.48</td><td>74.00</td><td>-29.52</td><td>54.12</td><td>38.25</td><td>16.08</td><td>63.97</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	44.48	74.00	-29.52	54.12	38.25	16.08	63.97	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>43.83</td><td>74.00</td><td>-30.17</td><td>53.47</td><td>38.25</td><td>16.08</td><td>63.97</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	43.83	74.00	-30.17	53.47	38.25	16.08	63.97	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11440.00	44.48	74.00	-29.52	54.12	38.25	16.08	63.97	0.00	--	--	PEAK																																																																																																	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11440.00	43.83	74.00	-30.17	53.47	38.25	16.08	63.97	0.00	--	--	PEAK																																																																																																	







Mode	83																																																																																																																
	Harmonic																																																																																																																
	U-NII-2C_5.47-5.85_802.11ac VHT40_CH142_5710MHz																																																																																																																
ANT	CDD																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>43.65</td><td>74.00</td><td>-30.35</td><td>53.32</td><td>38.24</td><td>16.07</td><td>63.98</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	43.65	74.00	-30.35	53.32	38.24	16.07	63.98	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>43.61</td><td>74.00</td><td>-30.39</td><td>53.28</td><td>38.24</td><td>16.07</td><td>63.98</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	43.61	74.00	-30.39	53.28	38.24	16.07	63.98	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	11420.00	43.65	74.00	-30.35	53.32	38.24	16.07	63.98	0.00	--	--	PEAK																																																																																																					
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	11420.00	43.61	74.00	-30.39	53.28	38.24	16.07	63.98	0.00	--	--	PEAK																																																																																																					





Mode	84	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_5690MHz	
ANT	CDD	
Pol.	Horizontal	Vertical
Peak		
Avg		







Mode	85	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz	
ANT	CDD	
Pol.	Horizontal	Vertical
Peak		
Avg		





Mode	86																																																																																																												
	Harmonic																																																																																																												
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz																																																																																																												
ANT	CDD																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>42.88</td><td>74.00</td><td>-31.12</td><td>52.55</td><td>38.24</td><td>16.07</td><td>63.98</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	42.88	74.00	-31.12	52.55	38.24	16.07	63.98	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>43.01</td><td>74.00</td><td>-30.99</td><td>52.68</td><td>38.24</td><td>16.07</td><td>63.98</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	43.01	74.00	-30.99	52.68	38.24	16.07	63.98	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11420.00	42.88	74.00	-31.12	52.55	38.24	16.07	63.98	0.00	--	--	PEAK																																																																																																	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11420.00	43.01	74.00	-30.99	52.68	38.24	16.07	63.98	0.00	--	--	PEAK																																																																																																	





Mode	87	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_5690MHz	
ANT	CDD	
Pol.	Horizontal	Vertical
Peak		
Avg		



Mode	88																																																																																																												
	Harmonic																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																												
ANT	0																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>43.98</td><td>74.00</td><td>-30.02</td><td>53.51</td><td>38.29</td><td>16.12</td><td>63.94</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	43.98	74.00	-30.02	53.51	38.29	16.12	63.94	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>43.71</td><td>74.00</td><td>-30.29</td><td>53.24</td><td>38.29</td><td>16.12</td><td>63.94</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	43.71	74.00	-30.29	53.24	38.29	16.12	63.94	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11490.00	43.98	74.00	-30.02	53.51	38.29	16.12	63.94	0.00	--	--	PEAK																																																																																																	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11490.00	43.71	74.00	-30.29	53.24	38.29	16.12	63.94	0.00	--	--	PEAK																																																																																																	







Mode	89																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																	
ANT	0																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11570.00</td><td>43.76</td><td>74.00</td><td>-30.24</td><td>52.92</td><td>38.36</td><td>16.18</td><td>63.70</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	43.76	74.00	-30.24	52.92	38.36	16.18	63.70	0.00	--	-- PEAK	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11570.00</td><td>43.78</td><td>74.00</td><td>-30.22</td><td>52.94</td><td>38.36</td><td>16.18</td><td>63.70</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	43.78	74.00	-30.22	52.94	38.36	16.18	63.70	0.00	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 11570.00	43.76	74.00	-30.24	52.92	38.36	16.18	63.70	0.00	--	-- PEAK																																																																																								
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 11570.00	43.78	74.00	-30.22	52.94	38.36	16.18	63.70	0.00	--	-- PEAK																																																																																								



Mode	90										
	Band Edge										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz										
ANT	0										
Pol.	Horizontal										
Peak	Level (dBuV/m)										





		90																																																																																										
Mode		Band Edge																																																																																										
		U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																										
ANT		0																																																																																										
Pol.		Vertical					Fundamental																																																																																					
Peak																																																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>48.24</td><td>111.36</td><td>-63.12</td><td>39.13</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>351</td><td>258</td><td>PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>50.04</td><td>105.80</td><td>-55.76</td><td>40.83</td><td>34.99</td><td>11.51</td><td>37.29</td><td>0.00</td><td>351</td><td>258</td><td>PEAK</td></tr><tr><td>3</td><td>5922.40</td><td>48.51</td><td>70.12</td><td>-21.61</td><td>39.07</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>351</td><td>258</td><td>PEAK</td></tr><tr><td>4</td><td>5996.40</td><td>48.98</td><td>68.20</td><td>-19.22</td><td>39.24</td><td>35.39</td><td>11.61</td><td>37.26</td><td>0.00</td><td>351</td><td>258</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	48.24	111.36	-63.12	39.13	34.92	11.49	37.30	0.00	351	258	PEAK	2	5873.20	50.04	105.80	-55.76	40.83	34.99	11.51	37.29	0.00	351	258	PEAK	3	5922.40	48.51	70.12	-21.61	39.07	35.17	11.55	37.28	0.00	351	258	PEAK	4	5996.40	48.98	68.20	-19.22	39.24	35.39	11.61	37.26	0.00	351
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.00	48.24	111.36	-63.12	39.13	34.92	11.49	37.30	0.00	351	258	PEAK																																																																																
2	5873.20	50.04	105.80	-55.76	40.83	34.99	11.51	37.29	0.00	351	258	PEAK																																																																																
3	5922.40	48.51	70.12	-21.61	39.07	35.17	11.55	37.28	0.00	351	258	PEAK																																																																																
4	5996.40	48.98	68.20	-19.22	39.24	35.39	11.61	37.26	0.00	351	258	PEAK																																																																																
Avg	Blank																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.85</td><td>-----</td><td>-----</td><td>94.87</td><td>34.80</td><td>11.47</td><td>37.29</td><td>0.00</td><td>351</td><td>258</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.85	-----	-----	94.87	34.80	11.47	37.29	0.00	351	258	PEAK																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5825.00	103.85	-----	-----	94.87	34.80	11.47	37.29	0.00	351	258	PEAK																																																																																
																																																																																												
																																																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>94.32</td><td>-----</td><td>-----</td><td>85.34</td><td>34.80</td><td>11.47</td><td>37.29</td><td>0.00</td><td>351</td><td>258</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	94.32	-----	-----	85.34	34.80	11.47	37.29	0.00	351	258	AVERAGE																																					
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5825.00	94.32	-----	-----	85.34	34.80	11.47	37.29	0.00	351	258	AVERAGE																																																																																



Mode	90																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																								
ANT	0																																																																																																																								
Pol.	Horizontal												Vertical																																																																																																												
Peak Avg																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.00</td><td>74.00</td><td>-29.00</td><td>53.78</td><td>38.42</td><td>16.23</td><td>63.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	45.00	74.00	-29.00	53.78	38.42	16.23	63.43	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.01</td><td>74.00</td><td>-28.99</td><td>53.79</td><td>38.42</td><td>16.23</td><td>63.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	45.01	74.00	-28.99	53.79	38.42	16.23	63.43	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	11650.00	45.00	74.00	-29.00	53.78	38.42	16.23	63.43	0.00	--	--	PEAK																																																																																																													
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	11650.00	45.01	74.00	-28.99	53.79	38.42	16.23	63.43	0.00	--	--	PEAK																																																																																																													






Mode	91																																																																																								
	Harmonic																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																								
ANT	1																																																																																								
Pol.	Horizontal	Vertical																																																																																							
Peak																																																																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.43</td><td>74.00</td><td>-29.57</td><td>53.96</td><td>38.29</td><td>16.12</td><td>63.94</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	44.43	74.00	-29.57	53.96	38.29	16.12	63.94	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>43.74</td><td>74.00</td><td>-30.26</td><td>53.27</td><td>38.29</td><td>16.12</td><td>63.94</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	43.74	74.00	-30.26	53.27	38.29	16.12	63.94	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	11490.00	44.43	74.00	-29.57	53.96	38.29	16.12	63.94	0.00	--	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	11490.00	43.74	74.00	-30.26	53.27	38.29	16.12	63.94	0.00	--	PEAK																																																																														






Mode	92																																																										
	Harmonic																																																										
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																										
ANT	1																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11570.00</td><td>43.77</td><td>74.00</td><td>-30.23</td><td>52.93</td><td>38.36</td><td>16.18</td><td>63.70</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11570.00	43.77	74.00	-30.23	52.93	38.36	16.18	63.70	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 11570.00	43.77	74.00	-30.23	52.93	38.36	16.18	63.70	0.00	--	--	PEAK																																																
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11570.00</td><td>43.47</td><td>74.00</td><td>-30.53</td><td>52.63</td><td>38.36</td><td>16.18</td><td>63.70</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11570.00	43.47	74.00	-30.53	52.63	38.36	16.18	63.70	0.00	--	--	PEAK	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 11570.00	43.47	74.00	-30.53	52.63	38.36	16.18	63.70	0.00	--	--	PEAK																																																





Mode	93																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>48.18</td><td>111.36</td><td>-63.18</td><td>39.07</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>100</td><td>213</td><td>PEAK</td></tr><tr><td>2</td><td>5870.00</td><td>51.06</td><td>106.47</td><td>-55.41</td><td>41.87</td><td>34.98</td><td>11.51</td><td>37.30</td><td>0.00</td><td>100</td><td>213</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>48.15</td><td>68.94</td><td>-20.79</td><td>38.71</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>100</td><td>213</td><td>PEAK</td></tr><tr><td>4</td><td>5985.20</td><td>50.22</td><td>68.20</td><td>-17.98</td><td>40.52</td><td>35.36</td><td>11.60</td><td>37.26</td><td>0.00</td><td>100</td><td>213</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	48.18	111.36	-63.18	39.07	34.92	11.49	37.30	0.00	100	213	PEAK	2	5870.00	51.06	106.47	-55.41	41.87	34.98	11.51	37.30	0.00	100	213	PEAK	3	5924.00	48.15	68.94	-20.79	38.71	35.17	11.55	37.28	0.00	100	213	PEAK	4	5985.20	50.22	68.20	-17.98	40.52	35.36	11.60	37.26	0.00	100	213	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.30</td><td>-----</td><td>-----</td><td>98.32</td><td>34.80</td><td>11.47</td><td>37.29</td><td>0.00</td><td>100</td><td>213</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.30	-----	-----	98.32	34.80	11.47	37.29	0.00	100	213	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5854.00	48.18	111.36	-63.18	39.07	34.92	11.49	37.30	0.00	100	213	PEAK																																																																																																																															
2	5870.00	51.06	106.47	-55.41	41.87	34.98	11.51	37.30	0.00	100	213	PEAK																																																																																																																															
3	5924.00	48.15	68.94	-20.79	38.71	35.17	11.55	37.28	0.00	100	213	PEAK																																																																																																																															
4	5985.20	50.22	68.20	-17.98	40.52	35.36	11.60	37.26	0.00	100	213	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	107.30	-----	-----	98.32	34.80	11.47	37.29	0.00	100	213	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.19</td><td>-----</td><td>-----</td><td>93.21</td><td>34.80</td><td>11.47</td><td>37.29</td><td>0.00</td><td>100</td><td>213</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	102.19	-----	-----	93.21	34.80	11.47	37.29	0.00	100	213	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	102.19	-----	-----	93.21	34.80	11.47	37.29	0.00	100	213	AVERAGE																																																																																																																															






Mode	93																																																																																																																																												
	Band Edge																																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																																						
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue signal line with peaks at 5854.00, 5868.00, 5924.40, and 5925.60 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>48.26</td><td>111.36</td><td>-63.10</td><td>39.15</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>351</td><td>258</td><td>PEAK</td></tr><tr><td>2</td><td>5868.00</td><td>50.65</td><td>107.26</td><td>-56.61</td><td>41.48</td><td>34.97</td><td>11.50</td><td>37.30</td><td>0.00</td><td>351</td><td>258</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>48.45</td><td>68.64</td><td>-20.19</td><td>39.01</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>351</td><td>258</td><td>PEAK</td></tr><tr><td>4</td><td>5925.60</td><td>49.59</td><td>68.20</td><td>-18.61</td><td>40.14</td><td>35.18</td><td>11.55</td><td>37.28</td><td>0.00</td><td>351</td><td>258</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	48.26	111.36	-63.10	39.15	34.92	11.49	37.30	0.00	351	258	PEAK	2	5868.00	50.65	107.26	-56.61	41.48	34.97	11.50	37.30	0.00	351	258	PEAK	3	5924.40	48.45	68.64	-20.19	39.01	35.17	11.55	37.28	0.00	351	258	PEAK	4	5925.60	49.59	68.20	-18.61	40.14	35.18	11.55	37.28	0.00	351	258	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line with a peak at 5825.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.48</td><td>-----</td><td>-----</td><td>96.50</td><td>34.80</td><td>11.47</td><td>37.29</td><td>0.00</td><td>351</td><td>258</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.48	-----	-----	96.50	34.80	11.47	37.29	0.00	351	258	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	5854.00	48.26	111.36	-63.10	39.15	34.92	11.49	37.30	0.00	351	258	PEAK																																																																																																																																	
2	5868.00	50.65	107.26	-56.61	41.48	34.97	11.50	37.30	0.00	351	258	PEAK																																																																																																																																	
3	5924.40	48.45	68.64	-20.19	39.01	35.17	11.55	37.28	0.00	351	258	PEAK																																																																																																																																	
4	5925.60	49.59	68.20	-18.61	40.14	35.18	11.55	37.28	0.00	351	258	PEAK																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	5825.00	105.48	-----	-----	96.50	34.80	11.47	37.29	0.00	351	258	PEAK																																																																																																																																	
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line with a peak at 5825.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.44</td><td>-----</td><td>-----</td><td>92.46</td><td>34.80</td><td>11.47</td><td>37.29</td><td>0.00</td><td>351</td><td>258</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.44	-----	-----	92.46	34.80	11.47	37.29	0.00	351	258	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																			
1	5825.00	101.44	-----	-----	92.46	34.80	11.47	37.29	0.00	351	258	AVERAGE																																																																																																																																	






Mode	93																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>53.68</td><td>38.42</td><td>16.23</td><td>63.43</td><td>0.00</td><td>-- PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	44.90	74.00	-29.10	53.68	38.42	16.23	63.43	0.00	-- PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.38</td><td>74.00</td><td>-28.62</td><td>54.16</td><td>38.42</td><td>16.23</td><td>63.43</td><td>0.00</td><td>-- PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	45.38	74.00	-28.62	54.16	38.42	16.23	63.43	0.00	-- PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11650.00	44.90	74.00	-29.10	53.68	38.42	16.23	63.43	0.00	-- PEAK																																																																																										
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11650.00	45.38	74.00	-28.62	54.16	38.42	16.23	63.43	0.00	-- PEAK																																																																																										





		94																																																																																																																																																
Mode		Band Edge																																																																																																																																																
		U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																																
ANT		CDD																																																																																																																																																
Pol.	Horizontal										Fundamental																																																																																																																																							
Peak																																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5630.80</td><td>58.43</td><td>68.20</td><td>-9.77</td><td>39.83</td><td>34.84</td><td>13.06</td><td>29.30</td><td>0.00</td><td>100</td><td>146</td><td>PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>56.92</td><td>68.80</td><td>-11.88</td><td>38.45</td><td>34.00</td><td>13.01</td><td>29.34</td><td>0.00</td><td>100</td><td>146</td><td>PEAK</td></tr><tr><td>3</td><td>5712.40</td><td>66.30</td><td>108.77</td><td>-42.47</td><td>47.80</td><td>34.95</td><td>13.20</td><td>29.65</td><td>0.00</td><td>100</td><td>146</td><td>PEAK</td></tr><tr><td>4</td><td>5723.60</td><td>72.43</td><td>119.11</td><td>-46.68</td><td>53.86</td><td>34.99</td><td>13.29</td><td>29.71</td><td>0.00</td><td>100</td><td>146</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5630.80	58.43	68.20	-9.77	39.83	34.84	13.06	29.30	0.00	100	146	PEAK	2	5650.80	56.92	68.80	-11.88	38.45	34.00	13.01	29.34	0.00	100	146	PEAK	3	5712.40	66.30	108.77	-42.47	47.80	34.95	13.20	29.65	0.00	100	146	PEAK	4	5723.60	72.43	119.11	-46.68	53.86	34.99	13.29	29.71	0.00	100	146	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.57</td><td>-----</td><td>-----</td><td>87.82</td><td>35.08</td><td>13.49</td><td>29.82</td><td>0.00</td><td>100</td><td>146</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.57	-----	-----	87.82	35.08	13.49	29.82	0.00	100	146
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	5630.80	58.43	68.20	-9.77	39.83	34.84	13.06	29.30	0.00	100	146	PEAK																																																																																																																																						
2	5650.80	56.92	68.80	-11.88	38.45	34.00	13.01	29.34	0.00	100	146	PEAK																																																																																																																																						
3	5712.40	66.30	108.77	-42.47	47.80	34.95	13.20	29.65	0.00	100	146	PEAK																																																																																																																																						
4	5723.60	72.43	119.11	-46.68	53.86	34.99	13.29	29.71	0.00	100	146	PEAK																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	5745.00	106.57	-----	-----	87.82	35.08	13.49	29.82	0.00	100	146	PEAK																																																																																																																																						
Avg	Blank																																																																																																																																																	
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.26</td><td>-----</td><td>-----</td><td>79.51</td><td>35.08</td><td>13.49</td><td>29.82</td><td>0.00</td><td>100</td><td>146</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.26	-----	-----	79.51	35.08	13.49	29.82	0.00	100	146	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	5745.00	98.26	-----	-----	79.51	35.08	13.49	29.82	0.00	100	146	AVERAGE																																																																																																																																						





Mode	94																																																																																															
	Band Edge																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																															
ANT	CDD																																																																																															
Pol.	Vertical																																																																																															
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5615.20</td><td>57.21</td><td>68.20</td><td>-10.99</td><td>38.56</td><td>34.87</td><td>13.11</td><td>29.33</td><td>0.00</td><td>302</td><td>99</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.22</td><td>68.00</td><td>-13.58</td><td>36.75</td><td>34.00</td><td>13.01</td><td>29.34</td><td>0.00</td><td>302</td><td>99</td><td>PEAK</td></tr><tr><td>3</td><td>5713.60</td><td>61.86</td><td>109.11</td><td>-47.25</td><td>43.36</td><td>34.95</td><td>13.21</td><td>29.66</td><td>0.00</td><td>302</td><td>99</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>58.26</td><td>112.72</td><td>-54.46</td><td>39.71</td><td>34.98</td><td>13.27</td><td>29.70</td><td>0.00</td><td>302</td><td>99</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5615.20	57.21	68.20	-10.99	38.56	34.87	13.11	29.33	0.00	302	99	PEAK	2	5650.00	55.22	68.00	-13.58	36.75	34.00	13.01	29.34	0.00	302	99	PEAK	3	5713.60	61.86	109.11	-47.25	43.36	34.95	13.21	29.66	0.00	302	99	PEAK	4	5720.80	58.26	112.72	-54.46	39.71	34.98	13.27	29.70	0.00	302	99	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5615.20	57.21	68.20	-10.99	38.56	34.87	13.11	29.33	0.00	302	99	PEAK																																																																																				
2	5650.00	55.22	68.00	-13.58	36.75	34.00	13.01	29.34	0.00	302	99	PEAK																																																																																				
3	5713.60	61.86	109.11	-47.25	43.36	34.95	13.21	29.66	0.00	302	99	PEAK																																																																																				
4	5720.80	58.26	112.72	-54.46	39.71	34.98	13.27	29.70	0.00	302	99	PEAK																																																																																				
Fundamental																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>100.67</td><td>-----</td><td>-----</td><td>81.92</td><td>35.08</td><td>13.49</td><td>29.82</td><td>0.00</td><td>302</td><td>99</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.67	-----	-----	81.92	35.08	13.49	29.82	0.00	302	99	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5745.00	100.67	-----	-----	81.92	35.08	13.49	29.82	0.00	302	99	PEAK																																																																																				
Avg	Blank																																																																																															
																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>93.32</td><td>-----</td><td>-----</td><td>74.62</td><td>35.06</td><td>13.43</td><td>29.79</td><td>0.00</td><td>302</td><td>99</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	93.32	-----	-----	74.62	35.06	13.43	29.79	0.00	302	99	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5745.00	93.32	-----	-----	74.62	35.06	13.43	29.79	0.00	302	99	AVERAGE																																																																																				






Mode	94																																																																																																													
	Harmonic																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																													
ANT	CDD																																																																																																													
Pol.	Horizontal						Vertical																																																																																																							
Peak Avg																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>43.76</td><td>74.00</td><td>-30.24</td><td>53.29</td><td>38.29</td><td>16.12</td><td>63.94</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	43.76	74.00	-30.24	53.29	38.29	16.12	63.94	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>43.72</td><td>74.00</td><td>-30.28</td><td>53.25</td><td>38.29</td><td>16.12</td><td>63.94</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>									Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	43.72	74.00	-30.28	53.25	38.29	16.12	63.94	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	11490.00	43.76	74.00	-30.24	53.29	38.29	16.12	63.94	0.00	--	--	PEAK																																																																																																		
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	11490.00	43.72	74.00	-30.28	53.25	38.29	16.12	63.94	0.00	--	--	PEAK																																																																																																		






Mode	95																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																
ANT	CDD																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>43.98</td><td>74.00</td><td>-30.02</td><td>53.14</td><td>38.36</td><td>16.18</td><td>63.70</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	43.98	74.00	-30.02	53.14	38.36	16.18	63.70	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>43.57</td><td>74.00</td><td>-30.43</td><td>52.73</td><td>38.36</td><td>16.18</td><td>63.70</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	43.57	74.00	-30.43	52.73	38.36	16.18	63.70	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11570.00	43.98	74.00	-30.02	53.14	38.36	16.18	63.70	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11570.00	43.57	74.00	-30.43	52.73	38.36	16.18	63.70	0.00	--	PEAK																																																																																						



		96																																																																																																			
Mode		Band Edge																																																																																																			
		U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																			
ANT		CDD																																																																																																			
Pol.		Horizontal																																																																																																			
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>57.23</td><td>111.36</td><td>-54.13</td><td>38.42</td><td>35.30</td><td>13.88</td><td>30.37</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr><tr><td>2</td><td>5858.40</td><td>68.49</td><td>109.95</td><td>-41.46</td><td>49.69</td><td>35.30</td><td>13.87</td><td>30.37</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>56.05</td><td>68.94</td><td>-12.89</td><td>37.37</td><td>35.35</td><td>13.73</td><td>30.40</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr><tr><td>4</td><td>5927.60</td><td>57.33</td><td>68.20</td><td>-10.87</td><td>38.66</td><td>35.36</td><td>13.72</td><td>30.41</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5854.00	57.23	111.36	-54.13	38.42	35.30	13.88	30.37	0.00	100	147	PEAK	2	5858.40	68.49	109.95	-41.46	49.69	35.30	13.87	30.37	0.00	100	147	PEAK	3	5924.00	56.05	68.94	-12.89	37.37	35.35	13.73	30.40	0.00	100	147	PEAK	4	5927.60	57.33	68.20	-10.87	38.66	35.36	13.72	30.41	0.00	100	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5854.00	57.23	111.36	-54.13	38.42	35.30	13.88	30.37	0.00	100	147	PEAK																																																																																									
2	5858.40	68.49	109.95	-41.46	49.69	35.30	13.87	30.37	0.00	100	147	PEAK																																																																																									
3	5924.00	56.05	68.94	-12.89	37.37	35.35	13.73	30.40	0.00	100	147	PEAK																																																																																									
4	5927.60	57.33	68.20	-10.87	38.66	35.36	13.72	30.41	0.00	100	147	PEAK																																																																																									
Fundamental																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.26</td><td>-----</td><td>-----</td><td>88.09</td><td>35.25</td><td>14.14</td><td>30.22</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5825.00	107.26	-----	-----	88.09	35.25	14.14	30.22	0.00	100	147	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5825.00	107.26	-----	-----	88.09	35.25	14.14	30.22	0.00	100	147	PEAK																																																																																									
Avg	Blank																																																																																																				
																																																																																																					
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.57</td><td>-----</td><td>-----</td><td>80.48</td><td>35.26</td><td>14.08</td><td>30.25</td><td>0.00</td><td>100</td><td>147</td><td>AVERAGE</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5825.00	99.57	-----	-----	80.48	35.26	14.08	30.25	0.00	100	147	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5825.00	99.57	-----	-----	80.48	35.26	14.08	30.25	0.00	100	147	AVERAGE																																																																																									



Mode	96																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																										
ANT	CDD																																																																																																																																										
Pol.	Vertical					Fundamental																																																																																																																																					
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>55.25</td><td>111.36</td><td>-56.11</td><td>36.44</td><td>35.30</td><td>13.88</td><td>30.37</td><td>0.00</td><td>319</td><td>96</td><td>PEAK</td></tr><tr><td>2</td><td>5862.40</td><td>61.96</td><td>108.83</td><td>-46.87</td><td>43.16</td><td>35.30</td><td>13.87</td><td>30.37</td><td>0.00</td><td>319</td><td>96</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.51</td><td>68.35</td><td>-12.84</td><td>36.84</td><td>35.35</td><td>13.73</td><td>30.41</td><td>0.00</td><td>319</td><td>96</td><td>PEAK</td></tr><tr><td>4</td><td>5948.00</td><td>56.98</td><td>68.20</td><td>-11.22</td><td>38.34</td><td>35.40</td><td>13.66</td><td>30.42</td><td>0.00</td><td>319</td><td>96</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	55.25	111.36	-56.11	36.44	35.30	13.88	30.37	0.00	319	96	PEAK	2	5862.40	61.96	108.83	-46.87	43.16	35.30	13.87	30.37	0.00	319	96	PEAK	3	5924.00	55.51	68.35	-12.84	36.84	35.35	13.73	30.41	0.00	319	96	PEAK	4	5948.00	56.98	68.20	-11.22	38.34	35.40	13.66	30.42	0.00	319	96	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.12</td><td>-----</td><td>-----</td><td>81.95</td><td>35.25</td><td>14.14</td><td>30.22</td><td>0.00</td><td>319</td><td>96</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg	1	5825.00	101.12	-----	-----	81.95	35.25	14.14	30.22	0.00	319	96	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5854.00	55.25	111.36	-56.11	36.44	35.30	13.88	30.37	0.00	319	96	PEAK																																																																																																																															
2	5862.40	61.96	108.83	-46.87	43.16	35.30	13.87	30.37	0.00	319	96	PEAK																																																																																																																															
3	5924.00	55.51	68.35	-12.84	36.84	35.35	13.73	30.41	0.00	319	96	PEAK																																																																																																																															
4	5948.00	56.98	68.20	-11.22	38.34	35.40	13.66	30.42	0.00	319	96	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	101.12	-----	-----	81.95	35.25	14.14	30.22	0.00	319	96	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>93.72</td><td>-----</td><td>-----</td><td>74.55</td><td>35.25</td><td>14.14</td><td>30.22</td><td>0.00</td><td>319</td><td>96</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg	1	5825.00	93.72	-----	-----	74.55	35.25	14.14	30.22	0.00	319	96	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	93.72	-----	-----	74.55	35.25	14.14	30.22	0.00	319	96	AVERAGE																																																																																																																															




Mode	96																																																																																																													
	Harmonic																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																													
ANT	CDD																																																																																																													
Pol.	Horizontal						Vertical																																																																																																							
Peak Avg																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>54.15</td><td>38.42</td><td>16.23</td><td>63.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	45.37	74.00	-28.63	54.15	38.42	16.23	63.43	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>53.98</td><td>38.42</td><td>16.23</td><td>63.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>									Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	45.20	74.00	-28.80	53.98	38.42	16.23	63.43	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	11650.00	45.37	74.00	-28.63	54.15	38.42	16.23	63.43	0.00	--	--	PEAK																																																																																																		
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	11650.00	45.20	74.00	-28.80	53.98	38.42	16.23	63.43	0.00	--	--	PEAK																																																																																																		






	97																																																																																							
Mode	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																							
ANT	CDD																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5610.54</td><td>57.49</td><td>68.20</td><td>-10.71</td><td>38.83</td><td>34.88</td><td>13.12</td><td>29.34</td><td>0.00</td><td>201</td><td>359 PEAK</td></tr><tr><td>2 5650.53</td><td>56.19</td><td>68.59</td><td>-12.40</td><td>37.72</td><td>34.00</td><td>13.01</td><td>29.34</td><td>0.00</td><td>201</td><td>359 PEAK</td></tr><tr><td>3 5719.66</td><td>76.79</td><td>110.81</td><td>-34.02</td><td>58.24</td><td>34.98</td><td>13.26</td><td>29.69</td><td>0.00</td><td>201</td><td>359 PEAK</td></tr><tr><td>4 5720.44</td><td>76.96</td><td>111.89</td><td>-34.93</td><td>58.40</td><td>34.98</td><td>13.27</td><td>29.69</td><td>0.00</td><td>201</td><td>359 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5610.54	57.49	68.20	-10.71	38.83	34.88	13.12	29.34	0.00	201	359 PEAK	2 5650.53	56.19	68.59	-12.40	37.72	34.00	13.01	29.34	0.00	201	359 PEAK	3 5719.66	76.79	110.81	-34.02	58.24	34.98	13.26	29.69	0.00	201	359 PEAK	4 5720.44	76.96	111.89	-34.93	58.40	34.98	13.27	29.69	0.00	201	359 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5610.54	57.49	68.20	-10.71	38.83	34.88	13.12	29.34	0.00	201	359 PEAK																																																																														
2 5650.53	56.19	68.59	-12.40	37.72	34.00	13.01	29.34	0.00	201	359 PEAK																																																																														
3 5719.66	76.79	110.81	-34.02	58.24	34.98	13.26	29.69	0.00	201	359 PEAK																																																																														
4 5720.44	76.96	111.89	-34.93	58.40	34.98	13.27	29.69	0.00	201	359 PEAK																																																																														
Avg	Blank																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>103.76</td><td>-----</td><td>-----</td><td>84.96</td><td>35.10</td><td>13.55</td><td>29.85</td><td>0.00</td><td>201</td><td>359 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	103.76	-----	-----	84.96	35.10	13.55	29.85	0.00	201	359 PEAK																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5755.00	103.76	-----	-----	84.96	35.10	13.55	29.85	0.00	201	359 PEAK																																																																														
Avg	Blank																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>96.00</td><td>-----</td><td>-----</td><td>77.02</td><td>35.13</td><td>13.76</td><td>29.91</td><td>0.00</td><td>201</td><td>359 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	96.00	-----	-----	77.02	35.13	13.76	29.91	0.00	201	359 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5755.00	96.00	-----	-----	77.02	35.13	13.76	29.91	0.00	201	359 AVERAGE																																																																														




Mode	97																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																														
ANT	CDD																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>55.69</td><td>112.15</td><td>-56.46</td><td>36.88</td><td>35.30</td><td>13.88</td><td>30.37</td><td>0.00</td><td>201</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>5871.22</td><td>56.48</td><td>106.36</td><td>-49.88</td><td>37.71</td><td>35.30</td><td>13.85</td><td>30.38</td><td>0.00</td><td>201</td><td>359</td><td>PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>56.19</td><td>68.60</td><td>-12.41</td><td>37.51</td><td>35.35</td><td>13.73</td><td>30.40</td><td>0.00</td><td>201</td><td>359</td><td>PEAK</td></tr><tr><td>4</td><td>5926.41</td><td>56.76</td><td>68.20</td><td>-11.44</td><td>38.10</td><td>35.35</td><td>13.72</td><td>30.41</td><td>0.00</td><td>201</td><td>359</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.45	55.69	112.15	-56.46	36.88	35.30	13.88	30.37	0.00	201	359	PEAK	2	5871.22	56.48	106.36	-49.88	37.71	35.30	13.85	30.38	0.00	201	359	PEAK	3	5924.46	56.19	68.60	-12.41	37.51	35.35	13.73	30.40	0.00	201	359	PEAK	4	5926.41	56.76	68.20	-11.44	38.10	35.35	13.72	30.41	0.00	201	359	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.45	55.69	112.15	-56.46	36.88	35.30	13.88	30.37	0.00	201	359	PEAK																																																																																			
2	5871.22	56.48	106.36	-49.88	37.71	35.30	13.85	30.38	0.00	201	359	PEAK																																																																																			
3	5924.46	56.19	68.60	-12.41	37.51	35.35	13.73	30.40	0.00	201	359	PEAK																																																																																			
4	5926.41	56.76	68.20	-11.44	38.10	35.35	13.72	30.41	0.00	201	359	PEAK																																																																																			





		97																																																																																																																																																							
Mode		Band Edge - L																																																																																																																																																							
		U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																																							
ANT		CDD																																																																																																																																																							
Pol.	Vertical											Fundamental																																																																																																																																													
Peak																																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5643.25</td><td>58.10</td><td>68.20</td><td>-10.10</td><td>39.57</td><td>34.81</td><td>13.03</td><td>29.31</td><td>0.00</td><td>340</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>55.76</td><td>68.94</td><td>-13.18</td><td>37.30</td><td>34.00</td><td>13.01</td><td>29.35</td><td>0.00</td><td>340</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5719.97</td><td>71.96</td><td>110.89</td><td>-38.93</td><td>53.41</td><td>34.98</td><td>13.26</td><td>29.69</td><td>0.00</td><td>340</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5721.37</td><td>76.36</td><td>114.01</td><td>-37.65</td><td>57.80</td><td>34.99</td><td>13.27</td><td>29.70</td><td>0.00</td><td>340</td><td>111</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5643.25	58.10	68.20	-10.10	39.57	34.81	13.03	29.31	0.00	340	111	PEAK	2	5651.00	55.76	68.94	-13.18	37.30	34.00	13.01	29.35	0.00	340	111	PEAK	3	5719.97	71.96	110.89	-38.93	53.41	34.98	13.26	29.69	0.00	340	111	PEAK	4	5721.37	76.36	114.01	-37.65	57.80	34.99	13.27	29.70	0.00	340	111	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>102.29</td><td>-----</td><td>-----</td><td>83.39</td><td>35.12</td><td>13.66</td><td>29.88</td><td>0.00</td><td>340</td><td>111</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5755.00	102.29	-----	-----	83.39	35.12	13.66	29.88	0.00	340	111
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	5643.25	58.10	68.20	-10.10	39.57	34.81	13.03	29.31	0.00	340	111	PEAK																																																																																																																																													
2	5651.00	55.76	68.94	-13.18	37.30	34.00	13.01	29.35	0.00	340	111	PEAK																																																																																																																																													
3	5719.97	71.96	110.89	-38.93	53.41	34.98	13.26	29.69	0.00	340	111	PEAK																																																																																																																																													
4	5721.37	76.36	114.01	-37.65	57.80	34.99	13.27	29.70	0.00	340	111	PEAK																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																														
1	5755.00	102.29	-----	-----	83.39	35.12	13.66	29.88	0.00	340	111	PEAK																																																																																																																																													
Avg	Blank																																																																																																																																																								
												<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>94.82</td><td>-----</td><td>-----</td><td>75.92</td><td>35.12</td><td>13.66</td><td>29.88</td><td>0.00</td><td>340</td><td>111</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5755.00	94.82	-----	-----	75.92	35.12	13.66	29.88	0.00	340	111	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																														
1	5755.00	94.82	-----	-----	75.92	35.12	13.66	29.88	0.00	340	111	AVERAGE																																																																																																																																													






Mode	97																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																														
ANT	CDD																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>54.75</td><td>111.71</td><td>-56.96</td><td>35.94</td><td>35.30</td><td>13.88</td><td>30.37</td><td>0.00</td><td>340</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5874.73</td><td>56.66</td><td>105.38</td><td>-48.72</td><td>37.89</td><td>35.30</td><td>13.85</td><td>30.38</td><td>0.00</td><td>340</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>56.11</td><td>68.75</td><td>-12.64</td><td>37.43</td><td>35.35</td><td>13.73</td><td>30.40</td><td>0.00</td><td>340</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5936.16</td><td>57.51</td><td>68.20</td><td>-10.69</td><td>38.86</td><td>35.37</td><td>13.69</td><td>30.41</td><td>0.00</td><td>340</td><td>111</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	54.75	111.71	-56.96	35.94	35.30	13.88	30.37	0.00	340	111	PEAK	2	5874.73	56.66	105.38	-48.72	37.89	35.30	13.85	30.38	0.00	340	111	PEAK	3	5924.26	56.11	68.75	-12.64	37.43	35.35	13.73	30.40	0.00	340	111	PEAK	4	5936.16	57.51	68.20	-10.69	38.86	35.37	13.69	30.41	0.00	340	111	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.65	54.75	111.71	-56.96	35.94	35.30	13.88	30.37	0.00	340	111	PEAK																																																																																			
2	5874.73	56.66	105.38	-48.72	37.89	35.30	13.85	30.38	0.00	340	111	PEAK																																																																																			
3	5924.26	56.11	68.75	-12.64	37.43	35.35	13.73	30.40	0.00	340	111	PEAK																																																																																			
4	5936.16	57.51	68.20	-10.69	38.86	35.37	13.69	30.41	0.00	340	111	PEAK																																																																																			




Mode	97																																																																																							
	Harmonic																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																							
ANT	CDD																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	 <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11510.00</td><td>44.16</td><td>74.00</td><td>-29.84</td><td>53.63</td><td>38.31</td><td>16.13</td><td>63.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11510.00	44.16	74.00	-29.84	53.63	38.31	16.13	63.91	0.00	--	PEAK	 <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11510.00</td><td>44.86</td><td>74.00</td><td>-29.14</td><td>54.33</td><td>38.31</td><td>16.13</td><td>63.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11510.00	44.86	74.00	-29.14	54.33	38.31	16.13	63.91	0.00	--	PEAK
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 11510.00	44.16	74.00	-29.84	53.63	38.31	16.13	63.91	0.00	--	PEAK																																																																														
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 11510.00	44.86	74.00	-29.14	54.33	38.31	16.13	63.91	0.00	--	PEAK																																																																														






Mode	98																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																										
ANT	CDD																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with a red limit line. Four peaks are marked with vertical lines and numbered 1 to 4. The signal is labeled U-NII-3. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5628.40</td><td>57.50</td><td>68.20</td><td>-10.70</td><td>38.90</td><td>34.04</td><td>13.07</td><td>29.31</td><td>0.00</td><td>297</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>55.50</td><td>68.50</td><td>-13.00</td><td>37.03</td><td>34.00</td><td>13.01</td><td>29.34</td><td>0.00</td><td>297</td><td>359</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>56.88</td><td>105.41</td><td>-48.53</td><td>38.48</td><td>34.90</td><td>13.09</td><td>29.59</td><td>0.00</td><td>297</td><td>359</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>56.72</td><td>111.81</td><td>-55.09</td><td>38.16</td><td>34.98</td><td>13.27</td><td>29.69</td><td>0.00</td><td>297</td><td>359</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5628.40	57.50	68.20	-10.70	38.90	34.04	13.07	29.31	0.00	297	359	PEAK	2	5650.40	55.50	68.50	-13.00	37.03	34.00	13.01	29.34	0.00	297	359	PEAK	3	5700.40	56.88	105.41	-48.53	38.48	34.90	13.09	29.59	0.00	297	359	PEAK	4	5720.40	56.72	111.81	-55.09	38.16	34.98	13.27	29.69	0.00	297	359	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with a red limit line. A single sharp peak is visible at 5795.00 MHz, labeled U-NII-3. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>102.36</td><td>-----</td><td>-----</td><td>82.96</td><td>35.21</td><td>14.31</td><td>30.12</td><td>0.00</td><td>297</td><td>359</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	102.36	-----	-----	82.96	35.21	14.31	30.12	0.00	297	359	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5628.40	57.50	68.20	-10.70	38.90	34.04	13.07	29.31	0.00	297	359	PEAK																																																																																																																															
2	5650.40	55.50	68.50	-13.00	37.03	34.00	13.01	29.34	0.00	297	359	PEAK																																																																																																																															
3	5700.40	56.88	105.41	-48.53	38.48	34.90	13.09	29.59	0.00	297	359	PEAK																																																																																																																															
4	5720.40	56.72	111.81	-55.09	38.16	34.98	13.27	29.69	0.00	297	359	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	102.36	-----	-----	82.96	35.21	14.31	30.12	0.00	297	359	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with a red limit line. A single sharp peak is visible at 5795.00 MHz, labeled U-NII-3(AVG). <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>95.25</td><td>-----</td><td>-----</td><td>75.77</td><td>35.20</td><td>14.37</td><td>30.09</td><td>0.00</td><td>297</td><td>359</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	95.25	-----	-----	75.77	35.20	14.37	30.09	0.00	297	359	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	95.25	-----	-----	75.77	35.20	14.37	30.09	0.00	297	359	AVERAGE																																																																																																																															




Mode	98																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																				
ANT	CDD																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>58.84</td><td>113.18</td><td>-54.34</td><td>40.03</td><td>35.30</td><td>13.88</td><td>30.37</td><td>0.00</td><td>297</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>56.83</td><td>105.69</td><td>-48.86</td><td>38.06</td><td>35.30</td><td>13.85</td><td>30.38</td><td>0.00</td><td>297</td><td>359</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.94</td><td>68.35</td><td>-13.41</td><td>36.27</td><td>35.35</td><td>13.73</td><td>30.41</td><td>0.00</td><td>297</td><td>359</td><td>PEAK</td></tr><tr><td>4</td><td>5936.40</td><td>57.01</td><td>68.20</td><td>-11.19</td><td>38.36</td><td>35.37</td><td>13.69</td><td>30.41</td><td>0.00</td><td>297</td><td>359</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	58.84	113.18	-54.34	40.03	35.30	13.88	30.37	0.00	297	359	PEAK	2	5873.60	56.83	105.69	-48.86	38.06	35.30	13.85	30.38	0.00	297	359	PEAK	3	5924.80	54.94	68.35	-13.41	36.27	35.35	13.73	30.41	0.00	297	359	PEAK	4	5936.40	57.01	68.20	-11.19	38.36	35.37	13.69	30.41	0.00	297	359	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.00	58.84	113.18	-54.34	40.03	35.30	13.88	30.37	0.00	297	359	PEAK																																																																									
2	5873.60	56.83	105.69	-48.86	38.06	35.30	13.85	30.38	0.00	297	359	PEAK																																																																									
3	5924.80	54.94	68.35	-13.41	36.27	35.35	13.73	30.41	0.00	297	359	PEAK																																																																									
4	5936.40	57.01	68.20	-11.19	38.36	35.37	13.69	30.41	0.00	297	359	PEAK																																																																									





	98																																																																																																																																		
Mode	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																		
ANT	CDD																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5640.00</td><td>57.35</td><td>68.20</td><td>-10.85</td><td>38.78</td><td>34.82</td><td>13.04</td><td>29.29</td><td>0.00</td><td>373</td><td>109 PEAK</td></tr><tr><td>2 5650.00</td><td>55.22</td><td>68.20</td><td>-12.98</td><td>36.75</td><td>34.80</td><td>13.01</td><td>29.34</td><td>0.00</td><td>373</td><td>109 PEAK</td></tr><tr><td>3 5702.40</td><td>55.21</td><td>105.97</td><td>-50.76</td><td>36.79</td><td>34.91</td><td>13.11</td><td>29.60</td><td>0.00</td><td>373</td><td>109 PEAK</td></tr><tr><td>4 5720.00</td><td>57.05</td><td>110.90</td><td>-53.85</td><td>38.50</td><td>34.98</td><td>13.26</td><td>29.69</td><td>0.00</td><td>373</td><td>109 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5640.00	57.35	68.20	-10.85	38.78	34.82	13.04	29.29	0.00	373	109 PEAK	2 5650.00	55.22	68.20	-12.98	36.75	34.80	13.01	29.34	0.00	373	109 PEAK	3 5702.40	55.21	105.97	-50.76	36.79	34.91	13.11	29.60	0.00	373	109 PEAK	4 5720.00	57.05	110.90	-53.85	38.50	34.98	13.26	29.69	0.00	373	109 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>102.75</td><td>-----</td><td>-----</td><td>83.27</td><td>35.20</td><td>14.37</td><td>30.09</td><td>0.00</td><td>373</td><td>109 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	102.75	-----	-----	83.27	35.20	14.37	30.09	0.00	373
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5640.00	57.35	68.20	-10.85	38.78	34.82	13.04	29.29	0.00	373	109 PEAK																																																																																																																									
2 5650.00	55.22	68.20	-12.98	36.75	34.80	13.01	29.34	0.00	373	109 PEAK																																																																																																																									
3 5702.40	55.21	105.97	-50.76	36.79	34.91	13.11	29.60	0.00	373	109 PEAK																																																																																																																									
4 5720.00	57.05	110.90	-53.85	38.50	34.98	13.26	29.69	0.00	373	109 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5795.00	102.75	-----	-----	83.27	35.20	14.37	30.09	0.00	373	109 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>94.33</td><td>-----</td><td>-----</td><td>74.85</td><td>35.20</td><td>14.37</td><td>30.09</td><td>0.00</td><td>373</td><td>109 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	94.33	-----	-----	74.85	35.20	14.37	30.09	0.00	373	109 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5795.00	94.33	-----	-----	74.85	35.20	14.37	30.09	0.00	373	109 AVERAGE																																																																																																																									






Mode	98																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																				
ANT	CDD																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>55.39</td><td>111.36</td><td>-55.97</td><td>36.58</td><td>35.30</td><td>13.88</td><td>30.37</td><td>0.00</td><td>373</td><td>109</td><td>PEAK</td></tr><tr><td>2</td><td>5869.20</td><td>57.08</td><td>106.92</td><td>-49.84</td><td>38.30</td><td>35.30</td><td>13.86</td><td>30.38</td><td>0.00</td><td>373</td><td>109</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>57.24</td><td>68.35</td><td>-11.11</td><td>38.57</td><td>35.35</td><td>13.73</td><td>30.41</td><td>0.00</td><td>373</td><td>109</td><td>PEAK</td></tr><tr><td>4</td><td>5945.20</td><td>57.06</td><td>68.20</td><td>-11.14</td><td>38.43</td><td>35.39</td><td>13.66</td><td>30.42</td><td>0.00</td><td>373</td><td>109</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	55.39	111.36	-55.97	36.58	35.30	13.88	30.37	0.00	373	109	PEAK	2	5869.20	57.08	106.92	-49.84	38.30	35.30	13.86	30.38	0.00	373	109	PEAK	3	5924.80	57.24	68.35	-11.11	38.57	35.35	13.73	30.41	0.00	373	109	PEAK	4	5945.20	57.06	68.20	-11.14	38.43	35.39	13.66	30.42	0.00	373	109	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.80	55.39	111.36	-55.97	36.58	35.30	13.88	30.37	0.00	373	109	PEAK																																																																									
2	5869.20	57.08	106.92	-49.84	38.30	35.30	13.86	30.38	0.00	373	109	PEAK																																																																									
3	5924.80	57.24	68.35	-11.11	38.57	35.35	13.73	30.41	0.00	373	109	PEAK																																																																									
4	5945.20	57.06	68.20	-11.14	38.43	35.39	13.66	30.42	0.00	373	109	PEAK																																																																									




Mode	98																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																												
ANT	CDD																																																																																																																												
Pol.	Horizontal												Vertical																																																																																																																
Peak																																																																																																																													
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>43.88</td><td>74.00</td><td>-30.12</td><td>52.96</td><td>38.37</td><td>16.19</td><td>63.64</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>																Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	43.88	74.00	-30.12	52.96	38.37	16.19	63.64	0.00	--	--	PEAK	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>43.79</td><td>74.00</td><td>-30.21</td><td>52.87</td><td>38.37</td><td>16.19</td><td>63.64</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>																Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	43.79	74.00	-30.21	52.87	38.37	16.19	63.64	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	11590.00	43.88	74.00	-30.12	52.96	38.37	16.19	63.64	0.00	--	--	PEAK																																																																																																																	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	11590.00	43.79	74.00	-30.21	52.87	38.37	16.19	63.64	0.00	--	--	PEAK																																																																																																																	
Avg																																																																																																																													






Mode	99																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																									
ANT	CDD																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a blue trace with a peak at 5775 MHz. A red line indicates the limit. Four points are marked on the trace: 1, 2, 3, and 4. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5630.00</td><td>58.12</td><td>-10.08</td><td>39.52</td><td>34.04</td><td>13.06</td><td>29.30</td><td>0.00</td><td>287</td><td>358</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>55.17</td><td>68.50</td><td>-13.33</td><td>36.70</td><td>34.00</td><td>13.01</td><td>29.34</td><td>0.00</td><td>287</td><td>358</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>73.51</td><td>105.52</td><td>-32.01</td><td>55.11</td><td>34.90</td><td>13.10</td><td>29.60</td><td>0.00</td><td>287</td><td>358</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>76.12</td><td>111.81</td><td>-35.69</td><td>57.56</td><td>34.98</td><td>13.27</td><td>29.69</td><td>0.00</td><td>287</td><td>358</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5630.00	58.12	-10.08	39.52	34.04	13.06	29.30	0.00	287	358	PEAK	2	5650.40	55.17	68.50	-13.33	36.70	34.00	13.01	29.34	0.00	287	358	PEAK	3	5700.00	73.51	105.52	-32.01	55.11	34.90	13.10	29.60	0.00	287	358	PEAK	4	5720.40	76.12	111.81	-35.69	57.56	34.98	13.27	29.69	0.00	287	358	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue trace with a peak at 5775 MHz. A red line indicates the limit. A point is marked on the trace: 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>100.10</td><td>-----</td><td>-----</td><td>81.04</td><td>35.14</td><td>13.86</td><td>29.94</td><td>0.00</td><td>287</td><td>358</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	100.10	-----	-----	81.04	35.14	13.86	29.94	0.00	287	358	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5630.00	58.12	-10.08	39.52	34.04	13.06	29.30	0.00	287	358	PEAK																																																																																																																															
2	5650.40	55.17	68.50	-13.33	36.70	34.00	13.01	29.34	0.00	287	358	PEAK																																																																																																																														
3	5700.00	73.51	105.52	-32.01	55.11	34.90	13.10	29.60	0.00	287	358	PEAK																																																																																																																														
4	5720.40	76.12	111.81	-35.69	57.56	34.98	13.27	29.69	0.00	287	358	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	100.10	-----	-----	81.04	35.14	13.86	29.94	0.00	287	358	PEAK																																																																																																																														
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue trace with a peak at 5775 MHz. A red line indicates the limit. A point is marked on the trace: 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>93.76</td><td>-----</td><td>-----</td><td>74.78</td><td>35.13</td><td>13.76</td><td>29.91</td><td>0.00</td><td>287</td><td>358</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	93.76	-----	-----	74.78	35.13	13.76	29.91	0.00	287	358	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	93.76	-----	-----	74.78	35.13	13.76	29.91	0.00	287	358	AVERAGE																																																																																																																														




Mode	99																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																				
ANT	CDD																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>65.41</td><td>112.27</td><td>-46.86</td><td>46.60</td><td>35.30</td><td>13.88</td><td>30.37</td><td>0.00</td><td>287</td><td>358</td><td>PEAK</td></tr><tr><td>2</td><td>5860.80</td><td>66.35</td><td>109.27</td><td>-42.92</td><td>47.55</td><td>35.30</td><td>13.87</td><td>30.37</td><td>0.00</td><td>287</td><td>358</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>55.67</td><td>68.35</td><td>-12.68</td><td>37.00</td><td>35.35</td><td>13.73</td><td>30.41</td><td>0.00</td><td>287</td><td>358</td><td>PEAK</td></tr><tr><td>4</td><td>5938.80</td><td>57.81</td><td>68.20</td><td>-10.39</td><td>39.16</td><td>35.38</td><td>13.68</td><td>30.41</td><td>0.00</td><td>287</td><td>358</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	65.41	112.27	-46.86	46.60	35.30	13.88	30.37	0.00	287	358	PEAK	2	5860.80	66.35	109.27	-42.92	47.55	35.30	13.87	30.37	0.00	287	358	PEAK	3	5924.80	55.67	68.35	-12.68	37.00	35.35	13.73	30.41	0.00	287	358	PEAK	4	5938.80	57.81	68.20	-10.39	39.16	35.38	13.68	30.41	0.00	287	358	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.40	65.41	112.27	-46.86	46.60	35.30	13.88	30.37	0.00	287	358	PEAK																																																																									
2	5860.80	66.35	109.27	-42.92	47.55	35.30	13.87	30.37	0.00	287	358	PEAK																																																																									
3	5924.80	55.67	68.35	-12.68	37.00	35.35	13.73	30.41	0.00	287	358	PEAK																																																																									
4	5938.80	57.81	68.20	-10.39	39.16	35.38	13.68	30.41	0.00	287	358	PEAK																																																																									







	99																																																																																																																													
Mode	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																													
ANT	CDD																																																																																																																													
Pol.	Vertical					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5632.40</td><td>57.83</td><td>68.20</td><td>-10.37</td><td>39.23</td><td>34.84</td><td>13.06</td><td>29.30</td><td>0.00</td><td>340</td><td>110 PEAK</td></tr><tr><td>2 5652.40</td><td>57.18</td><td>69.99</td><td>-12.81</td><td>38.72</td><td>34.80</td><td>13.01</td><td>29.35</td><td>0.00</td><td>340</td><td>110 PEAK</td></tr><tr><td>3 5719.20</td><td>71.88</td><td>110.68</td><td>-38.80</td><td>53.33</td><td>34.98</td><td>13.26</td><td>29.69</td><td>0.00</td><td>340</td><td>110 PEAK</td></tr><tr><td>4 5720.40</td><td>67.92</td><td>111.81</td><td>-43.89</td><td>49.36</td><td>34.98</td><td>13.27</td><td>29.69</td><td>0.00</td><td>340</td><td>110 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5632.40	57.83	68.20	-10.37	39.23	34.84	13.06	29.30	0.00	340	110 PEAK	2 5652.40	57.18	69.99	-12.81	38.72	34.80	13.01	29.35	0.00	340	110 PEAK	3 5719.20	71.88	110.68	-38.80	53.33	34.98	13.26	29.69	0.00	340	110 PEAK	4 5720.40	67.92	111.81	-43.89	49.36	34.98	13.27	29.69	0.00	340	110 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>97.50</td><td>-----</td><td>-----</td><td>78.60</td><td>35.12</td><td>13.66</td><td>29.88</td><td>0.00</td><td>340</td><td>110 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	97.50	-----	-----	78.60	35.12	13.66	29.88	0.00	340
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5632.40	57.83	68.20	-10.37	39.23	34.84	13.06	29.30	0.00	340	110 PEAK																																																																																																																				
2 5652.40	57.18	69.99	-12.81	38.72	34.80	13.01	29.35	0.00	340	110 PEAK																																																																																																																				
3 5719.20	71.88	110.68	-38.80	53.33	34.98	13.26	29.69	0.00	340	110 PEAK																																																																																																																				
4 5720.40	67.92	111.81	-43.89	49.36	34.98	13.27	29.69	0.00	340	110 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5775.00	97.50	-----	-----	78.60	35.12	13.66	29.88	0.00	340	110 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>92.47</td><td>-----</td><td>-----</td><td>73.41</td><td>35.14</td><td>13.86</td><td>29.94</td><td>0.00</td><td>340</td><td>110 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	92.47	-----	-----	73.41	35.14	13.86	29.94	0.00	340	110 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5775.00	92.47	-----	-----	73.41	35.14	13.86	29.94	0.00	340	110 AVERAGE																																																																																																																				





Mode	99																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																														
ANT	CDD																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>60.05</td><td>111.36</td><td>-51.31</td><td>41.24</td><td>35.30</td><td>13.88</td><td>30.37</td><td>0.00</td><td>340</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>5869.60</td><td>61.70</td><td>106.81</td><td>-45.11</td><td>42.93</td><td>35.30</td><td>13.85</td><td>30.38</td><td>0.00</td><td>340</td><td>110</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>56.65</td><td>69.23</td><td>-12.58</td><td>37.97</td><td>35.35</td><td>13.73</td><td>30.40</td><td>0.00</td><td>340</td><td>110</td><td>PEAK</td></tr><tr><td>4</td><td>5941.60</td><td>56.78</td><td>68.20</td><td>-11.42</td><td>38.13</td><td>35.38</td><td>13.68</td><td>30.41</td><td>0.00</td><td>340</td><td>110</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	60.05	111.36	-51.31	41.24	35.30	13.88	30.37	0.00	340	110	PEAK	2	5869.60	61.70	106.81	-45.11	42.93	35.30	13.85	30.38	0.00	340	110	PEAK	3	5923.60	56.65	69.23	-12.58	37.97	35.35	13.73	30.40	0.00	340	110	PEAK	4	5941.60	56.78	68.20	-11.42	38.13	35.38	13.68	30.41	0.00	340	110	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.80	60.05	111.36	-51.31	41.24	35.30	13.88	30.37	0.00	340	110	PEAK																																																																																			
2	5869.60	61.70	106.81	-45.11	42.93	35.30	13.85	30.38	0.00	340	110	PEAK																																																																																			
3	5923.60	56.65	69.23	-12.58	37.97	35.35	13.73	30.40	0.00	340	110	PEAK																																																																																			
4	5941.60	56.78	68.20	-11.42	38.13	35.38	13.68	30.41	0.00	340	110	PEAK																																																																																			






Mode	99	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz	
ANT	CDD	
Pol.	Horizontal	Vertical
Peak		
Avg		





		100																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																			
ANT	CDD																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5600.00</td><td>58.03</td><td>68.20</td><td>-10.17</td><td>39.33</td><td>34.90</td><td>13.15</td><td>29.35</td><td>0.00</td><td>210</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>56.04</td><td>69.39</td><td>-12.55</td><td>38.38</td><td>34.00</td><td>13.01</td><td>29.35</td><td>0.00</td><td>210</td><td>359</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>68.19</td><td>110.90</td><td>-42.71</td><td>49.64</td><td>34.98</td><td>13.26</td><td>29.69</td><td>0.00</td><td>210</td><td>359</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>68.19</td><td>110.90</td><td>-42.71</td><td>49.64</td><td>34.98</td><td>13.26</td><td>29.69</td><td>0.00</td><td>210</td><td>359</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5600.00	58.03	68.20	-10.17	39.33	34.90	13.15	29.35	0.00	210	359	PEAK	2	5651.60	56.04	69.39	-12.55	38.38	34.00	13.01	29.35	0.00	210	359	PEAK	3	5720.00	68.19	110.90	-42.71	49.64	34.98	13.26	29.69	0.00	210	359	PEAK	4	5720.00	68.19	110.90	-42.71	49.64	34.98	13.26	29.69	0.00	210	359	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5600.00	58.03	68.20	-10.17	39.33	34.90	13.15	29.35	0.00	210	359	PEAK																																																																																								
2	5651.60	56.04	69.39	-12.55	38.38	34.00	13.01	29.35	0.00	210	359	PEAK																																																																																								
3	5720.00	68.19	110.90	-42.71	49.64	34.98	13.26	29.69	0.00	210	359	PEAK																																																																																								
4	5720.00	68.19	110.90	-42.71	49.64	34.98	13.26	29.69	0.00	210	359	PEAK																																																																																								
Avg	Blank																																																																																																			
																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.14</td><td>-----</td><td>-----</td><td>79.39</td><td>35.08</td><td>13.49</td><td>29.82</td><td>0.00</td><td>210</td><td>359</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	98.14	-----	-----	79.39	35.08	13.49	29.82	0.00	210	359	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5745.00	98.14	-----	-----	79.39	35.08	13.49	29.82	0.00	210	359	AVERAGE																																																																																								





Mode	100																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																																									
ANT	CDD																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5601.60</td><td>57.09</td><td>68.20</td><td>-11.11</td><td>38.39</td><td>34.90</td><td>13.15</td><td>29.35</td><td>0.00</td><td>344</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5653.60</td><td>57.58</td><td>70.88</td><td>-13.30</td><td>39.11</td><td>34.81</td><td>13.02</td><td>29.36</td><td>0.00</td><td>344</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5718.40</td><td>61.16</td><td>110.45</td><td>-49.29</td><td>42.62</td><td>34.97</td><td>13.25</td><td>29.68</td><td>0.00</td><td>344</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5723.20</td><td>68.18</td><td>118.20</td><td>-50.02</td><td>49.61</td><td>34.99</td><td>13.29</td><td>29.71</td><td>0.00</td><td>344</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5601.60	57.09	68.20	-11.11	38.39	34.90	13.15	29.35	0.00	344	111	PEAK	2	5653.60	57.58	70.88	-13.30	39.11	34.81	13.02	29.36	0.00	344	111	PEAK	3	5718.40	61.16	110.45	-49.29	42.62	34.97	13.25	29.68	0.00	344	111	PEAK	4	5723.20	68.18	118.20	-50.02	49.61	34.99	13.29	29.71	0.00	344	111	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.55</td><td>-----</td><td>-----</td><td>86.80</td><td>35.08</td><td>13.49</td><td>29.82</td><td>0.00</td><td>344</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.55	-----	-----	86.80	35.08	13.49	29.82	0.00	344	111
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5601.60	57.09	68.20	-11.11	38.39	34.90	13.15	29.35	0.00	344	111	PEAK																																																																																																																														
2	5653.60	57.58	70.88	-13.30	39.11	34.81	13.02	29.36	0.00	344	111	PEAK																																																																																																																														
3	5718.40	61.16	110.45	-49.29	42.62	34.97	13.25	29.68	0.00	344	111	PEAK																																																																																																																														
4	5723.20	68.18	118.20	-50.02	49.61	34.99	13.29	29.71	0.00	344	111	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	105.55	-----	-----	86.80	35.08	13.49	29.82	0.00	344	111	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>95.76</td><td>-----</td><td>-----</td><td>77.01</td><td>35.08</td><td>13.49</td><td>29.82</td><td>0.00</td><td>344</td><td>111</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.76	-----	-----	77.01	35.08	13.49	29.82	0.00	344	111	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	95.76	-----	-----	77.01	35.08	13.49	29.82	0.00	344	111	AVERAGE																																																																																																																														






Mode	100																																																																																																													
	Harmonic																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																													
ANT	CDD																																																																																																													
Pol.	Horizontal						Vertical																																																																																																							
Peak Avg																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>43.80</td><td>74.00</td><td>-30.20</td><td>53.33</td><td>38.29</td><td>16.12</td><td>63.94</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	43.80	74.00	-30.20	53.33	38.29	16.12	63.94	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>43.96</td><td>74.00</td><td>-30.04</td><td>53.49</td><td>38.29</td><td>16.12</td><td>63.94</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	43.96	74.00	-30.04	53.49	38.29	16.12	63.94	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	11490.00	43.80	74.00	-30.20	53.33	38.29	16.12	63.94	0.00	--	--	PEAK																																																																																																		
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	11490.00	43.96	74.00	-30.04	53.49	38.29	16.12	63.94	0.00	--	--	PEAK																																																																																																		





Mode	101																																																																																																																																																				
	Harmonic																																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																																																				
ANT	CDD																																																																																																																																																				
Pol.	Horizontal					Vertical																																																																																																																																															
Peak Avg																																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>43.95</td><td>74.00</td><td>-30.05</td><td>53.11</td><td>38.36</td><td>16.18</td><td>63.70</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11570.00	43.95	74.00	-30.05	53.11	38.36	16.18	63.70	0.00										--										--										PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>43.01</td><td>74.00</td><td>-30.99</td><td>52.17</td><td>38.36</td><td>16.18</td><td>63.70</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11570.00	43.01	74.00	-30.99	52.17	38.36	16.18	63.70	0.00										--										--									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																												
1	11570.00	43.95	74.00	-30.05	53.11	38.36	16.18	63.70	0.00																																																																																																																																												
									--																																																																																																																																												
									--																																																																																																																																												
									PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																												
1	11570.00	43.01	74.00	-30.99	52.17	38.36	16.18	63.70	0.00																																																																																																																																												
									--																																																																																																																																												
									--																																																																																																																																												
									PEAK																																																																																																																																												



Mode	102																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																																										
ANT	CDD																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>57.04</td><td>112.27</td><td>-55.23</td><td>38.23</td><td>35.30</td><td>13.88</td><td>30.37</td><td>0.00</td><td>300</td><td>45</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>56.16</td><td>105.58</td><td>-49.42</td><td>37.39</td><td>35.30</td><td>13.85</td><td>30.38</td><td>0.00</td><td>300</td><td>45</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>56.17</td><td>68.35</td><td>-12.18</td><td>37.50</td><td>35.35</td><td>13.73</td><td>30.41</td><td>0.00</td><td>300</td><td>45</td><td>PEAK</td></tr><tr><td>4</td><td>5931.60</td><td>57.13</td><td>68.20</td><td>-11.07</td><td>38.47</td><td>35.36</td><td>13.71</td><td>30.41</td><td>0.00</td><td>300</td><td>45</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	57.04	112.27	-55.23	38.23	35.30	13.88	30.37	0.00	300	45	PEAK	2	5874.00	56.16	105.58	-49.42	37.39	35.30	13.85	30.38	0.00	300	45	PEAK	3	5924.00	56.17	68.35	-12.18	37.50	35.35	13.73	30.41	0.00	300	45	PEAK	4	5931.60	57.13	68.20	-11.07	38.47	35.36	13.71	30.41	0.00	300	45	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>105.42</td><td>-----</td><td>-----</td><td>86.25</td><td>35.25</td><td>14.14</td><td>30.22</td><td>0.00</td><td>300</td><td>45</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.42	-----	-----	86.25	35.25	14.14	30.22	0.00	300	45	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.40	57.04	112.27	-55.23	38.23	35.30	13.88	30.37	0.00	300	45	PEAK																																																																																																																															
2	5874.00	56.16	105.58	-49.42	37.39	35.30	13.85	30.38	0.00	300	45	PEAK																																																																																																																															
3	5924.00	56.17	68.35	-12.18	37.50	35.35	13.73	30.41	0.00	300	45	PEAK																																																																																																																															
4	5931.60	57.13	68.20	-11.07	38.47	35.36	13.71	30.41	0.00	300	45	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	105.42	-----	-----	86.25	35.25	14.14	30.22	0.00	300	45	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>97.10</td><td>-----</td><td>-----</td><td>77.93</td><td>35.25</td><td>14.14</td><td>30.22</td><td>0.00</td><td>300</td><td>45</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.10	-----	-----	77.93	35.25	14.14	30.22	0.00	300	45	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	97.10	-----	-----	77.93	35.25	14.14	30.22	0.00	300	45	AVERAGE																																																																																																																															






		102																																																																																						
Mode		Band Edge																																																																																						
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																						
ANT		CDD																																																																																						
Pol.		Vertical					Fundamental																																																																																	
Peak																																																																																								
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>56.18</td><td>111.36</td><td>-55.18</td><td>37.37</td><td>35.30</td><td>13.88</td><td>30.37</td><td>0.00</td><td>350</td><td>112</td><td>PEAK</td></tr><tr><td>2 5871.60</td><td>56.74</td><td>106.25</td><td>-49.51</td><td>37.97</td><td>35.30</td><td>13.85</td><td>30.38</td><td>0.00</td><td>350</td><td>112</td><td>PEAK</td></tr><tr><td>3 5924.00</td><td>54.58</td><td>68.35</td><td>-13.77</td><td>35.91</td><td>35.35</td><td>13.73</td><td>30.41</td><td>0.00</td><td>350</td><td>112</td><td>PEAK</td></tr><tr><td>4 5950.00</td><td>57.08</td><td>68.20</td><td>-11.12</td><td>38.45</td><td>35.40</td><td>13.65</td><td>30.42</td><td>0.00</td><td>350</td><td>112</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	56.18	111.36	-55.18	37.37	35.30	13.88	30.37	0.00	350	112	PEAK	2 5871.60	56.74	106.25	-49.51	37.97	35.30	13.85	30.38	0.00	350	112	PEAK	3 5924.00	54.58	68.35	-13.77	35.91	35.35	13.73	30.41	0.00	350	112	PEAK	4 5950.00	57.08	68.20	-11.12	38.45	35.40	13.65	30.42	0.00	350
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.00	56.18	111.36	-55.18	37.37	35.30	13.88	30.37	0.00	350	112	PEAK																																																																													
2 5871.60	56.74	106.25	-49.51	37.97	35.30	13.85	30.38	0.00	350	112	PEAK																																																																													
3 5924.00	54.58	68.35	-13.77	35.91	35.35	13.73	30.41	0.00	350	112	PEAK																																																																													
4 5950.00	57.08	68.20	-11.12	38.45	35.40	13.65	30.42	0.00	350	112	PEAK																																																																													
Avg		Blank																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.89</td><td>-----</td><td>-----</td><td>84.80</td><td>35.26</td><td>14.08</td><td>30.25</td><td>0.00</td><td>350</td><td>112</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.89	-----	-----	84.80	35.26	14.08	30.25	0.00	350	112	PEAK																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	103.89	-----	-----	84.80	35.26	14.08	30.25	0.00	350	112	PEAK																																																																													




Mode	102																																																																																																													
	Harmonic																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																													
ANT	CDD																																																																																																													
Pol.	Horizontal						Vertical																																																																																																							
Peak Avg																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.30</td><td>74.00</td><td>-28.70</td><td>54.08</td><td>38.42</td><td>16.23</td><td>63.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	45.30	74.00	-28.70	54.08	38.42	16.23	63.43	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>53.70</td><td>38.42</td><td>16.23</td><td>63.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>									Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	44.92	74.00	-29.08	53.70	38.42	16.23	63.43	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	11650.00	45.30	74.00	-28.70	54.08	38.42	16.23	63.43	0.00	--	--	PEAK																																																																																																		
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	11650.00	44.92	74.00	-29.08	53.70	38.42	16.23	63.43	0.00	--	--	PEAK																																																																																																		






		103																																																																																																																																						
Mode			Band Edge - L																																																																																																																																					
			U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																																					
ANT			CDD																																																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																																																		
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5638.60</td><td>58.03</td><td>68.20</td><td>-10.17</td><td>39.46</td><td>34.82</td><td>13.04</td><td>29.29</td><td>0.00</td><td>319</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>56.06</td><td>68.25</td><td>-12.19</td><td>37.59</td><td>34.80</td><td>13.01</td><td>29.34</td><td>0.00</td><td>319</td><td>359</td><td>PEAK</td></tr><tr><td>3</td><td>5718.73</td><td>74.89</td><td>110.54</td><td>-35.65</td><td>56.36</td><td>34.97</td><td>13.25</td><td>29.69</td><td>0.00</td><td>319</td><td>359</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>75.12</td><td>111.19</td><td>-36.07</td><td>56.57</td><td>34.98</td><td>13.26</td><td>29.69</td><td>0.00</td><td>319</td><td>359</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5638.60	58.03	68.20	-10.17	39.46	34.82	13.04	29.29	0.00	319	359	PEAK	2	5650.07	56.06	68.25	-12.19	37.59	34.80	13.01	29.34	0.00	319	359	PEAK	3	5718.73	74.89	110.54	-35.65	56.36	34.97	13.25	29.69	0.00	319	359	PEAK	4	5720.13	75.12	111.19	-36.07	56.57	34.98	13.26	29.69	0.00	319	359	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>105.16</td><td>-----</td><td>-----</td><td>86.36</td><td>35.10</td><td>13.55</td><td>29.85</td><td>0.00</td><td>319</td><td>359</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	105.16	-----	-----	86.36	35.10	13.55	29.85	0.00	319	359
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5638.60	58.03	68.20	-10.17	39.46	34.82	13.04	29.29	0.00	319	359	PEAK																																																																																																																												
2	5650.07	56.06	68.25	-12.19	37.59	34.80	13.01	29.34	0.00	319	359	PEAK																																																																																																																												
3	5718.73	74.89	110.54	-35.65	56.36	34.97	13.25	29.69	0.00	319	359	PEAK																																																																																																																												
4	5720.13	75.12	111.19	-36.07	56.57	34.98	13.26	29.69	0.00	319	359	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	105.16	-----	-----	86.36	35.10	13.55	29.85	0.00	319	359	PEAK																																																																																																																												
Avg	Blank																																																																																																																																							
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>95.77</td><td>-----</td><td>-----</td><td>76.87</td><td>35.12</td><td>13.66</td><td>29.88</td><td>0.00</td><td>319</td><td>359</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	95.77	-----	-----	76.87	35.12	13.66	29.88	0.00	319	359	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	95.77	-----	-----	76.87	35.12	13.66	29.88	0.00	319	359	AVERAGE																																																																																																																												




Mode	103																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																														
ANT	CDD																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>55.78</td><td>112.15</td><td>-56.37</td><td>36.97</td><td>35.30</td><td>13.88</td><td>30.37</td><td>0.00</td><td>319</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>55.77</td><td>105.32</td><td>-49.55</td><td>37.00</td><td>35.30</td><td>13.85</td><td>30.38</td><td>0.00</td><td>319</td><td>359</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>55.86</td><td>68.46</td><td>-12.60</td><td>37.19</td><td>35.35</td><td>13.73</td><td>30.41</td><td>0.00</td><td>319</td><td>359</td><td>PEAK</td></tr><tr><td>4</td><td>5943.18</td><td>57.50</td><td>68.20</td><td>-10.70</td><td>38.85</td><td>35.39</td><td>13.67</td><td>30.41</td><td>0.00</td><td>319</td><td>359</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.45	55.78	112.15	-56.37	36.97	35.30	13.88	30.37	0.00	319	359	PEAK	2	5874.93	55.77	105.32	-49.55	37.00	35.30	13.85	30.38	0.00	319	359	PEAK	3	5924.65	55.86	68.46	-12.60	37.19	35.35	13.73	30.41	0.00	319	359	PEAK	4	5943.18	57.50	68.20	-10.70	38.85	35.39	13.67	30.41	0.00	319	359	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.45	55.78	112.15	-56.37	36.97	35.30	13.88	30.37	0.00	319	359	PEAK																																																																																			
2	5874.93	55.77	105.32	-49.55	37.00	35.30	13.85	30.38	0.00	319	359	PEAK																																																																																			
3	5924.65	55.86	68.46	-12.60	37.19	35.35	13.73	30.41	0.00	319	359	PEAK																																																																																			
4	5943.18	57.50	68.20	-10.70	38.85	35.39	13.67	30.41	0.00	319	359	PEAK																																																																																			





		103																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																							
ANT		CDD																																																																																							
Pol.		Vertical																																																																																							
Peak																																																																																									
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5608.53</td><td>57.32</td><td>68.20</td><td>-10.88</td><td>38.65</td><td>34.88</td><td>13.13</td><td>29.34</td><td>0.00</td><td>339</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>5651.31</td><td>57.49</td><td>69.17</td><td>-11.68</td><td>39.03</td><td>34.88</td><td>13.01</td><td>29.35</td><td>0.00</td><td>339</td><td>110</td><td>PEAK</td></tr><tr><td>3</td><td>5717.34</td><td>69.86</td><td>110.15</td><td>-40.29</td><td>51.33</td><td>34.97</td><td>13.24</td><td>29.68</td><td>0.00</td><td>339</td><td>110</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>68.25</td><td>111.19</td><td>-42.94</td><td>49.70</td><td>34.98</td><td>13.26</td><td>29.69</td><td>0.00</td><td>339</td><td>110</td><td>PEAK</td></tr></tbody></table>													Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5608.53	57.32	68.20	-10.88	38.65	34.88	13.13	29.34	0.00	339	110	PEAK	2	5651.31	57.49	69.17	-11.68	39.03	34.88	13.01	29.35	0.00	339	110	PEAK	3	5717.34	69.86	110.15	-40.29	51.33	34.97	13.24	29.68	0.00	339	110	PEAK	4	5720.13	68.25	111.19	-42.94	49.70	34.98	13.26	29.69	0.00	339	110
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5608.53	57.32	68.20	-10.88	38.65	34.88	13.13	29.34	0.00	339	110	PEAK																																																																													
2	5651.31	57.49	69.17	-11.68	39.03	34.88	13.01	29.35	0.00	339	110	PEAK																																																																													
3	5717.34	69.86	110.15	-40.29	51.33	34.97	13.24	29.68	0.00	339	110	PEAK																																																																													
4	5720.13	68.25	111.19	-42.94	49.70	34.98	13.26	29.69	0.00	339	110	PEAK																																																																													
Fundamental																																																																																									
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>102.90</td><td>-----</td><td>-----</td><td>84.00</td><td>35.12</td><td>13.66</td><td>29.88</td><td>0.00</td><td>339</td><td>110</td><td>PEAK</td></tr></tbody></table>													Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5755.00	102.90	-----	-----	84.00	35.12	13.66	29.88	0.00	339	110	PEAK																																						
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5755.00	102.90	-----	-----	84.00	35.12	13.66	29.88	0.00	339	110	PEAK																																																																													
Avg	Blank																																																																																								
																																																																																									
<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>94.16</td><td>-----</td><td>-----</td><td>75.26</td><td>35.12</td><td>13.66</td><td>29.88</td><td>0.00</td><td>339</td><td>110</td><td>AVERAGE</td></tr></tbody></table>														Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5755.00	94.16	-----	-----	75.26	35.12	13.66	29.88	0.00	339	110	AVERAGE																																						
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5755.00	94.16	-----	-----	75.26	35.12	13.66	29.88	0.00	339	110	AVERAGE																																																																													






Mode	103																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																														
ANT	CDD																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>56.95</td><td>112.60</td><td>-55.65</td><td>38.14</td><td>35.30</td><td>13.88</td><td>30.37</td><td>0.00</td><td>339</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>5872.59</td><td>55.94</td><td>105.98</td><td>-50.04</td><td>37.17</td><td>35.30</td><td>13.85</td><td>30.38</td><td>0.00</td><td>339</td><td>110</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>55.73</td><td>68.46</td><td>-12.73</td><td>37.06</td><td>35.35</td><td>13.73</td><td>30.41</td><td>0.00</td><td>339</td><td>110</td><td>PEAK</td></tr><tr><td>4</td><td>5940.25</td><td>57.88</td><td>68.20</td><td>-10.32</td><td>39.23</td><td>35.38</td><td>13.68</td><td>30.41</td><td>0.00</td><td>339</td><td>110</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.26	56.95	112.60	-55.65	38.14	35.30	13.88	30.37	0.00	339	110	PEAK	2	5872.59	55.94	105.98	-50.04	37.17	35.30	13.85	30.38	0.00	339	110	PEAK	3	5924.65	55.73	68.46	-12.73	37.06	35.35	13.73	30.41	0.00	339	110	PEAK	4	5940.25	57.88	68.20	-10.32	39.23	35.38	13.68	30.41	0.00	339	110	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.26	56.95	112.60	-55.65	38.14	35.30	13.88	30.37	0.00	339	110	PEAK																																																																																			
2	5872.59	55.94	105.98	-50.04	37.17	35.30	13.85	30.38	0.00	339	110	PEAK																																																																																			
3	5924.65	55.73	68.46	-12.73	37.06	35.35	13.73	30.41	0.00	339	110	PEAK																																																																																			
4	5940.25	57.88	68.20	-10.32	39.23	35.38	13.68	30.41	0.00	339	110	PEAK																																																																																			




Mode	103																																																																																																												
	Harmonic																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																												
ANT	CDD																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>43.56</td><td>74.00</td><td>-30.44</td><td>53.03</td><td>38.31</td><td>16.13</td><td>63.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	43.56	74.00	-30.44	53.03	38.31	16.13	63.91	0.00	--	--	PEAK	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>45.78</td><td>74.00</td><td>-28.22</td><td>55.25</td><td>38.31</td><td>16.13</td><td>63.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	45.78	74.00	-28.22	55.25	38.31	16.13	63.91	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11510.00	43.56	74.00	-30.44	53.03	38.31	16.13	63.91	0.00	--	--	PEAK																																																																																																	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11510.00	45.78	74.00	-28.22	55.25	38.31	16.13	63.91	0.00	--	--	PEAK																																																																																																	



Mode	104																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																																								
ANT	CDD																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are identified and numbered 1 to 4. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5620.40</td><td>58.64</td><td>68.20</td><td>-9.56</td><td>40.01</td><td>34.06</td><td>13.09</td><td>29.32</td><td>0.00</td><td>296</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>56.47</td><td>68.00</td><td>-12.33</td><td>38.00</td><td>34.00</td><td>13.01</td><td>29.34</td><td>0.00</td><td>296</td><td>359</td><td>PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>56.26</td><td>106.65</td><td>-50.39</td><td>37.83</td><td>34.92</td><td>13.13</td><td>29.62</td><td>0.00</td><td>296</td><td>359</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.10</td><td>110.90</td><td>-57.80</td><td>34.55</td><td>34.98</td><td>13.26</td><td>29.69</td><td>0.00</td><td>296</td><td>359</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5620.40	58.64	68.20	-9.56	40.01	34.06	13.09	29.32	0.00	296	359	PEAK	2	5650.00	56.47	68.00	-12.33	38.00	34.00	13.01	29.34	0.00	296	359	PEAK	3	5704.00	56.26	106.65	-50.39	37.83	34.92	13.13	29.62	0.00	296	359	PEAK	4	5720.00	53.10	110.90	-57.80	34.55	34.98	13.26	29.69	0.00	296	359	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is identified and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>103.67</td><td>-----</td><td>-----</td><td>84.27</td><td>35.21</td><td>14.31</td><td>30.12</td><td>0.00</td><td>296</td><td>359</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	103.67	-----	-----	84.27	35.21	14.31	30.12	0.00	296	359	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5620.40	58.64	68.20	-9.56	40.01	34.06	13.09	29.32	0.00	296	359	PEAK																																																																																																																													
2	5650.00	56.47	68.00	-12.33	38.00	34.00	13.01	29.34	0.00	296	359	PEAK																																																																																																																													
3	5704.00	56.26	106.65	-50.39	37.83	34.92	13.13	29.62	0.00	296	359	PEAK																																																																																																																													
4	5720.00	53.10	110.90	-57.80	34.55	34.98	13.26	29.69	0.00	296	359	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5795.00	103.67	-----	-----	84.27	35.21	14.31	30.12	0.00	296	359	PEAK																																																																																																																													
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is identified and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>95.30</td><td>-----</td><td>-----</td><td>75.90</td><td>35.20</td><td>14.37</td><td>30.09</td><td>0.00</td><td>296</td><td>359</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	95.30	-----	-----	75.90	35.20	14.37	30.09	0.00	296	359	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5795.00	95.30	-----	-----	75.90	35.20	14.37	30.09	0.00	296	359	AVERAGE																																																																																																																													




Mode	104																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																														
ANT	CDD																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>57.00</td><td>112.27</td><td>-55.27</td><td>38.19</td><td>35.30</td><td>13.88</td><td>30.37</td><td>0.00</td><td>296</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>55.33</td><td>105.36</td><td>-50.03</td><td>36.56</td><td>35.30</td><td>13.85</td><td>30.38</td><td>0.00</td><td>296</td><td>359</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.75</td><td>68.35</td><td>-13.60</td><td>36.08</td><td>35.35</td><td>13.73</td><td>30.41</td><td>0.00</td><td>296</td><td>359</td><td>PEAK</td></tr><tr><td>4</td><td>5967.60</td><td>57.45</td><td>68.20</td><td>-10.75</td><td>38.80</td><td>35.47</td><td>13.61</td><td>30.43</td><td>0.00</td><td>296</td><td>359</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	57.00	112.27	-55.27	38.19	35.30	13.88	30.37	0.00	296	359	PEAK	2	5874.80	55.33	105.36	-50.03	36.56	35.30	13.85	30.38	0.00	296	359	PEAK	3	5924.80	54.75	68.35	-13.60	36.08	35.35	13.73	30.41	0.00	296	359	PEAK	4	5967.60	57.45	68.20	-10.75	38.80	35.47	13.61	30.43	0.00	296	359	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.40	57.00	112.27	-55.27	38.19	35.30	13.88	30.37	0.00	296	359	PEAK																																																																																			
2	5874.80	55.33	105.36	-50.03	36.56	35.30	13.85	30.38	0.00	296	359	PEAK																																																																																			
3	5924.80	54.75	68.35	-13.60	36.08	35.35	13.73	30.41	0.00	296	359	PEAK																																																																																			
4	5967.60	57.45	68.20	-10.75	38.80	35.47	13.61	30.43	0.00	296	359	PEAK																																																																																			





Mode	104																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																																										
ANT	CDD																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5623.60</td><td>56.78</td><td>68.20</td><td>-11.42</td><td>38.17</td><td>34.85</td><td>13.08</td><td>29.32</td><td>0.00</td><td>336</td><td>112</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.13</td><td>68.20</td><td>-14.07</td><td>35.66</td><td>34.00</td><td>13.01</td><td>29.34</td><td>0.00</td><td>336</td><td>112</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>55.22</td><td>105.64</td><td>-50.42</td><td>36.82</td><td>34.90</td><td>13.10</td><td>29.60</td><td>0.00</td><td>336</td><td>112</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.90</td><td>110.90</td><td>-56.00</td><td>36.35</td><td>34.98</td><td>13.26</td><td>29.69</td><td>0.00</td><td>336</td><td>112</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5623.60	56.78	68.20	-11.42	38.17	34.85	13.08	29.32	0.00	336	112	PEAK	2	5650.00	54.13	68.20	-14.07	35.66	34.00	13.01	29.34	0.00	336	112	PEAK	3	5701.20	55.22	105.64	-50.42	36.82	34.90	13.10	29.60	0.00	336	112	PEAK	4	5720.00	54.90	110.90	-56.00	36.35	34.98	13.26	29.69	0.00	336	112	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.56</td><td>-----</td><td>-----</td><td>82.08</td><td>35.20</td><td>14.37</td><td>30.09</td><td>0.00</td><td>336</td><td>112</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	101.56	-----	-----	82.08	35.20	14.37	30.09	0.00	336	112	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5623.60	56.78	68.20	-11.42	38.17	34.85	13.08	29.32	0.00	336	112	PEAK																																																																																																																															
2	5650.00	54.13	68.20	-14.07	35.66	34.00	13.01	29.34	0.00	336	112	PEAK																																																																																																																															
3	5701.20	55.22	105.64	-50.42	36.82	34.90	13.10	29.60	0.00	336	112	PEAK																																																																																																																															
4	5720.00	54.90	110.90	-56.00	36.35	34.98	13.26	29.69	0.00	336	112	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	101.56	-----	-----	82.08	35.20	14.37	30.09	0.00	336	112	PEAK																																																																																																																															
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>93.62</td><td>-----</td><td>-----</td><td>74.14</td><td>35.20</td><td>14.37</td><td>30.09</td><td>0.00</td><td>336</td><td>112</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	93.62	-----	-----	74.14	35.20	14.37	30.09	0.00	336	112	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	93.62	-----	-----	74.14	35.20	14.37	30.09	0.00	336	112	AVERAGE																																																																																																																															






Mode	104																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																				
ANT	CDD																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>54.12</td><td>111.36</td><td>-57.24</td><td>35.31</td><td>35.30</td><td>13.88</td><td>30.37</td><td>0.00</td><td>336</td><td>112</td><td>PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>55.26</td><td>105.69</td><td>-50.43</td><td>36.49</td><td>35.30</td><td>13.85</td><td>30.38</td><td>0.00</td><td>336</td><td>112</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>54.94</td><td>69.23</td><td>-14.29</td><td>36.26</td><td>35.35</td><td>13.73</td><td>30.40</td><td>0.00</td><td>336</td><td>112</td><td>PEAK</td></tr><tr><td>4</td><td>5985.20</td><td>56.83</td><td>68.20</td><td>-11.37</td><td>38.15</td><td>35.54</td><td>13.58</td><td>30.44</td><td>0.00</td><td>336</td><td>112</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	54.12	111.36	-57.24	35.31	35.30	13.88	30.37	0.00	336	112	PEAK	2	5873.60	55.26	105.69	-50.43	36.49	35.30	13.85	30.38	0.00	336	112	PEAK	3	5923.60	54.94	69.23	-14.29	36.26	35.35	13.73	30.40	0.00	336	112	PEAK	4	5985.20	56.83	68.20	-11.37	38.15	35.54	13.58	30.44	0.00	336	112	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	54.12	111.36	-57.24	35.31	35.30	13.88	30.37	0.00	336	112	PEAK																																																																									
2	5873.60	55.26	105.69	-50.43	36.49	35.30	13.85	30.38	0.00	336	112	PEAK																																																																									
3	5923.60	54.94	69.23	-14.29	36.26	35.35	13.73	30.40	0.00	336	112	PEAK																																																																									
4	5985.20	56.83	68.20	-11.37	38.15	35.54	13.58	30.44	0.00	336	112	PEAK																																																																									




Mode	104																																																																																						
	Harmonic																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																						
ANT	CDD																																																																																						
Pol.	Horizontal	Vertical																																																																																					
Peak Avg	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for 5G U-NII-3 and a blue line for 5G U-NII-3(AVG). The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 7000 to 18000 MHz. A sharp peak is visible at 11590 MHz.	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for 5G U-NII-3 and a blue line for 5G U-NII-3(AVG). The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 7000 to 18000 MHz. A sharp peak is visible at 11590 MHz.																																																																																					
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>43.87</td><td>74.00</td><td>-30.13</td><td>52.95</td><td>38.37</td><td>16.19</td><td>63.64</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	43.87	74.00	-30.13	52.95	38.37	16.19	63.64	0.00	--	-- PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>44.05</td><td>74.00</td><td>-29.95</td><td>53.13</td><td>38.37</td><td>16.19</td><td>63.64</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	44.05	74.00	-29.95	53.13	38.37	16.19	63.64	0.00	--
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 11590.00	43.87	74.00	-30.13	52.95	38.37	16.19	63.64	0.00	--	-- PEAK																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 11590.00	44.05	74.00	-29.95	53.13	38.37	16.19	63.64	0.00	--	-- PEAK																																																																													





Mode	105																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																																																																										
ANT	CDD																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5608.80</td><td>58.79</td><td>68.20</td><td>-9.41</td><td>40.12</td><td>34.88</td><td>13.13</td><td>29.34</td><td>0.00</td><td>313</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>55.83</td><td>68.50</td><td>-12.67</td><td>37.36</td><td>34.00</td><td>13.01</td><td>29.34</td><td>0.00</td><td>313</td><td>359</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>69.70</td><td>105.30</td><td>-35.60</td><td>51.30</td><td>34.90</td><td>13.09</td><td>29.59</td><td>0.00</td><td>313</td><td>359</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>70.88</td><td>110.90</td><td>-40.02</td><td>52.33</td><td>34.98</td><td>13.26</td><td>29.69</td><td>0.00</td><td>313</td><td>359</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5608.80	58.79	68.20	-9.41	40.12	34.88	13.13	29.34	0.00	313	359	PEAK	2	5650.40	55.83	68.50	-12.67	37.36	34.00	13.01	29.34	0.00	313	359	PEAK	3	5700.00	69.70	105.30	-35.60	51.30	34.90	13.09	29.59	0.00	313	359	PEAK	4	5720.00	70.88	110.90	-40.02	52.33	34.98	13.26	29.69	0.00	313	359	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>101.00</td><td>-----</td><td>-----</td><td>82.18</td><td>35.12</td><td>13.66</td><td>29.88</td><td>0.00</td><td>313</td><td>359</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	101.00	-----	-----	82.18	35.12	13.66	29.88	0.00	313	359	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5608.80	58.79	68.20	-9.41	40.12	34.88	13.13	29.34	0.00	313	359	PEAK																																																																																																																															
2	5650.40	55.83	68.50	-12.67	37.36	34.00	13.01	29.34	0.00	313	359	PEAK																																																																																																																															
3	5700.00	69.70	105.30	-35.60	51.30	34.90	13.09	29.59	0.00	313	359	PEAK																																																																																																																															
4	5720.00	70.88	110.90	-40.02	52.33	34.98	13.26	29.69	0.00	313	359	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	101.00	-----	-----	82.18	35.12	13.66	29.88	0.00	313	359	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>93.17</td><td>-----</td><td>-----</td><td>74.11</td><td>35.14</td><td>13.86</td><td>29.94</td><td>0.00</td><td>313</td><td>359</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	93.17	-----	-----	74.11	35.14	13.86	29.94	0.00	313	359	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	93.17	-----	-----	74.11	35.14	13.86	29.94	0.00	313	359	AVERAGE																																																																																																																															




Mode	105																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																				
ANT	CDD																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>64.75</td><td>111.36</td><td>-46.61</td><td>45.94</td><td>35.30</td><td>13.88</td><td>30.37</td><td>0.00</td><td>313</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>5862.00</td><td>65.58</td><td>108.71</td><td>-43.13</td><td>46.78</td><td>35.30</td><td>13.87</td><td>30.37</td><td>0.00</td><td>313</td><td>359</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.97</td><td>68.94</td><td>-13.97</td><td>36.29</td><td>35.35</td><td>13.73</td><td>30.40</td><td>0.00</td><td>313</td><td>359</td><td>PEAK</td></tr><tr><td>4</td><td>5949.20</td><td>56.20</td><td>68.20</td><td>-12.00</td><td>37.57</td><td>35.40</td><td>13.65</td><td>30.42</td><td>0.00</td><td>313</td><td>359</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	64.75	111.36	-46.61	45.94	35.30	13.88	30.37	0.00	313	359	PEAK	2	5862.00	65.58	108.71	-43.13	46.78	35.30	13.87	30.37	0.00	313	359	PEAK	3	5924.00	54.97	68.94	-13.97	36.29	35.35	13.73	30.40	0.00	313	359	PEAK	4	5949.20	56.20	68.20	-12.00	37.57	35.40	13.65	30.42	0.00	313	359	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.00	64.75	111.36	-46.61	45.94	35.30	13.88	30.37	0.00	313	359	PEAK																																																																									
2	5862.00	65.58	108.71	-43.13	46.78	35.30	13.87	30.37	0.00	313	359	PEAK																																																																									
3	5924.00	54.97	68.94	-13.97	36.29	35.35	13.73	30.40	0.00	313	359	PEAK																																																																									
4	5949.20	56.20	68.20	-12.00	37.57	35.40	13.65	30.42	0.00	313	359	PEAK																																																																									





		105																																																																																						
Mode		Band Edge - L																																																																																						
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																						
ANT		CDD																																																																																						
Pol.		Vertical					Fundamental																																																																																	
Peak																																																																																								
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5683.20</td><td>57.01</td><td>68.20</td><td>-11.19</td><td>38.33</td><td>34.09</td><td>13.14</td><td>29.35</td><td>0.00</td><td>342</td><td>110</td><td>PEAK</td></tr><tr><td>2 5650.00</td><td>55.73</td><td>68.20</td><td>-12.47</td><td>37.26</td><td>34.00</td><td>13.01</td><td>29.34</td><td>0.00</td><td>342</td><td>110</td><td>PEAK</td></tr><tr><td>3 5720.00</td><td>70.55</td><td>110.90</td><td>-40.35</td><td>52.00</td><td>34.98</td><td>13.26</td><td>29.69</td><td>0.00</td><td>342</td><td>110</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>70.55</td><td>110.90</td><td>-40.35</td><td>52.00</td><td>34.98</td><td>13.26</td><td>29.69</td><td>0.00</td><td>342</td><td>110</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5683.20	57.01	68.20	-11.19	38.33	34.09	13.14	29.35	0.00	342	110	PEAK	2 5650.00	55.73	68.20	-12.47	37.26	34.00	13.01	29.34	0.00	342	110	PEAK	3 5720.00	70.55	110.90	-40.35	52.00	34.98	13.26	29.69	0.00	342	110	PEAK	4 5720.00	70.55	110.90	-40.35	52.00	34.98	13.26	29.69	0.00	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5683.20	57.01	68.20	-11.19	38.33	34.09	13.14	29.35	0.00	342	110	PEAK																																																																													
2 5650.00	55.73	68.20	-12.47	37.26	34.00	13.01	29.34	0.00	342	110	PEAK																																																																													
3 5720.00	70.55	110.90	-40.35	52.00	34.98	13.26	29.69	0.00	342	110	PEAK																																																																													
4 5720.00	70.55	110.90	-40.35	52.00	34.98	13.26	29.69	0.00	342	110	PEAK																																																																													
Avg		Blank																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>92.56</td><td>-----</td><td>-----</td><td>73.50</td><td>35.14</td><td>13.86</td><td>29.94</td><td>0.00</td><td>342</td><td>110</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	92.56	-----	-----	73.50	35.14	13.86	29.94	0.00	342	110	AVERAGE																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5775.00	92.56	-----	-----	73.50	35.14	13.86	29.94	0.00	342	110	AVERAGE																																																																													






Mode	105																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																				
ANT	CDD																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>59.79</td><td>112.27</td><td>-52.48</td><td>40.98</td><td>35.30</td><td>13.88</td><td>30.37</td><td>0.00</td><td>342</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>5870.40</td><td>62.14</td><td>106.59</td><td>-44.45</td><td>43.37</td><td>35.30</td><td>13.85</td><td>30.38</td><td>0.00</td><td>342</td><td>110</td><td>PEAK</td></tr><tr><td>3</td><td>5922.40</td><td>56.67</td><td>70.12</td><td>-13.45</td><td>38.00</td><td>35.34</td><td>13.73</td><td>30.40</td><td>0.00</td><td>342</td><td>110</td><td>PEAK</td></tr><tr><td>4</td><td>5939.20</td><td>56.63</td><td>68.20</td><td>-11.57</td><td>37.98</td><td>35.38</td><td>13.68</td><td>30.41</td><td>0.00</td><td>342</td><td>110</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	59.79	112.27	-52.48	40.98	35.30	13.88	30.37	0.00	342	110	PEAK	2	5870.40	62.14	106.59	-44.45	43.37	35.30	13.85	30.38	0.00	342	110	PEAK	3	5922.40	56.67	70.12	-13.45	38.00	35.34	13.73	30.40	0.00	342	110	PEAK	4	5939.20	56.63	68.20	-11.57	37.98	35.38	13.68	30.41	0.00	342	110	PEAK	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
	1	5854.40	59.79	112.27	-52.48	40.98	35.30	13.88	30.37	0.00	342	110	PEAK																																																																								
2	5870.40	62.14	106.59	-44.45	43.37	35.30	13.85	30.38	0.00	342	110	PEAK																																																																									
3	5922.40	56.67	70.12	-13.45	38.00	35.34	13.73	30.40	0.00	342	110	PEAK																																																																									
4	5939.20	56.63	68.20	-11.57	37.98	35.38	13.68	30.41	0.00	342	110	PEAK																																																																									







Mode	105																																																																																																												
	Harmonic																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																																												
ANT	CDD																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11550.00</td><td>43.05</td><td>74.00</td><td>-30.95</td><td>52.32</td><td>38.34</td><td>16.16</td><td>63.77</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	43.05	74.00	-30.95	52.32	38.34	16.16	63.77	0.00	--	--	PEAK	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11550.00</td><td>43.35</td><td>74.00</td><td>-30.65</td><td>52.62</td><td>38.34</td><td>16.16</td><td>63.77</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	43.35	74.00	-30.65	52.62	38.34	16.16	63.77	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11550.00	43.05	74.00	-30.95	52.32	38.34	16.16	63.77	0.00	--	--	PEAK																																																																																																	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11550.00	43.35	74.00	-30.65	52.62	38.34	16.16	63.77	0.00	--	--	PEAK																																																																																																	






		106																																																																																													
Mode		Band Edge																																																																																													
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																													
ANT		CDD																																																																																													
Pol.		Horizontal																																																																																													
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5625.60</td><td>49.83</td><td>68.20</td><td>-18.37</td><td>41.43</td><td>34.43</td><td>11.19</td><td>37.22</td><td>0.00</td><td>100</td><td>192 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>49.83</td><td>69.39</td><td>-19.56</td><td>41.38</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>100</td><td>192 PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>49.31</td><td>105.86</td><td>-56.55</td><td>40.76</td><td>34.50</td><td>11.29</td><td>37.24</td><td>0.00</td><td>100</td><td>192 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>53.46</td><td>111.81</td><td>-58.35</td><td>44.85</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>100</td><td>192 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	5625.60	49.83	68.20	-18.37	41.43	34.43	11.19	37.22	0.00	100	192 PEAK	2	5651.60	49.83	69.39	-19.56	41.38	34.45	11.22	37.22	0.00	100	192 PEAK	3	5702.00	49.31	105.86	-56.55	40.76	34.50	11.29	37.24	0.00	100	192 PEAK	4	5720.40	53.46	111.81	-58.35	44.85	34.54	11.32	37.25	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5625.60	49.83	68.20	-18.37	41.43	34.43	11.19	37.22	0.00	100	192 PEAK																																																																																				
2	5651.60	49.83	69.39	-19.56	41.38	34.45	11.22	37.22	0.00	100	192 PEAK																																																																																				
3	5702.00	49.31	105.86	-56.55	40.76	34.50	11.29	37.24	0.00	100	192 PEAK																																																																																				
4	5720.40	53.46	111.81	-58.35	44.85	34.54	11.32	37.25	0.00	100	192 PEAK																																																																																				
Fundamental																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.32</td><td>-----</td><td>-----</td><td>95.67</td><td>34.57</td><td>11.34</td><td>37.26</td><td>0.00</td><td>100</td><td>192 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	104.32	-----	-----	95.67	34.57	11.34	37.26	0.00	100	192 PEAK																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																				
1	5745.00	104.32	-----	-----	95.67	34.57	11.34	37.26	0.00	100	192 PEAK																																																																																				
Avg	Blank																																																																																														
																																																																																															
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.59</td><td>-----</td><td>-----</td><td>87.94</td><td>34.57</td><td>11.34</td><td>37.26</td><td>0.00</td><td>100</td><td>192 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	96.59	-----	-----	87.94	34.57	11.34	37.26	0.00	100	192 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																				
1	5745.00	96.59	-----	-----	87.94	34.57	11.34	37.26	0.00	100	192 AVERAGE																																																																																				






Mode	106																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																									
ANT	CDD																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5605.60</td><td>48.57</td><td>68.20</td><td>-19.63</td><td>40.23</td><td>34.41</td><td>11.16</td><td>37.23</td><td>0.00</td><td>311</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>45.94</td><td>68.50</td><td>-22.56</td><td>37.49</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>311</td><td>266</td><td>PEAK</td></tr><tr><td>3</td><td>5703.60</td><td>49.63</td><td>106.31</td><td>-56.68</td><td>41.06</td><td>34.51</td><td>11.30</td><td>37.24</td><td>0.00</td><td>311</td><td>266</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>50.46</td><td>110.90</td><td>-60.44</td><td>41.85</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>311</td><td>266</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5605.60	48.57	68.20	-19.63	40.23	34.41	11.16	37.23	0.00	311	266	PEAK	2	5650.40	45.94	68.50	-22.56	37.49	34.45	11.22	37.22	0.00	311	266	PEAK	3	5703.60	49.63	106.31	-56.68	41.06	34.51	11.30	37.24	0.00	311	266	PEAK	4	5720.00	50.46	110.90	-60.44	41.85	34.54	11.32	37.25	0.00	311	266	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.57</td><td>-----</td><td>-----</td><td>90.92</td><td>34.57</td><td>11.34</td><td>37.26</td><td>0.00</td><td>311</td><td>266</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.57	-----	-----	90.92	34.57	11.34	37.26	0.00	311	266
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5605.60	48.57	68.20	-19.63	40.23	34.41	11.16	37.23	0.00	311	266	PEAK																																																																																																																														
2	5650.40	45.94	68.50	-22.56	37.49	34.45	11.22	37.22	0.00	311	266	PEAK																																																																																																																														
3	5703.60	49.63	106.31	-56.68	41.06	34.51	11.30	37.24	0.00	311	266	PEAK																																																																																																																														
4	5720.00	50.46	110.90	-60.44	41.85	34.54	11.32	37.25	0.00	311	266	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	99.57	-----	-----	90.92	34.57	11.34	37.26	0.00	311	266	PEAK																																																																																																																														
Avg																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>91.71</td><td>-----</td><td>-----</td><td>83.04</td><td>34.58</td><td>11.35</td><td>37.26</td><td>0.00</td><td>311</td><td>266</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	91.71	-----	-----	83.04	34.58	11.35	37.26	0.00	311	266	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>91.71</td><td>-----</td><td>-----</td><td>83.04</td><td>34.58</td><td>11.35</td><td>37.26</td><td>0.00</td><td>311</td><td>266</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	91.71	-----	-----	83.04	34.58	11.35	37.26	0.00	311	266	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	91.71	-----	-----	83.04	34.58	11.35	37.26	0.00	311	266	AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	91.71	-----	-----	83.04	34.58	11.35	37.26	0.00	311	266	AVERAGE																																																																																																																														






Mode	107																																																																																																																																											
	Band Edge																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																											
ANT	CDD																																																																																																																																											
Pol.	Horizontal											Fundamental																																																																																																																																
Peak																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>51.37</td><td>111.36</td><td>-59.99</td><td>42.26</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>52.36</td><td>105.92</td><td>-53.56</td><td>43.15</td><td>34.99</td><td>11.51</td><td>37.29</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.88</td><td>68.94</td><td>-21.06</td><td>38.44</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr><tr><td>4</td><td>5934.00</td><td>50.77</td><td>68.20</td><td>-17.43</td><td>41.29</td><td>35.20</td><td>11.56</td><td>37.28</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	51.37	111.36	-59.99	42.26	34.92	11.49	37.30	0.00	100	328	PEAK	2	5872.00	52.36	105.92	-53.56	43.15	34.99	11.51	37.29	0.00	100	328	PEAK	3	5924.00	47.88	68.94	-21.06	38.44	35.17	11.55	37.28	0.00	100	328	PEAK	4	5934.00	50.77	68.20	-17.43	41.29	35.20	11.56	37.28	0.00	100	328	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.39</td><td>-----</td><td>-----</td><td>96.36</td><td>34.84</td><td>11.48</td><td>37.29</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.39	-----	-----	96.36	34.84	11.48	37.29	0.00	100	328	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5854.00	51.37	111.36	-59.99	42.26	34.92	11.49	37.30	0.00	100	328	PEAK																																																																																																																																
2	5872.00	52.36	105.92	-53.56	43.15	34.99	11.51	37.29	0.00	100	328	PEAK																																																																																																																																
3	5924.00	47.88	68.94	-21.06	38.44	35.17	11.55	37.28	0.00	100	328	PEAK																																																																																																																																
4	5934.00	50.77	68.20	-17.43	41.29	35.20	11.56	37.28	0.00	100	328	PEAK																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5825.00	105.39	-----	-----	96.36	34.84	11.48	37.29	0.00	100	328	PEAK																																																																																																																																
Avg	Blank																																																																																																																																											
													<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.44</td><td>-----</td><td>-----</td><td>88.41</td><td>34.84</td><td>11.48</td><td>37.29</td><td>0.00</td><td>100</td><td>328</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.44	-----	-----	88.41	34.84	11.48	37.29	0.00	100	328	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5825.00	97.44	-----	-----	88.41	34.84	11.48	37.29	0.00	100	328	AVERAGE																																																																																																																																






		107																																																																																												
Mode		Band Edge																																																																																												
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																												
ANT		CDD																																																																																												
Pol.		Vertical																																																																																												
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>49.86</td><td>111.36</td><td>-61.50</td><td>40.75</td><td>34.92</td><td>11.49</td><td>37.30</td><td>0.00</td><td>375</td><td>277</td><td>PEAK</td></tr><tr><td>2</td><td>5870.00</td><td>48.94</td><td>106.70</td><td>-57.76</td><td>39.75</td><td>34.90</td><td>11.51</td><td>37.30</td><td>0.00</td><td>375</td><td>277</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.10</td><td>68.35</td><td>-21.25</td><td>37.66</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>375</td><td>277</td><td>PEAK</td></tr><tr><td>4</td><td>5932.00</td><td>49.41</td><td>68.20</td><td>-18.79</td><td>39.93</td><td>35.20</td><td>11.56</td><td>37.28</td><td>0.00</td><td>375</td><td>277</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	49.86	111.36	-61.50	40.75	34.92	11.49	37.30	0.00	375	277	PEAK	2	5870.00	48.94	106.70	-57.76	39.75	34.90	11.51	37.30	0.00	375	277	PEAK	3	5924.00	47.10	68.35	-21.25	37.66	35.17	11.55	37.28	0.00	375	277	PEAK	4	5932.00	49.41	68.20	-18.79	39.93	35.20	11.56	37.28	0.00	375	277
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.00	49.86	111.36	-61.50	40.75	34.92	11.49	37.30	0.00	375	277	PEAK																																																																																		
2	5870.00	48.94	106.70	-57.76	39.75	34.90	11.51	37.30	0.00	375	277	PEAK																																																																																		
3	5924.00	47.10	68.35	-21.25	37.66	35.17	11.55	37.28	0.00	375	277	PEAK																																																																																		
4	5932.00	49.41	68.20	-18.79	39.93	35.20	11.56	37.28	0.00	375	277	PEAK																																																																																		
Fundamental																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.28</td><td>-----</td><td>-----</td><td>93.25</td><td>34.84</td><td>11.48</td><td>37.29</td><td>0.00</td><td>375</td><td>277</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	102.28	-----	-----	93.25	34.84	11.48	37.29	0.00	375	277	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5825.00	102.28	-----	-----	93.25	34.84	11.48	37.29	0.00	375	277	PEAK																																																																																		
Avg	Blank																																																																																													
																																																																																														
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>93.53</td><td>-----</td><td>-----</td><td>84.50</td><td>34.84</td><td>11.48</td><td>37.29</td><td>0.00</td><td>375</td><td>277</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	93.53	-----	-----	84.50	34.84	11.48	37.29	0.00	375	277	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5825.00	93.53	-----	-----	84.50	34.84	11.48	37.29	0.00	375	277	AVERAGE																																																																																		






Mode	108																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																										
ANT	CDD																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5611.20</td><td>48.48</td><td>68.20</td><td>-19.72</td><td>40.13</td><td>34.41</td><td>11.17</td><td>37.23</td><td>0.00</td><td>107</td><td>325</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>48.30</td><td>69.09</td><td>-20.79</td><td>39.85</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>107</td><td>325</td><td>PEAK</td></tr><tr><td>3</td><td>5703.60</td><td>54.37</td><td>106.31</td><td>-51.94</td><td>45.80</td><td>34.51</td><td>11.30</td><td>37.24</td><td>0.00</td><td>107</td><td>325</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>50.35</td><td>110.90</td><td>-60.55</td><td>41.74</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>107</td><td>325</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5611.20	48.48	68.20	-19.72	40.13	34.41	11.17	37.23	0.00	107	325	PEAK	2	5651.20	48.30	69.09	-20.79	39.85	34.45	11.22	37.22	0.00	107	325	PEAK	3	5703.60	54.37	106.31	-51.94	45.80	34.51	11.30	37.24	0.00	107	325	PEAK	4	5720.00	50.35	110.90	-60.55	41.74	34.54	11.32	37.25	0.00	107	325	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.22</td><td>-----</td><td>-----</td><td>98.57</td><td>34.57</td><td>11.34</td><td>37.26</td><td>0.00</td><td>107</td><td>325</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.22	-----	-----	98.57	34.57	11.34	37.26	0.00	107	325	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5611.20	48.48	68.20	-19.72	40.13	34.41	11.17	37.23	0.00	107	325	PEAK																																																																																																																															
2	5651.20	48.30	69.09	-20.79	39.85	34.45	11.22	37.22	0.00	107	325	PEAK																																																																																																																															
3	5703.60	54.37	106.31	-51.94	45.80	34.51	11.30	37.24	0.00	107	325	PEAK																																																																																																																															
4	5720.00	50.35	110.90	-60.55	41.74	34.54	11.32	37.25	0.00	107	325	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	107.22	-----	-----	98.57	34.57	11.34	37.26	0.00	107	325	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.79</td><td>-----</td><td>-----</td><td>90.12</td><td>34.58</td><td>11.35</td><td>37.26</td><td>0.00</td><td>107</td><td>325</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.79	-----	-----	90.12	34.58	11.35	37.26	0.00	107	325	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	98.79	-----	-----	90.12	34.58	11.35	37.26	0.00	107	325	AVERAGE																																																																																																																															





Mode	108																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																			
ANT	CDD																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5624.00</td><td>47.62</td><td>68.20</td><td>-20.58</td><td>39.24</td><td>34.42</td><td>11.18</td><td>37.22</td><td>0.00</td><td>331</td><td>283 PEAK</td></tr><tr><td>2 5650.00</td><td>46.39</td><td>68.00</td><td>-22.41</td><td>37.94</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>331</td><td>283 PEAK</td></tr><tr><td>3 5700.00</td><td>47.36</td><td>105.30</td><td>-57.94</td><td>38.81</td><td>34.50</td><td>11.29</td><td>37.24</td><td>0.00</td><td>331</td><td>283 PEAK</td></tr><tr><td>4 5720.40</td><td>48.00</td><td>111.81</td><td>-63.01</td><td>40.19</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>331</td><td>283 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5624.00	47.62	68.20	-20.58	39.24	34.42	11.18	37.22	0.00	331	283 PEAK	2 5650.00	46.39	68.00	-22.41	37.94	34.45	11.22	37.22	0.00	331	283 PEAK	3 5700.00	47.36	105.30	-57.94	38.81	34.50	11.29	37.24	0.00	331	283 PEAK	4 5720.40	48.00	111.81	-63.01	40.19	34.54	11.32	37.25	0.00	331	283 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>102.02</td><td>-----</td><td>-----</td><td>93.35</td><td>34.58</td><td>11.35</td><td>37.26</td><td>0.00</td><td>331</td><td>283 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	102.02	-----	-----	93.35	34.58	11.35	37.26	0.00	331	283 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5624.00	47.62	68.20	-20.58	39.24	34.42	11.18	37.22	0.00	331	283 PEAK																																																																																																																										
2 5650.00	46.39	68.00	-22.41	37.94	34.45	11.22	37.22	0.00	331	283 PEAK																																																																																																																										
3 5700.00	47.36	105.30	-57.94	38.81	34.50	11.29	37.24	0.00	331	283 PEAK																																																																																																																										
4 5720.40	48.00	111.81	-63.01	40.19	34.54	11.32	37.25	0.00	331	283 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	102.02	-----	-----	93.35	34.58	11.35	37.26	0.00	331	283 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>93.67</td><td>-----</td><td>-----</td><td>85.00</td><td>34.58</td><td>11.35</td><td>37.26</td><td>0.00</td><td>331</td><td>283 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	93.67	-----	-----	85.00	34.58	11.35	37.26	0.00	331	283 AVERAGE																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	93.67	-----	-----	85.00	34.58	11.35	37.26	0.00	331	283 AVERAGE																																																																																																																										






Mode	109																																																																																													
	Band Edge																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																													
ANT	CDD																																																																																													
Pol.	Horizontal																																																																																													
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5850.40</td><td>69.90</td><td>121.39</td><td>-51.49</td><td>60.81</td><td>34.90</td><td>11.49</td><td>37.30</td><td>0.00</td><td>100</td><td>324</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>57.61</td><td>105.47</td><td>-47.86</td><td>48.39</td><td>35.00</td><td>11.51</td><td>37.29</td><td>0.00</td><td>100</td><td>324</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>48.30</td><td>68.94</td><td>-20.64</td><td>38.86</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>100</td><td>324</td><td>PEAK</td></tr><tr><td>4</td><td>5927.20</td><td>50.73</td><td>68.20</td><td>-17.47</td><td>41.28</td><td>35.18</td><td>11.55</td><td>37.28</td><td>0.00</td><td>100</td><td>324</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5850.40	69.90	121.39	-51.49	60.81	34.90	11.49	37.30	0.00	100	324	PEAK	2	5874.40	57.61	105.47	-47.86	48.39	35.00	11.51	37.29	0.00	100	324	PEAK	3	5924.00	48.30	68.94	-20.64	38.86	35.17	11.55	37.28	0.00	100	324	PEAK	4	5927.20	50.73	68.20	-17.47	41.28	35.18	11.55	37.28	0.00	100	324	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5850.40	69.90	121.39	-51.49	60.81	34.90	11.49	37.30	0.00	100	324	PEAK																																																																																		
2	5874.40	57.61	105.47	-47.86	48.39	35.00	11.51	37.29	0.00	100	324	PEAK																																																																																		
3	5924.00	48.30	68.94	-20.64	38.86	35.17	11.55	37.28	0.00	100	324	PEAK																																																																																		
4	5927.20	50.73	68.20	-17.47	41.28	35.18	11.55	37.28	0.00	100	324	PEAK																																																																																		
Fundamental																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.05</td><td>-----</td><td>-----</td><td>97.05</td><td>34.82</td><td>11.47</td><td>37.29</td><td>0.00</td><td>100</td><td>324</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.05	-----	-----	97.05	34.82	11.47	37.29	0.00	100	324	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5825.00	106.05	-----	-----	97.05	34.82	11.47	37.29	0.00	100	324	PEAK																																																																																		
Avg	Blank																																																																																													
																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>99.02</td><td>-----</td><td>-----</td><td>90.02</td><td>34.82</td><td>11.47</td><td>37.29</td><td>0.00</td><td>100</td><td>324</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	99.02	-----	-----	90.02	34.82	11.47	37.29	0.00	100	324	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5825.00	99.02	-----	-----	90.02	34.82	11.47	37.29	0.00	100	324	AVERAGE																																																																																		






		109																																																																																											
Mode		Band Edge																																																																																											
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																											
ANT		CDD																																																																																											
Pol.		Fundamental																																																																																											
Peak	Vertical																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5850.40</td><td>62.11</td><td>121.39</td><td>-59.28</td><td>53.02</td><td>34.90</td><td>11.49</td><td>37.30</td><td>0.00</td><td>300</td><td>241</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>47.78</td><td>105.36</td><td>-57.58</td><td>38.56</td><td>35.00</td><td>11.51</td><td>37.29</td><td>0.00</td><td>300</td><td>241</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>48.01</td><td>69.53</td><td>-21.52</td><td>38.57</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>300</td><td>241</td><td>PEAK</td></tr><tr><td>4</td><td>5975.20</td><td>49.67</td><td>68.20</td><td>-18.53</td><td>40.01</td><td>35.33</td><td>11.59</td><td>37.26</td><td>0.00</td><td>300</td><td>241</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5850.40	62.11	121.39	-59.28	53.02	34.90	11.49	37.30	0.00	300	241	PEAK	2	5874.00	47.78	105.36	-57.58	38.56	35.00	11.51	37.29	0.00	300	241	PEAK	3	5923.20	48.01	69.53	-21.52	38.57	35.17	11.55	37.28	0.00	300	241	PEAK	4	5975.20	49.67	68.20	-18.53	40.01	35.33	11.59	37.26	0.00	300	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5850.40	62.11	121.39	-59.28	53.02	34.90	11.49	37.30	0.00	300	241	PEAK																																																																																	
2	5874.00	47.78	105.36	-57.58	38.56	35.00	11.51	37.29	0.00	300	241	PEAK																																																																																	
3	5923.20	48.01	69.53	-21.52	38.57	35.17	11.55	37.28	0.00	300	241	PEAK																																																																																	
4	5975.20	49.67	68.20	-18.53	40.01	35.33	11.59	37.26	0.00	300	241	PEAK																																																																																	
Avg	Blank																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>91.69</td><td>-----</td><td>-----</td><td>82.69</td><td>34.82</td><td>11.47</td><td>37.29</td><td>0.00</td><td>300</td><td>241</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	91.69	-----	-----	82.69	34.82	11.47	37.29	0.00	300	241	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5825.00	91.69	-----	-----	82.69	34.82	11.47	37.29	0.00	300	241	AVERAGE																																																																																	





		110																																																																																					
Mode	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																						
ANT	CDD																																																																																						
Pol.	Horizontal																																																																																						
Peak																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5644.00</td><td>48.39</td><td>68.20</td><td>-19.81</td><td>39.96</td><td>34.44</td><td>11.21</td><td>37.22</td><td>0.00</td><td>120</td><td>236 PEAK</td></tr><tr><td>2 5650.40</td><td>47.70</td><td>68.50</td><td>-20.80</td><td>39.25</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>120</td><td>236 PEAK</td></tr><tr><td>3 5718.00</td><td>63.78</td><td>110.56</td><td>-46.78</td><td>55.17</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>120</td><td>236 PEAK</td></tr><tr><td>4 5720.00</td><td>60.63</td><td>110.90</td><td>-50.27</td><td>52.02</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>120</td><td>236 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5644.00	48.39	68.20	-19.81	39.96	34.44	11.21	37.22	0.00	120	236 PEAK	2 5650.40	47.70	68.50	-20.80	39.25	34.45	11.22	37.22	0.00	120	236 PEAK	3 5718.00	63.78	110.56	-46.78	55.17	34.54	11.32	37.25	0.00	120	236 PEAK	4 5720.00	60.63	110.90	-50.27	52.02	34.54	11.32	37.25	0.00	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5644.00	48.39	68.20	-19.81	39.96	34.44	11.21	37.22	0.00	120	236 PEAK																																																																													
2 5650.40	47.70	68.50	-20.80	39.25	34.45	11.22	37.22	0.00	120	236 PEAK																																																																													
3 5718.00	63.78	110.56	-46.78	55.17	34.54	11.32	37.25	0.00	120	236 PEAK																																																																													
4 5720.00	60.63	110.90	-50.27	52.02	34.54	11.32	37.25	0.00	120	236 PEAK																																																																													
Fundamental																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>111.77</td><td>-----</td><td>-----</td><td>103.10</td><td>34.58</td><td>11.35</td><td>37.26</td><td>0.00</td><td>120</td><td>236 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	111.77	-----	-----	103.10	34.58	11.35	37.26	0.00	120	236 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5745.00	111.77	-----	-----	103.10	34.58	11.35	37.26	0.00	120	236 PEAK																																																																													
Avg	Blank																																																																																						
																																																																																							
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>103.70</td><td>-----</td><td>-----</td><td>95.03</td><td>34.58</td><td>11.35</td><td>37.26</td><td>0.00</td><td>120</td><td>236 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	103.70	-----	-----	95.03	34.58	11.35	37.26	0.00	120	236 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5745.00	103.70	-----	-----	95.03	34.58	11.35	37.26	0.00	120	236 AVERAGE																																																																													






		110																																																																																			
Mode		Band Edge																																																																																			
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																			
ANT		CDD																																																																																			
Pol.		Vertical					Fundamental																																																																														
Peak																																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5640.00</td><td>47.52</td><td>68.20</td><td>-20.68</td><td>39.09</td><td>34.44</td><td>11.21</td><td>37.22</td><td>0.00</td><td>324</td><td>250 PEAK</td></tr><tr><td>2 5651.60</td><td>47.64</td><td>69.39</td><td>-21.75</td><td>39.19</td><td>34.45</td><td>11.22</td><td>37.22</td><td>0.00</td><td>324</td><td>250 PEAK</td></tr><tr><td>3 5720.00</td><td>56.59</td><td>110.90</td><td>-54.31</td><td>47.98</td><td>34.54</td><td>11.32</td><td>37.25</td><td>0.00</td><td>324</td><td>250 PEAK</td></tr><tr><td>4 5722.80</td><td>67.36</td><td>117.28</td><td>-49.92</td><td>58.73</td><td>34.55</td><td>11.33</td><td>37.25</td><td>0.00</td><td>324</td><td>250 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5640.00	47.52	68.20	-20.68	39.09	34.44	11.21	37.22	0.00	324	250 PEAK	2 5651.60	47.64	69.39	-21.75	39.19	34.45	11.22	37.22	0.00	324	250 PEAK	3 5720.00	56.59	110.90	-54.31	47.98	34.54	11.32	37.25	0.00	324	250 PEAK	4 5722.80	67.36	117.28	-49.92	58.73	34.55	11.33	37.25	0.00	324
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 5640.00	47.52	68.20	-20.68	39.09	34.44	11.21	37.22	0.00	324	250 PEAK																																																																											
2 5651.60	47.64	69.39	-21.75	39.19	34.45	11.22	37.22	0.00	324	250 PEAK																																																																											
3 5720.00	56.59	110.90	-54.31	47.98	34.54	11.32	37.25	0.00	324	250 PEAK																																																																											
4 5722.80	67.36	117.28	-49.92	58.73	34.55	11.33	37.25	0.00	324	250 PEAK																																																																											
Avg																																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>106.66</td><td>-----</td><td>-----</td><td>97.99</td><td>34.58</td><td>11.35</td><td>37.26</td><td>0.00</td><td>324</td><td>250 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	106.66	-----	-----	97.99	34.58	11.35	37.26	0.00	324	250 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 5745.00	106.66	-----	-----	97.99	34.58	11.35	37.26	0.00	324	250 PEAK																																																																											
Blank																																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>98.39</td><td>-----</td><td>-----</td><td>89.72</td><td>34.58</td><td>11.35</td><td>37.26</td><td>0.00</td><td>324</td><td>250 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	98.39	-----	-----	89.72	34.58	11.35	37.26	0.00	324	250 AVERAGE																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1 5745.00	98.39	-----	-----	89.72	34.58	11.35	37.26	0.00	324	250 AVERAGE																																																																											






Mode	111																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																												
ANT	CDD																																																																																												
Pol.	Horizontal						Fundamental																																																																																						
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5851.20</td><td>70.24</td><td>119.56</td><td>-49.32</td><td>61.15</td><td>34.90</td><td>11.49</td><td>37.30</td><td>0.00</td><td>120</td><td>234</td><td>PEAK</td></tr><tr><td>2</td><td>5856.40</td><td>59.63</td><td>110.51</td><td>-50.88</td><td>50.50</td><td>34.93</td><td>11.50</td><td>37.30</td><td>0.00</td><td>120</td><td>234</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>50.77</td><td>68.35</td><td>-17.58</td><td>41.33</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>120</td><td>234</td><td>PEAK</td></tr><tr><td>4</td><td>5963.20</td><td>50.68</td><td>68.20</td><td>-17.52</td><td>41.08</td><td>35.29</td><td>11.58</td><td>37.27</td><td>0.00</td><td>120</td><td>234</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5851.20	70.24	119.56	-49.32	61.15	34.90	11.49	37.30	0.00	120	234	PEAK	2	5856.40	59.63	110.51	-50.88	50.50	34.93	11.50	37.30	0.00	120	234	PEAK	3	5924.80	50.77	68.35	-17.58	41.33	35.17	11.55	37.28	0.00	120	234	PEAK	4	5963.20	50.68	68.20	-17.52	41.08	35.29	11.58	37.27	0.00	120	234
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5851.20	70.24	119.56	-49.32	61.15	34.90	11.49	37.30	0.00	120	234	PEAK																																																																																	
2	5856.40	59.63	110.51	-50.88	50.50	34.93	11.50	37.30	0.00	120	234	PEAK																																																																																	
3	5924.80	50.77	68.35	-17.58	41.33	35.17	11.55	37.28	0.00	120	234	PEAK																																																																																	
4	5963.20	50.68	68.20	-17.52	41.08	35.29	11.58	37.27	0.00	120	234	PEAK																																																																																	
Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>105.13</td><td>-----</td><td>-----</td><td>96.13</td><td>34.82</td><td>11.47</td><td>37.29</td><td>0.00</td><td>120</td><td>234</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.13	-----	-----	96.13	34.82	11.47	37.29	0.00	120	234	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5825.00	105.13	-----	-----	96.13	34.82	11.47	37.29	0.00	120	234	AVERAGE																																																																																	







Mode	111																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																									
ANT	CDD																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.20</td><td>58.18</td><td>115.00</td><td>-56.82</td><td>49.08</td><td>34.91</td><td>11.49</td><td>37.30</td><td>0.00</td><td>321</td><td>243</td><td>PEAK</td></tr><tr><td>2</td><td>5860.40</td><td>54.39</td><td>109.39</td><td>-55.00</td><td>45.25</td><td>34.94</td><td>11.50</td><td>37.30</td><td>0.00</td><td>321</td><td>243</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>48.07</td><td>68.35</td><td>-20.28</td><td>38.63</td><td>35.17</td><td>11.55</td><td>37.28</td><td>0.00</td><td>321</td><td>243</td><td>PEAK</td></tr><tr><td>4</td><td>5927.20</td><td>49.56</td><td>68.20</td><td>-18.64</td><td>40.11</td><td>35.18</td><td>11.55</td><td>37.28</td><td>0.00</td><td>321</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.20	58.18	115.00	-56.82	49.08	34.91	11.49	37.30	0.00	321	243	PEAK	2	5860.40	54.39	109.39	-55.00	45.25	34.94	11.50	37.30	0.00	321	243	PEAK	3	5924.80	48.07	68.35	-20.28	38.63	35.17	11.55	37.28	0.00	321	243	PEAK	4	5927.20	49.56	68.20	-18.64	40.11	35.18	11.55	37.28	0.00	321	243	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.63</td><td>-----</td><td>-----</td><td>98.63</td><td>34.82</td><td>11.47</td><td>37.29</td><td>0.00</td><td>321</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.63	-----	-----	98.63	34.82	11.47	37.29	0.00	321	243
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5853.20	58.18	115.00	-56.82	49.08	34.91	11.49	37.30	0.00	321	243	PEAK																																																																																																																														
2	5860.40	54.39	109.39	-55.00	45.25	34.94	11.50	37.30	0.00	321	243	PEAK																																																																																																																														
3	5924.80	48.07	68.35	-20.28	38.63	35.17	11.55	37.28	0.00	321	243	PEAK																																																																																																																														
4	5927.20	49.56	68.20	-18.64	40.11	35.18	11.55	37.28	0.00	321	243	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	107.63	-----	-----	98.63	34.82	11.47	37.29	0.00	321	243	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.20</td><td>-----</td><td>-----</td><td>89.20</td><td>34.82</td><td>11.47</td><td>37.29</td><td>0.00</td><td>321</td><td>243</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	98.20	-----	-----	89.20	34.82	11.47	37.29	0.00	321	243	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	98.20	-----	-----	89.20	34.82	11.47	37.29	0.00	321	243	AVERAGE																																																																																																																														





Mode	105																																																																																																																																																																																																																						
	LF																																																																																																																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																																																																																																																																																						
ANT	CDD																																																																																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																																																																																
Peak Avg																																																																																																																																																																																																																							
	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th></th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th></th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>77.53</td><td>26.05</td><td>-13.95</td><td>40.00</td><td>44.13</td><td>13.05</td><td>1.25</td><td>32.38</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>167.74</td><td>35.59</td><td>-7.91</td><td>43.50</td><td>50.42</td><td>15.64</td><td>1.88</td><td>32.35</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>263.77</td><td>41.11</td><td>-4.89</td><td>46.00</td><td>51.75</td><td>19.52</td><td>2.22</td><td>32.38</td><td>200</td><td>106</td><td>Peak</td></tr><tr><td>4</td><td>312.27</td><td>37.50</td><td>-8.50</td><td>46.00</td><td>48.00</td><td>19.24</td><td>2.60</td><td>32.42</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>408.30</td><td>37.04</td><td>-8.96</td><td>46.00</td><td>44.41</td><td>22.02</td><td>3.02</td><td>32.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>800.18</td><td>34.67</td><td>-11.33</td><td>46.00</td><td>34.78</td><td>27.95</td><td>4.22</td><td>32.28</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor					dB	dBuV/m	dBuV		dB	dB	cm	deg	1	77.53	26.05	-13.95	40.00	44.13	13.05	1.25	32.38	---	---	Peak	2	167.74	35.59	-7.91	43.50	50.42	15.64	1.88	32.35	---	---	Peak	3	263.77	41.11	-4.89	46.00	51.75	19.52	2.22	32.38	200	106	Peak	4	312.27	37.50	-8.50	46.00	48.00	19.24	2.60	32.42	---	---	Peak	5	408.30	37.04	-8.96	46.00	44.41	22.02	3.02	32.41	---	---	Peak	6	800.18	34.67	-11.33	46.00	34.78	27.95	4.22	32.28	---	---	Peak	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th></th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th></th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>71.71</td><td>24.93</td><td>-15.07</td><td>40.00</td><td>43.91</td><td>12.37</td><td>1.20</td><td>32.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>167.74</td><td>31.08</td><td>-12.42</td><td>43.50</td><td>45.91</td><td>15.64</td><td>1.88</td><td>32.35</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>263.77</td><td>36.94</td><td>-9.06</td><td>46.00</td><td>47.58</td><td>19.52</td><td>2.22</td><td>32.38</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>408.30</td><td>34.65</td><td>-11.35</td><td>46.00</td><td>42.02</td><td>22.02</td><td>3.02</td><td>32.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>743.92</td><td>33.56</td><td>-12.44</td><td>46.00</td><td>33.72</td><td>28.20</td><td>4.05</td><td>32.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>907.85</td><td>34.78</td><td>-11.22</td><td>46.00</td><td>32.69</td><td>29.09</td><td>4.50</td><td>31.50</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor					dB	dBuV/m	dBuV		dB	dB	cm	deg	1	71.71	24.93	-15.07	40.00	43.91	12.37	1.20	32.55	---	---	Peak	2	167.74	31.08	-12.42	43.50	45.91	15.64	1.88	32.35	---	---	Peak	3	263.77	36.94	-9.06	46.00	47.58	19.52	2.22	32.38	---	---	Peak	4	408.30	34.65	-11.35	46.00	42.02	22.02	3.02	32.41	---	---	Peak	5	743.92	33.56	-12.44	46.00	33.72	28.20	4.05	32.41	---	---	Peak	6	907.85	34.78	-11.22	46.00	32.69	29.09	4.50	31.50	---	---
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																														
MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor																																																																																																																																																																																																																
		dB	dBuV/m	dBuV		dB	dB	cm	deg																																																																																																																																																																																																														
1	77.53	26.05	-13.95	40.00	44.13	13.05	1.25	32.38	---	---	Peak																																																																																																																																																																																																												
2	167.74	35.59	-7.91	43.50	50.42	15.64	1.88	32.35	---	---	Peak																																																																																																																																																																																																												
3	263.77	41.11	-4.89	46.00	51.75	19.52	2.22	32.38	200	106	Peak																																																																																																																																																																																																												
4	312.27	37.50	-8.50	46.00	48.00	19.24	2.60	32.42	---	---	Peak																																																																																																																																																																																																												
5	408.30	37.04	-8.96	46.00	44.41	22.02	3.02	32.41	---	---	Peak																																																																																																																																																																																																												
6	800.18	34.67	-11.33	46.00	34.78	27.95	4.22	32.28	---	---	Peak																																																																																																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																														
MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor																																																																																																																																																																																																																
		dB	dBuV/m	dBuV		dB	dB	cm	deg																																																																																																																																																																																																														
1	71.71	24.93	-15.07	40.00	43.91	12.37	1.20	32.55	---	---	Peak																																																																																																																																																																																																												
2	167.74	31.08	-12.42	43.50	45.91	15.64	1.88	32.35	---	---	Peak																																																																																																																																																																																																												
3	263.77	36.94	-9.06	46.00	47.58	19.52	2.22	32.38	---	---	Peak																																																																																																																																																																																																												
4	408.30	34.65	-11.35	46.00	42.02	22.02	3.02	32.41	---	---	Peak																																																																																																																																																																																																												
5	743.92	33.56	-12.44	46.00	33.72	28.20	4.05	32.41	---	---	Peak																																																																																																																																																																																																												
6	907.85	34.78	-11.22	46.00	32.69	29.09	4.50	31.50	---	---	Peak																																																																																																																																																																																																												





Mode	113																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_BLE 1M_CH19_2440MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2366.29</td><td>50.12</td><td>74.00</td><td>-23.88</td><td>42.20</td><td>31.66</td><td>7.13</td><td>36.87</td><td>6.00</td><td>294</td><td>179</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2366.29	50.12	74.00	-23.88	42.20	31.66	7.13	36.87	6.00	294	179	PEAK	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>101.73</td><td>-----</td><td>-----</td><td>93.28</td><td>32.06</td><td>7.25</td><td>36.86</td><td>6.00</td><td>294</td><td>179</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	101.73	-----	-----	93.28	32.06	7.25	36.86	6.00	294	179	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2366.29	50.12	74.00	-23.88	42.20	31.66	7.13	36.87	6.00	294	179	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	101.73	-----	-----	93.28	32.06	7.25	36.86	6.00	294	179	PEAK																																																																																								
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2360.18</td><td>38.88</td><td>54.00</td><td>-15.12</td><td>31.01</td><td>31.62</td><td>7.12</td><td>36.87</td><td>6.00</td><td>294</td><td>179</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2360.18	38.88	54.00	-15.12	31.01	31.62	7.12	36.87	6.00	294	179	AVERAGE	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>100.91</td><td>-----</td><td>-----</td><td>92.46</td><td>32.06</td><td>7.25</td><td>36.86</td><td>6.00</td><td>294</td><td>179</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	100.91	-----	-----	92.46	32.06	7.25	36.86	6.00	294	179	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2360.18	38.88	54.00	-15.12	31.01	31.62	7.12	36.87	6.00	294	179	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	100.91	-----	-----	92.46	32.06	7.25	36.86	6.00	294	179	AVERAGE																																																																																								



Mode	113																																																																
	Band Edge - R																																																																
	2400-2483.5_ BLE 1M _CH19_ 2440MHz																																																																
ANT	1																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2485.72</td><td>50.26</td><td>74.00</td><td>-23.74</td><td>41.54</td><td>32.24</td><td>7.33</td><td>36.85</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6.00</td><td>294</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>179</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2485.72	50.26	74.00	-23.74	41.54	32.24	7.33	36.85								6.00	294									179									PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	2485.72	50.26	74.00	-23.74	41.54	32.24	7.33	36.85																																																									
							6.00	294																																																									
								179																																																									
								PEAK																																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2492.80</td><td>39.44</td><td>54.00</td><td>-14.56</td><td>30.67</td><td>32.27</td><td>7.35</td><td>36.85</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6.00</td><td>294</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>179</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2492.80	39.44	54.00	-14.56	30.67	32.27	7.35	36.85								6.00	294									179									AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	2492.80	39.44	54.00	-14.56	30.67	32.27	7.35	36.85																																																									
							6.00	294																																																									
								179																																																									
								AVERAGE																																																									





		113																																									
Mode		Band Edge - L																																									
		2400-2483.5_BLE 1M_CH19_2440MHz																																									
ANT		1																																									
Pol.		Vertical																																									
Peak																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	49.10	74.00	-24.90	40.97	31.83	7.16	36.86	6.00	302	251
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2389.95	49.10	74.00	-24.90	40.97	31.83	7.16	36.86	6.00	302	251	PEAK																															
Fundamental																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	99.07	-----	-----	90.62	32.06	7.25	36.86	6.00	302	251
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2440.00	99.07	-----	-----	90.62	32.06	7.25	36.86	6.00	302	251	PEAK																															
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2377.99	38.49	54.00	-15.51	30.46	31.75	7.14	36.86	6.00	302	251
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2377.99	38.49	54.00	-15.51	30.46	31.75	7.14	36.86	6.00	302	251	AVERAGE																															
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	98.22	-----	-----	89.77	32.06	7.25	36.86	6.00	302	251
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2440.00	98.22	-----	-----	89.77	32.06	7.25	36.86	6.00	302	251	AVERAGE																															







Mode	113																																																					
	Band Edge - R																																																					
	2400-2483.5_ BLE 1M _CH19_ 2440MHz																																																					
ANT	1																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.26</td><td>49.96</td><td>74.00</td><td>-24.04</td><td>41.21</td><td>32.26</td><td>7.34</td><td>36.85</td><td>6.00</td><td>302</td><td>251 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.26	49.96	74.00	-24.04	41.21	32.26	7.34	36.85	6.00	302	251 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2489.26	49.96	74.00	-24.04	41.21	32.26	7.34	36.85	6.00	302	251 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.56</td><td>39.52</td><td>54.00</td><td>-14.48</td><td>30.75</td><td>32.27</td><td>7.35</td><td>36.85</td><td>6.00</td><td>302</td><td>251 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.56	39.52	54.00	-14.48	30.75	32.27	7.35	36.85	6.00	302	251 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2492.56	39.52	54.00	-14.48	30.75	32.27	7.35	36.85	6.00	302	251 AVERAGE																																											




Mode	113																																																																																																																																										
	Harmonic																																																																																																																																										
	2400-2483.5_BLE 1M_CH19_2440MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>51.42</td><td>74.00</td><td>-22.58</td><td>70.61</td><td>33.94</td><td>10.35</td><td>63.48</td><td>0.00</td><td>201</td><td>169</td><td>PEAK</td></tr><tr><td>2</td><td>4880.00</td><td>48.07</td><td>54.00</td><td>-5.93</td><td>67.26</td><td>33.94</td><td>10.35</td><td>63.48</td><td>0.00</td><td>201</td><td>169</td><td>AVERAGE</td></tr><tr><td>3</td><td>7320.00</td><td>42.33</td><td>74.00</td><td>-31.67</td><td>57.62</td><td>35.60</td><td>12.79</td><td>63.68</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	51.42	74.00	-22.58	70.61	33.94	10.35	63.48	0.00	201	169	PEAK	2	4880.00	48.07	54.00	-5.93	67.26	33.94	10.35	63.48	0.00	201	169	AVERAGE	3	7320.00	42.33	74.00	-31.67	57.62	35.60	12.79	63.68	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>42.21</td><td>74.00</td><td>-31.79</td><td>61.40</td><td>33.94</td><td>10.35</td><td>63.48</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>42.67</td><td>74.00</td><td>-31.33</td><td>57.96</td><td>35.60</td><td>12.79</td><td>63.68</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.21	74.00	-31.79	61.40	33.94	10.35	63.48	0.00	--	--	PEAK	2	7320.00	42.67	74.00	-31.33	57.96	35.60	12.79	63.68	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4880.00	51.42	74.00	-22.58	70.61	33.94	10.35	63.48	0.00	201	169	PEAK																																																																																																																															
2	4880.00	48.07	54.00	-5.93	67.26	33.94	10.35	63.48	0.00	201	169	AVERAGE																																																																																																																															
3	7320.00	42.33	74.00	-31.67	57.62	35.60	12.79	63.68	0.00	--	--	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4880.00	42.21	74.00	-31.79	61.40	33.94	10.35	63.48	0.00	--	--	PEAK																																																																																																																															
2	7320.00	42.67	74.00	-31.33	57.96	35.60	12.79	63.68	0.00	--	--	PEAK																																																																																																																															







Mode	113																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																																									
ANT	CDD																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>57.13</td><td>74.00</td><td>-16.87</td><td>48.88</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>100</td><td>202</td><td>PEAK</td></tr><tr><td>2</td><td>5466.64</td><td>59.96</td><td>68.20</td><td>-8.24</td><td>51.71</td><td>34.53</td><td>10.98</td><td>37.26</td><td>0.00</td><td>100</td><td>202</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	57.13	74.00	-16.87	48.88	34.54	10.97	37.26	0.00	100	202	PEAK	2	5466.64	59.96	68.20	-8.24	51.71	34.53	10.98	37.26	0.00	100	202	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>95.57</td><td>-----</td><td>-----</td><td>93.12</td><td>32.06</td><td>7.25</td><td>36.86</td><td>0.00</td><td>100</td><td>202</td><td>PEAK</td></tr><tr><td>2</td><td>5530.00</td><td>99.78</td><td>-----</td><td>-----</td><td>91.50</td><td>34.46</td><td>11.07</td><td>37.25</td><td>0.00</td><td>100</td><td>202</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	95.57	-----	-----	93.12	32.06	7.25	36.86	0.00	100	202	PEAK	2	5530.00	99.78	-----	-----	91.50	34.46	11.07	37.25	0.00	100	202	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5459.76	57.13	74.00	-16.87	48.88	34.54	10.97	37.26	0.00	100	202	PEAK																																																																																																																														
2	5466.64	59.96	68.20	-8.24	51.71	34.53	10.98	37.26	0.00	100	202	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	2440.00	95.57	-----	-----	93.12	32.06	7.25	36.86	0.00	100	202	PEAK																																																																																																																														
2	5530.00	99.78	-----	-----	91.50	34.46	11.07	37.25	0.00	100	202	PEAK																																																																																																																														
Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.00</td><td>50.28</td><td>54.00</td><td>-3.72</td><td>42.04</td><td>34.54</td><td>10.96</td><td>37.26</td><td>0.00</td><td>100</td><td>202</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.00	50.28	54.00	-3.72	42.04	34.54	10.96	37.26	0.00	100	202	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>93.92</td><td>-----</td><td>-----</td><td>91.47</td><td>32.06</td><td>7.25</td><td>36.86</td><td>0.00</td><td>100</td><td>202</td><td>AVERAGE</td></tr><tr><td>2</td><td>5530.00</td><td>95.22</td><td>-----</td><td>-----</td><td>92.77</td><td>32.06</td><td>7.25</td><td>36.86</td><td>0.00</td><td>100</td><td>202</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	93.92	-----	-----	91.47	32.06	7.25	36.86	0.00	100	202	AVERAGE	2	5530.00	95.22	-----	-----	92.77	32.06	7.25	36.86	0.00	100	202	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5456.00	50.28	54.00	-3.72	42.04	34.54	10.96	37.26	0.00	100	202	AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	2440.00	93.92	-----	-----	91.47	32.06	7.25	36.86	0.00	100	202	AVERAGE																																																																																																																														
2	5530.00	95.22	-----	-----	92.77	32.06	7.25	36.86	0.00	100	202	AVERAGE																																																																																																																														




Mode	113																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																							
ANT	CDD																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.48</td><td>48.77</td><td>68.20</td><td>-19.43</td><td>40.14</td><td>34.55</td><td>11.33</td><td>37.25</td><td>0.00</td><td>100</td><td>202</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.48	48.77	68.20	-19.43	40.14	34.55	11.33	37.25	0.00	100	202	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.48	48.77	68.20	-19.43	40.14	34.55	11.33	37.25	0.00	100	202	PEAK																																												





Mode	113																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																																									
ANT	CDD																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.44</td><td>53.44</td><td>74.00</td><td>-20.56</td><td>45.19</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>391</td><td>267</td><td>PEAK</td></tr><tr><td>2</td><td>5460.08</td><td>52.28</td><td>68.20</td><td>-15.92</td><td>44.03</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>391</td><td>267</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	53.44	74.00	-20.56	45.19	34.54	10.97	37.26	0.00	391	267	PEAK	2	5460.08	52.28	68.20	-15.92	44.03	34.54	10.97	37.26	0.00	391	267	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>95.56</td><td>-----</td><td>-----</td><td>93.11</td><td>32.06</td><td>7.25</td><td>36.86</td><td>0.00</td><td>391</td><td>267</td><td>PEAK</td></tr><tr><td>2</td><td>5530.00</td><td>96.86</td><td>-----</td><td>-----</td><td>94.41</td><td>32.06</td><td>7.25</td><td>36.86</td><td>0.00</td><td>391</td><td>267</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	95.56	-----	-----	93.11	32.06	7.25	36.86	0.00	391	267	PEAK	2	5530.00	96.86	-----	-----	94.41	32.06	7.25	36.86	0.00	391	267	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5459.44	53.44	74.00	-20.56	45.19	34.54	10.97	37.26	0.00	391	267	PEAK																																																																																																																														
2	5460.08	52.28	68.20	-15.92	44.03	34.54	10.97	37.26	0.00	391	267	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	2440.00	95.56	-----	-----	93.11	32.06	7.25	36.86	0.00	391	267	PEAK																																																																																																																														
2	5530.00	96.86	-----	-----	94.41	32.06	7.25	36.86	0.00	391	267	PEAK																																																																																																																														
Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.96</td><td>44.15</td><td>54.00</td><td>-9.85</td><td>35.90</td><td>34.54</td><td>10.97</td><td>37.26</td><td>0.00</td><td>391</td><td>267</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	44.15	54.00	-9.85	35.90	34.54	10.97	37.26	0.00	391	267	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>93.92</td><td>-----</td><td>-----</td><td>91.47</td><td>32.06</td><td>7.25</td><td>36.86</td><td>0.00</td><td>391</td><td>267</td><td>AVERAGE</td></tr><tr><td>2</td><td>5530.00</td><td>94.42</td><td>-----</td><td>-----</td><td>91.97</td><td>32.06</td><td>7.25</td><td>36.86</td><td>0.00</td><td>391</td><td>267</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	93.92	-----	-----	91.47	32.06	7.25	36.86	0.00	391	267	AVERAGE	2	5530.00	94.42	-----	-----	91.97	32.06	7.25	36.86	0.00	391	267	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5458.96	44.15	54.00	-9.85	35.90	34.54	10.97	37.26	0.00	391	267	AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	2440.00	93.92	-----	-----	91.47	32.06	7.25	36.86	0.00	391	267	AVERAGE																																																																																																																														
2	5530.00	94.42	-----	-----	91.97	32.06	7.25	36.86	0.00	391	267	AVERAGE																																																																																																																														



Mode	113																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																							
ANT	CDD																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5752.44</td><td>49.61</td><td>68.20</td><td>-18.59</td><td>40.90</td><td>34.60</td><td>11.37</td><td>37.26</td><td>0.00</td><td>391</td><td>267</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5752.44	49.61	68.20	-18.59	40.90	34.60	11.37	37.26	0.00	391	267	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5752.44	49.61	68.20	-18.59	40.90	34.60	11.37	37.26	0.00	391	267	PEAK																																												




Mode	113																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																													
ANT	CDD																																																																																																													
Pol.	Horizontal						Vertical																																																																																																							
Peak Avg																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.00</td><td>74.00</td><td>-30.00</td><td>52.09</td><td>37.95</td><td>15.80</td><td>61.84</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	44.00	74.00	-30.00	52.09	37.95	15.80	61.84	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.32</td><td>74.00</td><td>-29.68</td><td>52.41</td><td>37.95</td><td>15.80</td><td>61.84</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	44.32	74.00	-29.68	52.41	37.95	15.80	61.84	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	11060.00	44.00	74.00	-30.00	52.09	37.95	15.80	61.84	0.00	--	--	PEAK																																																																																																		
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	11060.00	44.32	74.00	-29.68	52.41	37.95	15.80	61.84	0.00	--	--	PEAK																																																																																																		



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	77.11	1.391	0.719	0.75KHZ
802.11n HT20	59.51	0.61	1.639	1.8KHZ
802.11ac VHT20	97.55	0.677	1.477	1.5KHZ
802.11ac VHT40	95.84	0.346	2.890	3KHZ
802.11ac VHT80	93.03	0.187	5.348	5.6khz
802.11ax HE20	61.19	0.648	1.543	1.6KHZ
802.11ax HE40	46.37	0.358	2.793	3KHZ
802.11ax HE80	33.60	0.21	4.762	5.1KHZ
802.11ax HE20 RU26	97.77	0.700	1.429	1.5KHZ
802.11ax HE20 RU52	97.77	0.700	1.429	1.5KHZ
802.11ax HE20 RU106	97.77	0.700	1.429	1.5KHZ

802.11a






802.11n HT20




802.11ac VHT20






802.11ac VHT40




802.11ac VHT80






802.11ax HE20




802.11ax HE40






802.11ax HE80




802.11ax HE20 RU 26





802.11ax HE20 RU 52



802.11ax HE20 RU 106

