

Report No.: 06040607739
 Model No.: 44210
 Sample No.: 1/2

hp Pursuant to FCC Part 15 Section 15. 227 Emissions Requirement

MKR 198.75 msec

REF .0 dBm

AT 10 dB

-.47 dB

PEAK

LOG


10

dB/

WA SB

SC FS

CORR



Tested By: hml
 (Jan Ho Yin)

Date: 25/04/2006

Checked By: [Signature]
 (Gary Li)

Date: 28/04/2006

Test Result: Pass / Fail / NA

CENTER 27.146 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 1.50 sec

Code: M_bandwidth plot_a / Effective Date: 15 Jul 2002

Report No.: 0607739
Model No.: #44210
Sample No.: 1/2

hp Pursuant to FCC Part 15 Section 15.227 Emissions Requirement

MKR 198.75 msec


REF .0 dBm

AT 10 dB

-.26 dB

PEAK
LOG
10
dB/

WA SB
SC FS
CORR



Tested By: *Chen Ho Yin*

Date: 25/04/2006

Checked By: *Gary Li*

Date: 28/04/2006

Test Result: Pass / Fail (NA)

CENTER 27.146 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 750 msec

Code: M_bandwidth plot_a / Effective Date: 15 Jul 2002

INTERTEK TESTING SERVICES

Report No.: 0607739
Model No.: 44210
Sample No.: 1/2



Pursuant to FCC Part 15 Section 15.227 Emissions Requirement

REF 0 dBm

AT 10 dB

MKR 50.925 msec

5.80 dB

PEAK

LOG


10

dB/

WA SB

SC FS

CORR



Tested By: Chan Ho Yin

Date: 25/04/2006

Checked By: Gary Li

Date: 28/04/2006

Test Result: Pass / Fail / NA

CENTER 27.146 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 70.0 msec

SPAN 0 Hz

Code: M_bandwidth plot_a / Effective Date: 15 Jul 2002

Report No.: 0607739
Model No.: ~~NA~~ 44210
Sample No.: 1/2

hp Pursuant to FCC Part 15 Section 15.227 Emissions Requirement

MKR 4.7250 msec


REF .0 dBm

AT 10 dB

7.65 dB

PEAK
LOG
10
dB/

WA SB
SC FS
CORR



Tested By: *[Signature]*
(Chan Ho Ym)

Date: 25/04/2006

Checked By: *[Signature]*
(Gey Li)

Date: 28/04/2006

Test Result: Pass / Fail / NA

CENTER 27.146 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 70.0 msec

Code: M_bandwidth_plot_a / Effective Date: 15 Jul 2002

INTERTEK TESTING SERVICES

Report No.: 0607739
Model No.: ~~1044210~~
Sample No.: 1/2

hp Pursuant to FCC Part 15 Section 15. ~~227~~ Emissions Requirement

REF .0 dBm

AT 10 dB

MKR 1.5750 msec

3.67 dB

PEAK

LOG


10

dB/

WA SB

SC FS

CORR



Tested By: *han*
(Chan Ho Ym)

Date: 25/04/2006

Checked By: *Gary Li*
(Gary Li)

Date: 29/4/2006

Test Result: Pass / Fail / NA

CENTER 27.146 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 70.0 msec

Code: M_bandwidth plot_a / Effective Date: 15 Jul 2002

INTERTEK TESTING SERVICES

Report No.: 0607739
 Model No.: 4A210
 Sample No.: 1/2

hp

Pursuant to FCC Part 15 Section 15. 227 Emissions Requirement

MKR 1.2250 msec

REF .0 dBm

AT 10 dB

1.62 dB

PEAK

LOG


10

dB/

WA SB

SC FS

CORR



Tested By: Chan Ho Yin

Date: 25/04/2006

Checked By: Gary Li

Date: 28/04/2006

Test Result: Pass / Fail / NA

CENTER 27.146 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 70.0 msec

Code: M_bandwidth plot_a / Effective Date: 15 Jul 2002

INTERTEK TESTING SERVICES

Report No.: 0607739
Model No.: ~~44210~~
Sample No.: 1/2

hp

Pursuant to FCC Part 15 Section 15.227 Emissions Requirement

MKR 525.00 μ sec

REF .0 dBm

AT 10 dB

.16 dB

PEAK

LOG


10

dB/

WA SB

SC FS

CORR



Tested By: hail
(Chen Ho Yin)

Date: 25/04/2006

Checked By: Gary Li
(Gary Li)

Date: 28/04/2006

Test Result: Pass / Fail / NA

CENTER 27.146 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 70.0 msec

Code: M_bandwidth plot_a / Effective Date: 15 Jul 2002