



19.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.51	-25	Pass	401
0.15	30	0.01	RMS	29.22	-63.92	-25	Pass	2986
30	1000	0.1	RMS	905.537	-54.97	-25	Pass	9701
1000	2486	1	RMS	2485	-42.06	-25	Pass	1487
2486	2700	1	RMS	2496.165	20.97	60	Pass	401
2700	3000	1	RMS	2955	-41.81	-25	Pass	401
3000	12000	1	RMS	4993	-44.39	-25	Pass	9002
12000	27000	1	RMS	25123	-40.63	-25	Pass	15002




19.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-68.49	-25	Pass	401
0.15	30	0.01	RMS	8.78	-64.26	-25	Pass	2986
30	1000	0.1	RMS	887.225	-55.32	-25	Pass	9701
1000	2486	1	RMS	2486	-43.34	-25	Pass	1487
2486	2700	1	RMS	2590.325	22.29	60	Pass	401
2700	3000	1	RMS	2955.75	-41.92	-25	Pass	401
3000	12000	1	RMS	5181	-50.16	-25	Pass	9002
12000	27000	1	RMS	26167	-40.71	-25	Pass	15002




19.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-68.34	-25	Pass	401
0.15	30	0.01	RMS	8.13	-64.67	-25	Pass	2986
30	1000	0.1	RMS	909.34	-55.24	-25	Pass	9701
1000	2486	1	RMS	2482	-43.23	-25	Pass	1487
2486	2700	1	RMS	2590.86	21.22	60	Pass	401
2700	3000	1	RMS	2961.75	-41.92	-25	Pass	401
3000	12000	1	RMS	5182	-49.51	-25	Pass	9002
12000	27000	1	RMS	25106	-40.64	-25	Pass	15002




19.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.21	-25	Pass	401
0.15	30	0.01	RMS	15.75	-64.07	-25	Pass	2986
30	1000	0.1	RMS	472.5	-55.19	-25	Pass	9701
1000	2486	1	RMS	2486	-43.36	-25	Pass	1487
2486	2700	1	RMS	2685.02	22.48	60	Pass	401
2700	3000	1	RMS	2958	-41.86	-25	Pass	401
3000	12000	1	RMS	11850	-52.32	-25	Pass	9002
12000	27000	1	RMS	25098	-40.69	-25	Pass	15002




19.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.135	-68.82	-25	Pass	401
0.15	30	0.01	RMS	0.18	-64.41	-25	Pass	2986
30	1000	0.1	RMS	894.53	-55.04	-25	Pass	9701
1000	2486	1	RMS	2482	-43.26	-25	Pass	1487
2486	2700	1	RMS	2685.02	21.88	60	Pass	401
2700	3000	1	RMS	2952	-41.87	-25	Pass	401
3000	12000	1	RMS	11852	-52.41	-25	Pass	9002
12000	27000	1	RMS	25844	-40.61	-25	Pass	15002




19.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.091	-68.68	-25	Pass	401
0.15	30	0.01	RMS	0.81	-64.16	-25	Pass	2986
30	1000	0.1	RMS	912.942	-55.22	-25	Pass	9701
1000	2486	1	RMS	2486	-41.11	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.26	60	Pass	401
2700	3000	1	RMS	2960.25	-41.86	-25	Pass	401
3000	12000	1	RMS	4993	-43.64	-25	Pass	9002
12000	27000	1	RMS	25095	-40.74	-25	Pass	15002




19.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.106	-68.96	-25	Pass	401
0.15	30	0.01	RMS	21.32	-64.18	-25	Pass	2986
30	1000	0.1	RMS	980.787	-55.23	-25	Pass	9701
1000	2486	1	RMS	2486	-41.15	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.23	60	Pass	401
2700	3000	1	RMS	2979	-41.87	-25	Pass	401
3000	12000	1	RMS	4993	-50.3	-25	Pass	9002
12000	27000	1	RMS	25100	-40.68	-25	Pass	15002



19.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.07	-25	Pass	401
0.15	30	0.01	RMS	22.14	-64.12	-25	Pass	2986
30	1000	0.1	RMS	863.209	-55.23	-25	Pass	9701
1000	2486	1	RMS	2485	-43.05	-25	Pass	1487
2486	2700	1	RMS	2588.185	22.08	60	Pass	401
2700	3000	1	RMS	2959.5	-41.93	-25	Pass	401
3000	12000	1	RMS	11845	-52.47	-25	Pass	9002
12000	27000	1	RMS	25093	-40.55	-25	Pass	15002



19.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.43	-25	Pass	401
0.15	30	0.01	RMS	24.67	-64.31	-25	Pass	2986
30	1000	0.1	RMS	918.046	-55.15	-25	Pass	9701
1000	2486	1	RMS	2485	-43.08	-25	Pass	1487
2486	2700	1	RMS	2588.72	20.61	60	Pass	401
2700	3000	1	RMS	2958	-41.84	-25	Pass	401
3000	12000	1	RMS	5177	-48.64	-25	Pass	9002
12000	27000	1	RMS	25104	-40.6	-25	Pass	15002



19.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.78	-25	Pass	401
0.15	30	0.01	RMS	18.19	-64.69	-25	Pass	2986
30	1000	0.1	RMS	911.441	-55.26	-25	Pass	9701
1000	2486	1	RMS	2486	-43.24	-25	Pass	1487
2486	2700	1	RMS	2680.205	22.28	60	Pass	401
2700	3000	1	RMS	2976.75	-41.93	-25	Pass	401
3000	12000	1	RMS	11462	-52.51	-25	Pass	9002
12000	27000	1	RMS	25846	-40.6	-25	Pass	15002



19.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.36	-25	Pass	401
0.15	30	0.01	RMS	0.89	-64.34	-25	Pass	2986
30	1000	0.1	RMS	898.833	-55.11	-25	Pass	9701
1000	2486	1	RMS	2480	-43.04	-25	Pass	1487
2486	2700	1	RMS	2680.205	20.68	60	Pass	401
2700	3000	1	RMS	2958.75	-41.84	-25	Pass	401
3000	12000	1	RMS	11857	-52.26	-25	Pass	9002
12000	27000	1	RMS	25082	-40.68	-25	Pass	15002



19.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-67.77	-25	Pass	401
0.15	30	0.01	RMS	29.52	-64.66	-25	Pass	2986
30	1000	0.1	RMS	863.51	-55.13	-25	Pass	9701
1000	2486	1	RMS	2485	-41.65	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.89	60	Pass	401
2700	3000	1	RMS	2959.5	-41.9	-25	Pass	401
3000	12000	1	RMS	4994	-45.3	-25	Pass	9002
12000	27000	1	RMS	25838	-40.76	-25	Pass	15002



19.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.62	-25	Pass	401
0.15	30	0.01	RMS	25.15	-64.56	-25	Pass	2986
30	1000	0.1	RMS	891.828	-55.19	-25	Pass	9701
1000	2486	1	RMS	2485	-42.18	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.45	60	Pass	401
2700	3000	1	RMS	2958.75	-41.85	-25	Pass	401
3000	12000	1	RMS	4993	-46.76	-25	Pass	9002
12000	27000	1	RMS	25828	-40.66	-25	Pass	15002



19.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.34	-25	Pass	401
0.15	30	0.01	RMS	0.29	-63.95	-25	Pass	2986
30	1000	0.1	RMS	904.437	-55.22	-25	Pass	9701
1000	2486	1	RMS	2484	-43.16	-25	Pass	1487
2486	2700	1	RMS	2586.045	22.54	60	Pass	401
2700	3000	1	RMS	2975.25	-41.97	-25	Pass	401
3000	12000	1	RMS	5173	-50.19	-25	Pass	9002
12000	27000	1	RMS	25112	-40.41	-25	Pass	15002



19.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.3	-25	Pass	401
0.15	30	0.01	RMS	0.62	-63.94	-25	Pass	2986
30	1000	0.1	RMS	886.425	-55.11	-25	Pass	9701
1000	2486	1	RMS	2483	-43.11	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.22	60	Pass	401
2700	3000	1	RMS	2963.25	-41.95	-25	Pass	401
3000	12000	1	RMS	11452	-52.49	-25	Pass	9002
12000	27000	1	RMS	25938	-40.82	-25	Pass	15002



19.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.1	-25	Pass	401
0.15	30	0.01	RMS	1.58	-64.49	-25	Pass	2986
30	1000	0.1	RMS	849	-55.26	-25	Pass	9701
1000	2486	1	RMS	2482	-43.24	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.46	60	Pass	401
2700	3000	1	RMS	2700	-41.86	-25	Pass	401
3000	12000	1	RMS	11849	-52.22	-25	Pass	9002
12000	27000	1	RMS	25104	-40.75	-25	Pass	15002



19.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.02	-25	Pass	401
0.15	30	0.01	RMS	29.97	-63.95	-25	Pass	2986
30	1000	0.1	RMS	908.339	-55.15	-25	Pass	9701
1000	2486	1	RMS	2486	-43.25	-25	Pass	1487
2486	2700	1	RMS	2675.39	21.97	60	Pass	401
2700	3000	1	RMS	2957.25	-41.98	-25	Pass	401
3000	12000	1	RMS	11862	-52.5	-25	Pass	9002
12000	27000	1	RMS	25106	-40.64	-25	Pass	15002



19.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.25	-25	Pass	401
0.15	30	0.01	RMS	0.19	-64.98	-25	Pass	2986
30	1000	0.1	RMS	987.192	-55.34	-25	Pass	9701
1000	2486	1	RMS	2485	-41.68	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.25	60	Pass	401
2700	3000	1	RMS	2949.75	-42.06	-25	Pass	401
3000	12000	1	RMS	4994	-43.85	-25	Pass	9002
12000	27000	1	RMS	25119	-40.86	-25	Pass	15002



19.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.44	-25	Pass	401
0.15	30	0.01	RMS	29.3	-63.79	-25	Pass	2986
30	1000	0.1	RMS	905.938	-55.12	-25	Pass	9701
1000	2486	1	RMS	2486	-41.79	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.41	60	Pass	401
2700	3000	1	RMS	2963.25	-42.01	-25	Pass	401
3000	12000	1	RMS	4995	-48.5	-25	Pass	9002
12000	27000	1	RMS	25100	-40.6	-25	Pass	15002



19.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.77	-25	Pass	401
0.15	30	0.01	RMS	17.4	-64.49	-25	Pass	2986
30	1000	0.1	RMS	905.637	-55.21	-25	Pass	9701
1000	2486	1	RMS	2485	-43.4	-25	Pass	1487
2486	2700	1	RMS	2583.905	22.31	60	Pass	401
2700	3000	1	RMS	2973	-42.11	-25	Pass	401
3000	12000	1	RMS	11447	-52.57	-25	Pass	9002
12000	27000	1	RMS	25119	-40.77	-25	Pass	15002



19.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.15	-25	Pass	401
0.15	30	0.01	RMS	0.28	-64.33	-25	Pass	2986
30	1000	0.1	RMS	892.129	-54.94	-25	Pass	9701
1000	2486	1	RMS	2482	-43.37	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.83	60	Pass	401
2700	3000	1	RMS	2964.75	-42	-25	Pass	401
3000	12000	1	RMS	5169	-52.14	-25	Pass	9002
12000	27000	1	RMS	25966	-40.82	-25	Pass	15002



19.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.14	-25	Pass	401
0.15	30	0.01	RMS	27.54	-64.51	-25	Pass	2986
30	1000	0.1	RMS	916.345	-54.96	-25	Pass	9701
1000	2486	1	RMS	2485	-43.57	-25	Pass	1487
2486	2700	1	RMS	2670.575	23.12	60	Pass	401
2700	3000	1	RMS	2700	-38.51	-25	Pass	401
3000	12000	1	RMS	11853	-52.52	-25	Pass	9002
12000	27000	1	RMS	25828	-40.65	-25	Pass	15002



19.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.18	-25	Pass	401
0.15	30	0.01	RMS	15.54	-64.21	-25	Pass	2986
30	1000	0.1	RMS	972.081	-54.4	-25	Pass	9701
1000	2486	1	RMS	2485	-43.49	-25	Pass	1487
2486	2700	1	RMS	2670.575	21.47	60	Pass	401
2700	3000	1	RMS	2700	-39	-25	Pass	401
3000	12000	1	RMS	11847	-52.46	-25	Pass	9002
12000	27000	1	RMS	25100	-40.71	-25	Pass	15002




20. CA_7C

20.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-70.09	-25	Pass	401
0.15	30	0.01	RMS	23.77	-67.79	-25	Pass	2986
30	1000	0.1	RMS	879.92	-58.86	-25	Pass	9701
1000	2475	1	RMS	2473	-45.73	-25	Pass	1476
2475	2735	1	RMS	2528.3	9.78	60	Pass	401
2735	3000	1	RMS	2974.825	-45.73	-25	Pass	401
3000	12000	1	RMS	11469	-46.22	-25	Pass	9002
12000	26000	1	RMS	14253	-34.36	-25	Pass	14002



20.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.48	-25	Pass	401
0.15	30	0.01	RMS	28.88	-67.88	-25	Pass	2986
30	1000	0.1	RMS	873.416	-59.02	-25	Pass	9701
1000	2475	1	RMS	2475	-46.46	-25	Pass	1476
2475	2735	1	RMS	2521.15	7.76	60	Pass	401
2735	3000	1	RMS	2959.588	-45.81	-25	Pass	401
3000	12000	1	RMS	11858	-46.25	-25	Pass	9002
12000	26000	1	RMS	25129	-34.66	-25	Pass	14002



20.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.18	-25	Pass	401
0.15	30	0.01	RMS	0.74	-68.28	-25	Pass	2986
30	1000	0.1	RMS	986.891	-59.05	-25	Pass	9701
1000	2475	1	RMS	2473	-45.89	-25	Pass	1476
2475	2735	1	RMS	2501	9.72	60	Pass	401
2735	3000	1	RMS	2954.95	-45.8	-25	Pass	401
3000	12000	1	RMS	11850	-46.45	-25	Pass	9002
12000	26000	1	RMS	25097	-34.78	-25	Pass	14002



20.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.08	-25	Pass	401
0.15	30	0.01	RMS	0.59	-68.48	-25	Pass	2986
30	1000	0.1	RMS	883.623	-59.04	-25	Pass	9701
1000	2475	1	RMS	2475	-46.54	-25	Pass	1476
2475	2735	1	RMS	2521.8	6.85	60	Pass	401
2735	3000	1	RMS	2979.463	-45.85	-25	Pass	401
3000	12000	1	RMS	11856	-46.35	-25	Pass	9002
12000	26000	1	RMS	25099	-34.73	-25	Pass	14002



20.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.66	-25	Pass	401
0.15	30	0.01	RMS	28.66	-68.16	-25	Pass	2986
30	1000	0.1	RMS	892.529	-58.92	-25	Pass	9701
1000	2475	1	RMS	2471	-47.36	-25	Pass	1476
2475	2735	1	RMS	2548.45	9.75	60	Pass	401
2735	3000	1	RMS	2959.588	-45.84	-25	Pass	401
3000	12000	1	RMS	11474	-46.4	-25	Pass	9002
12000	26000	1	RMS	25107	-34.68	-25	Pass	14002



20.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-71.4	-25	Pass	401
0.15	30	0.01	RMS	28.93	-67.61	-25	Pass	2986
30	1000	0.1	RMS	891.428	-58.78	-25	Pass	9701
1000	2475	1	RMS	2473	-47.17	-25	Pass	1476
2475	2735	1	RMS	2541.3	7.56	60	Pass	401
2735	3000	1	RMS	2967.538	-45.78	-25	Pass	401
3000	12000	1	RMS	7251	-39.69	-25	Pass	9002
12000	26000	1	RMS	25955	-34.85	-25	Pass	14002



20.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-70.55	-25	Pass	401
0.15	30	0.01	RMS	0.67	-67.53	-25	Pass	2986
30	1000	0.1	RMS	898.132	-58.78	-25	Pass	9701
1000	2475	1	RMS	2462	-47.33	-25	Pass	1476
2475	2735	1	RMS	2548.45	9.5	60	Pass	401
2735	3000	1	RMS	2968.863	-45.78	-25	Pass	401
3000	12000	1	RMS	7231	-39.58	-25	Pass	9002
12000	26000	1	RMS	25109	-34.49	-25	Pass	14002



20.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.9	-25	Pass	401
0.15	30	0.01	RMS	25	-67.84	-25	Pass	2986
30	1000	0.1	RMS	870.614	-59	-25	Pass	9701
1000	2475	1	RMS	2474	-47.2	-25	Pass	1476
2475	2735	1	RMS	2541.3	6.75	60	Pass	401
2735	3000	1	RMS	2974.825	-45.89	-25	Pass	401
3000	12000	1	RMS	11483	-46.35	-25	Pass	9002
12000	26000	1	RMS	25095	-34.63	-25	Pass	14002



20.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-72.29	-25	Pass	401
0.15	30	0.01	RMS	1.45	-67.44	-25	Pass	2986
30	1000	0.1	RMS	916.144	-59.09	-25	Pass	9701
1000	2475	1	RMS	2475	-47.36	-25	Pass	1476
2475	2735	1	RMS	2540.65	10.23	60	Pass	401
2735	3000	1	RMS	2957.6	-45.8	-25	Pass	401
3000	12000	1	RMS	11467	-46.37	-25	Pass	9002
12000	26000	1	RMS	25093	-34.44	-25	Pass	14002



20.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.03	-25	Pass	401
0.15	30	0.01	RMS	4.48	-68.11	-25	Pass	2986
30	1000	0.1	RMS	925.451	-58.95	-25	Pass	9701
1000	2475	1	RMS	2459	-47.33	-25	Pass	1476
2475	2735	1	RMS	2560.8	7.6	60	Pass	401
2735	3000	1	RMS	2962.9	-45.83	-25	Pass	401
3000	12000	1	RMS	11857	-46.27	-25	Pass	9002
12000	26000	1	RMS	25841	-34.68	-25	Pass	14002



20.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.2	-25	Pass	401
0.15	30	0.01	RMS	25.58	-68.09	-25	Pass	2986
30	1000	0.1	RMS	902.836	-58.87	-25	Pass	9701
1000	2475	1	RMS	2470	-47.13	-25	Pass	1476
2475	2735	1	RMS	2540.65	9.91	60	Pass	401
2735	3000	1	RMS	2952.963	-45.77	-25	Pass	401
3000	12000	1	RMS	11838	-46.4	-25	Pass	9002
12000	26000	1	RMS	25118	-34.61	-25	Pass	14002



20.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-70.31	-25	Pass	401
0.15	30	0.01	RMS	22.41	-68.12	-25	Pass	2986
30	1000	0.1	RMS	973.082	-58.79	-25	Pass	9701
1000	2475	1	RMS	2460	-47.17	-25	Pass	1476
2475	2735	1	RMS	2561.45	6.38	60	Pass	401
2735	3000	1	RMS	2961.575	-45.74	-25	Pass	401
3000	12000	1	RMS	7256	-39.9	-25	Pass	9002
12000	26000	1	RMS	20190	-31.34	-25	Pass	14002



20.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.7	-25	Pass	401
0.15	30	0.01	RMS	7.75	-67.87	-25	Pass	2986
30	1000	0.1	RMS	887.025	-59.08	-25	Pass	9701
1000	2475	1	RMS	2440	-47.28	-25	Pass	1476
2475	2735	1	RMS	2501	9.82	60	Pass	401
2735	3000	1	RMS	2963.563	-45.76	-25	Pass	401
3000	12000	1	RMS	11449	-46.28	-25	Pass	9002
12000	26000	1	RMS	25088	-34.76	-25	Pass	14002



20.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.91	-25	Pass	401
0.15	30	0.01	RMS	0.47	-68.32	-25	Pass	2986
30	1000	0.1	RMS	904.036	-58.83	-25	Pass	9701
1000	2475	1	RMS	2475	-45.85	-25	Pass	1476
2475	2735	1	RMS	2505.55	4.95	60	Pass	401
2735	3000	1	RMS	2958.925	-45.72	-25	Pass	401
3000	12000	1	RMS	11854	-46.35	-25	Pass	9002
12000	26000	1	RMS	25095	-34.74	-25	Pass	14002



20.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.077	-72.6	-25	Pass	401
0.15	30	0.01	RMS	29.83	-68.19	-25	Pass	2986
30	1000	0.1	RMS	920.047	-59.07	-25	Pass	9701
1000	2475	1	RMS	2473	-47.11	-25	Pass	1476
2475	2735	1	RMS	2501	9.85	60	Pass	401
2735	3000	1	RMS	2959.588	-45.83	-25	Pass	401
3000	12000	1	RMS	11848	-46.19	-25	Pass	9002
12000	26000	1	RMS	25117	-34.66	-25	Pass	14002



20.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.52	-25	Pass	401
0.15	30	0.01	RMS	28.95	-68.17	-25	Pass	2986
30	1000	0.1	RMS	887.626	-58.8	-25	Pass	9701
1000	2475	1	RMS	2475	-46.54	-25	Pass	1476
2475	2735	1	RMS	2508.8	3.8	60	Pass	401
2735	3000	1	RMS	2960.913	-45.74	-25	Pass	401
3000	12000	1	RMS	11847	-46.14	-25	Pass	9002
12000	26000	1	RMS	25798	-34.62	-25	Pass	14002



20.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-71.38	-25	Pass	401
0.15	30	0.01	RMS	19.8	-67.88	-25	Pass	2986
30	1000	0.1	RMS	913.243	-58.81	-25	Pass	9701
1000	2475	1	RMS	2470	-47.34	-25	Pass	1476
2475	2735	1	RMS	2515.95	10.35	60	Pass	401
2735	3000	1	RMS	2952.3	-45.8	-25	Pass	401
3000	12000	1	RMS	11834	-46.32	-25	Pass	9002
12000	26000	1	RMS	25111	-34.63	-25	Pass	14002



20.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.45	-25	Pass	401
0.15	30	0.01	RMS	19.47	-68.07	-25	Pass	2986
30	1000	0.1	RMS	884.323	-58.78	-25	Pass	9701
1000	2475	1	RMS	2475	-47.24	-25	Pass	1476
2475	2735	1	RMS	2520.5	4.94	60	Pass	401
2735	3000	1	RMS	2943.025	-45.85	-25	Pass	401
3000	12000	1	RMS	11479	-46.27	-25	Pass	9002
12000	26000	1	RMS	25100	-34.72	-25	Pass	14002



20.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.08	-25	Pass	401
0.15	30	0.01	RMS	22.46	-68.15	-25	Pass	2986
30	1000	0.1	RMS	833.3	-59.08	-25	Pass	9701
1000	2475	1	RMS	2474	-47.26	-25	Pass	1476
2475	2735	1	RMS	2515.95	10.38	60	Pass	401
2735	3000	1	RMS	2966.875	-45.82	-25	Pass	401
3000	12000	1	RMS	11851	-46.39	-25	Pass	9002
12000	26000	1	RMS	25097	-34.62	-25	Pass	14002



20.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.56	-25	Pass	401
0.15	30	0.01	RMS	28.98	-68.61	-25	Pass	2986
30	1000	0.1	RMS	886.625	-59.02	-25	Pass	9701
1000	2475	1	RMS	2475	-47.1	-25	Pass	1476
2475	2735	1	RMS	2524.4	3.94	60	Pass	401
2735	3000	1	RMS	2957.6	-45.76	-25	Pass	401
3000	12000	1	RMS	11863	-46.24	-25	Pass	9002
12000	26000	1	RMS	25100	-34.64	-25	Pass	14002



20.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.33	-25	Pass	401
0.15	30	0.01	RMS	6.96	-68.28	-25	Pass	2986
30	1000	0.1	RMS	913.843	-58.72	-25	Pass	9701
1000	2475	1	RMS	2474	-47.07	-25	Pass	1476
2475	2735	1	RMS	2530.9	10.52	60	Pass	401
2735	3000	1	RMS	2960.25	-45.76	-25	Pass	401
3000	12000	1	RMS	11854	-46.25	-25	Pass	9002
12000	26000	1	RMS	25098	-34.55	-25	Pass	14002



20.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.55	-25	Pass	401
0.15	30	0.01	RMS	18.66	-67.99	-25	Pass	2986
30	1000	0.1	RMS	915.544	-58.87	-25	Pass	9701
1000	2475	1	RMS	2474	-47.14	-25	Pass	1476
2475	2735	1	RMS	2532.2	5.02	60	Pass	401
2735	3000	1	RMS	2957.6	-45.74	-25	Pass	401
3000	12000	1	RMS	11850	-46.35	-25	Pass	9002
12000	26000	1	RMS	25104	-34.73	-25	Pass	14002



20.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72	-25	Pass	401
0.15	30	0.01	RMS	29.31	-67.79	-25	Pass	2986
30	1000	0.1	RMS	859.707	-58.82	-25	Pass	9701
1000	2475	1	RMS	2192	-47.35	-25	Pass	1476
2475	2735	1	RMS	2530.9	10.41	60	Pass	401
2735	3000	1	RMS	2961.575	-45.72	-25	Pass	401
3000	12000	1	RMS	11861	-46.36	-25	Pass	9002
12000	26000	1	RMS	25809	-34.62	-25	Pass	14002



20.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.33	-25	Pass	401
0.15	30	0.01	RMS	22.72	-67.9	-25	Pass	2986
30	1000	0.1	RMS	916.244	-58.83	-25	Pass	9701
1000	2475	1	RMS	2475	-47.08	-25	Pass	1476
2475	2735	1	RMS	2532.2	4.06	60	Pass	401
2735	3000	1	RMS	2954.95	-45.71	-25	Pass	401
3000	12000	1	RMS	11843	-46.35	-25	Pass	9002
12000	26000	1	RMS	25092	-34.35	-25	Pass	14002




21. CA_38C

21.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.081	-67.81	-25	Pass	401
0.15	30	0.01	RMS	26.59	-63.76	-25	Pass	2986
30	1000	0.1	RMS	913.343	-54.89	-25	Pass	9701
1000	2525	1	RMS	2514	-41.94	-25	Pass	1526
2525	2665	1	RMS	2570.85	11.55	60	Pass	401
2665	3000	1	RMS	2935.513	-41.79	-25	Pass	401
3000	12000	1	RMS	11469	-46.23	-25	Pass	9002
12000	26500	1	RMS	25824	-34.54	-25	Pass	14502



21.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.67	-25	Pass	401
0.15	30	0.01	RMS	17.35	-64.34	-25	Pass	2986
30	1000	0.1	RMS	915.244	-54.67	-25	Pass	9701
1000	2525	1	RMS	2514	-42.28	-25	Pass	1526
2525	2665	1	RMS	2588.7	7.57	60	Pass	401
2665	3000	1	RMS	2968.175	-41.59	-25	Pass	401
3000	12000	1	RMS	11854	-46.19	-25	Pass	9002
12000	26500	1	RMS	25102	-34.3	-25	Pass	14502



21.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.48	-25	Pass	401
0.15	30	0.01	RMS	18.07	-62.83	-25	Pass	2986
30	1000	0.1	RMS	898.032	-53.89	-25	Pass	9701
1000	2525	1	RMS	2514	-40.72	-25	Pass	1526
2525	2665	1	RMS	2570.5	11.46	60	Pass	401
2665	3000	1	RMS	2958.125	-41.47	-25	Pass	401
3000	12000	1	RMS	11854	-45.86	-25	Pass	9002
12000	26500	1	RMS	25868	-34.33	-25	Pass	14502



21.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.22	-25	Pass	401
0.15	30	0.01	RMS	16.87	-63.62	-25	Pass	2986
30	1000	0.1	RMS	925.15	-54.73	-25	Pass	9701
1000	2525	1	RMS	2503	-42.42	-25	Pass	1526
2525	2665	1	RMS	2575.05	6.04	60	Pass	401
2665	3000	1	RMS	2963.15	-41.62	-25	Pass	401
3000	12000	1	RMS	11851	-45.92	-25	Pass	9002
12000	26500	1	RMS	25857	-34.35	-25	Pass	14502



21.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.21	-25	Pass	401
0.15	30	0.01	RMS	0.39	-63.89	-25	Pass	2986
30	1000	0.1	RMS	632.2	-54.85	-25	Pass	9701
1000	2525	1	RMS	2525	-41.87	-25	Pass	1526
2525	2665	1	RMS	2609	11.27	60	Pass	401
2665	3000	1	RMS	2665	-41.41	-25	Pass	401
3000	12000	1	RMS	11442	-46.07	-25	Pass	9002
12000	26500	1	RMS	25094	-34.36	-25	Pass	14502



21.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-67.42	-25	Pass	401
0.15	30	0.01	RMS	6.08	-64.04	-25	Pass	2986
30	1000	0.1	RMS	847.7	-54.98	-25	Pass	9701
1000	2525	1	RMS	2500	-42.66	-25	Pass	1526
2525	2665	1	RMS	2586.95	7.47	60	Pass	401
2665	3000	1	RMS	2959.8	-41.77	-25	Pass	401
3000	12000	1	RMS	7252	-40.17	-25	Pass	9002
12000	26500	1	RMS	25103	-34.51	-25	Pass	14502



21.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-67.93	-25	Pass	401
0.15	30	0.01	RMS	3.27	-64.38	-25	Pass	2986
30	1000	0.1	RMS	882.522	-54.76	-25	Pass	9701
1000	2525	1	RMS	2525	-42.08	-25	Pass	1526
2525	2665	1	RMS	2580.65	11.39	60	Pass	401
2665	3000	1	RMS	2665	-41.65	-25	Pass	401
3000	12000	1	RMS	11850	-46.25	-25	Pass	9002
12000	26500	1	RMS	25806	-34.55	-25	Pass	14502



21.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.11	-25	Pass	401
0.15	30	0.01	RMS	0.17	-64.11	-25	Pass	2986
30	1000	0.1	RMS	917.245	-54.79	-25	Pass	9701
1000	2525	1	RMS	2513	-42.52	-25	Pass	1526
2525	2665	1	RMS	2585.2	6.68	60	Pass	401
2665	3000	1	RMS	2958.963	-41.63	-25	Pass	401
3000	12000	1	RMS	11856	-46.25	-25	Pass	9002
12000	26500	1	RMS	25090	-34.5	-25	Pass	14502



21.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-68.49	-25	Pass	401
0.15	30	0.01	RMS	7.74	-64.62	-25	Pass	2986
30	1000	0.1	RMS	872.916	-54.59	-25	Pass	9701
1000	2525	1	RMS	2501	-42.49	-25	Pass	1526
2525	2665	1	RMS	2590.8	11.6	60	Pass	401
2665	3000	1	RMS	2675.05	-41.57	-25	Pass	401
3000	12000	1	RMS	11454	-46.16	-25	Pass	9002
12000	26500	1	RMS	25103	-34.32	-25	Pass	14502



21.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.047	-68.12	-25	Pass	401
0.15	30	0.01	RMS	3.4	-64.03	-25	Pass	2986
30	1000	0.1	RMS	863.209	-54.66	-25	Pass	9701
1000	2525	1	RMS	2504	-42.58	-25	Pass	1526
2525	2665	1	RMS	2592.55	6.94	60	Pass	401
2665	3000	1	RMS	2972.363	-41.71	-25	Pass	401
3000	12000	1	RMS	11863	-46.16	-25	Pass	9002
12000	26500	1	RMS	25092	-34.37	-25	Pass	14502



21.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.76	-25	Pass	401
0.15	30	0.01	RMS	3.66	-63.95	-25	Pass	2986
30	1000	0.1	RMS	987.592	-54.85	-25	Pass	9701
1000	2525	1	RMS	2493	-42.7	-25	Pass	1526
2525	2665	1	RMS	2590.45	11.18	60	Pass	401
2665	3000	1	RMS	2675.05	-41.19	-25	Pass	401
3000	12000	1	RMS	11853	-45.96	-25	Pass	9002
12000	26500	1	RMS	25112	-34.57	-25	Pass	14502



21.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.11	-68.57	-25	Pass	401
0.15	30	0.01	RMS	13.56	-59.54	-25	Pass	2986
30	1000	0.1	RMS	852.102	-54.9	-25	Pass	9701
1000	2525	1	RMS	2518	-42.54	-25	Pass	1526
2525	2665	1	RMS	2593.25	6.15	60	Pass	401
2665	3000	1	RMS	2969.013	-41.73	-25	Pass	401
3000	12000	1	RMS	11847	-46.2	-25	Pass	9002
12000	26500	1	RMS	25100	-34.26	-25	Pass	14502



21.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-68.36	-25	Pass	401
0.15	30	0.01	RMS	4.3	-63.98	-25	Pass	2986
30	1000	0.1	RMS	916.044	-54.92	-25	Pass	9701
1000	2525	1	RMS	2495	-42.04	-25	Pass	1526
2525	2665	1	RMS	2570.85	12.13	60	Pass	401
2665	3000	1	RMS	2958.125	-41.71	-25	Pass	401
3000	12000	1	RMS	11846	-46.04	-25	Pass	9002
12000	26500	1	RMS	25101	-34.47	-25	Pass	14502



21.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.118	-68.64	-25	Pass	401
0.15	30	0.01	RMS	4.94	-63.97	-25	Pass	2986
30	1000	0.1	RMS	902.936	-54.69	-25	Pass	9701
1000	2525	1	RMS	2523	-42.24	-25	Pass	1526
2525	2665	1	RMS	2578.55	5.88	60	Pass	401
2665	3000	1	RMS	2984.925	-41.7	-25	Pass	401
3000	12000	1	RMS	11484	-46.39	-25	Pass	9002
12000	26500	1	RMS	25883	-34.54	-25	Pass	14502



21.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.08	-25	Pass	401
0.15	30	0.01	RMS	13.56	-52.72	-25	Pass	2986
30	1000	0.1	RMS	902.836	-54.86	-25	Pass	9701
1000	2525	1	RMS	2496	-41.43	-25	Pass	1526
2525	2665	1	RMS	2571.2	11.16	60	Pass	401
2665	3000	1	RMS	2959.8	-41.62	-25	Pass	401
3000	12000	1	RMS	11863	-46.17	-25	Pass	9002
12000	26500	1	RMS	25099	-34.33	-25	Pass	14502



21.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-66.83	-25	Pass	401
0.15	30	0.01	RMS	7.58	-64	-25	Pass	2986
30	1000	0.1	RMS	900.934	-54.99	-25	Pass	9701
1000	2525	1	RMS	2523	-42.58	-25	Pass	1526
2525	2665	1	RMS	2579.25	4.89	60	Pass	401
2665	3000	1	RMS	2978.225	-41.83	-25	Pass	401
3000	12000	1	RMS	11854	-46.28	-25	Pass	9002
12000	26500	1	RMS	25779	-34.52	-25	Pass	14502



21.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.53	-25	Pass	401
0.15	30	0.01	RMS	20.46	-64.04	-25	Pass	2986
30	1000	0.1	RMS	934.356	-53.99	-25	Pass	9701
1000	2525	1	RMS	2501	-40.94	-25	Pass	1526
2525	2665	1	RMS	2576.1	11.08	60	Pass	401
2665	3000	1	RMS	2688.45	-41.48	-25	Pass	401
3000	12000	1	RMS	11849	-46.13	-25	Pass	9002
12000	26500	1	RMS	25102	-34.27	-25	Pass	14502



21.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-68.37	-25	Pass	401
0.15	30	0.01	RMS	7.92	-63.96	-25	Pass	2986
30	1000	0.1	RMS	994.496	-53.8	-25	Pass	9701
1000	2525	1	RMS	2514	-42.28	-25	Pass	1526
2525	2665	1	RMS	2581.7	6.08	60	Pass	401
2665	3000	1	RMS	2954.775	-41.72	-25	Pass	401
3000	12000	1	RMS	11854	-46.02	-25	Pass	9002
12000	26500	1	RMS	25103	-34.25	-25	Pass	14502



21.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-69.81	-25	Pass	401
0.15	30	0.01	RMS	0.26	-63.92	-25	Pass	2986
30	1000	0.1	RMS	914.844	-54.87	-25	Pass	9701
1000	2525	1	RMS	2500	-42.41	-25	Pass	1526
2525	2665	1	RMS	2576.1	11.91	60	Pass	401
2665	3000	1	RMS	2688.45	-41.55	-25	Pass	401
3000	12000	1	RMS	11459	-46.12	-25	Pass	9002
12000	26500	1	RMS	25099	-34.46	-25	Pass	14502



21.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.84	-25	Pass	401
0.15	30	0.01	RMS	7.45	-63.86	-25	Pass	2986
30	1000	0.1	RMS	901.735	-54.79	-25	Pass	9701
1000	2525	1	RMS	2524	-42.52	-25	Pass	1526
2525	2665	1	RMS	2578.2	4.91	60	Pass	401
2665	3000	1	RMS	2959.8	-41.75	-25	Pass	401
3000	12000	1	RMS	11856	-46.14	-25	Pass	9002
12000	26500	1	RMS	25410	-34.45	-25	Pass	14502



21.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.08	-25	Pass	401
0.15	30	0.01	RMS	15.01	-64.34	-25	Pass	2986
30	1000	0.1	RMS	876.418	-54.89	-25	Pass	9701
1000	2525	1	RMS	2506	-41.21	-25	Pass	1526
2525	2665	1	RMS	2581	11.22	60	Pass	401
2665	3000	1	RMS	2693.475	-41.75	-25	Pass	401
3000	12000	1	RMS	7244	-40.22	-25	Pass	9002
12000	26500	1	RMS	25102	-34.49	-25	Pass	14502



21.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.059	-68.49	-25	Pass	401
0.15	30	0.01	RMS	0.29	-62.75	-25	Pass	2986
30	1000	0.1	RMS	850.201	-54.9	-25	Pass	9701
1000	2525	1	RMS	2502	-42.45	-25	Pass	1526
2525	2665	1	RMS	2582.4	5.98	60	Pass	401
2665	3000	1	RMS	2958.963	-41.73	-25	Pass	401
3000	12000	1	RMS	11878	-46.12	-25	Pass	9002
12000	26500	1	RMS	26086	-34.54	-25	Pass	14502



21.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.08	-68.03	-25	Pass	401
0.15	30	0.01	RMS	9.14	-64.19	-25	Pass	2986
30	1000	0.1	RMS	872.315	-55.02	-25	Pass	9701
1000	2525	1	RMS	2507	-42.33	-25	Pass	1526
2525	2665	1	RMS	2581.35	11.47	60	Pass	401
2665	3000	1	RMS	2693.475	-41.79	-25	Pass	401
3000	12000	1	RMS	11853	-46.2	-25	Pass	9002
12000	26500	1	RMS	25101	-34.36	-25	Pass	14502



21.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.54	-25	Pass	401
0.15	30	0.01	RMS	13.14	-64.03	-25	Pass	2986
30	1000	0.1	RMS	891.128	-55.05	-25	Pass	9701
1000	2525	1	RMS	2505	-42.71	-25	Pass	1526
2525	2665	1	RMS	2582.75	5.62	60	Pass	401
2665	3000	1	RMS	2974.875	-41.82	-25	Pass	401
3000	12000	1	RMS	11843	-46.1	-25	Pass	9002
12000	26500	1	RMS	25799	-34.45	-25	Pass	14502




22. CA_41C_full

22.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-69.1	-25	Pass	401
0.15	30	0.01	RMS	23.06	-64.31	-25	Pass	2986
30	1000	0.1	RMS	904.036	-55.14	-25	Pass	9701
1000	2475	1	RMS	2475	-42.46	-25	Pass	1476
2475	2735	1	RMS	2519.2	10.43	60	Pass	401
2735	3000	1	RMS	2929.113	-41.83	-25	Pass	401
3000	12000	1	RMS	11848	-46.18	-25	Pass	9002
12000	27000	1	RMS	25103	-34.25	-25	Pass	15002



22.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-67.22	-25	Pass	401
0.15	30	0.01	RMS	19.87	-63.79	-25	Pass	2986
30	1000	0.1	RMS	876.618	-54.88	-25	Pass	9701
1000	2475	1	RMS	2475	-42.16	-25	Pass	1476
2475	2735	1	RMS	2518.55	12.68	60	Pass	401
2735	3000	1	RMS	2972.175	-41.73	-25	Pass	401
3000	12000	1	RMS	11475	-46.3	-25	Pass	9002
12000	27000	1	RMS	25795	-34.59	-25	Pass	15002



22.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.09	-25	Pass	401
0.15	30	0.01	RMS	21.49	-64.4	-25	Pass	2986
30	1000	0.1	RMS	477.8	-54.67	-25	Pass	9701
1000	2475	1	RMS	2474	-42	-25	Pass	1476
2475	2735	1	RMS	2519.2	10.98	60	Pass	401
2735	3000	1	RMS	2956.938	-41.71	-25	Pass	401
3000	12000	1	RMS	7248	-40.18	-25	Pass	9002
12000	27000	1	RMS	25111	-34.45	-25	Pass	15002



22.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.94	-25	Pass	401
0.15	30	0.01	RMS	23.52	-63.93	-25	Pass	2986
30	1000	0.1	RMS	831.5	-54.16	-25	Pass	9701
1000	2475	1	RMS	2474	-42.8	-25	Pass	1476
2475	2735	1	RMS	2517.25	11.2	60	Pass	401
2735	3000	1	RMS	2976.813	-41.61	-25	Pass	401
3000	12000	1	RMS	11464	-46.16	-25	Pass	9002
12000	27000	1	RMS	25124	-34.27	-25	Pass	15002



22.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.92	-25	Pass	401
0.15	30	0.01	RMS	13.55	-62.1	-25	Pass	2986
30	1000	0.1	RMS	881.421	-53.93	-25	Pass	9701
1000	2475	1	RMS	2475	-43.09	-25	Pass	1476
2475	2735	1	RMS	2580.95	10.4	60	Pass	401
2735	3000	1	RMS	2956.938	-41.6	-25	Pass	401
3000	12000	1	RMS	11832	-46.17	-25	Pass	9002
12000	27000	1	RMS	25096	-34.2	-25	Pass	15002



22.6 LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.52	-25	Pass	401
0.15	30	0.01	RMS	3.98	-62.52	-25	Pass	2986
30	1000	0.1	RMS	738.2	-53.82	-25	Pass	9701
1000	2475	1	RMS	2475	-42.99	-25	Pass	1476
2475	2735	1	RMS	2601.1	12.03	60	Pass	401
2735	3000	1	RMS	2943.025	-41.65	-25	Pass	401
3000	12000	1	RMS	11857	-45.92	-25	Pass	9002
12000	27000	1	RMS	25101	-34.26	-25	Pass	15002



22.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.13	-67.39	-25	Pass	401
0.15	30	0.01	RMS	1.36	-63.56	-25	Pass	2986
30	1000	0.1	RMS	901.735	-54.81	-25	Pass	9701
1000	2475	1	RMS	2466	-43.1	-25	Pass	1476
2475	2735	1	RMS	2581.6	10.73	60	Pass	401
2735	3000	1	RMS	2953.625	-41.77	-25	Pass	401
3000	12000	1	RMS	7257	-41.04	-25	Pass	9002
12000	27000	1	RMS	25103	-34.45	-25	Pass	15002



22.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-67.98	-25	Pass	401
0.15	30	0.01	RMS	13.56	-53.42	-25	Pass	2986
30	1000	0.1	RMS	912.442	-55.04	-25	Pass	9701
1000	2475	1	RMS	2461	-43.23	-25	Pass	1476
2475	2735	1	RMS	2601.75	11.61	60	Pass	401
2735	3000	1	RMS	2958.925	-41.79	-25	Pass	401
3000	12000	1	RMS	11855	-46	-25	Pass	9002
12000	27000	1	RMS	25094	-34.3	-25	Pass	15002



22.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.5	-25	Pass	401
0.15	30	0.01	RMS	0.67	-63.63	-25	Pass	2986
30	1000	0.1	RMS	929.353	-54.85	-25	Pass	9701
1000	2475	1	RMS	2471	-43.23	-25	Pass	1476
2475	2735	1	RMS	2666.1	10.76	60	Pass	401
2735	3000	1	RMS	2963.563	-41.76	-25	Pass	401
3000	12000	1	RMS	11841	-46.04	-25	Pass	9002
12000	27000	1	RMS	25813	-34.43	-25	Pass	15002



22.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.38	-25	Pass	401
0.15	30	0.01	RMS	26.4	-64.09	-25	Pass	2986
30	1000	0.1	RMS	899.734	-54.9	-25	Pass	9701
1000	2475	1	RMS	2475	-43.21	-25	Pass	1476
2475	2735	1	RMS	2685.6	11.96	60	Pass	401
2735	3000	1	RMS	2975.488	-41.75	-25	Pass	401
3000	12000	1	RMS	11852	-46.26	-25	Pass	9002
12000	27000	1	RMS	25100	-34.37	-25	Pass	15002



22.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.14	-67.12	-25	Pass	401
0.15	30	0.01	RMS	11.04	-63.94	-25	Pass	2986
30	1000	0.1	RMS	868.613	-54.88	-25	Pass	9701
1000	2475	1	RMS	2468	-43.32	-25	Pass	1476
2475	2735	1	RMS	2665.45	10.43	60	Pass	401
2735	3000	1	RMS	2964.225	-41.63	-25	Pass	401
3000	12000	1	RMS	11451	-46.36	-25	Pass	9002
12000	27000	1	RMS	25101	-34.36	-25	Pass	15002



22.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-67.57	-25	Pass	401
0.15	30	0.01	RMS	1.34	-63.36	-25	Pass	2986
30	1000	0.1	RMS	913.142	-55.12	-25	Pass	9701
1000	2475	1	RMS	2454	-43.3	-25	Pass	1476
2475	2735	1	RMS	2686.25	10.85	60	Pass	401
2735	3000	1	RMS	2974.825	-41.74	-25	Pass	401
3000	12000	1	RMS	11857	-46.12	-25	Pass	9002
12000	27000	1	RMS	25101	-34.08	-25	Pass	15002



22.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.1	-25	Pass	401
0.15	30	0.01	RMS	7.53	-63.46	-25	Pass	2986
30	1000	0.1	RMS	890.027	-54.32	-25	Pass	9701
1000	2475	1	RMS	2470	-43.1	-25	Pass	1476
2475	2735	1	RMS	2497.1	22.22	60	Pass	401
2735	3000	1	RMS	2956.275	-41.61	-25	Pass	401
3000	12000	1	RMS	11476	-46.05	-25	Pass	9002
12000	27000	1	RMS	25101	-34.38	-25	Pass	15002



22.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.1	-25	Pass	401
0.15	30	0.01	RMS	13.29	-64.04	-25	Pass	2986
30	1000	0.1	RMS	849.8	-54.97	-25	Pass	9701
1000	2475	1	RMS	2475	-41.01	-25	Pass	1476
2475	2735	1	RMS	2519.2	6.8	60	Pass	401
2735	3000	1	RMS	2976.813	-41.74	-25	Pass	401
3000	12000	1	RMS	11851	-46.33	-25	Pass	9002
12000	27000	1	RMS	25765	-34.5	-25	Pass	15002



22.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.66	-25	Pass	401
0.15	30	0.01	RMS	23.37	-63.68	-25	Pass	2986
30	1000	0.1	RMS	481.3	-54.95	-25	Pass	9701
1000	2475	1	RMS	2471	-42.98	-25	Pass	1476
2475	2735	1	RMS	2497.1	10.33	60	Pass	401
2735	3000	1	RMS	2955.613	-41.64	-25	Pass	401
3000	12000	1	RMS	11850	-46.17	-25	Pass	9002
12000	27000	1	RMS	25803	-34.36	-25	Pass	15002



22.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.15	-25	Pass	401
0.15	30	0.01	RMS	0.5	-63.94	-25	Pass	2986
30	1000	0.1	RMS	858.106	-55.08	-25	Pass	9701
1000	2475	1	RMS	2473	-42.18	-25	Pass	1476
2475	2735	1	RMS	2518.55	5.3	60	Pass	401
2735	3000	1	RMS	2948.988	-41.78	-25	Pass	401
3000	12000	1	RMS	11850	-46.16	-25	Pass	9002
12000	27000	1	RMS	25099	-34.24	-25	Pass	15002



22.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-67.44	-25	Pass	401
0.15	30	0.01	RMS	0.42	-63.34	-25	Pass	2986
30	1000	0.1	RMS	918.246	-54.75	-25	Pass	9701
1000	2475	1	RMS	2180	-43.29	-25	Pass	1476
2475	2735	1	RMS	2573.8	10.6	60	Pass	401
2735	3000	1	RMS	2959.588	-41.7	-25	Pass	401
3000	12000	1	RMS	11866	-46.03	-25	Pass	9002
12000	27000	1	RMS	25092	-34.2	-25	Pass	15002



22.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-67.33	-25	Pass	401
0.15	30	0.01	RMS	27.9	-63.25	-25	Pass	2986
30	1000	0.1	RMS	918.846	-54.69	-25	Pass	9701
1000	2475	1	RMS	2475	-43.26	-25	Pass	1476
2475	2735	1	RMS	2579.65	6.78	60	Pass	401
2735	3000	1	RMS	2964.888	-41.74	-25	Pass	401
3000	12000	1	RMS	7257	-40.37	-25	Pass	9002
12000	27000	1	RMS	25826	-34.42	-25	Pass	15002



22.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-67.95	-25	Pass	401
0.15	30	0.01	RMS	0.25	-63	-25	Pass	2986
30	1000	0.1	RMS	883.323	-54.86	-25	Pass	9701
1000	2475	1	RMS	2475	-43.06	-25	Pass	1476
2475	2735	1	RMS	2573.8	11.84	60	Pass	401
2735	3000	1	RMS	2976.813	-41.74	-25	Pass	401
3000	12000	1	RMS	11865	-46.12	-25	Pass	9002
12000	27000	1	RMS	25104	-34.41	-25	Pass	15002



22.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-67.05	-25	Pass	401
0.15	30	0.01	RMS	29.4	-64.06	-25	Pass	2986
30	1000	0.1	RMS	877.019	-55.01	-25	Pass	9701
1000	2475	1	RMS	2434	-43.27	-25	Pass	1476
2475	2735	1	RMS	2580.95	5.96	60	Pass	401
2735	3000	1	RMS	2960.913	-41.69	-25	Pass	401
3000	12000	1	RMS	11847	-46.21	-25	Pass	9002
12000	27000	1	RMS	25109	-34.25	-25	Pass	15002



22.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-68.74	-25	Pass	401
0.15	30	0.01	RMS	21.7	-63.79	-25	Pass	2986
30	1000	0.1	RMS	930.254	-55.03	-25	Pass	9701
1000	2475	1	RMS	2460	-43.22	-25	Pass	1476
2475	2735	1	RMS	2651.15	10.9	60	Pass	401
2735	3000	1	RMS	2958.925	-41.68	-25	Pass	401
3000	12000	1	RMS	11855	-46.19	-25	Pass	9002
12000	27000	1	RMS	25103	-34.22	-25	Pass	15002



22.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.81	-25	Pass	401
0.15	30	0.01	RMS	1.98	-64.22	-25	Pass	2986
30	1000	0.1	RMS	910.541	-54.84	-25	Pass	9701
1000	2475	1	RMS	2470	-43.24	-25	Pass	1476
2475	2735	1	RMS	2660.9	6.73	60	Pass	401
2735	3000	1	RMS	2942.363	-41.83	-25	Pass	401
3000	12000	1	RMS	11453	-46.3	-25	Pass	9002
12000	27000	1	RMS	25778	-34.47	-25	Pass	15002



22.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.132	-68.3	-25	Pass	401
0.15	30	0.01	RMS	29.19	-63.22	-25	Pass	2986
30	1000	0.1	RMS	976.084	-54.01	-25	Pass	9701
1000	2475	1	RMS	2431	-43.2	-25	Pass	1476
2475	2735	1	RMS	2651.15	11.83	60	Pass	401
2735	3000	1	RMS	2962.238	-41.61	-25	Pass	401
3000	12000	1	RMS	11851	-46.06	-25	Pass	9002
12000	27000	1	RMS	25762	-34.2	-25	Pass	15002



22.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.93	-25	Pass	401
0.15	30	0.01	RMS	18.14	-63.09	-25	Pass	2986
30	1000	0.1	RMS	526.2	-54.71	-25	Pass	9701
1000	2475	1	RMS	2472	-42.91	-25	Pass	1476
2475	2735	1	RMS	2659.6	5.5	60	Pass	401
2735	3000	1	RMS	2975.488	-41.68	-25	Pass	401
3000	12000	1	RMS	11847	-46.09	-25	Pass	9002
12000	27000	1	RMS	25101	-34.16	-25	Pass	15002



23. n5

**23.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.79	-13	Pass	2986
30	814	0.1	RMS	814	-56.7	-13	Pass	7841
814	859	0.1	RMS	825	4.03	60	Pass	451
859	1000	0.1	RMS	929	-62.17	-13	Pass	1411
1000	3000	1	RMS	2687	-46.7	-13	Pass	2001
3000	10000	1	RMS	9529	-62.67	-13	Pass	7001



23.2. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.57	-13	Pass	2986
30	814	0.1	RMS	798.4	-61.23	-13	Pass	7841
814	859	0.1	RMS	824.3	17.04	60	Pass	451
859	1000	0.1	RMS	948.4	-62.21	-13	Pass	1411
1000	3000	1	RMS	2680	-46.69	-13	Pass	2001
3000	10000	1	RMS	9506	-62.76	-13	Pass	7001



23.3. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.61	-13	Pass	2986
30	814	0.1	RMS	811.4	-61.32	-13	Pass	7841
814	859	0.1	RMS	828.6	16.46	60	Pass	451
859	1000	0.1	RMS	963.8	-62.13	-13	Pass	1411
1000	3000	1	RMS	2684	-46.65	-13	Pass	2001
3000	10000	1	RMS	9478	-62.71	-13	Pass	7001




**23.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.92	-13	Pass	2986
30	814	0.1	RMS	810.9	-62.19	-13	Pass	7841
814	859	0.1	RMS	835	4.04	60	Pass	451
859	1000	0.1	RMS	936.5	-62.25	-13	Pass	1411
1000	3000	1	RMS	2678	-46.68	-13	Pass	2001
3000	10000	1	RMS	9508	-62.71	-13	Pass	7001




**23.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.1	-13	Pass	2986
30	814	0.1	RMS	801.5	-62.34	-13	Pass	7841
814	859	0.1	RMS	834.3	16.89	60	Pass	451
859	1000	0.1	RMS	983.7	-62.21	-13	Pass	1411
1000	3000	1	RMS	2678	-46.67	-13	Pass	2001
3000	10000	1	RMS	9519	-62.73	-13	Pass	7001




**23.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.07	-13	Pass	2986
30	814	0.1	RMS	799.4	-62.34	-13	Pass	7841
814	859	0.1	RMS	838.7	16.55	60	Pass	451
859	1000	0.1	RMS	969.6	-62.31	-13	Pass	1411
1000	3000	1	RMS	2680	-46.72	-13	Pass	2001
3000	10000	1	RMS	9516	-62.71	-13	Pass	7001




**23.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.35	-13	Pass	2986
30	814	0.1	RMS	798.1	-62.42	-13	Pass	7841
814	859	0.1	RMS	844.8	4.21	60	Pass	451
859	1000	0.1	RMS	955.4	-62.31	-13	Pass	1411
1000	3000	1	RMS	2681	-46.7	-13	Pass	2001
3000	10000	1	RMS	9479	-62.73	-13	Pass	7001




**23.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.18	-13	Pass	2986
30	814	0.1	RMS	811	-62.3	-13	Pass	7841
814	859	0.1	RMS	844.3	16.98	60	Pass	451
859	1000	0.1	RMS	898.5	-62.26	-13	Pass	1411
1000	3000	1	RMS	2677	-46.7	-13	Pass	2001
3000	10000	1	RMS	9502	-62.76	-13	Pass	7001




**23.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.48	-13	Pass	2986
30	814	0.1	RMS	803.4	-62.34	-13	Pass	7841
814	859	0.1	RMS	848.6	16.44	60	Pass	451
859	1000	0.1	RMS	982.7	-62.24	-13	Pass	1411
1000	3000	1	RMS	2674	-46.71	-13	Pass	2001
3000	10000	1	RMS	9496	-62.76	-13	Pass	7001




**23.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.44	-13	Pass	2986
30	814	0.1	RMS	813.8	-47.86	-13	Pass	7841
814	859	0.1	RMS	833.1	-1.15	60	Pass	451
859	1000	0.1	RMS	948	-62.28	-13	Pass	1411
1000	3000	1	RMS	2675	-46.7	-13	Pass	2001
3000	10000	1	RMS	9528	-62.75	-13	Pass	7001




**23.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.19	-13	Pass	2986
30	814	0.1	RMS	813.3	-60.77	-13	Pass	7841
814	859	0.1	RMS	824.5	17.06	60	Pass	451
859	1000	0.1	RMS	925.1	-62.32	-13	Pass	1411
1000	3000	1	RMS	2677	-46.71	-13	Pass	2001
3000	10000	1	RMS	9514	-62.7	-13	Pass	7001




**23.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.17	-13	Pass	2986
30	814	0.1	RMS	810.6	-56.14	-13	Pass	7841
814	859	0.1	RMS	838.5	17.32	60	Pass	451
859	1000	0.1	RMS	988.3	-62.19	-13	Pass	1411
1000	3000	1	RMS	2679	-46.68	-13	Pass	2001
3000	10000	1	RMS	9526	-62.73	-13	Pass	7001




**23.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.31	-13	Pass	2986
30	814	0.1	RMS	813.8	-52.57	-13	Pass	7841
814	859	0.1	RMS	834.2	-1.1	60	Pass	451
859	1000	0.1	RMS	965.8	-62.25	-13	Pass	1411
1000	3000	1	RMS	2677	-46.68	-13	Pass	2001
3000	10000	1	RMS	9480	-62.72	-13	Pass	7001




**23.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.36	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.73	-13	Pass	7841
814	859	0.1	RMS	829.5	17.16	60	Pass	451
859	1000	0.1	RMS	940.2	-62.28	-13	Pass	1411
1000	3000	1	RMS	2685	-46.68	-13	Pass	2001
3000	10000	1	RMS	9526	-62.77	-13	Pass	7001




**23.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.6	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.87	-13	Pass	7841
814	859	0.1	RMS	843.5	17.24	60	Pass	451
859	1000	0.1	RMS	963.2	-62.24	-13	Pass	1411
1000	3000	1	RMS	2688	-46.73	-13	Pass	2001
3000	10000	1	RMS	9516	-62.74	-13	Pass	7001




**23.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.78	-13	Pass	2986
30	814	0.1	RMS	813.6	-55.81	-13	Pass	7841
814	859	0.1	RMS	839.3	-0.93	60	Pass	451
859	1000	0.1	RMS	978.3	-62.31	-13	Pass	1411
1000	3000	1	RMS	2680	-46.72	-13	Pass	2001
3000	10000	1	RMS	9512	-62.78	-13	Pass	7001




**23.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.67	-13	Pass	2986
30	814	0.1	RMS	812.7	-62.14	-13	Pass	7841
814	859	0.1	RMS	834.5	17.02	60	Pass	451
859	1000	0.1	RMS	971.2	-62.26	-13	Pass	1411
1000	3000	1	RMS	2681	-46.67	-13	Pass	2001
3000	10000	1	RMS	9517	-62.71	-13	Pass	7001




**23.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.74	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.29	-13	Pass	7841
814	859	0.1	RMS	848.5	17.18	60	Pass	451
859	1000	0.1	RMS	947	-62.24	-13	Pass	1411
1000	3000	1	RMS	2686	-46.66	-13	Pass	2001
3000	10000	1	RMS	9527	-62.7	-13	Pass	7001




**23.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.01	-13	Pass	2986
30	814	0.1	RMS	813.7	-45.91	-13	Pass	7841
814	859	0.1	RMS	833.3	-2.31	60	Pass	451
859	1000	0.1	RMS	981.7	-62.26	-13	Pass	1411
1000	3000	1	RMS	2688	-46.7	-13	Pass	2001
3000	10000	1	RMS	9473	-62.69	-13	Pass	7001




**23.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.5	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.48	-13	Pass	7841
814	859	0.1	RMS	824.5	16.86	60	Pass	451
859	1000	0.1	RMS	948.3	-62.34	-13	Pass	1411
1000	3000	1	RMS	2684	-46.72	-13	Pass	2001
3000	10000	1	RMS	9482	-62.75	-13	Pass	7001




**23.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.22	-13	Pass	2986
30	814	0.1	RMS	814	-56.66	-13	Pass	7841
814	859	0.1	RMS	843.4	16.78	60	Pass	451
859	1000	0.1	RMS	967.1	-62.18	-13	Pass	1411
1000	3000	1	RMS	2679	-46.69	-13	Pass	2001
3000	10000	1	RMS	9483	-62.72	-13	Pass	7001




**23.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.26	-13	Pass	2986
30	814	0.1	RMS	813.9	-47.94	-13	Pass	7841
814	859	0.1	RMS	835.7	-2.28	60	Pass	451
859	1000	0.1	RMS	956.3	-62.3	-13	Pass	1411
1000	3000	1	RMS	2678	-46.66	-13	Pass	2001
3000	10000	1	RMS	9497	-62.73	-13	Pass	7001




**23.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.24	-13	Pass	2986
30	814	0.1	RMS	807.5	-60.46	-13	Pass	7841
814	859	0.1	RMS	827	16.77	60	Pass	451
859	1000	0.1	RMS	971.3	-62.18	-13	Pass	1411
1000	3000	1	RMS	2681	-46.65	-13	Pass	2001
3000	10000	1	RMS	9498	-62.71	-13	Pass	7001




**23.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.89	-13	Pass	2986
30	814	0.1	RMS	808.4	-59.2	-13	Pass	7841
814	859	0.1	RMS	845.9	16.9	60	Pass	451
859	1000	0.1	RMS	933.3	-62.24	-13	Pass	1411
1000	3000	1	RMS	2681	-46.67	-13	Pass	2001
3000	10000	1	RMS	9523	-62.69	-13	Pass	7001




**23.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.31	-13	Pass	2986
30	814	0.1	RMS	814	-50.26	-13	Pass	7841
814	859	0.1	RMS	838.2	-2.25	60	Pass	451
859	1000	0.1	RMS	954.1	-62.29	-13	Pass	1411
1000	3000	1	RMS	2680	-46.67	-13	Pass	2001
3000	10000	1	RMS	9513	-62.72	-13	Pass	7001




**23.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.16	-13	Pass	2986
30	814	0.1	RMS	810	-58.61	-13	Pass	7841
814	859	0.1	RMS	829.5	16.83	60	Pass	451
859	1000	0.1	RMS	979.9	-62.09	-13	Pass	1411
1000	3000	1	RMS	2684	-46.67	-13	Pass	2001
3000	10000	1	RMS	9477	-62.71	-13	Pass	7001



**23.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.21	-13	Pass	2986
30	814	0.1	RMS	810.7	-58.2	-13	Pass	7841
814	859	0.1	RMS	848.4	16.8	60	Pass	451
859	1000	0.1	RMS	948.7	-62.16	-13	Pass	1411
1000	3000	1	RMS	2678	-46.63	-13	Pass	2001
3000	10000	1	RMS	9525	-62.73	-13	Pass	7001



24. n7


24.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.14	-13	Pass	2986
30	1000	0.1	RMS	913.2	-60.85	-13	Pass	9701
1000	2490	1	RMS	2490	-47	-13	Pass	1491
2490	2580	1	RMS	2501.25	14.32	60	Pass	401
2580	3000	1	RMS	2681	-47.08	-13	Pass	421
3000	6500	1	RMS	6241	-64.38	-13	Pass	3501
6500	26000	1	RMS	25341	-44.33	-13	Pass	19501




**24.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.54	-13	Pass	2986
30	1000	0.1	RMS	940.3	-60.82	-13	Pass	9701
1000	2490	1	RMS	2489	-47.76	-13	Pass	1491
2490	2580	1	RMS	2500.35	20.49	60	Pass	401
2580	3000	1	RMS	2686	-47.09	-13	Pass	421
3000	6500	1	RMS	6242	-64.44	-13	Pass	3501
6500	26000	1	RMS	25340	-44.17	-13	Pass	19501




**24.3. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.03	-13	Pass	2986
30	1000	0.1	RMS	955.7	-60.76	-13	Pass	9701
1000	2490	1	RMS	2490	-47.8	-13	Pass	1491
2490	2580	1	RMS	2504.625	20.42	60	Pass	401
2580	3000	1	RMS	2680	-47.09	-13	Pass	421
3000	6500	1	RMS	5009	-64.32	-13	Pass	3501
6500	26000	1	RMS	25748	-44.26	-13	Pass	19501




**24.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.34	-13	Pass	2986
30	1000	0.1	RMS	936.5	-60.88	-13	Pass	9701
1000	2490	1	RMS	2488	-47.89	-13	Pass	1491
2490	2580	1	RMS	2533.875	14.28	60	Pass	401
2580	3000	1	RMS	2676	-47.09	-13	Pass	421
3000	6500	1	RMS	6240	-64.43	-13	Pass	3501
6500	26000	1	RMS	25338	-44.31	-13	Pass	19501




**24.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.07	-13	Pass	2986
30	1000	0.1	RMS	952.9	-60.85	-13	Pass	9701
1000	2490	1	RMS	2490	-47.91	-13	Pass	1491
2490	2580	1	RMS	2532.75	20.28	60	Pass	401
2580	3000	1	RMS	2678	-47.08	-13	Pass	421
3000	6500	1	RMS	6239	-64.32	-13	Pass	3501
6500	26000	1	RMS	25340	-44.32	-13	Pass	19501




**24.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.58	-13	Pass	2986
30	1000	0.1	RMS	947.8	-60.79	-13	Pass	9701
1000	2490	1	RMS	2490	-47.86	-13	Pass	1491
2490	2580	1	RMS	2537.25	20.29	60	Pass	401
2580	3000	1	RMS	2675	-47.09	-13	Pass	421
3000	6500	1	RMS	6240	-64.38	-13	Pass	3501
6500	26000	1	RMS	25747	-44.35	-13	Pass	19501




**24.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.14	-13	Pass	2986
30	1000	0.1	RMS	952	-60.81	-13	Pass	9701
1000	2490	1	RMS	2490	-47.87	-13	Pass	1491
2490	2580	1	RMS	2566.275	14.32	60	Pass	401
2580	3000	1	RMS	2580	-46.49	-13	Pass	421
3000	6500	1	RMS	6242	-64.37	-13	Pass	3501
6500	26000	1	RMS	25337	-44.25	-13	Pass	19501




**24.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.82	-13	Pass	2986
30	1000	0.1	RMS	979.4	-61.86	-13	Pass	9701
1000	2490	1	RMS	2490	-47.85	-13	Pass	1491
2490	2580	1	RMS	2565.375	20.2	60	Pass	401
2580	3000	1	RMS	2678	-47.08	-13	Pass	421
3000	6500	1	RMS	6240	-64.33	-13	Pass	3501
6500	26000	1	RMS	25752	-44.24	-13	Pass	19501




**24.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.35	-13	Pass	2986
30	1000	0.1	RMS	955.9	-61.82	-13	Pass	9701
1000	2490	1	RMS	2490	-47.96	-13	Pass	1491
2490	2580	1	RMS	2569.65	20.41	60	Pass	401
2580	3000	1	RMS	2687	-47.08	-13	Pass	421
3000	6500	1	RMS	6238	-64.36	-13	Pass	3501
6500	26000	1	RMS	25749	-44.25	-13	Pass	19501




**24.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.98	-13	Pass	2986
30	1000	0.1	RMS	930.9	-61.85	-13	Pass	9701
1000	2490	1	RMS	2490	-37.16	-13	Pass	1491
2490	2580	1	RMS	2503.05	6.86	60	Pass	401
2580	3000	1	RMS	2675	-47.08	-13	Pass	421
3000	6500	1	RMS	6241	-64.39	-13	Pass	3501
6500	26000	1	RMS	25749	-44.32	-13	Pass	19501




**24.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.26	-13	Pass	2986
30	1000	0.1	RMS	961.1	-61.77	-13	Pass	9701
1000	2490	1	RMS	2489	-45.83	-13	Pass	1491
2490	2580	1	RMS	2500.575	20.29	60	Pass	401
2580	3000	1	RMS	2676	-47.07	-13	Pass	421
3000	6500	1	RMS	6241	-64.33	-13	Pass	3501
6500	26000	1	RMS	25339	-44.27	-13	Pass	19501




**24.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:502500, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.66	-13	Pass	2986
30	1000	0.1	RMS	936.5	-61.78	-13	Pass	9701
1000	2490	1	RMS	2485	-46.26	-13	Pass	1491
2490	2580	1	RMS	2524.425	20.01	60	Pass	401
2580	3000	1	RMS	2686	-47.04	-13	Pass	421
3000	6500	1	RMS	5049	-63.65	-13	Pass	3501
6500	26000	1	RMS	25746	-44.26	-13	Pass	19501




**24.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.36	-13	Pass	2986
30	1000	0.1	RMS	925.9	-61.78	-13	Pass	9701
1000	2490	1	RMS	2490	-46.26	-13	Pass	1491
2490	2580	1	RMS	2526	6.92	60	Pass	401
2580	3000	1	RMS	2580	-45.16	-13	Pass	421
3000	6500	1	RMS	6240	-64.37	-13	Pass	3501
6500	26000	1	RMS	25747	-44.34	-13	Pass	19501




**24.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.07	-13	Pass	2986
30	1000	0.1	RMS	947	-61.85	-13	Pass	9701
1000	2490	1	RMS	2490	-47.8	-13	Pass	1491
2490	2580	1	RMS	2523.075	20.03	60	Pass	401
2580	3000	1	RMS	2685	-47.08	-13	Pass	421
3000	6500	1	RMS	5046	-63.27	-13	Pass	3501
6500	26000	1	RMS	25342	-44.28	-13	Pass	19501




**24.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.1	-13	Pass	2986
30	1000	0.1	RMS	941.5	-61.79	-13	Pass	9701
1000	2490	1	RMS	2490	-47.89	-13	Pass	1491
2490	2580	1	RMS	2546.925	20.14	60	Pass	401
2580	3000	1	RMS	2671	-47.11	-13	Pass	421
3000	6500	1	RMS	6238	-64.4	-13	Pass	3501
6500	26000	1	RMS	25749	-44.27	-13	Pass	19501




**24.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:511500, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.13	-13	Pass	2986
30	1000	0.1	RMS	980.1	-61.7	-13	Pass	9701
1000	2490	1	RMS	2490	-47.68	-13	Pass	1491
2490	2580	1	RMS	2548.725	6.92	60	Pass	401
2580	3000	1	RMS	2580	-37.31	-13	Pass	421
3000	6500	1	RMS	6239	-64.44	-13	Pass	3501
6500	26000	1	RMS	25753	-44.29	-13	Pass	19501




**24.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:511500, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.31	-13	Pass	2986
30	1000	0.1	RMS	954.8	-61.72	-13	Pass	9701
1000	2490	1	RMS	2489	-47.89	-13	Pass	1491
2490	2580	1	RMS	2545.575	20.09	60	Pass	401
2580	3000	1	RMS	2585	-46.46	-13	Pass	421
3000	6500	1	RMS	6238	-64.38	-13	Pass	3501
6500	26000	1	RMS	25743	-44.27	-13	Pass	19501




**24.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:511500, Bandwidth:25, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.23	-13	Pass	2986
30	1000	0.1	RMS	966.2	-61.66	-13	Pass	9701
1000	2490	1	RMS	2490	-47.88	-13	Pass	1491
2490	2580	1	RMS	2569.425	20.14	60	Pass	401
2580	3000	1	RMS	2581	-44.78	-13	Pass	421
3000	6500	1	RMS	6240	-64.36	-13	Pass	3501
6500	26000	1	RMS	25342	-44.15	-13	Pass	19501




**24.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:505000, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.09	-13	Pass	2986
30	1000	0.1	RMS	959.7	-61.74	-13	Pass	9701
1000	2490	1	RMS	2490	-37.58	-13	Pass	1491
2490	2580	1	RMS	2509.35	4.04	60	Pass	401
2580	3000	1	RMS	2580	-40.79	-13	Pass	421
3000	6500	1	RMS	6240	-64.41	-13	Pass	3501
6500	26000	1	RMS	25741	-44.28	-13	Pass	19501




**24.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:505000, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.06	-13	Pass	2986
30	1000	0.1	RMS	950.5	-61.78	-13	Pass	9701
1000	2490	1	RMS	2490	-46.59	-13	Pass	1491
2490	2580	1	RMS	2500.8	20.27	60	Pass	401
2580	3000	1	RMS	2682	-47.1	-13	Pass	421
3000	6500	1	RMS	6240	-64.38	-13	Pass	3501
6500	26000	1	RMS	25326	-44.37	-13	Pass	19501




**24.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:505000, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.4	-13	Pass	2986
30	1000	0.1	RMS	930.8	-61.81	-13	Pass	9701
1000	2490	1	RMS	2490	-43.24	-13	Pass	1491
2490	2580	1	RMS	2549.175	20.21	60	Pass	401
2580	3000	1	RMS	2684	-47.11	-13	Pass	421
3000	6500	1	RMS	6242	-64.4	-13	Pass	3501
6500	26000	1	RMS	25744	-44.22	-13	Pass	19501




**24.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.06	-13	Pass	2986
30	1000	0.1	RMS	976.2	-61.75	-13	Pass	9701
1000	2490	1	RMS	2490	-38.83	-13	Pass	1491
2490	2580	1	RMS	2514.075	3.9	60	Pass	401
2580	3000	1	RMS	2580	-38.85	-13	Pass	421
3000	6500	1	RMS	6239	-64.42	-13	Pass	3501
6500	26000	1	RMS	25309	-44.33	-13	Pass	19501




**24.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.9	-13	Pass	2986
30	1000	0.1	RMS	914.4	-61.82	-13	Pass	9701
1000	2490	1	RMS	2487	-46.33	-13	Pass	1491
2490	2580	1	RMS	2510.7	19.99	60	Pass	401
2580	3000	1	RMS	2589	-46.73	-13	Pass	421
3000	6500	1	RMS	6240	-64.4	-13	Pass	3501
6500	26000	1	RMS	25742	-44.32	-13	Pass	19501




**24.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.99	-13	Pass	2986
30	1000	0.1	RMS	966.1	-61.83	-13	Pass	9701
1000	2490	1	RMS	2481	-46.03	-13	Pass	1491
2490	2580	1	RMS	2559.3	20.05	60	Pass	401
2580	3000	1	RMS	2583	-45.25	-13	Pass	421
3000	6500	1	RMS	6239	-64.37	-13	Pass	3501
6500	26000	1	RMS	25326	-44.35	-13	Pass	19501




**24.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:509000, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.81	-13	Pass	2986
30	1000	0.1	RMS	952.6	-61.87	-13	Pass	9701
1000	2490	1	RMS	2490	-41.6	-13	Pass	1491
2490	2580	1	RMS	2556.6	4.08	60	Pass	401
2580	3000	1	RMS	2580	-37.82	-13	Pass	421
3000	6500	1	RMS	6238	-64.41	-13	Pass	3501
6500	26000	1	RMS	25330	-44.32	-13	Pass	19501




**24.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:509000, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.55	-13	Pass	2986
30	1000	0.1	RMS	938.8	-61.47	-13	Pass	9701
1000	2490	1	RMS	2490	-47.49	-13	Pass	1491
2490	2580	1	RMS	2520.825	19.93	60	Pass	401
2580	3000	1	RMS	2580	-43.56	-13	Pass	421
3000	6500	1	RMS	5042	-64.14	-13	Pass	3501
6500	26000	1	RMS	25339	-44.24	-13	Pass	19501



**24.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:509000, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.96	-13	Pass	2986
30	1000	0.1	RMS	951.7	-61.76	-13	Pass	9701
1000	2490	1	RMS	2490	-47	-13	Pass	1491
2490	2580	1	RMS	2569.2	20.31	60	Pass	401
2580	3000	1	RMS	2580	-46.68	-13	Pass	421
3000	6500	1	RMS	6240	-64.39	-13	Pass	3501
6500	26000	1	RMS	25745	-44.2	-13	Pass	19501




25. n66 15kHz

25.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.28	-13	Pass	401
0.15	30	0.01	RMS	13.56	-51.94	-13	Pass	2986
30	1000	0.1	RMS	930.6	-60.79	-13	Pass	9701
1000	1700	1	RMS	1700	-46.07	-13	Pass	701
1700	1790	1	RMS	1711.25	13.44	60	Pass	401
1790	3000	1	RMS	2674	-46.81	-13	Pass	1211
3000	6500	1	RMS	6240	-64.41	-13	Pass	3501
6500	20000	1	RMS	16816	-51.33	-13	Pass	13501




25.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.04	-13	Pass	2986
30	1000	0.1	RMS	940.4	-60.61	-13	Pass	9701
1000	1700	1	RMS	1700	-50.58	-13	Pass	701
1700	1790	1	RMS	1710.35	20.37	60	Pass	401
1790	3000	1	RMS	2679	-46.8	-13	Pass	1211
3000	6500	1	RMS	6241	-64.36	-13	Pass	3501
6500	20000	1	RMS	16805	-51.39	-13	Pass	13501




**25.3. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.03	-13	Pass	2986
30	1000	0.1	RMS	937.7	-60.69	-13	Pass	9701
1000	1700	1	RMS	1700	-50.67	-13	Pass	701
1700	1790	1	RMS	1714.625	20.6	60	Pass	401
1790	3000	1	RMS	2678	-46.76	-13	Pass	1211
3000	6500	1	RMS	6243	-64.42	-13	Pass	3501
6500	20000	1	RMS	16805	-51.43	-13	Pass	13501




**25.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.74	-13	Pass	2986
30	1000	0.1	RMS	940.4	-60.95	-13	Pass	9701
1000	1700	1	RMS	1700	-50.85	-13	Pass	701
1700	1790	1	RMS	1743.65	13.61	60	Pass	401
1790	3000	1	RMS	2680	-46.8	-13	Pass	1211
3000	6500	1	RMS	6240	-64.4	-13	Pass	3501
6500	20000	1	RMS	16800	-51.42	-13	Pass	13501




**25.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.17	-13	Pass	2986
30	1000	0.1	RMS	934.4	-60.83	-13	Pass	9701
1000	1700	1	RMS	1652	-50.83	-13	Pass	701
1700	1790	1	RMS	1742.75	20.44	60	Pass	401
1790	3000	1	RMS	2679	-46.8	-13	Pass	1211
3000	6500	1	RMS	6239	-64.41	-13	Pass	3501
6500	20000	1	RMS	16803	-51.37	-13	Pass	13501




**25.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.89	-13	Pass	401
0.15	30	0.01	RMS	13.56	-35.61	-13	Pass	2986
30	1000	0.1	RMS	931.2	-60.79	-13	Pass	9701
1000	1700	1	RMS	1652	-50.77	-13	Pass	701
1700	1790	1	RMS	1747.025	20.47	60	Pass	401
1790	3000	1	RMS	2677	-46.76	-13	Pass	1211
3000	6500	1	RMS	6241	-64.4	-13	Pass	3501
6500	20000	1	RMS	16812	-51.36	-13	Pass	13501




**25.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.72	-13	Pass	2986
30	1000	0.1	RMS	934.3	-60.88	-13	Pass	9701
1000	1700	1	RMS	1698	-50.82	-13	Pass	701
1700	1790	1	RMS	1776.275	13.59	60	Pass	401
1790	3000	1	RMS	1790	-45.98	-13	Pass	1211
3000	6500	1	RMS	6240	-64.38	-13	Pass	3501
6500	20000	1	RMS	16808	-51.45	-13	Pass	13501




**25.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.65	-13	Pass	2986
30	1000	0.1	RMS	937	-60.82	-13	Pass	9701
1000	1700	1	RMS	1629	-50.84	-13	Pass	701
1700	1790	1	RMS	1775.375	20.49	60	Pass	401
1790	3000	1	RMS	2677	-46.78	-13	Pass	1211
3000	6500	1	RMS	6242	-64.45	-13	Pass	3501
6500	20000	1	RMS	16819	-51.48	-13	Pass	13501




**25.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.67	-13	Pass	2986
30	1000	0.1	RMS	960.6	-60.75	-13	Pass	9701
1000	1700	1	RMS	1649	-50.85	-13	Pass	701
1700	1790	1	RMS	1779.65	20.6	60	Pass	401
1790	3000	1	RMS	2684	-46.8	-13	Pass	1211
3000	6500	1	RMS	6241	-64.45	-13	Pass	3501
6500	20000	1	RMS	16820	-51.45	-13	Pass	13501




**25.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.12	-13	Pass	2986
30	1000	0.1	RMS	983.5	-60.84	-13	Pass	9701
1000	1700	1	RMS	1700	-37.77	-13	Pass	701
1700	1790	1	RMS	1728.35	7.32	60	Pass	401
1790	3000	1	RMS	2680	-46.77	-13	Pass	1211
3000	6500	1	RMS	6238	-64.4	-13	Pass	3501
6500	20000	1	RMS	16811	-51.43	-13	Pass	13501




**25.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.37	-13	Pass	2986
30	1000	0.1	RMS	957.8	-60.93	-13	Pass	9701
1000	1700	1	RMS	1700	-48.98	-13	Pass	701
1700	1790	1	RMS	1710.575	20.39	60	Pass	401
1790	3000	1	RMS	2676	-46.77	-13	Pass	1211
3000	6500	1	RMS	6240	-64.4	-13	Pass	3501
6500	20000	1	RMS	16822	-51.4	-13	Pass	13501




**25.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.85	-13	Pass	2986
30	1000	0.1	RMS	959.6	-60.84	-13	Pass	9701
1000	1700	1	RMS	1700	-43.15	-13	Pass	701
1700	1790	1	RMS	1729.475	20.57	60	Pass	401
1790	3000	1	RMS	2678	-46.75	-13	Pass	1211
3000	6500	1	RMS	6240	-64.37	-13	Pass	3501
6500	20000	1	RMS	19816	-51.43	-13	Pass	13501




**25.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.72	-13	Pass	2986
30	1000	0.1	RMS	975.3	-60.77	-13	Pass	9701
1000	1700	1	RMS	1700	-47.8	-13	Pass	701
1700	1790	1	RMS	1738.925	7.49	60	Pass	401
1790	3000	1	RMS	2681	-46.76	-13	Pass	1211
3000	6500	1	RMS	6240	-64.41	-13	Pass	3501
6500	20000	1	RMS	16818	-51.41	-13	Pass	13501




**25.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.37	-13	Pass	2986
30	1000	0.1	RMS	951.7	-60.82	-13	Pass	9701
1000	1700	1	RMS	1663	-50.84	-13	Pass	701
1700	1790	1	RMS	1735.55	20.5	60	Pass	401
1790	3000	1	RMS	2679	-46.76	-13	Pass	1211
3000	6500	1	RMS	6240	-64.4	-13	Pass	3501
6500	20000	1	RMS	16803	-51.4	-13	Pass	13501




**25.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.05	-13	Pass	2986
30	1000	0.1	RMS	926.6	-60.86	-13	Pass	9701
1000	1700	1	RMS	1697	-50.77	-13	Pass	701
1700	1790	1	RMS	1754.45	20.64	60	Pass	401
1790	3000	1	RMS	2677	-46.84	-13	Pass	1211
3000	6500	1	RMS	6238	-64.47	-13	Pass	3501
6500	20000	1	RMS	16815	-51.39	-13	Pass	13501




**25.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.03	-13	Pass	2986
30	1000	0.1	RMS	956	-60.83	-13	Pass	9701
1000	1700	1	RMS	1700	-50.74	-13	Pass	701
1700	1790	1	RMS	1769.3	7.44	60	Pass	401
1790	3000	1	RMS	1790	-37.27	-13	Pass	1211
3000	6500	1	RMS	6239	-64.42	-13	Pass	3501
6500	20000	1	RMS	19815	-51.47	-13	Pass	13501




**25.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.33	-13	Pass	2986
30	1000	0.1	RMS	976.1	-60.7	-13	Pass	9701
1000	1700	1	RMS	1700	-50.84	-13	Pass	701
1700	1790	1	RMS	1760.525	20.59	60	Pass	401
1790	3000	1	RMS	1790	-43.46	-13	Pass	1211
3000	6500	1	RMS	6240	-64.39	-13	Pass	3501
6500	20000	1	RMS	19814	-51.42	-13	Pass	13501




**25.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.19	-13	Pass	2986
30	1000	0.1	RMS	933.6	-60.82	-13	Pass	9701
1000	1700	1	RMS	1636	-50.84	-13	Pass	701
1700	1790	1	RMS	1779.425	20.64	60	Pass	401
1790	3000	1	RMS	2695	-46.79	-13	Pass	1211
3000	6500	1	RMS	6236	-64.45	-13	Pass	3501
6500	20000	1	RMS	16808	-51.47	-13	Pass	13501




**25.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.86	-13	Pass	2986
30	1000	0.1	RMS	942.5	-60.86	-13	Pass	9701
1000	1700	1	RMS	1700	-37.91	-13	Pass	701
1700	1790	1	RMS	1732.625	4.39	60	Pass	401
1790	3000	1	RMS	1790	-43.71	-13	Pass	1211
3000	6500	1	RMS	6243	-64.42	-13	Pass	3501
6500	20000	1	RMS	16809	-51.41	-13	Pass	13501




**25.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.63	-13	Pass	2986
30	1000	0.1	RMS	982.3	-60.78	-13	Pass	9701
1000	1700	1	RMS	1700	-49.12	-13	Pass	701
1700	1790	1	RMS	1710.575	20.46	60	Pass	401
1790	3000	1	RMS	2694	-46.81	-13	Pass	1211
3000	6500	1	RMS	6239	-64.4	-13	Pass	3501
6500	20000	1	RMS	16802	-51.45	-13	Pass	13501




**25.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.41	-13	Pass	2986
30	1000	0.1	RMS	991.8	-61.77	-13	Pass	9701
1000	1700	1	RMS	1700	-49.29	-13	Pass	701
1700	1790	1	RMS	1749.275	20.41	60	Pass	401
1790	3000	1	RMS	2684	-46.8	-13	Pass	1211
3000	6500	1	RMS	5248	-62.47	-13	Pass	3501
6500	20000	1	RMS	16811	-51.41	-13	Pass	13501




**25.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.93	-13	Pass	2986
30	1000	0.1	RMS	968.5	-61.72	-13	Pass	9701
1000	1700	1	RMS	1700	-41.33	-13	Pass	701
1700	1790	1	RMS	1734.2	4.36	60	Pass	401
1790	3000	1	RMS	1790	-41.27	-13	Pass	1211
3000	6500	1	RMS	6244	-64.41	-13	Pass	3501
6500	20000	1	RMS	16802	-51.5	-13	Pass	13501




**25.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.53	-13	Pass	2986
30	1000	0.1	RMS	975.6	-61.67	-13	Pass	9701
1000	1700	1	RMS	1700	-50.27	-13	Pass	701
1700	1790	1	RMS	1725.65	20.33	60	Pass	401
1790	3000	1	RMS	2680	-46.84	-13	Pass	1211
3000	6500	1	RMS	6202	-64.47	-13	Pass	3501
6500	20000	1	RMS	16805	-51.48	-13	Pass	13501




**25.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.67	-13	Pass	2986
30	1000	0.1	RMS	919.5	-61.74	-13	Pass	9701
1000	1700	1	RMS	1700	-50.3	-13	Pass	701
1700	1790	1	RMS	1764.35	20.32	60	Pass	401
1790	3000	1	RMS	2679	-46.79	-13	Pass	1211
3000	6500	1	RMS	5293	-61.54	-13	Pass	3501
6500	20000	1	RMS	16806	-51.39	-13	Pass	13501




**25.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:352000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.4	-13	Pass	2986
30	1000	0.1	RMS	932	-61.74	-13	Pass	9701
1000	1700	1	RMS	1700	-44.47	-13	Pass	701
1700	1790	1	RMS	1741.625	4.47	60	Pass	401
1790	3000	1	RMS	1790	-37.21	-13	Pass	1211
3000	6500	1	RMS	6243	-64.44	-13	Pass	3501
6500	20000	1	RMS	16803	-51.49	-13	Pass	13501




**25.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:352000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.2	-13	Pass	401
0.15	30	0.01	RMS	13.56	-35.6	-13	Pass	2986
30	1000	0.1	RMS	988.5	-61.77	-13	Pass	9701
1000	1700	1	RMS	1698	-50.81	-13	Pass	701
1700	1790	1	RMS	1740.725	20.14	60	Pass	401
1790	3000	1	RMS	2683	-46.78	-13	Pass	1211
3000	6500	1	RMS	5222	-60.99	-13	Pass	3501
6500	20000	1	RMS	16808	-51.4	-13	Pass	13501



**25.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.83	-13	Pass	2986
30	1000	0.1	RMS	910.8	-61.85	-13	Pass	9701
1000	1700	1	RMS	1700	-49.93	-13	Pass	701
1700	1790	1	RMS	1779.425	20.26	60	Pass	401
1790	3000	1	RMS	2690	-46.84	-13	Pass	1211
3000	6500	1	RMS	5338	-62.97	-13	Pass	3501
6500	20000	1	RMS	16808	-51.34	-13	Pass	13501



26. n38_PC3


**26.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:515000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.1	-13	Pass	2986
30	1000	0.1	RMS	988.2	-59.32	-13	Pass	9701
1000	2560	1	RMS	2560	-40.27	-13	Pass	1561
2560	2630	1	RMS	2574.175	11.53	60	Pass	401
2630	3000	1	RMS	2685.5	-46.96	-13	Pass	401
3000	6500	1	RMS	5150	-60.63	-13	Pass	3501
6500	26500	1	RMS	25284	-43.28	-13	Pass	20001




**26.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:515000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.53	-13	Pass	401
0.15	30	0.01	RMS	0.21	-56.2	-13	Pass	2986
30	1000	0.1	RMS	898.6	-59.13	-13	Pass	9701
1000	2560	1	RMS	2559	-46.76	-13	Pass	1561
2560	2630	1	RMS	2570.85	20.58	60	Pass	401
2630	3000	1	RMS	2675.325	-47.07	-13	Pass	401
3000	6500	1	RMS	5142	-53.26	-13	Pass	3501
6500	26500	1	RMS	26422	-42.99	-13	Pass	20001




26.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.76	-13	Pass	2986
30	1000	0.1	RMS	966.2	-59.4	-13	Pass	9701
1000	2560	1	RMS	2560	-46.83	-13	Pass	1561
2560	2630	1	RMS	2579.075	20.59	60	Pass	401
2630	3000	1	RMS	2687.35	-46.95	-13	Pass	401
3000	6500	1	RMS	5158	-53.08	-13	Pass	3501
6500	26500	1	RMS	25741	-42.93	-13	Pass	20001




**26.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-53.35	-13	Pass	2986
30	1000	0.1	RMS	876.5	-59.08	-13	Pass	9701
1000	2560	1	RMS	2550	-46.99	-13	Pass	1561
2560	2630	1	RMS	2594.3	11.64	60	Pass	401
2630	3000	1	RMS	2677.175	-46.94	-13	Pass	401
3000	6500	1	RMS	5190	-60.65	-13	Pass	3501
6500	26500	1	RMS	25734	-43.37	-13	Pass	20001




**26.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.29	-13	Pass	2986
30	1000	0.1	RMS	978.8	-59.12	-13	Pass	9701
1000	2560	1	RMS	2542	-47.09	-13	Pass	1561
2560	2630	1	RMS	2590.8	20.65	60	Pass	401
2630	3000	1	RMS	2691.05	-47.05	-13	Pass	401
3000	6500	1	RMS	5182	-53.21	-13	Pass	3501
6500	26500	1	RMS	25357	-43.29	-13	Pass	20001




**26.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.57	-13	Pass	401
0.15	30	0.01	RMS	13.56	-42.76	-13	Pass	2986
30	1000	0.1	RMS	970.7	-58.78	-13	Pass	9701
1000	2560	1	RMS	2552	-47.02	-13	Pass	1561
2560	2630	1	RMS	2599.2	20.57	60	Pass	401
2630	3000	1	RMS	2681.8	-46.97	-13	Pass	401
3000	6500	1	RMS	5198	-53.71	-13	Pass	3501
6500	26500	1	RMS	26433	-43.3	-13	Pass	20001




**26.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:523000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.38	-13	Pass	2986
30	1000	0.1	RMS	878.1	-59.44	-13	Pass	9701
1000	2560	1	RMS	2533	-47.18	-13	Pass	1561
2560	2630	1	RMS	2612.85	11.46	60	Pass	401
2630	3000	1	RMS	2630	-39.77	-13	Pass	401
3000	6500	1	RMS	5230	-61.18	-13	Pass	3501
6500	26500	1	RMS	26443	-43.08	-13	Pass	20001




**26.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:523000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.12	-13	Pass	2986
30	1000	0.1	RMS	925	-59.38	-13	Pass	9701
1000	2560	1	RMS	2549	-46.95	-13	Pass	1561
2560	2630	1	RMS	2610.75	20.61	60	Pass	401
2630	3000	1	RMS	2679.025	-47.03	-13	Pass	401
3000	6500	1	RMS	5222	-55.17	-13	Pass	3501
6500	26500	1	RMS	25722	-43.41	-13	Pass	20001




**26.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:523000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.38	-13	Pass	2986
30	1000	0.1	RMS	908.2	-59.51	-13	Pass	9701
1000	2560	1	RMS	2539	-46.98	-13	Pass	1561
2560	2630	1	RMS	2619.15	20.47	60	Pass	401
2630	3000	1	RMS	2676.25	-47.03	-13	Pass	401
3000	6500	1	RMS	5238	-54.71	-13	Pass	3501
6500	26500	1	RMS	26424	-43.4	-13	Pass	20001




**26.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.58	-13	Pass	401
0.15	30	0.01	RMS	0.17	-52.49	-13	Pass	2986
30	1000	0.1	RMS	956.1	-59.19	-13	Pass	9701
1000	2560	1	RMS	2560	-34.45	-13	Pass	1561
2560	2630	1	RMS	2579.6	8.39	60	Pass	401
2630	3000	1	RMS	2677.175	-47.01	-13	Pass	401
3000	6500	1	RMS	5160	-62.54	-13	Pass	3501
6500	26500	1	RMS	26431	-43.22	-13	Pass	20001




**26.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.11	-13	Pass	2986
30	1000	0.1	RMS	944.8	-59.43	-13	Pass	9701
1000	2560	1	RMS	2560	-46.13	-13	Pass	1561
2560	2630	1	RMS	2571.025	20.43	60	Pass	401
2630	3000	1	RMS	2681.8	-47	-13	Pass	401
3000	6500	1	RMS	5142	-52.42	-13	Pass	3501
6500	26500	1	RMS	26439	-43.09	-13	Pass	20001




**26.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.38	-13	Pass	2986
30	1000	0.1	RMS	962.8	-59.09	-13	Pass	9701
1000	2560	1	RMS	2560	-40.77	-13	Pass	1561
2560	2630	1	RMS	2589.05	20.61	60	Pass	401
2630	3000	1	RMS	2690.125	-47.04	-13	Pass	401
3000	6500	1	RMS	5178	-52.39	-13	Pass	3501
6500	26500	1	RMS	26423	-43.22	-13	Pass	20001




**26.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.05	-13	Pass	2986
30	1000	0.1	RMS	931.8	-59.1	-13	Pass	9701
1000	2560	1	RMS	2560	-43.86	-13	Pass	1561
2560	2630	1	RMS	2593.075	8.63	60	Pass	401
2630	3000	1	RMS	2630	-42.57	-13	Pass	401
3000	6500	1	RMS	5191	-62.5	-13	Pass	3501
6500	26500	1	RMS	26417	-43.19	-13	Pass	20001




**26.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.48	-13	Pass	2986
30	1000	0.1	RMS	798.2	-59.13	-13	Pass	9701
1000	2560	1	RMS	2556	-46.99	-13	Pass	1561
2560	2630	1	RMS	2585.9	20.57	60	Pass	401
2630	3000	1	RMS	2679.95	-46.91	-13	Pass	401
3000	6500	1	RMS	5172	-52.41	-13	Pass	3501
6500	26500	1	RMS	26421	-43.4	-13	Pass	20001




**26.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.93	-13	Pass	2986
30	1000	0.1	RMS	942.2	-59.03	-13	Pass	9701
1000	2560	1	RMS	2557	-47.09	-13	Pass	1561
2560	2630	1	RMS	2603.925	20.58	60	Pass	401
2630	3000	1	RMS	2675.325	-47.05	-13	Pass	401
3000	6500	1	RMS	5208	-54.07	-13	Pass	3501
6500	26500	1	RMS	26405	-43.18	-13	Pass	20001




**62.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.88	-13	Pass	2986
30	1000	0.1	RMS	977.2	-59.5	-13	Pass	9701
1000	2560	1	RMS	2559	-46.81	-13	Pass	1561
2560	2630	1	RMS	2608.125	8.51	60	Pass	401
2630	3000	1	RMS	2630	-32.88	-13	Pass	401
3000	6500	1	RMS	5220	-63.01	-13	Pass	3501
6500	26500	1	RMS	26414	-43.17	-13	Pass	20001




**26.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.99	-13	Pass	2986
30	1000	0.1	RMS	984.4	-58.85	-13	Pass	9701
1000	2560	1	RMS	2536	-47.03	-13	Pass	1561
2560	2630	1	RMS	2600.95	20.58	60	Pass	401
2630	3000	1	RMS	2630	-40.83	-13	Pass	401
3000	6500	1	RMS	5202	-53.51	-13	Pass	3501
6500	26500	1	RMS	25766	-43.06	-13	Pass	20001




**26.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.53	-13	Pass	2986
30	1000	0.1	RMS	978.5	-58.83	-13	Pass	9701
1000	2560	1	RMS	2553	-46.96	-13	Pass	1561
2560	2630	1	RMS	2618.975	20.47	60	Pass	401
2630	3000	1	RMS	2630	-46.45	-13	Pass	401
3000	6500	1	RMS	5238	-54.52	-13	Pass	3501
6500	26500	1	RMS	26432	-42.76	-13	Pass	20001




**26.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.34	-70.26	-13	Pass	2986
30	1000	0.1	RMS	906.238	-61.16	-13	Pass	9701
1000	2560	1	RMS	2560	-32.05	-13	Pass	1561
2560	2630	1	RMS	2588.35	5.57	60	Pass	401
2630	3000	1	RMS	2630	-34.12	-13	Pass	401
3000	6500	1	RMS	5175	-60.09	-13	Pass	3501
6500	26500	1	RMS	25201	-45.11	-13	Pass	20003




**26.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.04	-13	Pass	2986
30	1000	0.1	RMS	814.3	-58.93	-13	Pass	9701
1000	2560	1	RMS	2552	-44.52	-13	Pass	1561
2560	2630	1	RMS	2571.025	20.5	60	Pass	401
2630	3000	1	RMS	2630	-42.66	-13	Pass	401
3000	6500	1	RMS	5142	-52.47	-13	Pass	3501
6500	26500	1	RMS	26429	-43.37	-13	Pass	20001




**26.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.27	-13	Pass	2986
30	1000	0.1	RMS	997.9	-59.59	-13	Pass	9701
1000	2560	1	RMS	2550	-41.71	-13	Pass	1561
2560	2630	1	RMS	2608.825	20.67	60	Pass	401
2630	3000	1	RMS	2630.925	-46.93	-13	Pass	401
3000	6500	1	RMS	5218	-55.18	-13	Pass	3501
6500	26500	1	RMS	26427	-43.28	-13	Pass	20001




**26.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-51.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.78	-13	Pass	2986
30	1000	0.1	RMS	948.5	-59.5	-13	Pass	9701
1000	2560	1	RMS	2560	-33.77	-13	Pass	1561
2560	2630	1	RMS	2593.6	5.49	60	Pass	401
2630	3000	1	RMS	2630	-33.15	-13	Pass	401
3000	6500	1	RMS	6238	-64.17	-13	Pass	3501
6500	26500	1	RMS	25736	-43.06	-13	Pass	20001




**26.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.38	-13	Pass	2986
30	1000	0.1	RMS	995.3	-58.96	-13	Pass	9701
1000	2560	1	RMS	2557	-44.75	-13	Pass	1561
2560	2630	1	RMS	2576.1	20.46	60	Pass	401
2630	3000	1	RMS	2634.625	-41.75	-13	Pass	401
3000	6500	1	RMS	5152	-53.25	-13	Pass	3501
6500	26500	1	RMS	25312	-42.96	-13	Pass	20001




**26.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.74	-13	Pass	2986
30	1000	0.1	RMS	967.4	-59.22	-13	Pass	9701
1000	2560	1	RMS	2555	-41.56	-13	Pass	1561
2560	2630	1	RMS	2613.9	20.55	60	Pass	401
2630	3000	1	RMS	2632.775	-44.63	-13	Pass	401
3000	6500	1	RMS	5228	-55.23	-13	Pass	3501
6500	26500	1	RMS	25243	-43.4	-13	Pass	20001




**26.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:520000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.16	-13	Pass	401
0.15	30	0.01	RMS	0.17	-53.42	-13	Pass	2986
30	1000	0.1	RMS	918.9	-58.98	-13	Pass	9701
1000	2560	1	RMS	2560	-35.34	-13	Pass	1561
2560	2630	1	RMS	2598.5	5.46	60	Pass	401
2630	3000	1	RMS	2630	-32.04	-13	Pass	401
3000	6500	1	RMS	6225	-64.15	-13	Pass	3501
6500	26500	1	RMS	26420	-43.05	-13	Pass	20001




**26.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:520000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.17	-13	Pass	2986
30	1000	0.1	RMS	983.4	-58.86	-13	Pass	9701
1000	2560	1	RMS	2542	-46.54	-13	Pass	1561
2560	2630	1	RMS	2581	20.52	60	Pass	401
2630	3000	1	RMS	2639.25	-42.62	-13	Pass	401
3000	6500	1	RMS	5162	-53.19	-13	Pass	3501
6500	26500	1	RMS	26460	-43.29	-13	Pass	20001



**26.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.13	-13	Pass	2986
30	1000	0.1	RMS	997.6	-59.15	-13	Pass	9701
1000	2560	1	RMS	2560	-41.64	-13	Pass	1561
2560	2630	1	RMS	2618.8	20.45	60	Pass	401
2630	3000	1	RMS	2637.4	-45.21	-13	Pass	401
3000	6500	1	RMS	5238	-55.11	-13	Pass	3501
6500	26500	1	RMS	26426	-43.27	-13	Pass	20001



27. n41


**27.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.99	-13	Pass	2986
30	1000	0.1	RMS	832.6	-59.38	-13	Pass	9701
1000	2486	1	RMS	2486	-40.39	-13	Pass	1487
2486	2700	1	RMS	2503.12	11.59	60	Pass	401
2700	3000	1	RMS	2700.75	-47.23	-13	Pass	401
3000	6500	1	RMS	5002	-55.24	-13	Pass	3501
6500	26500	1	RMS	26434	-42.95	-13	Pass	20001




**27.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.43	-13	Pass	2986
30	1000	0.1	RMS	984.7	-59.31	-13	Pass	9701
1000	2486	1	RMS	2486	-47.37	-13	Pass	1487
2486	2700	1	RMS	2496.7	20.16	60	Pass	401
2700	3000	1	RMS	2706	-47.2	-13	Pass	401
3000	6500	1	RMS	4994	-46.67	-13	Pass	3501
6500	26500	1	RMS	26434	-43.01	-13	Pass	20001




**27.3. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:500202, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.95	-13	Pass	2986
30	1000	0.1	RMS	900.3	-59.54	-13	Pass	9701
1000	2486	1	RMS	2486	-47.23	-13	Pass	1487
2486	2700	1	RMS	2505.26	19.98	60	Pass	401
2700	3000	1	RMS	2700	-47.25	-13	Pass	401
3000	6500	1	RMS	5010	-48.15	-13	Pass	3501
6500	26500	1	RMS	26419	-43.15	-13	Pass	20001




**27.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.71	-13	Pass	2986
30	1000	0.1	RMS	960.7	-58.91	-13	Pass	9701
1000	2486	1	RMS	2434	-47.91	-13	Pass	1487
2486	2700	1	RMS	2594.605	11.73	60	Pass	401
2700	3000	1	RMS	2700.75	-47.18	-13	Pass	401
3000	6500	1	RMS	5186	-60.62	-13	Pass	3501
6500	26500	1	RMS	26413	-43.1	-13	Pass	20001




**27.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.72	-13	Pass	2986
30	1000	0.1	RMS	933.9	-59.25	-13	Pass	9701
1000	2486	1	RMS	2484	-47.75	-13	Pass	1487
2486	2700	1	RMS	2588.72	20.42	60	Pass	401
2700	3000	1	RMS	2703	-47.24	-13	Pass	401
3000	6500	1	RMS	5178	-53.57	-13	Pass	3501
6500	26500	1	RMS	26418	-43	-13	Pass	20001




**27.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.16	-13	Pass	2986
30	1000	0.1	RMS	805.7	-59.38	-13	Pass	9701
1000	2486	1	RMS	2481	-47.85	-13	Pass	1487
2486	2700	1	RMS	2597.28	20.13	60	Pass	401
2700	3000	1	RMS	2700.75	-47.21	-13	Pass	401
3000	6500	1	RMS	5194	-53.59	-13	Pass	3501
6500	26500	1	RMS	25300	-42.87	-13	Pass	20001




**27.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:537000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-50.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.2	-13	Pass	2986
30	1000	0.1	RMS	929	-59.28	-13	Pass	9701
1000	2486	1	RMS	2485	-47.79	-13	Pass	1487
2486	2700	1	RMS	2684.485	11.4	60	Pass	401
2700	3000	1	RMS	2700	-39.49	-13	Pass	401
3000	6500	1	RMS	5369	-63.05	-13	Pass	3501
6500	26500	1	RMS	26436	-42.96	-13	Pass	20001



**27.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:537000, Bandwidth:10, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.36	-13	Pass	2986
30	1000	0.1	RMS	920.1	-59.3	-13	Pass	9701
1000	2486	1	RMS	2480	-47.84	-13	Pass	1487
2486	2700	1	RMS	2680.74	20.22	60	Pass	401
2700	3000	1	RMS	2700	-46.9	-13	Pass	401
3000	6500	1	RMS	5362	-56.69	-13	Pass	3501
6500	26500	1	RMS	26428	-42.71	-13	Pass	20001



27.9. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.08	-13	Pass	2986
30	1000	0.1	RMS	874.517	-61.64	-13	Pass	9701
1000	2486	1	RMS	2485	-50.29	-13	Pass	1487
2486	2700	1	RMS	2689.3	19.82	60	Pass	401
2700	3000	1	RMS	2867.25	-48.53	-13	Pass	401
3000	6500	1	RMS	5378	-54.34	-13	Pass	3501
6500	26500	1	RMS	25437	-45.27	-13	Pass	20003




**27.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.19	-13	Pass	2986
30	1000	0.1	RMS	880.7	-59.3	-13	Pass	9701
1000	2486	1	RMS	2486	-35.09	-13	Pass	1487
2486	2700	1	RMS	2529.335	3.53	60	Pass	401
2700	3000	1	RMS	2700	-47.12	-13	Pass	401
3000	6500	1	RMS	5049	-62.66	-13	Pass	3501
6500	26500	1	RMS	26434	-43.27	-13	Pass	20001




**27.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.38	-13	Pass	2986
30	1000	0.1	RMS	808.7	-59.16	-13	Pass	9701
1000	2486	1	RMS	2479	-44.07	-13	Pass	1487
2486	2700	1	RMS	2497.235	19.73	60	Pass	401
2700	3000	1	RMS	2701.5	-47.19	-13	Pass	401
3000	6500	1	RMS	4994	-45.97	-13	Pass	3501
6500	26500	1	RMS	25746	-42.92	-13	Pass	20001




**27.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-53.08	-13	Pass	2986
30	1000	0.1	RMS	887.7	-59.16	-13	Pass	9701
1000	2486	1	RMS	2486	-44.85	-13	Pass	1487
2486	2700	1	RMS	2555.015	20.17	60	Pass	401
2700	3000	1	RMS	2705.25	-47.27	-13	Pass	401
3000	6500	1	RMS	5110	-50.34	-13	Pass	3501
6500	26500	1	RMS	26418	-43.3	-13	Pass	20001




**27.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.84	-13	Pass	401
0.15	30	0.01	RMS	0.17	-54.05	-13	Pass	2986
30	1000	0.1	RMS	980.4	-58.79	-13	Pass	9701
1000	2486	1	RMS	2486	-46.45	-13	Pass	1487
2486	2700	1	RMS	2586.58	3.46	60	Pass	401
2700	3000	1	RMS	2700.75	-45.02	-13	Pass	401
3000	6500	1	RMS	6215	-64.04	-13	Pass	3501
6500	26500	1	RMS	25724	-43.32	-13	Pass	20001




**27.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.44	-13	Pass	2986
30	1000	0.1	RMS	862.5	-58.81	-13	Pass	9701
1000	2486	1	RMS	2483	-47.48	-13	Pass	1487
2486	2700	1	RMS	2564.11	19.95	60	Pass	401
2700	3000	1	RMS	2700.75	-47.13	-13	Pass	401
3000	6500	1	RMS	5128	-51.39	-13	Pass	3501
6500	26500	1	RMS	26431	-43.12	-13	Pass	20001




**27.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.76	-13	Pass	2986
30	1000	0.1	RMS	995.3	-59.32	-13	Pass	9701
1000	2486	1	RMS	2481	-47.84	-13	Pass	1487
2486	2700	1	RMS	2621.89	20.14	60	Pass	401
2700	3000	1	RMS	2702.25	-47.11	-13	Pass	401
3000	6500	1	RMS	5244	-54.73	-13	Pass	3501
6500	26500	1	RMS	26424	-43.34	-13	Pass	20001




**27.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:531996, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.95	-13	Pass	2986
30	1000	0.1	RMS	748.5	-59.16	-13	Pass	9701
1000	2486	1	RMS	2486	-47.8	-13	Pass	1487
2486	2700	1	RMS	2632.59	3.91	60	Pass	401
2700	3000	1	RMS	2700	-34.38	-13	Pass	401
3000	6500	1	RMS	6228	-64.21	-13	Pass	3501
6500	26500	1	RMS	25783	-43.47	-13	Pass	20001




**27.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:531996, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.19	-13	Pass	2986
30	1000	0.1	RMS	795.6	-59.42	-13	Pass	9701
1000	2486	1	RMS	2482	-47.84	-13	Pass	1487
2486	2700	1	RMS	2630.985	19.98	60	Pass	401
2700	3000	1	RMS	2700.75	-44.7	-13	Pass	401
3000	6500	1	RMS	5262	-55.15	-13	Pass	3501
6500	26500	1	RMS	25253	-43.08	-13	Pass	20001




**27.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.04	-13	Pass	2986
30	1000	0.1	RMS	973.2	-59.32	-13	Pass	9701
1000	2486	1	RMS	2484	-47.87	-13	Pass	1487
2486	2700	1	RMS	2688.765	19.95	60	Pass	401
2700	3000	1	RMS	2713.5	-41.47	-13	Pass	401
3000	6500	1	RMS	5378	-56.38	-13	Pass	3501
6500	26500	1	RMS	26419	-42.97	-13	Pass	20001




**27.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.34	-13	Pass	2986
30	1000	0.1	RMS	923	-58.97	-13	Pass	9701
1000	2486	1	RMS	2486	-36.77	-13	Pass	1487
2486	2700	1	RMS	2590.325	1.04	60	Pass	401
2700	3000	1	RMS	2700	-43.48	-13	Pass	401
3000	6500	1	RMS	6279	-64.02	-13	Pass	3501
6500	26500	1	RMS	25749	-42.99	-13	Pass	20001




**27.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.6	-13	Pass	2986
30	1000	0.1	RMS	943.8	-59.5	-13	Pass	9701
1000	2486	1	RMS	2485	-46.93	-13	Pass	1487
2486	2700	1	RMS	2497.235	19.87	60	Pass	401
2700	3000	1	RMS	2702.25	-47.22	-13	Pass	401
3000	6500	1	RMS	4994	-46.34	-13	Pass	3501
6500	26500	1	RMS	26412	-42.92	-13	Pass	20001




**27.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.1	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.61	-13	Pass	2986
30	1000	0.1	RMS	911.8	-58.82	-13	Pass	9701
1000	2486	1	RMS	2478	-44.88	-13	Pass	1487
2486	2700	1	RMS	2595.14	20.15	60	Pass	401
2700	3000	1	RMS	2703	-47.21	-13	Pass	401
3000	6500	1	RMS	5190	-53.31	-13	Pass	3501
6500	26500	1	RMS	26421	-43.27	-13	Pass	20001




**27.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.77	-13	Pass	2986
30	1000	0.1	RMS	774.1	-58.71	-13	Pass	9701
1000	2486	1	RMS	2486	-40.19	-13	Pass	1487
2486	2700	1	RMS	2582.3	1.26	60	Pass	401
2700	3000	1	RMS	2700	-38.71	-13	Pass	401
3000	6500	1	RMS	6241	-64.3	-13	Pass	3501
6500	26500	1	RMS	25243	-43.41	-13	Pass	20001




**27.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.5	-13	Pass	2986
30	1000	0.1	RMS	979.7	-59.05	-13	Pass	9701
1000	2486	1	RMS	2486	-47.54	-13	Pass	1487
2486	2700	1	RMS	2543.78	19.7	60	Pass	401
2700	3000	1	RMS	2700	-45.14	-13	Pass	401
3000	6500	1	RMS	5088	-50.84	-13	Pass	3501
6500	26500	1	RMS	26425	-42.92	-13	Pass	20001




**27.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.38	-13	Pass	2986
30	1000	0.1	RMS	918.8	-59.35	-13	Pass	9701
1000	2486	1	RMS	2486	-44.92	-13	Pass	1487
2486	2700	1	RMS	2641.685	19.55	60	Pass	401
2700	3000	1	RMS	2700	-47.15	-13	Pass	401
3000	6500	1	RMS	5284	-55.18	-13	Pass	3501
6500	26500	1	RMS	26421	-42.63	-13	Pass	20001




**27.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.25	-13	Pass	2986
30	1000	0.1	RMS	954.3	-59.02	-13	Pass	9701
1000	2486	1	RMS	2486	-44.83	-13	Pass	1487
2486	2700	1	RMS	2607.98	1.66	60	Pass	401
2700	3000	1	RMS	2700	-35.74	-13	Pass	401
3000	6500	1	RMS	6243	-64.03	-13	Pass	3501
6500	26500	1	RMS	26421	-43.36	-13	Pass	20001




**27.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-51.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.86	-13	Pass	2986
30	1000	0.1	RMS	984.1	-59.55	-13	Pass	9701
1000	2486	1	RMS	2461	-47.85	-13	Pass	1487
2486	2700	1	RMS	2590.86	20.19	60	Pass	401
2700	3000	1	RMS	2707.5	-44.13	-13	Pass	401
3000	6500	1	RMS	5182	-52.75	-13	Pass	3501
6500	26500	1	RMS	26424	-43.15	-13	Pass	20001



**27.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.88	-13	Pass	2986
30	1000	0.1	RMS	953.5	-59.45	-13	Pass	9701
1000	2486	1	RMS	2470	-47.8	-13	Pass	1487
2486	2700	1	RMS	2688.765	19.98	60	Pass	401
2700	3000	1	RMS	2700.75	-46.18	-13	Pass	401
3000	6500	1	RMS	5378	-56.34	-13	Pass	3501
6500	26500	1	RMS	25327	-43.27	-13	Pass	20001



--BLANK BELOW--