

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 1 of 532

TEST REPORT

Application No.: FYCR2204000074AT

Applicant: Wyze Labs, Inc.

Address of Applicant: 5808 Lake Washington Blvd NE Ste 300, Kirkland, Washington 98033,

United States

Manufacturer: Wyze Labs, Inc.

Address of Manufacturer: 5808 Lake Washington Blvd NE Ste 300, Kirkland, Washington 98033,

United States

Equipment Under Test (EUT):

EUT Name: Wyze Cam Floodlight Pro **Model No.:** WYZECFLP, WYZECFLPBL

Please refer to section 2 of this report which indicates which model was

actually tested and which were electrically identical.

Trade Mark: WYZE

FCC ID: 2AUIUWYZECFLP

Standard(s): 47 CFR Part 15, Subpart E 15.407

Date of Receipt: 2022-04-14

Date of Test: 2022-04-29 to 2022-05-12

Date of Issue: 2022-05-17

Test Result: Pass*

Winkey Wang
Winkey Wang
EMC Technical Manager



Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

^{*} In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 2 of 532

| | Revision Record | | | | |
|---------|-----------------|------------|----------|----------|--|
| Version | Chapter | Date | Modifier | Remark | |
| 01 | | 2022-05-17 | | Original | |
| | | | | | |
| | | | | | |

| Authorized for issue by: | | |
|--------------------------|----------------------------|---|
| | (ree 2han | |
| | Tree Zhan/Project Engineer | _ |
| | WinkeyWang | |
| | Winkey Wang/Reviewer | _ |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 3 of 532

2 Test Summary

| Radio Spectrum Technical Requirement | | | | | |
|--------------------------------------|------------------|--------|---|--------|--|
| Item | Standard | Method | Requirement | Result | |
| Antenna Requirement | 47 CFR Part 15, | N/A | 47 CFR Part 15, Subpart C 15.203 | Pass | |
| Transmission in the Absence of Data | Subpart E 15.407 | N/A | 47 CFR Part 15, Subpart C 15.407 (c) | Pass | |

| Radio Spectrum Matter Part | | | | | |
|---|------------------|-----------------------------------|---|--------|--|
| Item | Standard | Method | Requirement | Result | |
| Conducted Emissions at AC Power Line (150kHz-30MHz) | | ANSI C63.10 (2013) Section 6.2 | 47 CFR Part 15, Subpart C 15.207 & 15.407 b(6) | Pass | |
| Duty Cycle | | KDB 789033 II B 1 | KDB 789033 D02 II B 1 | Pass | |
| 99% Bandwidth | | KDB 789033 II D | N/A | Pass | |
| 26dB Emission bandwidth | | KDB 789033 D02 II C 1 | 47 CFR Part 15, Subpart C 15.407 (a) | Pass | |
| Minimum 6 dB bandwidth (5.725- 5.85 GHz band) | | KDB 789033 D02 II C 2 | 47 CFR Part 15, Subpart C 15.407 (e) | Pass | |
| Maximum Conducted output power | | KDB 789033 D02 II E | 47 CFR Part 15, Subpart C 15.407 (a) | Pass | |
| Peak Power spectrum density | 47 CFR Part 15, | KDB 789033 D02 II F | 47 CFR Part 15, Subpart C 15.407 (a) | Pass | |
| Radiated Emissions (Above 1GHz) | Subpart E 15.407 | KDB 789033 D02 II G | 47 CFR Part 15, Subpart C 15.209 & 15.407(b) | Pass | |
| Radiated Emissions which fall in the restricted bands | | KDB 789033 D02 II G | 47 CFR Part 15, Subpart C 15.209 & 15.407(b) | Pass | |
| Frequency Stability | | ANSI C63.10 (2013) Section 6.8 | 47 CFR Part 15, Subpart C 15.407 (g) | Pass | |
| Non-occupancy period | | KDB 905462 D02 Section 7.8.3 | KDB 905462 D02 Section 5.1 | Pass | |
| Channel Move Time | | KDB 905462 D02 Section 7.8.3 | KDB 905462 D02 Section 5.1 | Pass | |
| Channel Closing Transmission Time | | KDB 905462 D02 Section 7.8.3 | KDB 905462 D02 Section 5.1 | Pass | |
| Radiated Emissions (Below 1GHz) | | KDB 789033 D02 II G | 47 CFR Part 15, Subpart C 15.209 & 15.407(b) | Pass | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 4 of 532

Declaration of EUT Family Grouping:

Model No.: WYZECFLP, WYZECFLPBL

Only the model WYZECFLP was tested, since according to the declaration from the applicant, the electrical circuit design, PCB layout, components used, internal wiring and functions were identical for all the above models, with only difference on model No. and enclosure color.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 5 of 532

3 Contents

| | | Page |
|---|---|------|
| 1 | COVER PAGE | 1 |
| 1 | COVER PAGE | 1 |
| 2 | TEST SUMMARY | |
| | | |
| 3 | CONTENTS | 5 |
| 4 | GENERAL INFORMATION | ε |
| | 4.1 DETAILS OF E.U.T. | 8 |
| | 4.2 DESCRIPTION OF SUPPORT UNITS | 8 |
| | 4.3 MEASUREMENT UNCERTAINTY | |
| | 4.4 4Test Location | |
| | 4.5 Test Facility | |
| | 4.6 DEVIATION FROM STANDARDS | |
| | 4.7 4.7 ABNORMALITIES FROM STANDARD CONDITIONS | |
| 5 | | |
| • | | |
| 6 | RADIO SPECTRUM TECHNICAL REQUIREMENT | 20 |
| | 6.1 Antenna Requirement | 20 |
| | 6.1.1 Test Requirement: | 20 |
| | 6.1.2 Conclusion | 20 |
| | 6.2 Transmission in the Absence of Data | 21 |
| | 6.2.1 Test Requirement: | 21 |
| | 6.2.2 Conclusion | 21 |
| 7 | RADIO SPECTRUM MATTER TEST RESULTS | 22 |
| | 7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150kHz-30MHz) | 22 |
| | 7.1.1 E.U.T. Operation | |
| | 7.1.2 Test Mode Description | |
| | 7.1.3 Test Setup Diagram | |
| | 7.1.4 Measurement Procedure and Data | |
| | 7.2 Duty Cycle | |
| | 7.2.1 E.U.T. Operation | |
| | 7.2.2 Test Mode Description | |
| | 7.2.3 Test Setup Diagram | |
| | 7.2.4 Measurement Procedure and Data | |
| | 7.3 99% BANDWIDTH | |
| | 7.3.1 E.U.T. Operation | |
| | 7.3.2 Test Mode Description | |
| | 7.3.3 Test Setup Diagram | |
| | 7.3.4 Measurement Procedure and Data | |
| | 7.4 26DB EMISSION BANDWIDTH | |
| | 7.4.1 E.U.T. Operation | |
| | r.+.: ∟.∪.r.∪pgrau∪r | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or examile CPU Descheck-Reguence.

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdishict, Bar'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

| Report No.: | FY | CR220 | 40000 | 07403 |
|-------------|----|-------|-------|-------|
|-------------|----|-------|-------|-------|

Page: 6 of 532

| 7.4.2 | Test Mode Description | |
|--------|---|-----|
| 7.4.3 | Test Setup Diagram | |
| 7.4.4 | Measurement Procedure and Data | 32 |
| 7.5 N | MINIMUM 6 dB BANDWIDTH (5.725-5.85 GHz BAND) | 33 |
| 7.5.1 | E.U.T. Operation | 33 |
| 7.5.2 | Test Mode Description | 33 |
| 7.5.3 | Test Setup Diagram | 33 |
| 7.5.4 | Measurement Procedure and Data | 34 |
| 7.6 N | MAXIMUM CONDUCTED OUTPUT POWER | 35 |
| 7.6.1 | E.U.T. Operation | 35 |
| 7.6.2 | Test Mode Description | 35 |
| 7.6.3 | Test Setup Diagram | 36 |
| 7.6.4 | Measurement Procedure and Data | 36 |
| 7.7 F | PEAK POWER SPECTRUM DENSITY | 37 |
| 7.7.1 | E.U.T. Operation | 37 |
| 7.7.2 | Test Mode Description | 37 |
| 7.7.3 | Test Setup Diagram | 38 |
| 7.7.4 | Measurement Procedure and Data | 38 |
| 7.8 F | RADIATED EMISSIONS (ABOVE 1GHz) | 39 |
| 7.8.1 | E.U.T. Operation | 39 |
| 7.8.2 | Test Mode Description | 39 |
| 7.8.3 | Test Setup Diagram | 40 |
| 7.8.4 | Measurement Procedure and Data | 41 |
| 7.9 F | RADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS | 161 |
| 7.9.1 | E.U.T. Operation | 161 |
| 7.9.2 | Test Mode Description | 162 |
| 7.9.3 | Test Setup Diagram | 163 |
| 7.9.4 | Measurement Procedure and Data | 163 |
| 7.10 F | FREQUENCY STABILITY | 311 |
| 7.10.1 | E.U.T. Operation | 311 |
| 7.10.2 | P Test Mode Description | 311 |
| 7.10.3 | B Test Setup Diagram | 312 |
| 7.10.4 | Measurement Procedure and Data | 312 |
| 7.11 N | NON-OCCUPANCY PERIOD | 313 |
| 7.11.1 | E.U.T. Operation | 313 |
| 7.11.2 | ? Test Mode Description | 314 |
| 7.11.3 | | |
| 7.11.4 | Measurement Procedure and Data | 315 |
| 7.12 | CHANNEL MOVE TIME | 316 |
| 7.12.1 | E.U.T. Operation | 316 |
| 7.12.2 | ? Test Mode Description | 317 |
| 7.12.3 | | |
| 7.12.4 | Measurement Procedure and Data | 318 |
| 7.13 | CHANNEL CLOSING TRANSMISSION TIME | 319 |
| 7.13.1 | E.U.T. Operation | 319 |
| 7.13.2 | ? Test Mode Description | 320 |
| 7.13.3 | | |
| 7.13.4 | | |
| 7.14 F | RADIATED EMISSIONS (BELOW 1GHz) | 322 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or examile CDN Descheck-Reg.com

Fujong lab. Xiniong TechnoPark, Fenglang Road, Fujong Subdishird, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Page: 7 of 532

| | 7.14.1 | E.U.T. Operation | 322 |
|----|---------|-----------------------------------|-----|
| | | Test Mode Description | |
| | | Test Setup Diagram | |
| | | Measurement Procedure and Data | |
| 8 | TEST SE | ETUP PHOTO | 327 |
| 9 | EUT CO | NSTRUCTIONAL DETAILS (EUT PHOTOS) | 327 |
| 10 | APPENI | DIX | 328 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercibili CARD Deschedules com**



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 8 of 532

4 General Information

4.1 Details of E.U.T.

| Power Supply: | AC 120V 50/60Hz 0.61A |
|------------------------------|---|
| Cable(s): | AC Cable 181cm unshielded |
| Operation Frequency (20MHz): | U-NII-1: 5180-5240MHz; U-NII-2A: 5260-5320MHz; U-NII-2C: 5500- 5700MHz; U-NII-3: 5745-5825MHz |
| Operation Frequency (40MHz): | U-NII-1: 5190-5230MHz; U-NII-2A: 5270-5310MHz; U-NII-2C: 5510- 5670MHz; U-NII-3: 5755-5795MHz |
| Operation Frequency (80MHz): | U-NII-1: 5210MHz; U-NII-2A: 5290MHz; U-NII-2C: 5530-5610MHz; U-NII-3: 5775MHz |
| Modulation Type: | 802.11a: OFDM (64QAM, 16QAM, QPSK, BPSK); 802.11n: OFDM (BPSK, QPSK, 16QAM, 64QAM); 802.11ac: OFDM (BPSK, QPSK, 16QAM, 64QAM, 256QAM) |
| Channel Spacing: | 802.11a/n(HT20)/ac(HT20): 20MHz; 802.11n(HT40)/ac(HT40): 40MHz; 802.11ac(HT80): 80MHz |
| DFS Function: | Slave without Radar detection |
| TPC Function: | With TPC function |
| Antenna Type: | Integral Antenna |
| Antenna Gain: | Antenna 1: 3.12dBi, Antenna 2: 3.26dBi, Directional gain: 6.2dBi. |

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

| Description | Manufacturer | Model No. | Serial No. | |
|---|--------------|-----------|------------|--|
| | | | | |
| The EUT has been tested as an independent unit. | | | | |

4.3 Measurement Uncertainty

| Test Item | Measurement Uncertainty |
|---|--------------------------|
| Conducted Emissions at AC Power Line (150kHz-30MHz) | ± 2.1 dB (9kHz to 30MHz) |
| Duty Cycle | ± 0.3% |
| 99% Bandwidth | ± 0.3% |
| 26dB Emission bandwidth | ± 0.3% |
| Minimum 6 dB bandwidth (5.725-5.85 GHz band) | ± 0.3% |
| Maximum Conducted output power | ± 0.8dB |
| Peak Power spectrum density | ± 0.4dB |
| Radiated Emissions (Above 1GHz) | ± 4.4dB (Above 1GHz) |
| Radiated Emissions which fall in the restricted bands | ± 4.4dB (Above 1GHz) |
| Frequency Stability | ± 5.4 x 10-8 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or amalic CND Descheck@ess.com.

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrid, Badran, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 9 of 532

| Non-occupancy period | ± 0.8dB |
|-----------------------------------|----------------------|
| Channel Move Time | ± 0.8dB |
| Channel Closing Transmission Time | ± 0.8dB |
| Radiated Emissions (Below 1GHz) | ± 3.1dB (Below 1GHz) |

Remark:

The Ulab (lab Uncertainty) is less than Ucispr/ETSI (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 10 of 532

4.4 4Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark,Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China

Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC –Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

4.6 4.6 Deviation from Standards

None

4.7 4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Great documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 11 of 532

5 Equipment List

| Conducted Emissions at AC Power Line (150kHz-30MHz) | | | | | | |
|---|-----------------|---------------------|---------------|-----------|--------------|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | |
| Shielding Room | CRT | N/A | SEM001-14 | 2021/7/13 | 2024/7/12 | |
| EMI Test Receiver(9kHz-3GHz) | Rohde & Schwarz | ESCI | SEM004-01 | 2021/7/13 | 2022/7/12 | |
| Two-Line V- Network(9kHz-30MHz) | Rohde & Schwarz | ENV216 | SEM007-16 | 2021/7/13 | 2022/7/12 | |
| Two-Line V- Network(9kHz-30MHz) | Rohde & Schwarz | ESH3-Z5 | SEM007-22 | 2021/7/13 | 2022/7/12 | |
| Measurement Software | AUDIX | e3 V8.2014-6- 27 | N/A | N/A | N/A | |

| Duty Cycle | | | | | |
|---|------------------------------------|-------------------|---------------|-----------|--------------|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2021/7/13 | 2022/7/12 |
| MXA Signal Analyzer(10Hz- 26.5GHz) | Agilent | N9020A | SEM004-20 | 2021/7/13 | 2022/7/12 |
| Signal Generator(9kHz- 40GHz) | Agilent | N5173B | SEM006-05 | 2021/7/13 | 2022/7/12 |
| ESG Vector Signal Generator(250kHz- 6GHz) | Agilent | E4438C | SEM006-15 | 2021/7/13 | 2022/7/12 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2021/7/13 | 2022/7/12 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2021/7/13 | 2022/7/12 |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2021/7/13 | 2022/7/12 |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2021/7/13 | 2022/7/12 |
| Attenuator(18GHz, 20dB, 2W) | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2021/7/13 | 2022/7/12 |
| Measurement Software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A |

| 99% Bandwidth | | | | | |
|---|------------------------------------|-----------|---------------|-----------|--------------|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2021/7/13 | 2022/7/12 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.for electronic Document say <a href="http://www.sgs.com/en/Terms-and-Conditions/



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 12 of 532

| MXA Signal Analyzer(10Hz- 26.5GHz) | Agilent | N9020A | SEM004-20 | 2021/7/13 | 2022/7/12 |
|---|-----------------|-------------------|-----------|-----------|-----------|
| Signal Generator(9kHz- 40GHz) | Agilent | N5173B | SEM006-05 | 2021/7/13 | 2022/7/12 |
| ESG Vector Signal Generator(250kHz- 6GHz) | Agilent | E4438C | SEM006-15 | 2021/7/13 | 2022/7/12 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2021/7/13 | 2022/7/12 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2021/7/13 | 2022/7/12 |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2021/7/13 | 2022/7/12 |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2021/7/13 | 2022/7/12 |
| Attenuator(18GHz, 20dB, 2W) | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2021/7/13 | 2022/7/12 |
| Measurement Software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A |

| 26dB Emission bandwid | lth | | | | |
|---|------------------------------------|-------------------|---------------|-----------|--------------|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2021/7/13 | 2022/7/12 |
| MXA Signal Analyzer(10Hz- 26.5GHz) | Agilent | N9020A | SEM004-20 | 2021/7/13 | 2022/7/12 |
| Signal Generator(9kHz- 40GHz) | Agilent | N5173B | SEM006-05 | 2021/7/13 | 2022/7/12 |
| ESG Vector Signal Generator(250kHz- 6GHz) | Agilent | E4438C | SEM006-15 | 2021/7/13 | 2022/7/12 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2021/7/13 | 2022/7/12 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2021/7/13 | 2022/7/12 |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2021/7/13 | 2022/7/12 |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2021/7/13 | 2022/7/12 |
| Attenuator(18GHz, 20dB, 2W) | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2021/7/13 | 2022/7/12 |
| Measurement Software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

| Fuyong lab. Xirlong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 13 of 532

| Minimum 6 dB bandwidth (5.725-5.85 GHz band) | | | | | | |
|---|------------------------------------|-------------------|---------------|-----------|--------------|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2021/7/13 | 2022/7/12 | |
| MXA Signal Analyzer(10Hz- 26.5GHz) | Agilent | N9020A | SEM004-20 | 2021/7/13 | 2022/7/12 | |
| Signal Generator(9kHz- 40GHz) | Agilent | N5173B | SEM006-05 | 2021/7/13 | 2022/7/12 | |
| ESG Vector Signal Generator(250kHz- 6GHz) | Agilent | E4438C | SEM006-15 | 2021/7/13 | 2022/7/12 | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2021/7/13 | 2022/7/12 | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2021/7/13 | 2022/7/12 | |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2021/7/13 | 2022/7/12 | |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2021/7/13 | 2022/7/12 | |
| Attenuator(18GHz, 20dB, 2W) | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2021/7/13 | 2022/7/12 | |
| Measurement Software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A | |

| Maximum Conducted output power | | | | | | |
|---|------------------------------------|-------------------|---------------|-----------|--------------|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2021/7/13 | 2022/7/12 | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2021/7/13 | 2022/7/12 | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2021/7/13 | 2022/7/12 | |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2021/7/13 | 2022/7/12 | |
| Attenuator(18GHz, 20dB, 2W) | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2021/7/13 | 2022/7/12 | |

| Peak Power spectrum density | | | | | | | |
|---|------------------------------------|-----------|---------------|-----------|--------------|--|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | | |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2021/7/13 | 2022/7/12 | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 14 of 532

| MXA Signal Analyzer(10Hz- 26.5GHz) | Agilent | N9020A | SEM004-20 | 2021/7/13 | 2022/7/12 |
|---|-----------------|-------------------|-----------|-----------|-----------|
| Signal Generator(9kHz- 40GHz) | Agilent | N5173B | SEM006-05 | 2021/7/13 | 2022/7/12 |
| ESG Vector Signal Generator(250kHz- 6GHz) | Agilent | E4438C | SEM006-15 | 2021/7/13 | 2022/7/12 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2021/7/13 | 2022/7/12 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2021/7/13 | 2022/7/12 |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2021/7/13 | 2022/7/12 |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2021/7/13 | 2022/7/12 |
| Attenuator(18GHz, 20dB, 2W) | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2021/7/13 | 2022/7/12 |
| Measurement Software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A |

| Radiated Emissions (Above 1GHz) | | | | | | |
|---|-----------------|------------|---------------|------------|--------------|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | |
| 3m Anechoic Chamber | CRT | N/A | SEM001-13 | 2021/7/13 | 2024/7/12 | |
| Trilog-Broadband Antenna(25MHz-2GHz) | Schwarzbeck | VULB9168 | SEM003-33 | 2021/9/25 | 2024/9/24 | |
| Biconical Antenna(150MHz-1GHz) | Schwarzbeck | VUBA9117 | SEM003-35 | 2021/12/26 | 2024/12/25 | |
| Loop Antenna(9kHz- 30MHz) | ETS-LINDGREN | 6502 | SEM003-36 | 2021/9/26 | 2024/9/25 | |
| MXE EMI receiver(20Hz- 8.4GHz) | Agilent | N9038A | SEM004-05 | 2021/7/13 | 2022/7/12 | |
| Pre-amplifier (0.1- 1.3GHz) | HP | 8447D | SEM005-02 | 2021/7/13 | 2022/7/12 | |
| Broad-Band Horn Antenna (15-40GHz) | Schwarzbeck | BBHA 9170 | SEM003-15 | 2021/7/11 | 2024/7/10 | |
| Broad-Band Horn Antenna (1-18GHz) | Schwarzbeck | BBHA 9120D | SEM003-32 | 2021/9/26 | 2024/9/25 | |
| Double-ridged waveguide horn (1- 18GHz) | ETS-LINDGREN | 3117 | SEM003-34 | 2021/9/25 | 2024/9/24 | |
| Spectrum Analyzer(20Hz-43GHz) | Rohde & Schwarz | 101288 | SEM004-08 | 2021/7/13 | 2022/7/12 | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

Flyong lab. Kining TechnoPark, Fenglang Road, Flyong Subdishird, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 15 of 532

| Low Noise Amplifier(100MHz- 18GHz) | CLAVIIO | BDLNA-0118- 352810 | SEM005-05 | 2021/7/13 | 2022/7/12 |
|--|--|-----------------------|-----------|-----------|-----------|
| Pre-amplifier(26GHz- 40GHz) | Compliance Directions Systems Inc. | PAP-2640-50 | SEM005-08 | 2021/7/13 | 2022/7/12 |
| Pre-amplifier(18GHz- 26GHz) | Rohde & Schwarz | CH14-H052 | SEM005-17 | 2021/7/13 | 2022/7/12 |
| Measurement Software | AUDIX | e3 V8.2014-6- 27 | N/A | N/A | N/A |

| Radiated Emissions which fall in the restricted bands | | | | | |
|---|--|-----------------------|---------------|------------|--------------|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date |
| 3m Anechoic Chamber | CRT | N/A | SEM001-13 | 2021/7/13 | 2024/7/12 |
| Trilog-Broadband Antenna(25MHz-2GHz) | Schwarzbeck | VULB9168 | SEM003-33 | 2021/9/25 | 2024/9/24 |
| Biconical Antenna(150MHz-1GHz) | Schwarzbeck | VUBA9117 | SEM003-35 | 2021/12/26 | 2024/12/25 |
| Loop Antenna(9kHz- 30MHz) | ETS-LINDGREN | 6502 | SEM003-36 | 2021/9/26 | 2024/9/25 |
| MXE EMI receiver(20Hz- 8.4GHz) | Agilent | N9038A | SEM004-05 | 2021/7/13 | 2022/7/12 |
| Pre-amplifier (0.1- 1.3GHz) | HP | 8447D | SEM005-02 | 2021/7/13 | 2022/7/12 |
| Broad-Band Horn Antenna (15-40GHz) | Schwarzbeck | BBHA 9170 | SEM003-15 | 2021/7/11 | 2024/7/10 |
| Broad-Band Horn Antenna (1-18GHz) | Schwarzbeck | BBHA 9120D | SEM003-32 | 2021/9/26 | 2024/9/25 |
| Double-ridged waveguide horn (1- 18GHz) | ETS-LINDGREN | 3117 | SEM003-34 | 2021/9/25 | 2024/9/24 |
| Spectrum Analyzer(20Hz-43GHz) | Rohde & Schwarz | 101288 | SEM004-08 | 2021/7/13 | 2022/7/12 |
| Low Noise Amplifier(100MHz- 18GHz) | CLAVIIO | BDLNA-0118- 352810 | SEM005-05 | 2021/7/13 | 2022/7/12 |
| Pre-amplifier(26GHz- 40GHz) | Compliance Directions Systems Inc. | PAP-2640-50 | SEM005-08 | 2021/7/13 | 2022/7/12 |
| Pre-amplifier(18GHz- 26GHz) | Rohde & Schwarz | CH14-H052 | SEM005-17 | 2021/7/13 | 2022/7/12 |
| Measurement Software | AUDIX | e3 V8.2014-6- 27 | N/A | N/A | N/A |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

Flyong lab. Xniong TechnoPark, Fenglang Road, Flyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 16 of 532

| Frequency Stability | | | | | |
|---|------------------------------------|-------------------|---------------|-----------|--------------|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2021/7/13 | 2022/7/12 |
| MXA Signal Analyzer(10Hz- 26.5GHz) | Agilent | N9020A | SEM004-20 | 2021/7/13 | 2022/7/12 |
| Signal Generator(9kHz- 40GHz) | Agilent | N5173B | SEM006-05 | 2021/7/13 | 2022/7/12 |
| ESG Vector Signal Generator(250kHz- 6GHz) | Agilent | E4438C | SEM006-15 | 2021/7/13 | 2022/7/12 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2021/7/13 | 2022/7/12 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2021/7/13 | 2022/7/12 |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2021/7/13 | 2022/7/12 |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2021/7/13 | 2022/7/12 |
| Attenuator(18GHz, 20dB, 2W) | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2021/7/13 | 2022/7/12 |
| Measurement Software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A |

| Non-occupancy period | | | | | |
|---|------------------------------------|--------------|---------------|-----------|--------------|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2021/7/13 | 2022/7/12 |
| MXA Signal Analyzer(10Hz- 26.5GHz) | Agilent | N9020A | SEM004-20 | 2021/7/13 | 2022/7/12 |
| Signal Generator(9kHz- 40GHz) | Agilent | N5173B | SEM006-05 | 2021/7/13 | 2022/7/12 |
| ESG Vector Signal Generator(250kHz- 6GHz) | Agilent | E4438C | SEM006-15 | 2021/7/13 | 2022/7/12 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2021/7/13 | 2022/7/12 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2021/7/13 | 2022/7/12 |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2021/7/13 | 2022/7/12 |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2021/7/13 | 2022/7/12 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

Flyong lab. Kining TechnoPark, Fenglang Road, Flyong Subdishird, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 17 of 532

| Attenuator(18GHz, 20dB, 2W) | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2021/7/13 | 2022/7/12 |
|-----------------------------|--------------|-------------------|-----------|-----------|-----------|
| Measurement Software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A |

| Channel Move Time | | | | | |
|---|------------------------------------|-------------------|---------------|-----------|--------------|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2021/7/13 | 2022/7/12 |
| MXA Signal Analyzer(10Hz- 26.5GHz) | Agilent | N9020A | SEM004-20 | 2021/7/13 | 2022/7/12 |
| Signal Generator(9kHz- 40GHz) | Agilent | N5173B | SEM006-05 | 2021/7/13 | 2022/7/12 |
| ESG Vector Signal Generator(250kHz- 6GHz) | Agilent | E4438C | SEM006-15 | 2021/7/13 | 2022/7/12 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2021/7/13 | 2022/7/12 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2021/7/13 | 2022/7/12 |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2021/7/13 | 2022/7/12 |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2021/7/13 | 2022/7/12 |
| Attenuator(18GHz, 20dB, 2W) | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2021/7/13 | 2022/7/12 |
| Measurement Software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A |

| Channel Closing Transmission Time | | | | | |
|---|------------------------------------|-----------|---------------|-----------|--------------|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2021/7/13 | 2022/7/12 |
| MXA Signal Analyzer(10Hz- 26.5GHz) | Agilent | N9020A | SEM004-20 | 2021/7/13 | 2022/7/12 |
| Signal Generator(9kHz- 40GHz) | Agilent | N5173B | SEM006-05 | 2021/7/13 | 2022/7/12 |
| ESG Vector Signal Generator(250kHz- 6GHz) | Agilent | E4438C | SEM006-15 | 2021/7/13 | 2022/7/12 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2021/7/13 | 2022/7/12 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2021/7/13 | 2022/7/12 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdishict, Bar'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 18 of 532

| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2021/7/13 | 2022/7/12 |
|--|-----------------|-------------------|-----------|-----------|-----------|
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2021/7/13 | 2022/7/12 |
| Attenuator(18GHz, 20dB, 2W) | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2021/7/13 | 2022/7/12 |
| Measurement Software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A |

| Radiated Emissions (Below 1GHz) | | | | | |
|---|--|-----------------------|---------------|------------|--------------|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date |
| 3m Anechoic Chamber | CRT | N/A | SEM001-13 | 2021/7/13 | 2024/7/12 |
| Trilog-Broadband Antenna(25MHz-2GHz) | Schwarzbeck | VULB9168 | SEM003-33 | 2021/9/25 | 2024/9/24 |
| Biconical Antenna(150MHz-1GHz) | Schwarzbeck | VUBA9117 | SEM003-35 | 2021/12/26 | 2024/12/25 |
| Loop Antenna(9kHz- 30MHz) | ETS-LINDGREN | 6502 | SEM003-36 | 2021/9/26 | 2024/9/25 |
| MXE EMI receiver(20Hz- 8.4GHz) | Agilent | N9038A | SEM004-05 | 2021/7/13 | 2022/7/12 |
| Pre-amplifier (0.1- 1.3GHz) | HP | 8447D | SEM005-02 | 2021/7/13 | 2022/7/12 |
| Broad-Band Horn Antenna (15-40GHz) | Schwarzbeck | BBHA 9170 | SEM003-15 | 2021/7/11 | 2024/7/10 |
| Broad-Band Horn Antenna (1-18GHz) | Schwarzbeck | BBHA 9120D | SEM003-32 | 2021/9/26 | 2024/9/25 |
| Double-ridged waveguide horn (1- 18GHz) | ETS-LINDGREN | 3117 | SEM003-34 | 2021/9/25 | 2024/9/24 |
| Spectrum Analyzer(20Hz-43GHz) | Rohde & Schwarz | 101288 | SEM004-08 | 2021/7/13 | 2022/7/12 |
| Low Noise Amplifier(100MHz- 18GHz) | CLAVIIO | BDLNA-0118- 352810 | SEM005-05 | 2021/7/13 | 2022/7/12 |
| Pre-amplifier(26GHz- 40GHz) | Compliance Directions Systems Inc. | PAP-2640-50 | SEM005-08 | 2021/7/13 | 2022/7/12 |
| Pre-amplifier(18GHz- 26GHz) | Rohde & Schwarz | CH14-H052 | SEM005-17 | 2021/7/13 | 2022/7/12 |
| Measurement Software | AUDIX | e3 V8.2014-6- 27 | N/A | N/A | N/A |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 19 of 532

| General used equipment | | | | | |
|---------------------------------|--------------|-----------|---------------|-----------|--------------|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date |
| Humidity/ Temperature Indicator | Mingle | TH607 | SEM002-22 | 2021/7/13 | 2022/7/12 |
| Humidity/ Temperature Indicator | Mingle | TH607 | SEM002-23 | 2021/7/13 | 2022/7/12 |
| Barometer | DUMAI | DYM3 | SEM002-24 | 2021/7/13 | 2022/7/12 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 20 of 532

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203

6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit permanently attached antenna or of an so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

EUT Antenna:

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the Antenna 1: 3.12dBi, Antenna 2: 3.26dBi; the directional gain is: 6.2dBi.

Directional Gain= $10\log [(10^{G1/20} + 10^{G2/20})^2/N_{ANT}] = 10\log [(10^{3.12/20} + 10^{3.26/20})^2/2] = 6.2dBi$.

Antenna location: Refer to internal photo.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 21 of 532

6.2 Transmission in the Absence of Data

6.2.1 Test Requirement:

47 CFR Part 15, Subpart C 15.407 (c)

6.2.2 Conclusion

Standard Requirement:

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signalling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals.

Applicants shall include in their application for equipment authorization a description of how this requirement is met.

EUT Details:

WIFI chip support automatically discontinue transmission in case of either absence of information to transmit or operational failure, if the chip detect absence of information to transmit or operational failure, it will be automatically shut off.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercibil CARD Deschee/Desch



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 22 of 532

7 Radio Spectrum Matter Test Results

7.1 Conducted Emissions at AC Power Line (150kHz-30MHz)

Test Requirement 47 CFR Part 15, Subpart C 15.207 & 15.407 b(6)

Test Method: ANSI C63.10 (2013) Section 6.2

Limit:

| Fraguency of amission/MUs) | Conducted limit(dB μ V) | | | |
|---|-----------------------------|-----------|--|--|
| Frequency of emission(MHz) | Quasi-peak | Average | | |
| 0.15-0.5 | 66 to 56* | 56 to 46* | | |
| 0.5-5 | 56 | 46 | | |
| 5-30 | 60 | 50 | | |
| *Decreases with the logarithm of the frequency. | | | | |

7.1.1 E.U.T. Operation

Operating Environment:

Temperature: 24.6 °C Humidity: 52.7 % RH Atmospheric Pressure: 1020 mbar

7.1.2 Test Mode Description

| 7.1.2 Test mode besonption | | | | |
|----------------------------|--------------|--|--|--|
| Pre-scan / Final test | Mode Code | Description | | |
| Final test | 03 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. | | |
| Pre-scan | 04 | TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. | | |
| Pre-scan | 05 | TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdishict, Bar'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 23 of 532

| | | 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. |
|----------|----|---|
| Pre-scan | 06 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. |

7.1.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 24 of 532

7.1.4 Measurement Procedure and Data

- 1) The mains terminal disturbance voltage test was conducted in a shielded room.
- 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a $50 \text{ohm}/50 \mu\text{H} + 5 \text{ohm}$ linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.
- 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane,
- 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.
- 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: Level=Read Level+ Cable Loss+ LISN Factor






SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 25 of 532

Test Mode: 03; Line: Live line



Site : Shielding Room

Condition: Line Job No. : 00074AT

Test mode: 03

| | Freq | Cable Loss | LISN Factor | Read Level | Level | Limit Line | Over Limit | Remark |
|----|------|---------------|----------------|---------------|-------|---------------|---------------|---------|
| | MHz | dB | dB | dBuV | dBuV | dBuV | dB | |
| 1 | 0.16 | 0.09 | 0.17 | 37.45 | 37.71 | 55.38 | -17.67 | Average |
| 2 | 0.16 | 0.09 | 0.17 | 49.81 | 50.07 | 65.38 | -15.31 | QP |
| 3 | 0.17 | 0.10 | 0.17 | 22.64 | 22.91 | 54.72 | -31.81 | Average |
| 4 | 0.17 | 0.10 | 0.17 | 48.39 | 48.66 | 64.72 | -16.06 | QP |
| 5 | 0.22 | 0.10 | 0.15 | 39.78 | 40.03 | 52.92 | -12.89 | Average |
| 6 | 0.22 | 0.10 | 0.15 | 47.23 | 47.48 | 62.92 | -15.44 | QP |
| 7 | 0.27 | 0.08 | 0.15 | 31.39 | 31.62 | 51.03 | -19.41 | Average |
| 8 | 0.27 | 0.08 | 0.15 | 41.33 | 41.56 | 61.03 | -19.47 | QP |
| 9 | 0.39 | 0.06 | 0.16 | 31.04 | 31.26 | 48.17 | -16.91 | Average |
| 10 | 0.39 | 0.06 | 0.16 | 42.26 | 42.48 | 58.17 | -15.69 | QP |
| 11 | 0.46 | 0.08 | 0.16 | 24.96 | 25.20 | 46.71 | -21.51 | Average |
| 12 | 0.46 | 0.08 | 0.16 | 39.12 | 39.36 | 56.71 | -17.35 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CPU Doccheck@ss.com

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrid, Bad'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道员塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 26 of 532

Test Mode: 03; Line: Neutral Line



Site : Shielding Room

Condition: Neutral Job No. : 00074AT

Test mode: 03

| | Freq | Cable Loss | LISN Factor | Read Level | Level | Limit Line | Over Limit | Remark |
|----|------|---------------|----------------|---------------|-------|---------------|---------------|---------|
| | MHz | dB | dB | dBuV | dBuV | dBuV | dB | |
| 1 | 0.16 | 0.09 | 0.19 | 35.21 | 35.49 | 55.34 | -19.85 | Average |
| 2 | 0.16 | 0.09 | 0.19 | 50.57 | 50.85 | 65.34 | -14.49 | QP |
| 3 | 0.19 | 0.10 | 0.18 | 23.48 | 23.76 | 54.15 | -30.39 | Average |
| 4 | 0.19 | 0.10 | 0.18 | 47.63 | 47.91 | 64.15 | -16.24 | QP |
| 5 | 0.22 | 0.10 | 0.18 | 36.05 | 36.33 | 52.92 | -16.59 | Average |
| 6 | 0.22 | 0.10 | 0.18 | 44.16 | 44.44 | 62.92 | -18.48 | QP |
| 7 | 0.26 | 0.09 | 0.18 | 24.38 | 24.65 | 51.56 | -26.91 | Average |
| 8 | 0.26 | 0.09 | 0.18 | 40.69 | 40.96 | 61.56 | -20.60 | QP |
| 9 | 0.34 | 0.07 | 0.19 | 22.06 | 22.32 | 49.31 | -26.99 | Average |
| 10 | 0.34 | 0.07 | 0.19 | 37.54 | 37.80 | 59.31 | -21.51 | QP |
| 11 | 0.55 | 0.09 | 0.15 | 25.71 | 25.95 | 46.00 | -20.05 | Average |
| 12 | 0.55 | 0.09 | 0.15 | 34.22 | 34.46 | 56.00 | -21.54 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CPU Doccheck@ss.com

Fuyong lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistrid, Bad'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道员塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 27 of 532

7.2 Duty Cycle

Test Requirement KDB 789033 D02 II B 1
Test Method: KDB 789033 II B 1

7.2.1 E.U.T. Operation

Operating Environment:

Temperature: 25.7 °C Humidity: 55.3 % RH Atmospheric Pressure: 1020 mbar

7.2.2 Test Mode Description

| 7.2.2 Test Mode Description | | | | | |
|-----------------------------|--------------|--|--|--|--|
| Pre-scan / Final test | Mode Code | Description | | | |
| Final test | 03 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. | | | |
| Final test | 04 | TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. | | | |
| Final test | 05 | TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. | | | |
| Final test | 06 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 28 of 532

7.2.3 Test Setup Diagram



Ground Reference Plane

7.2.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions-and-Conditions-



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 29 of 532

7.3 99% Bandwidth

Test Requirement N/A

Test Method: KDB 789033 II D

7.3.1 E.U.T. Operation

Operating Environment:

Temperature: 25.7 °C Humidity: 55.3 % RH Atmospheric Pressure: 1020 mbar

7.3.2 Test Mode Description

| 7.3.2 Test mode Description | | | |
|-----------------------------|----------------|--|--|
| Pre-scan / Final test | Mode | Description | |
| Final test | Code 03 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. | |
| Final test | 04 | TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. | |
| Final test | 05 | TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. | |
| Final test | 06 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CPU Doccheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 30 of 532

7.3.3 Test Setup Diagram



Ground Reference Plane

7.3.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**).



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 31 of 532

7.4 26dB Emission bandwidth

Test Requirement 47 CFR Part 15, Subpart C 15.407 (a)

Test Method: KDB 789033 D02 II C 1

7.4.1 E.U.T. Operation

Operating Environment:

Temperature: 25.7 °C Humidity: 55.3 % RH Atmospheric Pressure: 1020 mbar

7.4.2 Test Mode Description

| 7.4.2 Test Mode Description | | | | | |
|-----------------------------|--------------|--|--|--|--|
| Pre-scan / Final test | Mode Code | Description | | | |
| Final test | 03 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. | | | |
| Final test | 04 | TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. | | | |
| Final test | 05 | TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or examile CPA Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 32 of 532

7.4.3 Test Setup Diagram



Ground Reference Plane

7.4.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents as the first of the first strawn to the limitation of liability, indemnification and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest stard of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 33 of 532

7.5 Minimum 6 dB bandwidth (5.725-5.85 GHz band)

Test Requirement 47 CFR Part 15, Subpart C 15.407 (e)

Test Method: KDB 789033 D02 II C 2

Limit:

| Frequency band(MHz) | Limit |
|---------------------|----------|
| 5725-5850 | ≥500 kHz |

7.5.1 E.U.T. Operation


Operating Environment:

Temperature: 25.7 °C Humidity: 55.3 % RH Atmospheric Pressure: 1020 mbar

7.5.2 Test Mode Description

| | 7.0.2 Test mode bescription | | | | | |
|--------------------------|-----------------------------|---|--|--|--|--|
| Pre-scan / Final test | Mode Code | Description | | | | |
| Final test | 06 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. | | | | |

7.5.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.

Fuyorg lab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdishtid, Bad'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 34 of 532

7.5.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.for electronic Document say <a href="http://www.sgs.com/en/Terms-and-Conditions/



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 35 of 532

7.6 Maximum Conducted output power

Test Requirement 47 CFR Part 15, Subpart C 15.407 (a)

Test Method: KDB 789033 D02 II E

Limit:

| Frequency band(MHz) | Limit |
|--------------------------|---|
| 5150-5250 | ≤1W(30dBm) for master device |
| 5150-5250 | ≤250mW(24dBm) for client device |
| 5250-5350 | ≤250mW(24dBm) for client device or 11dBm+10logB* |
| 5470-5725 | ≤250mW(24dBm) for client device or 11dBm+10logB* |
| 5725-5850 | ≤1W(30dBm) |
| Remark: * Where B is the | ne 26dB emission bandwidth in MHz. |
| | conducted output power must be measured over any interval transmission using instrumentation calibrated in terms of an voltage. |

7.6.1 E.U.T. Operation

Operating Environment:

Temperature: 25.7 °C Humidity: 55.3 % RH Atmospheric Pressure: 1020 mbar

7.6.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|--|
| Final test | 03 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. |
| Final test | 04 | TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 36 of 532

| Final test | 05 | TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. |
|------------|----|--|
| Final test | 06 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. |

7.6.3 Test Setup Diagram



7.6.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or examile CPA Doccheck@acs.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 37 of 532

7.7 Peak Power spectrum density

Test Requirement 47 CFR Part 15, Subpart C 15.407 (a)

Test Method: KDB 789033 D02 II F

Limit:

| Frequency | y band(MHz) | Limit | | | | |
|-----------|-------------|--|--|--|--|--|
| E1E0 E | 250 | ≤17dBm in 1MHz for master device | | | | |
| 5150-52 | 250 | ≤11dBm in 1MHz for client device | | | | |
| 5250-53 | 350 | ≤11dBm in 1MHz for client device | | | | |
| 5470-57 | 725 | ≤11dBm in 1MHz for client device | | | | |
| 5725-58 | 850 | ≤30dBm in 500 kHz | | | | |
| Remark: | | power spectral density is measured as a conducted emission ection of a calibrated test instrument to the equipment under | | | | |

7.7.1 E.U.T. Operation

Operating Environment:

Temperature: 25.7 °C Humidity: 55.3 % RH Atmospheric Pressure: 1020 mbar

7.7.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|--|
| Final test | 03 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. |
| Final test | 04 | TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. |
| Final test | 05 | TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 38 of 532

| | | 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. |
|------------|----|---|
| Final test | 06 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. |

7.7.3 Test Setup Diagram



7.7.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercibil CARD Descheef **Participility** in the content of the content o



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 39 of 532

7.8 Radiated Emissions (Above 1GHz)

Test Requirement 47 CFR Part 15, Subpart C 15.209 & 15.407(b)

Test Method: KDB 789033 D02 II G

Measurement Distance: 3m

Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| Above 1GHz | 500 | 3 |

- *(1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- (2) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (3) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (4) For transmitters operating in the 5.725-5.85 GHz band:
- (i) All emissions shall be limited to a level of –27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

7.8.1 E.U.T. Operation

Operating Environment:

Temperature: 23.5 °C Humidity: 56.3 % RH Atmospheric Pressure: 1020 mbar

7.8.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|--|
| Final test | 03 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 40 of 532

| | | the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. |
|------------|----|--|
| Final test | 04 | TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. |
| Final test | 05 | TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. |
| Final test | 06 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. |

7.8.3 Test Setup Diagram



Above 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents as the first of the first strawn to the limitation of liability, indemnification and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest stard of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 41 of 532

7.8.4 Measurement Procedure and Data

- a. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak or average method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.

Remark:

- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 18GHz to 40GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.
- 4. The disturbance above 18GHz were very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.
- 5. For devices with multiple operating modes, measurements on the middle channel is used to determine the worst-case mode(s). Only the worst case mode with the highest output power and the mode with the highest output power spectral density for each modulation family (e.g., OFDM and direct sequence spread spectrum) is recorded in the test report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents a thut://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 42 of 532



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 43 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5180 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1142.201 | 3.01 | 24.25 | 46.54 | 49.54 | 30.26 | 74.00 | -43.74 | peak |
| 2 | 1677.621 | 4.15 | 24.96 | 46.38 | 49.10 | 31.83 | 74.00 | -42.17 | peak |
| 3 | 3495.691 | 6.98 | 28.70 | 46.27 | 49.30 | 38.71 | 68.20 | -29.49 | peak |
| 4 | 4206.011 | 7.48 | 29.80 | 46.07 | 50.28 | 41.49 | 74.00 | -32.51 | peak |
| 5 | 10360.000 | 11.08 | 38.85 | 47.07 | 44.73 | 47.59 | 68.20 | -20.61 | peak |
| 6 | 15540.000 | 13.49 | 39.74 | 46.26 | 42.43 | 49.40 | 74.00 | -24.60 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 44 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5180 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1300.858 | 3.37 | 24.25 | 46.49 | 48.83 | 29.96 | 74.00 | -44.04 | peak |
| 2 | 1663.137 | 4.12 | 24.93 | 46.38 | 49.14 | 31.81 | 74.00 | -42.19 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 49.25 | 38.48 | 68.20 | -29.72 | peak |
| 4 | 4482.150 | 7.47 | 30.18 | 46.41 | 50.33 | 41.57 | 68.20 | -26.63 | peak |
| 5 | 10360.000 | 11.08 | 38.85 | 47.07 | 43.74 | 46.60 | 68.20 | -21.60 | peak |
| 6 | 15540.000 | 13.49 | 39.74 | 46.26 | 42.51 | 49.48 | 74.00 | -24.52 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CPU Doccheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 45 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5200 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1252.885 | 3.27 | 24.27 | 46.50 | 48.41 | 29.45 | 68.20 | -38.75 | peak |
| 2 | 1672.779 | 4.14 | 24.95 | 46.38 | 49.33 | 32.04 | 74.00 | -41.96 | peak |
| 3 | 3425.675 | 6.81 | 28.69 | 46.34 | 49.21 | 38.37 | 68.20 | -29.83 | peak |
| 4 | 4482.150 | 7.47 | 30.18 | 46.41 | 50.08 | 41.32 | 68.20 | -26.88 | peak |
| 5 | 10400.000 | 11.07 | 38.89 | 47.03 | 43.88 | 46.81 | 68.20 | -21.39 | peak |
| 6 | 15600.000 | 13.50 | 39.53 | 46.21 | 42.19 | 49.01 | 74.00 | -24.99 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 46 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT

Mode : 5200 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|---------|-------------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | dD: 3// | dD: \// /== | | |
| | MHz | dB | ub/m | dB | abuv | abuv/m | abuv/m | dB | |
| 1 | 1138.904 | 3.00 | 24.24 | 46.54 | 49.49 | 30.19 | 74.00 | -43.81 | peak |
| 2 | 1697.129 | 4.19 | 25.00 | 46.37 | 49.00 | 31.82 | 74.00 | -42.18 | peak |
| 3 | 3455.508 | 6.88 | 28.69 | 46.31 | 49.69 | 38.95 | 68.20 | -29.25 | peak |
| 4 | 4495.125 | 7.47 | 30.19 | 46.43 | 50.08 | 41.31 | 68.20 | -26.89 | peak |
| 5 | 10400.000 | 11.07 | 38.89 | 47.03 | 44.24 | 47.17 | 68.20 | -21.03 | peak |
| 6 | 15600.000 | 13.50 | 39.53 | 46.21 | 42.93 | 49.75 | 74.00 | -24.25 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 47 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT

Mode : 5240 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1132.340 | 2.99 | 24.24 | 46.55 | 49.27 | 29.95 | 74.00 | -44.05 | peak |
| 2 | 1672.779 | 4.14 | 24.95 | 46.38 | 49.03 | 31.74 | 74.00 | -42.26 | peak |
| 3 | 3435.590 | 6.84 | 28.69 | 46.33 | 49.20 | 38.40 | 68.20 | -29.80 | peak |
| 4 | 4430.628 | 7.47 | 30.11 | 46.35 | 49.95 | 41.18 | 68.20 | -27.02 | peak |
| 5 | 10480.000 | 11.06 | 38.99 | 46.96 | 44.32 | 47.41 | 68.20 | -20.79 | peak |
| 6 | 15720.000 | 13.50 | 39.13 | 46.12 | 42.88 | 49.39 | 74.00 | -24.61 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CPU Doccheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 48 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5240 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1132.340 | 2.99 | 24.24 | 46.55 | 49.30 | 29.98 | 74.00 | -44.02 | peak |
| 2 | 1592.571 | 3.97 | 24.78 | 46.40 | 49.92 | 32.27 | 74.00 | -41.73 | peak |
| 3 | 3386.297 | 6.72 | 28.68 | 46.38 | 50.29 | 39.31 | 68.20 | -28.89 | peak |
| 4 | 4469.214 | 7.47 | 30.16 | 46.40 | 49.75 | 40.98 | 68.20 | -27.22 | peak |
| 5 | 10480.000 | 11.06 | 38.99 | 46.96 | 44.04 | 47.13 | 68.20 | -21.07 | peak |
| 6 | 15720.000 | 13.50 | 39.13 | 46.12 | 43.14 | 49.65 | 74.00 | -24.35 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 49 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5180 TX RSE

Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1217.190 | 3.19 | 24.29 | 46.51 | 48.92 | 29.89 | 74.00 | -44.11 | peak |
| 2 | 1677.621 | 4.15 | 24.96 | 46.38 | 49.29 | 32.02 | 74.00 | -41.98 | peak |
| 3 | 3455.508 | 6.88 | 28.69 | 46.31 | 49.31 | 38.57 | 68.20 | -29.63 | peak |
| 4 | 4456.315 | 7.47 | 30.14 | 46.38 | 50.13 | 41.36 | 68.20 | -26.84 | peak |
| 5 | 10360.000 | 11.08 | 38.85 | 47.07 | 43.90 | 46.76 | 68.20 | -21.44 | peak |
| 6 | 15540.000 | 13.49 | 39.74 | 46.26 | 42.78 | 49.75 | 74.00 | -24.25 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 50 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5180 TX RSE

Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1145.507 | 3.02 | 24.25 | 46.54 | 49.75 | 30.48 | 74.00 | -43.52 | peak |
| 2 | 1672.779 | 4.14 | 24.95 | 46.38 | 49.29 | 32.00 | 74.00 | -42.00 | peak |
| 3 | 3465.510 | 6.91 | 28.69 | 46.30 | 49.15 | 38.45 | 68.20 | -29.75 | peak |
| 4 | 4367.058 | 7.48 | 30.02 | 46.27 | 49.54 | 40.77 | 74.00 | -33.23 | peak |
| 5 | 10360.000 | 11.08 | 38.85 | 47.07 | 44.23 | 47.09 | 68.20 | -21.11 | peak |
| 6 | 15540.000 | 13.49 | 39.74 | 46.26 | 42.14 | 49.11 | 74.00 | -24.89 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 51 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5200 TX RSE

Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1138.904 | 3.00 | 24.24 | 46.54 | 49.12 | 29.82 | 74.00 | -44.18 | peak |
| 2 | 1672.779 | 4.14 | 24.95 | 46.38 | 48.98 | 31.69 | 74.00 | -42.31 | peak |
| 3 | 3485.601 | 6.96 | 28.70 | 46.28 | 49.61 | 38.99 | 68.20 | -29.21 | peak |
| 4 | 4495.125 | 7.47 | 30.19 | 46.43 | 49.71 | 40.94 | 68.20 | -27.26 | peak |
| 5 | 10400.000 | 11.07 | 38.89 | 47.03 | 43.60 | 46.53 | 68.20 | -21.67 | peak |
| 6 | 15600.000 | 13.50 | 39.53 | 46.21 | 42.56 | 49.38 | 74.00 | -24.62 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 52 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5200 TX RSE

Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1145.507 | 3.02 | 24 25 | 46 54 | 49.83 | 30.56 | 74 00 | -43 44 | neak |
| 2 | 1583.392 | | | | | | | | • |
| 3 | 3289.821 | | | | | | | | • |
| 4 | 4218.186 | 7.48 | 29.82 | 46.09 | 50.39 | 41.60 | 74.00 | -32.40 | peak |
| 5 | 10400.000 | 11.07 | 38.89 | 47.03 | 43.81 | 46.74 | 68.20 | -21.46 | peak |
| 6 | 15600.000 | 13.50 | 39.53 | 46.21 | 43.11 | 49.93 | 74.00 | -24.07 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 53 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5240 TX RSE

Mode : 5240 TX RSE Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|-------------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 4 | 1140 022 | 2 02 | 24.25 | 46 54 | 40.00 | 20.02 | 74.00 | 42.00 | |
| 1 | 1148.823 | 5.05 | 24.25 | 46.54 | 49.20 | 30.02 | 74.00 | -43.90 | реак |
| 2 | 1702.042 | 4.20 | 25.01 | 46.37 | 48.71 | 31.55 | 74.00 | -42.45 | peak |
| 3 | 3435.590 | 6.84 | 28.69 | 46.33 | 49.29 | 38.49 | 68.20 | -29.71 | peak |
| 4 | 4495.125 | 7.47 | 30.19 | 46.43 | 49.48 | 40.71 | 68.20 | -27.49 | peak |
| 5 | 10480.000 | 11.06 | 38.99 | 46.96 | 44.23 | 47.32 | 68.20 | -20.88 | peak |
| 6 | 15720.000 | 13.50 | 39.13 | 46.12 | 42.89 | 49.40 | 74.00 | -24.60 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 54 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5240 TX RSE

Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| _ | 4004 047 | 2.00 | | 46 54 | | | 74.00 | | |
| 1 | 1224.247 | 3.20 | 24.29 | 46.51 | 48.94 | 29.92 | /4.00 | -44.08 | peak |
| 2 | 1601.804 | 3.99 | 24.80 | 46.40 | 49.46 | 31.85 | 74.00 | -42.15 | peak |
| 3 | 3270.858 | 6.43 | 28.66 | 46.50 | 49.91 | 38.50 | 68.20 | -29.70 | peak |
| 4 | 4482.150 | 7.47 | 30.18 | 46.41 | 49.50 | 40.74 | 68.20 | -27.46 | peak |
| 5 | 10480.000 | 11.06 | 38.99 | 46.96 | 44.01 | 47.10 | 68.20 | -21.10 | peak |
| 6 | 15720.000 | 13.50 | 39.13 | 46.12 | 42.97 | 49.48 | 74.00 | -24.52 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 55 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5190 TX RSE

Note : 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | 4040 677 | 2.40 | 24.20 | 46 50 | 40.75 | 20.70 | 74.00 | 44.30 | |
| 1 | 1213.677 | 3.18 | 24.29 | 46.52 | 48.75 | 29.70 | 74.00 | -44.30 | реак |
| 2 | 1687.347 | 4.17 | 24.98 | 46.37 | 49.08 | 31.86 | 74.00 | -42.14 | peak |
| 3 | 3465.510 | 6.91 | 28.69 | 46.30 | 49.63 | 38.93 | 68.20 | -29.27 | peak |
| 4 | 4062.629 | 7.49 | 29.59 | 45.88 | 50.13 | 41.33 | 74.00 | -32.67 | peak |
| 5 | 10380.000 | 11.07 | 38.87 | 47.05 | 44.20 | 47.09 | 68.20 | -21.11 | peak |
| 6 | 15570.000 | 13.49 | 39.64 | 46.24 | 42.10 | 48.99 | 74.00 | -25.01 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 56 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5190 TX RSE

Note : 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|-------------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 4 | 1205 004 | 2 24 | 24.26 | 46 40 | 40.00 | 20 77 | CO 20 | 27 42 | |
| 1 | 1285.904 | 3.34 | 24.26 | 46.49 | 49.00 | 30.// | 00.20 | -3/.43 | реак |
| 2 | 1658.337 | 4.11 | 24.92 | 46.38 | 48.97 | 31.62 | 68.20 | -36.58 | peak |
| 3 | 3465.510 | 6.91 | 28.69 | 46.30 | 49.47 | 38.77 | 68.20 | -29.43 | peak |
| 4 | 4329.354 | 7.48 | 29.97 | 46.23 | 49.69 | 40.91 | 74.00 | -33.09 | peak |
| 5 | 10380.000 | 11.07 | 38.87 | 47.05 | 44.23 | 47.12 | 68.20 | -21.08 | peak |
| 6 | 15570.000 | 13.49 | 39.64 | 46.24 | 42.63 | 49.52 | 74.00 | -24.48 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 57 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5230 TX RSE

Note : 5G WIFI 11N40

| occ | | MATI T | 111170 | | | | | | |
|-----|-----------|--------|--------|--------|-------|--------|--------|--------|--------|
| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1206.682 | 3.16 | 24.30 | 46.52 | 49.80 | 30.74 | 74.00 | -43.26 | peak |
| 2 | 1697.129 | 4.19 | 25.00 | 46.37 | 49.24 | 32.06 | 74.00 | -41.94 | peak |
| 3 | 3435.590 | 6.84 | 28.69 | 46.33 | 49.41 | 38.61 | 68.20 | -29.59 | peak |
| 4 | 4367.058 | 7.48 | 30.02 | 46.27 | 49.76 | 40.99 | 74.00 | -33.01 | peak |
| 5 | 10460.000 | 11.06 | 38.97 | 46.98 | 43.99 | 47.04 | 68.20 | -21.16 | peak |
| 6 | 15690.000 | 13.50 | 39.23 | 46.14 | 42.94 | 49.53 | 74.00 | -24.47 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 58 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5230 TX RSE

Note : 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 4 | 1200 627 | 2.25 | 24.25 | 46.40 | 40 56 | 20 67 | CO 20 | 20 52 | |
| 1 | 1289.627 | 3.35 | 24.25 | 46.49 | 48.56 | 29.67 | 68.20 | -38.53 | реак |
| 2 | 1677.621 | 4.15 | 24.96 | 46.38 | 49.33 | 32.06 | 74.00 | -41.94 | peak |
| 3 | 3465.510 | 6.91 | 28.69 | 46.30 | 49.47 | 38.77 | 68.20 | -29.43 | peak |
| 4 | 4145.664 | 7.48 | 29.71 | 45.99 | 49.89 | 41.09 | 74.00 | -32.91 | peak |
| 5 | 10460.000 | 11.06 | 38.97 | 46.98 | 43.17 | 46.22 | 68.20 | -21.98 | peak |
| 6 | 15690.000 | 13.50 | 39.23 | 46.14 | 43.39 | 49.98 | 74.00 | -24.02 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 59 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT Mode : 5180 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1220.714 | 3.20 | 24.29 | 46.51 | 49.22 | 30.20 | 74.00 | -43.80 | peak |
| 2 | 1644.019 | 4.08 | 24.89 | 46.38 | 49.20 | 31.79 | 68.20 | -36.41 | peak |
| 3 | 3485.601 | 6.96 | 28.70 | 46.28 | 49.73 | 39.11 | 68.20 | -29.09 | peak |
| 4 | 4392.376 | 7.47 | 30.06 | 46.30 | 49.87 | 41.10 | 74.00 | -32.90 | peak |
| 5 | 10360.000 | 11.08 | 38.85 | 47.07 | 43.94 | 46.80 | 68.20 | -21.40 | peak |
| 6 | 15540.000 | 13.49 | 39.74 | 46.26 | 42.71 | 49.68 | 74.00 | -24.32 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 60 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5180 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1227.791 | 3.21 | 24.29 | 46.51 | 48.70 | 29.69 | 74.00 | -44.31 | peak |
| 2 | 1663.137 | 4.12 | 24.93 | 46.38 | 49.20 | 31.87 | 74.00 | -42.13 | peak |
| 3 | 3435.590 | 6.84 | 28.69 | 46.33 | 49.64 | 38.84 | 68.20 | -29.36 | peak |
| 4 | 4367.058 | 7.48 | 30.02 | 46.27 | 50.37 | 41.60 | 74.00 | -32.40 | peak |
| 5 | 10360.000 | 11.08 | 38.85 | 47.07 | 44.45 | 47.31 | 68.20 | -20.89 | peak |
| 6 | 15540.000 | 13.49 | 39.74 | 46.26 | 42.17 | 49.14 | 74.00 | -24.86 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 61 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5200 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1206.682 | 3.16 | 24.30 | 46.52 | 48.89 | 29.83 | 74.00 | -44.17 | peak |
| 2 | 1687.347 | 4.17 | 24.98 | 46.37 | 48.62 | 31.40 | 74.00 | -42.60 | peak |
| 3 | 3495.691 | 6.98 | 28.70 | 46.27 | 49.57 | 38.98 | 68.20 | -29.22 | peak |
| 4 | 4267.237 | 7.48 | 29.88 | 46.15 | 50.69 | 41.90 | 74.00 | -32.10 | peak |
| 5 | 10400.000 | 11.07 | 38.89 | 47.03 | 43.70 | 46.63 | 68.20 | -21.57 | peak |
| 6 | 15600.000 | 13.50 | 39.53 | 46.21 | 42.74 | 49.56 | 74.00 | -24.44 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 62 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5200 TX RSE

Note : 5G WIFI 11AC20

| | | | | Preamp | | | | | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1213.677 | 3.18 | 24.29 | 46.52 | 48.61 | 29.56 | 74.00 | -44.44 | peak |
| 2 | 1663.137 | 4.12 | 24.93 | 46.38 | 49.59 | 32.26 | 74.00 | -41.74 | peak |
| 3 | 3485.601 | 6.96 | 28.70 | 46.28 | 49.33 | 38.71 | 68.20 | -29.49 | peak |
| 4 | 4367.058 | 7.48 | 30.02 | 46.27 | 49.84 | 41.07 | 74.00 | -32.93 | peak |
| 5 | 10400.000 | 11.07 | 38.89 | 47.03 | 43.71 | 46.64 | 68.20 | -21.56 | peak |
| 6 | 15600.000 | 13.50 | 39.53 | 46.21 | 43.65 | 50.47 | 74.00 | -23.53 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 63 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5240 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1217.190 | 3.19 | 24.29 | 46.51 | 49.01 | 29.98 | 74.00 | -44.02 | peak |
| 2 | 1663.137 | 4.12 | 24.93 | 46.38 | 49.51 | 32.18 | 74.00 | -41.82 | peak |
| 3 | 3425.675 | 6.81 | 28.69 | 46.34 | 49.69 | 38.85 | 68.20 | -29.35 | peak |
| 4 | 4456.315 | 7.47 | 30.14 | 46.38 | 50.36 | 41.59 | 68.20 | -26.61 | peak |
| 5 | 10480.000 | 11.06 | 38.99 | 46.96 | 44.32 | 47.41 | 68.20 | -20.79 | peak |
| 6 | 15720.000 | 13.50 | 39.13 | 46.12 | 42.60 | 49.11 | 74.00 | -24.89 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 64 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5240 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1129.072 | 2.98 | 24.23 | 46.55 | 50.20 | 30.86 | 74.00 | -43.14 | peak |
| 2 | 1677.621 | 4.15 | 24.96 | 46.38 | 49.49 | 32.22 | 74.00 | -41.78 | peak |
| 3 | 3465.510 | 6.91 | 28.69 | 46.30 | 49.38 | 38.68 | 68.20 | -29.52 | peak |
| 4 | 4495.125 | 7.47 | 30.19 | 46.43 | 49.95 | 41.18 | 68.20 | -27.02 | peak |
| 5 | 10480.000 | 11.06 | 38.99 | 46.96 | 43.79 | 46.88 | 68.20 | -21.32 | peak |
| 6 | 15720.000 | 13.50 | 39.13 | 46.12 | 42.77 | 49.28 | 74.00 | -24.72 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 65 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5190 TX RSE

Note : 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1242.068 | 3.24 | 24.28 | 46.51 | 48.69 | 29.70 | 68.20 | -38.50 | peak |
| 2 | 1682.477 | 4.16 | 24.97 | 46.37 | 49.38 | 32.14 | 74.00 | -41.86 | peak |
| 3 | 3366.778 | 6.67 | 28.67 | 46.40 | 49.81 | 38.75 | 68.20 | -29.45 | peak |
| 4 | 4341.886 | 7.48 | 29.99 | 46.24 | 49.78 | 41.01 | 74.00 | -32.99 | peak |
| 5 | 10380.000 | 11.07 | 38.87 | 47.05 | 44.05 | 46.94 | 68.20 | -21.26 | peak |
| 6 | 15570.000 | 13.49 | 39.64 | 46.24 | 42.12 | 49.01 | 74.00 | -24.99 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 66 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5190 TX RSE

Note : 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1227.791 | 3.21 | 24.29 | 46.51 | 49.60 | 30.59 | 74.00 | -43.41 | peak |
| 2 | 1653.550 | 4.10 | 24.91 | 46.38 | 49.57 | 32.20 | 68.20 | -36.00 | peak |
| 3 | 3425.675 | 6.81 | 28.69 | 46.34 | 49.62 | 38.78 | 68.20 | -29.42 | peak |
| 4 | 4482.150 | 7.47 | 30.18 | 46.41 | 50.51 | 41.75 | 68.20 | -26.45 | peak |
| 5 | 10380.000 | 11.07 | 38.87 | 47.05 | 43.69 | 46.58 | 68.20 | -21.62 | peak |
| 6 | 15570.000 | 13.49 | 39.64 | 46.24 | 43.01 | 49.90 | 74.00 | -24.10 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CPU Doccheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 67 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5230 TX RSE

Note : 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1210.174 | 3.17 | 24.29 | 46.52 | 49.05 | 29.99 | 74.00 | -44.01 | peak |
| 2 | 1672.779 | 4.14 | 24.95 | 46.38 | 49.14 | 31.85 | 74.00 | -42.15 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 49.69 | 38.92 | 68.20 | -29.28 | peak |
| 4 | 4379.699 | 7.47 | 30.04 | 46.29 | 50.29 | 41.51 | 74.00 | -32.49 | peak |
| 5 | 10460.000 | 11.06 | 38.97 | 46.98 | 43.58 | 46.63 | 68.20 | -21.57 | peak |
| 6 | 15690.000 | 13.50 | 39.23 | 46.14 | 42.95 | 49.54 | 74.00 | -24.46 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 68 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5230 TX RSE

Note : 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1138.904 | 3.00 | 24.24 | 46.54 | 48.70 | 29.40 | 74.00 | -44.60 | neak |
| 2 | 1677.621 | | | | | | | | • |
| 3 | 3455.508 | | | | | | | | • |
| 4 | 4495.125 | 7.47 | 30.19 | 46.43 | 50.52 | 41.75 | 68.20 | -26.45 | peak |
| 5 | 10460.000 | 11.06 | 38.97 | 46.98 | 43.33 | 46.38 | 68.20 | -21.82 | peak |
| 6 | 15690.000 | 13.50 | 39.23 | 46.14 | 42.91 | 49.50 | 74.00 | -24.50 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 69 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5210 TX RSE

Note : 5G WIFI 11AC80

| | | **** | 11/1000 | | | | | | |
|---|-----------|-------|---------|--------|-------|--------|--------|--------|--------|
| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1293.359 | 3.36 | 24.25 | 46.49 | 49.22 | 30.34 | 68.20 | -37.86 | peak |
| 2 | 1687.347 | 4.17 | 24.98 | 46.37 | 48.94 | 31.72 | 74.00 | -42.28 | peak |
| 3 | 3405.929 | 6.77 | 28.68 | 46.36 | 50.25 | 39.34 | 68.20 | -28.86 | peak |
| 4 | 4291.977 | 7.48 | 29.92 | 46.18 | 49.23 | 40.45 | 74.00 | -33.55 | peak |
| 5 | 10420.000 | 11.07 | 38.92 | 47.01 | 44.51 | 47.49 | 68.20 | -20.71 | peak |
| 6 | 15630.000 | 13.50 | 39.43 | 46.19 | 42.63 | 49.37 | 74.00 | -24.63 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 70 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5210 TX RSE

Note : 5G WIFI 11AC80

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1227.791 | 3.21 | 24.29 | 46.51 | 49.08 | 30.07 | 74.00 | -43.93 | peak |
| 2 | 1692.231 | 4.18 | 24.99 | 46.37 | 49.22 | 32.02 | 74.00 | -41.98 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 49.52 | 38.75 | 68.20 | -29.45 | peak |
| 4 | 4181.768 | 7.48 | 29.76 | 46.04 | 49.81 | 41.01 | 74.00 | -32.99 | peak |
| 5 | 10420.000 | 11.07 | 38.92 | 47.01 | 43.87 | 46.85 | 68.20 | -21.35 | peak |
| 6 | 15630.000 | 13.50 | 39.43 | 46.19 | 42.93 | 49.67 | 74.00 | -24.33 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 71 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5260 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1245.663 | 3.25 | 24.28 | 46.50 | 48.81 | 29.84 | 68.20 | -38.36 | peak |
| 2 | 1672.779 | 4.14 | 24.95 | 46.38 | 49.48 | 32.19 | 74.00 | -41.81 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 50.03 | 39.26 | 68.20 | -28.94 | peak |
| 4 | 4443.453 | 7.47 | 30.12 | 46.37 | 49.95 | 41.17 | 68.20 | -27.03 | peak |
| 5 | 10520.000 | 11.07 | 39.04 | 46.92 | 43.73 | 46.92 | 68.20 | -21.28 | peak |
| 6 | 15780.000 | 13.51 | 38.93 | 46.07 | 42.13 | 48.50 | 74.00 | -25.50 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 72 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5260 TX RSE Note : 5G WIFI 11A

| | | | | Preamp | | | | | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1263.796 | 3.29 | 24.27 | 46.50 | 48.60 | 29.66 | 68.20 | -38.54 | peak |
| 2 | 1653.550 | 4.10 | 24.91 | 46.38 | 49.85 | 32.48 | 68.20 | -35.72 | peak |
| 3 | 3425.675 | 6.81 | 28.69 | 46.34 | 49.24 | 38.40 | 68.20 | -29.80 | peak |
| 4 | 4495.125 | 7.47 | 30.19 | 46.43 | 49.96 | 41.19 | 68.20 | -27.01 | peak |
| 5 | 10520.000 | 11.07 | 39.04 | 46.92 | 43.68 | 46.87 | 68.20 | -21.33 | peak |
| 6 | 15780.000 | 13.51 | 38.93 | 46.07 | 42.28 | 48.65 | 74.00 | -25.35 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 73 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5300 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1129.072 | 2.98 | 24.23 | 46.55 | 49.21 | 29.87 | 74.00 | -44.13 | peak |
| 2 | 1682.477 | 4.16 | 24.97 | 46.37 | 49.17 | 31.93 | 74.00 | -42.07 | peak |
| 3 | 3386.297 | 6.72 | 28.68 | 46.38 | 50.08 | 39.10 | 68.20 | -29.10 | peak |
| 4 | 4456.315 | 7.47 | 30.14 | 46.38 | 49.80 | 41.03 | 68.20 | -27.17 | peak |
| 5 | 10600.000 | | | | | | | | • |
| 6 | 15900.000 | 13.51 | 38.53 | 45.98 | 42.92 | 48.98 | 74.00 | -25.02 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification insues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, versualis CARD Docehack-Wassa come.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 74 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5300 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1138.904 | 3.00 | 24.24 | 46.54 | 48.96 | 29.66 | 74.00 | -44.34 | peak |
| 2 | 1597.181 | 3.98 | 24.79 | 46.40 | 49.49 | 31.86 | 74.00 | -42.14 | peak |
| 3 | 3425.675 | 6.81 | 28.69 | 46.34 | 49.84 | 39.00 | 68.20 | -29.20 | peak |
| 4 | 4392.376 | 7.47 | 30.06 | 46.30 | 49.49 | 40.72 | 74.00 | -33.28 | peak |
| 5 | 10600.000 | 11.12 | 39.13 | 46.85 | 45.17 | 48.57 | 68.20 | -19.63 | peak |
| 6 | 15900.000 | 13.51 | 38.53 | 45.98 | 42.91 | 48.97 | 74.00 | -25.03 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification insues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, vernally CARD Roccheck (1982).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 75 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5320 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1106.457 | 2.92 | 24.21 | 46.56 | 49.45 | 30.02 | 74.00 | -43.98 | peak |
| 2 | 1658.337 | 4.11 | 24.92 | 46.38 | 49.22 | 31.87 | 68.20 | -36.33 | peak |
| 3 | 3415.787 | 6.79 | 28.68 | 46.35 | 49.29 | 38.41 | 68.20 | -29.79 | peak |
| 4 | 4367.058 | 7.48 | 30.02 | 46.27 | 50.31 | 41.54 | 74.00 | -32.46 | peak |
| 5 | 10640.000 | 11.15 | 39.18 | 46.81 | 44.09 | 47.61 | 74.00 | -26.39 | peak |
| 6 | 15960.000 | 13.52 | 38.33 | 45.93 | 42.95 | 48.87 | 74.00 | -25.13 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 76 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5320 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | ——dB | |
| 1 | 1238.483 | 3.24 | 24.28 | 46.51 | 48.53 | 29.54 | 74.00 | -44.46 | peak |
| 2 | 1677.621 | 4.15 | 24.96 | 46.38 | 48.80 | 31.53 | 74.00 | -42.47 | peak |
| 3 | 3465.510 | 6.91 | 28.69 | 46.30 | 49.53 | 38.83 | 68.20 | -29.37 | peak |
| 4 | 4482.150 | 7.47 | 30.18 | 46.41 | 50.21 | 41.45 | 68.20 | -26.75 | peak |
| 5 | 10640.000 | 11.15 | 39.18 | 46.81 | 44.37 | 47.89 | 74.00 | -26.11 | peak |
| 6 | 15960.000 | 13.52 | 38.33 | 45.93 | 42.39 | 48.31 | 74.00 | -25.69 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 77 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5260 TX RSE

Note : 5G WIFI 11N20

| | | | | Preamp | | | | | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1155.483 | 3.04 | 24.26 | 46.54 | 49.24 | 30.00 | 74.00 | -44.00 | peak |
| 2 | 1672.779 | 4.14 | 24.95 | 46.38 | 48.97 | 31.68 | 74.00 | -42.32 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 49.98 | 39.21 | 68.20 | -28.99 | peak |
| 4 | 4379.699 | 7.47 | 30.04 | 46.29 | 49.79 | 41.01 | 74.00 | -32.99 | peak |
| 5 | 10520.000 | 11.07 | 39.04 | 46.92 | 43.42 | 46.61 | 68.20 | -21.59 | peak |
| 6 | 15780.000 | 13.51 | 38.93 | 46.07 | 42.09 | 48.46 | 74.00 | -25.54 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 78 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5260 TX RSE

Mode : 5260 TX RSE Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1125.813 | 2.97 | 24.23 | 46.55 | 49.32 | 29.97 | 74.00 | -44.03 | peak |
| 2 | 1677.621 | 4.15 | 24.96 | 46.38 | 49.12 | 31.85 | 74.00 | -42.15 | peak |
| 3 | 3455.508 | 6.88 | 28.69 | 46.31 | 49.55 | 38.81 | 68.20 | -29.39 | peak |
| 4 | 4062.629 | 7.49 | 29.59 | 45.88 | 50.43 | 41.63 | 74.00 | -32.37 | peak |
| 5 | 10520.000 | 11.07 | 39.04 | 46.92 | 43.87 | 47.06 | 68.20 | -21.14 | peak |
| 6 | 15780.000 | 13.51 | 38.93 | 46.07 | 42.51 | 48.88 | 74.00 | -25.12 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 79 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5300 TX RSE

Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1119.323 | 2.95 | 24.22 | 46.55 | 49.32 | 29.94 | 74.00 | -44.06 | peak |
| 2 | 1692.231 | 4.18 | 24.99 | 46.37 | 49.42 | 32.22 | 74.00 | -41.78 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 49.42 | 38.65 | 68.20 | -29.55 | peak |
| 4 | 4316.859 | 7.48 | 29.95 | 46.21 | 49.50 | 40.72 | 74.00 | -33.28 | peak |
| 5 | 10600.000 | 11.12 | 39.13 | 46.85 | 44.11 | 47.51 | 68.20 | -20.69 | peak |
| 6 | 15900.000 | 13.51 | 38.53 | 45.98 | 41.68 | 47.74 | 74.00 | -26.26 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 80 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5300 TX RSE

Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 4 | 1115 507 | 2.02 | 24.25 | 46 54 | 40 40 | 20.02 | 74.00 | 44.00 | |
| 1 | 1145.507 | 3.02 | 24.25 | 46.54 | 49.19 | 29.92 | 74.00 | -44.08 | реак |
| 2 | 1663.137 | 4.12 | 24.93 | 46.38 | 49.41 | 32.08 | 74.00 | -41.92 | peak |
| 3 | 3425.675 | 6.81 | 28.69 | 46.34 | 49.72 | 38.88 | 68.20 | -29.32 | peak |
| 4 | 4482.150 | 7.47 | 30.18 | 46.41 | 49.75 | 40.99 | 68.20 | -27.21 | peak |
| 5 | 10600.000 | 11.12 | 39.13 | 46.85 | 44.36 | 47.76 | 68.20 | -20.44 | peak |
| 6 | 15900.000 | 13.51 | 38.53 | 45.98 | 41.60 | 47.66 | 74.00 | -26.34 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 81 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5320 TX RSE

Mode : 5320 TX RSE Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1145.507 | 3.02 | 24.25 | 46.54 | 49.57 | 30.30 | 74.00 | -43.70 | peak |
| 2 | 1653.550 | 4.10 | 24.91 | 46.38 | 48.84 | 31.47 | 68.20 | -36.73 | peak |
| 3 | 3475.541 | 6.93 | 28.70 | 46.29 | 49.57 | 38.91 | 68.20 | -29.29 | peak |
| 4 | 4304.400 | 7.48 | 29.94 | 46.19 | 50.03 | 41.26 | 74.00 | -32.74 | peak |
| 5 | 10640.000 | 11.15 | 39.18 | 46.81 | 44.07 | 47.59 | 74.00 | -26.41 | peak |
| 6 | 15960.000 | 13.52 | 38.33 | 45.93 | 42.84 | 48.76 | 74.00 | -25.24 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 82 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5320 TX RSE

Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|-------------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 4 | 1245 662 | 2 25 | 24.20 | 46 50 | 40.07 | 20.00 | CO 20 | 20.20 | |
| 1 | 1245.663 | 5.25 | 24.20 | 46.50 | 40.97 | 30.00 | 00.20 | -30.20 | peak |
| 2 | 1677.621 | 4.15 | 24.96 | 46.38 | 48.91 | 31.64 | 74.00 | -42.36 | peak |
| 3 | 3455.508 | 6.88 | 28.69 | 46.31 | 49.36 | 38.62 | 68.20 | -29.58 | peak |
| 4 | 4206.011 | 7.48 | 29.80 | 46.07 | 49.78 | 40.99 | 74.00 | -33.01 | peak |
| 5 | 10640.000 | 11.15 | 39.18 | 46.81 | 43.99 | 47.51 | 74.00 | -26.49 | peak |
| 6 | 15960.000 | 13.52 | 38.33 | 45.93 | 42.50 | 48.42 | 74.00 | -25.58 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 83 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5270 TX RSE

Note : 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1158.828 | 3.05 | 24.26 | 46.54 | 49.07 | 29.84 | 74.00 | -44.16 | peak |
| 2 | 1672.779 | 4.14 | 24.95 | 46.38 | 48.81 | 31.52 | 74.00 | -42.48 | peak |
| 3 | 3465.510 | 6.91 | 28.69 | 46.30 | 49.78 | 39.08 | 68.20 | -29.12 | peak |
| 4 | 4405.090 | 7.47 | 30.07 | 46.32 | 49.70 | 40.92 | 68.20 | -27.28 | peak |
| 5 | 10540.000 | 11.08 | 39.06 | 46.90 | 43.73 | 46.97 | 68.20 | -21.23 | peak |
| 6 | 15810.000 | 13.51 | 38.83 | 46.05 | 42.60 | 48.89 | 74.00 | -25.11 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 84 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5270 TX RSE

Note : 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1245.663 | 3 25 | 24.28 | 16 50 | 19 66 | 30 60 | 68 20 | 37 51 | noak |
| 1 | | | | | | | | | • |
| 2 | 1682.477 | 4.16 | 24.97 | 46.37 | 49.06 | 31.82 | 74.00 | -42.18 | peak |
| 3 | 3425.675 | 6.81 | 28.69 | 46.34 | 49.44 | 38.60 | 68.20 | -29.60 | peak |
| 4 | 4469.214 | 7.47 | 30.16 | 46.40 | 49.91 | 41.14 | 68.20 | -27.06 | peak |
| 5 | 10540.000 | 11.08 | 39.06 | 46.90 | 44.11 | 47.35 | 68.20 | -20.85 | peak |
| 6 | 15810.000 | 13.51 | 38.83 | 46.05 | 42.26 | 48.55 | 74.00 | -25.45 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CPU Doccheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 85 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5310 TX RSE

Note : 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 4 | 1245 663 | 2.25 | 24.20 | 46 50 | 40. 27 | 20.20 | CO 20 | 27.00 | |
| 1 | 1245.663 | 3.25 | 24.28 | 46.50 | 49.27 | 30.30 | 68.20 | -37.90 | реак |
| 2 | 1677.621 | 4.15 | 24.96 | 46.38 | 49.03 | 31.76 | 74.00 | -42.24 | peak |
| 3 | 3465.510 | 6.91 | 28.69 | 46.30 | 49.74 | 39.04 | 68.20 | -29.16 | peak |
| 4 | 4279.589 | 7.48 | 29.90 | 46.16 | 50.34 | 41.56 | 74.00 | -32.44 | peak |
| 5 | 10620.000 | 11.13 | 39.16 | 46.83 | 44.25 | 47.71 | 74.00 | -26.29 | peak |
| 6 | 15930.000 | 13.52 | 38.43 | 45.95 | 42.64 | 48.64 | 74.00 | -25.36 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 86 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5310 TX RSE

Note : 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|-------------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 4 | 1217 100 | 2 10 | 24.20 | AC E1 | 40.40 | 20.46 | 74.00 | 42 54 | |
| 1 | 1217.190 | 5.19 | 24.29 | 46.51 | 49.49 | 30.46 | 74.00 | -43.54 | peak |
| 2 | 1682.477 | 4.16 | 24.97 | 46.37 | 48.91 | 31.67 | 74.00 | -42.33 | peak |
| 3 | 3465.510 | 6.91 | 28.69 | 46.30 | 49.33 | 38.63 | 68.20 | -29.57 | peak |
| 4 | 4495.125 | 7.47 | 30.19 | 46.43 | 50.57 | 41.80 | 68.20 | -26.40 | peak |
| 5 | 10620.000 | 11.13 | 39.16 | 46.83 | 45.39 | 48.85 | 74.00 | -25.15 | peak |
| 6 | 15930.000 | 13.52 | 38.43 | 45.95 | 42.10 | 48.10 | 74.00 | -25.90 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 87 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5260 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1125.813 | 2.97 | 24.23 | 46.55 | 49.52 | 30.17 | 74.00 | -43.83 | peak |
| 2 | 1687.347 | 4.17 | 24.98 | 46.37 | 49.68 | 32.46 | 74.00 | -41.54 | peak |
| 3 | 3495.691 | 6.98 | 28.70 | 46.27 | 49.10 | 38.51 | 68.20 | -29.69 | peak |
| 4 | 4230.396 | 7.48 | 29.83 | 46.10 | 49.36 | 40.57 | 74.00 | -33.43 | peak |
| 5 | 10520.000 | 11.07 | 39.04 | 46.92 | 43.87 | 47.06 | 68.20 | -21.14 | peak |
| 6 | 15780.000 | 13.51 | 38.93 | 46.07 | 42.41 | 48.78 | 74.00 | -25.22 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 88 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5260 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1145.507 | 3.02 | 24.25 | 46.54 | 49.20 | 29.93 | 74.00 | -44.07 | peak |
| 2 | 1697.129 | 4.19 | 25.00 | 46.37 | 49.37 | 32.19 | 74.00 | -41.81 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 49.08 | 38.31 | 68.20 | -29.89 | peak |
| 4 | 4367.058 | 7.48 | 30.02 | 46.27 | 50.00 | 41.23 | 74.00 | -32.77 | peak |
| 5 | 10520.000 | 11.07 | 39.04 | 46.92 | 43.77 | 46.96 | 68.20 | -21.24 | peak |
| 6 | 15780.000 | 13.51 | 38.93 | 46.07 | 42.53 | 48.90 | 74.00 | -25.10 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 89 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5300 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1297.103 | 3.36 | 24.25 | 46.49 | 49.23 | 30.35 | 68.20 | -37.85 | peak |
| 2 | 1697.129 | 4.19 | 25.00 | 46.37 | 48.87 | 31.69 | 74.00 | -42.31 | peak |
| 3 | 3435.590 | 6.84 | 28.69 | 46.33 | 49.41 | 38.61 | 68.20 | -29.59 | peak |
| 4 | 4495.125 | 7.47 | 30.19 | 46.43 | 50.82 | 42.05 | 68.20 | -26.15 | peak |
| 5 | 10600.000 | 11.12 | 39.13 | 46.85 | 44.22 | 47.62 | 68.20 | -20.58 | peak |
| 6 | 15900.000 | 13.51 | 38.53 | 45.98 | 41.90 | 47.96 | 74.00 | -26.04 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 90 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5300 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1224.247 | 3.20 | 24.29 | 46.51 | 49.37 | 30.35 | 74.00 | -43.65 | peak |
| 2 | 1663.137 | 4.12 | 24.93 | 46.38 | 49.14 | 31.81 | 74.00 | -42.19 | peak |
| 3 | 3465.510 | 6.91 | 28.69 | 46.30 | 49.01 | 38.31 | 68.20 | -29.89 | peak |
| 4 | 4392.376 | 7.47 | 30.06 | 46.30 | 50.67 | 41.90 | 74.00 | -32.10 | peak |
| 5 | 10600.000 | 11.12 | 39.13 | 46.85 | 43.68 | 47.08 | 68.20 | -21.12 | peak |
| 6 | 15900.000 | 13.51 | 38.53 | 45.98 | 42.33 | 48.39 | 74.00 | -25.61 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 91 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5320 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1297.103 | 3.36 | 24.25 | 46.49 | 48.82 | 29.94 | 68.20 | -38.26 | peak |
| 2 | 1697.129 | 4.19 | 25.00 | 46.37 | 49.37 | 32.19 | 74.00 | -41.81 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 49.95 | 39.18 | 68.20 | -29.02 | peak |
| 4 | 4039.212 | 7.49 | 29.56 | 45.85 | 49.86 | 41.06 | 74.00 | -32.94 | peak |
| 5 | 10640.000 | 11.15 | 39.18 | 46.81 | 44.06 | 47.58 | 74.00 | -26.42 | peak |
| 6 | 15960.000 | 13.52 | 38.33 | 45.93 | 42.40 | 48.32 | 74.00 | -25.68 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 92 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5320 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1224.247 | 3.20 | 24.29 | 46.51 | 49.44 | 30.42 | 74.00 | -43.58 | peak |
| 2 | 1702.042 | 4.20 | 25.01 | 46.37 | 49.60 | 32.44 | 74.00 | -41.56 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 49.41 | 38.64 | 68.20 | -29.56 | peak |
| 4 | 4392.376 | 7.47 | 30.06 | 46.30 | 50.08 | 41.31 | 74.00 | -32.69 | peak |
| 5 | 10640.000 | 11.15 | 39.18 | 46.81 | 44.25 | 47.77 | 74.00 | -26.23 | peak |
| 6 | 15960.000 | 13.52 | 38.33 | 45.93 | 42.30 | 48.22 | 74.00 | -25.78 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 93 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5270 TX RSE

Note : 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1155.483 | 3.04 | 24.26 | 46.54 | 49.43 | 30.19 | 74.00 | -43.81 | peak |
| 2 | 1587.975 | 3.96 | 24.77 | 46.40 | 49.68 | 32.01 | 74.00 | -41.99 | peak |
| 3 | 3475.541 | 6.93 | 28.70 | 46.29 | 48.87 | 38.21 | 68.20 | -29.99 | peak |
| 4 | 4430.628 | 7.47 | 30.11 | 46.35 | 50.09 | 41.32 | 68.20 | -26.88 | peak |
| 5 | 10540.000 | 11.08 | 39.06 | 46.90 | 44.35 | 47.59 | 68.20 | -20.61 | peak |
| 6 | 15810.000 | 13.51 | 38.83 | 46.05 | 42.25 | 48.54 | 74.00 | -25.46 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 94 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5270 TX RSE

Note : 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|-------------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1220 714 | 2 20 | 24.20 | AC E1 | 10 71 | 20.72 | 74.00 | 44 20 | noole |
| 1 | 1220.714 | 5.20 | 24.29 | 40.51 | 40./4 | 29.72 | 74.00 | -44.20 | peak |
| 2 | 1682.477 | 4.16 | 24.97 | 46.37 | 49.54 | 32.30 | 74.00 | -41.70 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 49.53 | 38.76 | 68.20 | -29.44 | peak |
| 4 | 4379.699 | 7.47 | 30.04 | 46.29 | 49.85 | 41.07 | 74.00 | -32.93 | peak |
| 5 | 10540.000 | 11.08 | 39.06 | 46.90 | 43.57 | 46.81 | 68.20 | -21.39 | peak |
| 6 | 15810.000 | 13.51 | 38.83 | 46.05 | 41.86 | 48.15 | 74.00 | -25.85 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 95 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5310 TX RSE

Note : 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1234.909 | 3.23 | 24.28 | 46.51 | 49.21 | 30.21 | 74.00 | -43.79 | peak |
| 2 | 1663.137 | 4.12 | 24.93 | 46.38 | 49.53 | 32.20 | 74.00 | -41.80 | peak |
| 3 | 3435.590 | 6.84 | 28.69 | 46.33 | 50.39 | 39.59 | 68.20 | -28.61 | peak |
| 4 | 4341.886 | 7.48 | 29.99 | 46.24 | 49.86 | 41.09 | 74.00 | -32.91 | peak |
| 5 | 10620.000 | 11.13 | 39.16 | 46.83 | 44.36 | 47.82 | 74.00 | -26.18 | peak |
| 6 | 15930.000 | 13.52 | 38.43 | 45.95 | 42.05 | 48.05 | 74.00 | -25.95 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 96 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5310 TX RSE

Note : 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1224.247 | 3.20 | 24.29 | 46.51 | 48.63 | 29.61 | 74.00 | -44.39 | peak |
| 2 | 1677.621 | 4.15 | 24.96 | 46.38 | 49.36 | 32.09 | 74.00 | -41.91 | peak |
| 3 | 3485.601 | 6.96 | 28.70 | 46.28 | 49.48 | 38.86 | 68.20 | -29.34 | peak |
| 4 | 4392.376 | 7.47 | 30.06 | 46.30 | 49.83 | 41.06 | 74.00 | -32.94 | peak |
| 5 | 10620.000 | 11.13 | 39.16 | 46.83 | 44.22 | 47.68 | 74.00 | -26.32 | peak |
| 6 | 15930.000 | 13.52 | 38.43 | 45.95 | 41.93 | 47.93 | 74.00 | -26.07 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 97 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5290 TX RSE

Note : 5G WIFI 11AC80

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1297.103 | 3.36 | 24.25 | 46.49 | 49.19 | 30.31 | 68.20 | -37.89 | peak |
| 2 | 1663.137 | 4.12 | 24.93 | 46.38 | 49.86 | 32.53 | 74.00 | -41.47 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 50.21 | 39.44 | 68.20 | -28.76 | peak |
| 4 | 4193.872 | 7.48 | 29.78 | 46.05 | 50.04 | 41.25 | 74.00 | -32.75 | peak |
| 5 | 10580.000 | 11.11 | 39.11 | 46.87 | 43.99 | 47.34 | 68.20 | -20.86 | peak |
| 6 | 15870.000 | 13.51 | 38.63 | 46.00 | 42.00 | 48.14 | 74.00 | -25.86 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 98 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5290 TX RSE

Note : 5G WIFI 11AC80

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1285.904 | 3.34 | 24.26 | 46.49 | 48.59 | 29.70 | 68.20 | -38.50 | peak |
| 2 | 1672.779 | 4.14 | 24.95 | 46.38 | 48.74 | 31.45 | 74.00 | -42.55 | peak |
| 3 | 3435.590 | 6.84 | 28.69 | 46.33 | 49.05 | 38.25 | 68.20 | -29.95 | peak |
| 4 | 4157.664 | 7.48 | 29.73 | 46.01 | 49.91 | 41.11 | 74.00 | -32.89 | peak |
| 5 | 10580.000 | 11.11 | 39.11 | 46.87 | 44.24 | 47.59 | 68.20 | -20.61 | peak |
| 6 | 15870.000 | 13.51 | 38.63 | 46.00 | 42.18 | 48.32 | 74.00 | -25.68 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority Aut




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 99 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5500 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1227.791 | 3.21 | 24.29 | 46.51 | 49.00 | 29.99 | 74.00 | -44.01 | peak |
| 2 | 1697.129 | 4.19 | 25.00 | 46.37 | 49.40 | 32.22 | 74.00 | -41.78 | peak |
| 3 | 3485.601 | 6.96 | 28.70 | 46.28 | 50.11 | 39.49 | 68.20 | -28.71 | peak |
| 4 | 4469.214 | 7.47 | 30.16 | 46.40 | 50.13 | 41.36 | 68.20 | -26.84 | peak |
| 5 | 11000.000 | 11.36 | 39.60 | 46.50 | 42.47 | 46.93 | 74.00 | -27.07 | peak |
| 6 | 16500.000 | 14.69 | 39.93 | 45.95 | 38.26 | 46.93 | 68.20 | -21.27 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 100 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5500 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1217.190 | 3.19 | 24.29 | 46.51 | 49.35 | 30.32 | 74.00 | -43.68 | peak |
| 2 | 1677.621 | 4.15 | 24.96 | 46.38 | 49.60 | 32.33 | 74.00 | -41.67 | peak |
| 3 | 3425.675 | 6.81 | 28.69 | 46.34 | 50.26 | 39.42 | 68.20 | -28.78 | peak |
| 4 | 4495.125 | 7.47 | 30.19 | 46.43 | 50.16 | 41.39 | 68.20 | -26.81 | peak |
| 5 | 11000.000 | 11.36 | 39.60 | 46.50 | 42.50 | 46.96 | 74.00 | -27.04 | peak |
| 6 | 16500.000 | 14.69 | 39.93 | 45.95 | 38.85 | 47.52 | 68.20 | -20.68 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 101 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5580 TX RSE Note : 5G WIFI 11A

| | | **** | | | | | | | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1158.828 | 3.05 | 24.26 | 46.54 | 48.61 | 29.38 | 74.00 | -44.62 | peak |
| 2 | 1677.621 | 4.15 | 24.96 | 46.38 | 49.41 | 32.14 | 74.00 | -41.86 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 49.53 | 38.76 | 68.20 | -29.44 | peak |
| 4 | 4169.698 | 7.48 | 29.75 | 46.02 | 49.80 | 41.01 | 74.00 | -32.99 | peak |
| 5 | 11160.000 | 11.44 | 39.63 | 46.50 | 42.28 | 46.85 | 74.00 | -27.15 | peak |
| 6 | 16740.000 | 14.50 | 40.74 | 45.97 | 39.51 | 48.78 | 68.20 | -19.42 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 102 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT

Mode : 5580 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|----------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | d Bu V/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1224.247 | 3.20 | 24.29 | 46.51 | 48.90 | 29.88 | 74.00 | -44.12 | peak |
| 2 | 1677.621 | 4.15 | 24.96 | 46.38 | 49.40 | 32.13 | 74.00 | -41.87 | peak |
| 3 | 3376.523 | 6.69 | 28.68 | 46.39 | 49.86 | 38.84 | 68.20 | -29.36 | peak |
| 4 | 4482.150 | 7.47 | 30.18 | 46.41 | 50.12 | 41.36 | 68.20 | -26.84 | peak |
| 5 | 11160.000 | 11.44 | 39.63 | 46.50 | 41.99 | 46.56 | 74.00 | -27.44 | peak |
| 6 | 16740.000 | 14.50 | 40.74 | 45.97 | 40.60 | 49.87 | 68.20 | -18.33 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 103 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5700 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1116.093 | 2.95 | 24.22 | 46.55 | 49.32 | 29.94 | 74.00 | -44.06 | peak |
| 2 | 1663.137 | 4.12 | 24.93 | 46.38 | 49.40 | 32.07 | 74.00 | -41.93 | peak |
| 3 | 3415.787 | 6.79 | 28.68 | 46.35 | 49.80 | 38.92 | 68.20 | -29.28 | peak |
| 4 | 4495.125 | 7.47 | 30.19 | 46.43 | 49.67 | 40.90 | 68.20 | -27.30 | peak |
| 5 | 11400.000 | 11.55 | 39.68 | 46.50 | 43.70 | 48.43 | 74.00 | -25.57 | peak |
| 6 | 17100.000 | 14.34 | 42.14 | 46.07 | 38.84 | 49.25 | 68.20 | -18.95 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 104 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5700 TX RSE Note : 5G WIFI 11A

| | | | | Preamp | | | | | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1145.507 | 3.02 | 24.25 | 46.54 | 49.35 | 30.08 | 74.00 | -43.92 | peak |
| 2 | 1601.804 | 3.99 | 24.80 | 46.40 | 49.40 | 31.79 | 74.00 | -42.21 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 49.58 | 38.81 | 68.20 | -29.39 | peak |
| 4 | 4145.664 | 7.48 | 29.71 | 45.99 | 49.95 | 41.15 | 74.00 | -32.85 | peak |
| 5 | 11400.000 | 11.55 | 39.68 | 46.50 | 44.32 | 49.05 | 74.00 | -24.95 | peak |
| 6 | 17100.000 | 14.34 | 42.14 | 46.07 | 37.92 | 48.33 | 68.20 | -19.87 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 105 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5500 TX RSE

Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1132.340 | 2.99 | 24.24 | 46.55 | 49.74 | 30.42 | 74.00 | -43.58 | peak |
| 2 | 1663.137 | 4.12 | 24.93 | 46.38 | 49.68 | 32.35 | 74.00 | -41.65 | peak |
| 3 | 3465.510 | 6.91 | 28.69 | 46.30 | 49.73 | 39.03 | 68.20 | -29.17 | peak |
| 4 | 4482.150 | 7.47 | 30.18 | 46.41 | 49.99 | 41.23 | 68.20 | -26.97 | peak |
| 5 | 11000.000 | 11.36 | 39.60 | 46.50 | 42.00 | 46.46 | 74.00 | -27.54 | peak |
| 6 | 16500.000 | 14.69 | 39.93 | 45.95 | 38.56 | 47.23 | 68.20 | -20.97 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 106 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5500 TX RSE

Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|-------------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 4 | 1150 000 | 2 05 | 24.26 | 46 54 | 40.25 | 20.02 | 74.00 | 42.00 | |
| 1 | 1158.828 | 5.05 | 24.26 | 46.54 | 49.25 | 30.02 | 74.00 | -43.90 | реак |
| 2 | 1667.951 | 4.13 | 24.94 | 46.38 | 49.58 | 32.27 | 74.00 | -41.73 | peak |
| 3 | 3455.508 | 6.88 | 28.69 | 46.31 | 49.29 | 38.55 | 68.20 | -29.65 | peak |
| 4 | 4495.125 | 7.47 | 30.19 | 46.43 | 49.77 | 41.00 | 68.20 | -27.20 | peak |
| 5 | 11000.000 | 11.36 | 39.60 | 46.50 | 42.96 | 47.42 | 74.00 | -26.58 | peak |
| 6 | 16500.000 | 14.69 | 39.93 | 45.95 | 39.25 | 47.92 | 68.20 | -20.28 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 107 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5580 TX RSE

Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1278.492 | 3.32 | 24.26 | 46 49 | 48.90 | 29 99 | 68.20 | -38.21 | neak |
| 2 | 1687.347 | | | | | | | | • |
| 3 | 3455.508 | | | | | | | | • |
| 4 | 4392.376 | 7.47 | 30.06 | 46.30 | 50.10 | 41.33 | 74.00 | -32.67 | peak |
| 5 | 11160.000 | 11.44 | 39.63 | 46.50 | 42.60 | 47.17 | 74.00 | -26.83 | peak |
| 6 | 16740.000 | 14.50 | 40.74 | 45.97 | 39.35 | 48.62 | 68.20 | -19.58 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 108 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5580 TX RSE

Note : 55 WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1274.802 | 3.32 | 24.26 | 46.49 | 48.58 | 29.67 | 68.20 | -38.53 | peak |
| 2 | 1682.477 | 4.16 | 24.97 | 46.37 | 49.20 | 31.96 | 74.00 | -42.04 | peak |
| 3 | 3465.510 | 6.91 | 28.69 | 46.30 | 49.20 | 38.50 | 68.20 | -29.70 | peak |
| 4 | 4495.125 | 7.47 | 30.19 | 46.43 | 49.78 | 41.01 | 68.20 | -27.19 | peak |
| 5 | 11160.000 | 11.44 | 39.63 | 46.50 | 42.61 | 47.18 | 74.00 | -26.82 | peak |
| 6 | 16740.000 | 14.50 | 40.74 | 45.97 | 39.88 | 49.15 | 68.20 | -19.05 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 109 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5700 TX RSE

Mode : 5700 TX RSE Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|-------------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 4 | 1205 004 | 2 24 | 24.26 | 46 40 | 40 65 | 20.76 | CO 20 | 20 44 | |
| 1 | 1285.904 | | | 46.49 | | | | | • |
| 2 | 1682.477 | 4.16 | 24.97 | 46.37 | 49.13 | 31.89 | 74.00 | -42.11 | peak |
| 3 | 3485.601 | 6.96 | 28.70 | 46.28 | 49.27 | 38.65 | 68.20 | -29.55 | peak |
| 4 | 4482.150 | 7.47 | 30.18 | 46.41 | 49.52 | 40.76 | 68.20 | -27.44 | peak |
| 5 | 11400.000 | 11.55 | 39.68 | 46.50 | 43.95 | 48.68 | 74.00 | -25.32 | peak |
| 6 | 17100.000 | 14.34 | 42.14 | 46.07 | 38.03 | 48.44 | 68.20 | -19.76 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 110 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5700 TX RSE

Note : 5G WIFI 11N20

| | | | | Preamp | | | | | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1217.190 | 3.19 | 24.29 | 46.51 | 48.99 | 29.96 | 74.00 | -44.04 | peak |
| 2 | 1672.779 | 4.14 | 24.95 | 46.38 | 49.34 | 32.05 | 74.00 | -41.95 | peak |
| 3 | 3455.508 | 6.88 | 28.69 | 46.31 | 49.96 | 39.22 | 68.20 | -28.98 | peak |
| 4 | 4495.125 | 7.47 | 30.19 | 46.43 | 50.38 | 41.61 | 68.20 | -26.59 | peak |
| 5 | 11400.000 | 11.55 | 39.68 | 46.50 | 43.84 | 48.57 | 74.00 | -25.43 | peak |
| 6 | 17100.000 | 14.34 | 42.14 | 46.07 | 37.87 | 48.28 | 68.20 | -19.92 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 111 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5510 TX RSE

Note : 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|-------------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1224 247 | 2 20 | 24.20 | AC E1 | 10 01 | 20.02 | 74 00 | 11 00 | nook |
| T | 1224.247 | 5.20 | 24.29 | 46.51 | 40.94 | 29.92 | 74.00 | -44.00 | peak |
| 2 | 1601.804 | 3.99 | 24.80 | 46.40 | 49.40 | 31.79 | 74.00 | -42.21 | peak |
| 3 | 3465.510 | 6.91 | 28.69 | 46.30 | 49.52 | 38.82 | 68.20 | -29.38 | peak |
| 4 | 4169.698 | 7.48 | 29.75 | 46.02 | 50.33 | 41.54 | 74.00 | -32.46 | peak |
| 5 | 11020.000 | 11.37 | 39.60 | 46.50 | 41.97 | 46.44 | 74.00 | -27.56 | peak |
| 6 | 16530.000 | 14.67 | 40.03 | 45.95 | 39.00 | 47.75 | 68.20 | -20.45 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 112 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5510 TX RSE

Note : 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 4 | 4207 403 | 2.26 | 24.25 | 46.40 | 40.63 | 20.75 | 60.00 | 20.45 | |
| 1 | 1297.103 | 3.36 | 24.25 | 46.49 | 48.63 | 29.75 | 68.20 | -38.45 | peak |
| 2 | 1583.392 | 3.95 | 24.75 | 46.40 | 49.46 | 31.76 | 74.00 | -42.24 | peak |
| 3 | 3495.691 | 6.98 | 28.70 | 46.27 | 49.47 | 38.88 | 68.20 | -29.32 | peak |
| 4 | 4367.058 | 7.48 | 30.02 | 46.27 | 49.68 | 40.91 | 74.00 | -33.09 | peak |
| 5 | 11020.000 | 11.37 | 39.60 | 46.50 | 42.60 | 47.07 | 74.00 | -26.93 | peak |
| 6 | 16530.000 | 14.67 | 40.03 | 45.95 | 39.75 | 48.50 | 68.20 | -19.70 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 113 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5550 TX RSE

Note : 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | ——dB | |
| 1 | 1217.190 | 3.19 | 24.29 | 46.51 | 49.08 | 30.05 | 74.00 | -43.95 | peak |
| 2 | 1682.477 | 4.16 | 24.97 | 46.37 | 49.17 | 31.93 | 74.00 | -42.07 | peak |
| 3 | 3366.778 | 6.67 | 28.67 | 46.40 | 50.17 | 39.11 | 68.20 | -29.09 | peak |
| 4 | 4443.453 | 7.47 | 30.12 | 46.37 | 50.08 | 41.30 | 68.20 | -26.90 | peak |
| 5 | 11100.000 | 11.41 | 39.62 | 46.50 | 42.38 | 46.91 | 74.00 | -27.09 | peak |
| 6 | 16650.000 | 14.57 | 40.43 | 45.97 | 39.20 | 48.23 | 68.20 | -19.97 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 114 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5550 TX RSE

Note : 5G WIFI 11N40

| | - | | | Preamp | | | | | ь . |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | revel | revel | Line | Limit | Kemark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1145.507 | 3.02 | 24.25 | 46.54 | 49.44 | 30.17 | 74.00 | -43.83 | peak |
| 2 | 1672.779 | 4.14 | 24.95 | 46.38 | 49.28 | 31.99 | 74.00 | -42.01 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 49.50 | 38.73 | 68.20 | -29.47 | peak |
| 4 | 4405.090 | 7.47 | 30.07 | 46.32 | 49.80 | 41.02 | 68.20 | -27.18 | peak |
| 5 | 11100.000 | 11.41 | 39.62 | 46.50 | 43.00 | 47.53 | 74.00 | -26.47 | peak |
| 6 | 16650.000 | 14.57 | 40.43 | 45.97 | 38.45 | 47.48 | 68.20 | -20.72 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 115 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5670 TX RSE

Note : 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1125.813 | 2.97 | 24.23 | 46.55 | 49.05 | 29.70 | 74.00 | -44.30 | peak |
| 2 | 1663.137 | 4.12 | 24.93 | 46.38 | 49.11 | 31.78 | 74.00 | -42.22 | peak |
| 3 | 3405.929 | 6.77 | 28.68 | 46.36 | 49.56 | 38.65 | 68.20 | -29.55 | peak |
| 4 | 4417.841 | 7.47 | 30.09 | 46.33 | 50.30 | 41.53 | 68.20 | -26.67 | peak |
| 5 | 11340.000 | 11.52 | 39.67 | 46.50 | 43.13 | 47.82 | 74.00 | -26.18 | peak |
| 6 | 17010.000 | 14.30 | 41.65 | 46.01 | 38.59 | 48.53 | 68.20 | -19.67 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 116 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5670 TX RSE

Note : 5G WIFI 11N40

| | | **** | 111110 | | | | | | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1297.103 | 3.36 | 24.25 | 46.49 | 48.66 | 29.78 | 68.20 | -38.42 | peak |
| 2 | 1663.137 | 4.12 | 24.93 | 46.38 | 48.96 | 31.63 | 74.00 | -42.37 | peak |
| 3 | 3455.508 | 6.88 | 28.69 | 46.31 | 50.27 | 39.53 | 68.20 | -28.67 | peak |
| 4 | 4254.921 | 7.48 | 29.87 | 46.13 | 49.86 | 41.08 | 74.00 | -32.92 | peak |
| 5 | 11340.000 | 11.52 | 39.67 | 46.50 | 43.33 | 48.02 | 74.00 | -25.98 | peak |
| 6 | 17010.000 | 14.30 | 41.65 | 46.01 | 38.92 | 48.86 | 68.20 | -19.34 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 117 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5500 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1132.340 | 2.99 | 24.24 | 46.55 | 49.17 | 29.85 | 74.00 | -44.15 | peak |
| 2 | 1682.477 | 4.16 | 24.97 | 46.37 | 49.26 | 32.02 | 74.00 | -41.98 | peak |
| 3 | 3435.590 | 6.84 | 28.69 | 46.33 | 49.18 | 38.38 | 68.20 | -29.82 | peak |
| 4 | 4254.921 | 7.48 | 29.87 | 46.13 | 49.74 | 40.96 | 74.00 | -33.04 | peak |
| 5 | 11000.000 | 11.36 | 39.60 | 46.50 | 42.44 | 46.90 | 74.00 | -27.10 | peak |
| 6 | 16500.000 | 14.69 | 39.93 | 45.95 | 39.45 | 48.12 | 68.20 | -20.08 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 118 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5500 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1217.190 | 3.19 | 24.29 | 46.51 | 48.98 | 29.95 | 74.00 | -44.05 | peak |
| 2 | 1692.231 | 4.18 | 24.99 | 46.37 | 49.28 | 32.08 | 74.00 | -41.92 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 49.23 | 38.46 | 68.20 | -29.74 | peak |
| 4 | 4218.186 | 7.48 | 29.82 | 46.09 | 49.91 | 41.12 | 74.00 | -32.88 | peak |
| 5 | 11000.000 | 11.36 | 39.60 | 46.50 | 42.12 | 46.58 | 74.00 | -27.42 | peak |
| 6 | 16500.000 | 14.69 | 39.93 | 45.95 | 38.85 | 47.52 | 68.20 | -20.68 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CPU Doccheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 119 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5580 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1224.247 | 3.20 | 24.29 | 46.51 | 49.22 | 30.20 | 74.00 | -43.80 | peak |
| 2 | 1667.951 | 4.13 | 24.94 | 46.38 | 49.20 | 31.89 | 74.00 | -42.11 | peak |
| 3 | 3357.061 | 6.65 | 28.67 | 46.41 | 49.27 | 38.18 | 74.00 | -35.82 | peak |
| 4 | 4050.904 | 7.49 | 29.58 | 45.87 | 49.94 | 41.14 | 74.00 | -32.86 | peak |
| 5 | 11160.000 | 11.44 | 39.63 | 46.50 | 42.04 | 46.61 | 74.00 | -27.39 | peak |
| 6 | 16740.000 | 14.50 | 40.74 | 45.97 | 39.74 | 49.01 | 68.20 | -19.19 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 120 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5580 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1300.858 | 3.37 | 24.25 | 46.49 | 49.02 | 30.15 | 74.00 | -43.85 | peak |
| 2 | 1697.129 | 4.19 | 25.00 | 46.37 | 48.84 | 31.66 | 74.00 | -42.34 | peak |
| 3 | 3465.510 | 6.91 | 28.69 | 46.30 | 49.77 | 39.07 | 68.20 | -29.13 | peak |
| 4 | 4133.699 | 7.48 | 29.70 | 45.98 | 50.03 | 41.23 | 74.00 | -32.77 | peak |
| 5 | 11160.000 | 11.44 | 39.63 | 46.50 | 42.39 | 46.96 | 74.00 | -27.04 | peak |
| 6 | 16740.000 | 14.50 | 40.74 | 45.97 | 39.59 | 48.86 | 68.20 | -19.34 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 121 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5700 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1129.072 | 2.98 | 24.23 | 46.55 | 49.14 | 29.80 | 74.00 | -44.20 | peak |
| 2 | 1578.822 | 3.94 | 24.74 | 46.40 | 50.26 | 32.54 | 74.00 | -41.46 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 49.55 | 38.78 | 68.20 | -29.42 | peak |
| 4 | 4482.150 | 7.47 | 30.18 | 46.41 | 50.47 | 41.71 | 68.20 | -26.49 | peak |
| 5 | 11400.000 | 11.55 | 39.68 | 46.50 | 43.75 | 48.48 | 74.00 | -25.52 | peak |
| 6 | 17100.000 | 14.34 | 42.14 | 46.07 | 39.01 | 49.42 | 68.20 | -18.78 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 122 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5700 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1132.340 | 2.99 | 24.24 | 46.55 | 49.04 | 29.72 | 74.00 | -44.28 | peak |
| 2 | 1597.181 | 3.98 | 24.79 | 46.40 | 49.76 | 32.13 | 74.00 | -41.87 | peak |
| 3 | 3455.508 | 6.88 | 28.69 | 46.31 | 50.28 | 39.54 | 68.20 | -28.66 | peak |
| 4 | 4482.150 | 7.47 | 30.18 | 46.41 | 49.89 | 41.13 | 68.20 | -27.07 | peak |
| 5 | 11400.000 | 11.55 | 39.68 | 46.50 | 43.49 | 48.22 | 74.00 | -25.78 | peak |
| 6 | 17100.000 | 14.34 | 42.14 | 46.07 | 39.19 | 49.60 | 68.20 | -18.60 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 123 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5510 TX RSE

Note : 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1245.663 | 3.25 | 24.28 | 46.50 | 49.52 | 30.55 | 68.20 | -37.65 | peak |
| 2 | 1672.779 | 4.14 | 24.95 | 46.38 | 49.35 | 32.06 | 74.00 | -41.94 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 50.41 | 39.64 | 68.20 | -28.56 | peak |
| 4 | 4354.454 | 7.48 | 30.00 | 46.26 | 50.13 | 41.35 | 74.00 | -32.65 | peak |
| 5 | 11020.000 | 11.37 | 39.60 | 46.50 | 41.99 | 46.46 | 74.00 | -27.54 | peak |
| 6 | 16530.000 | 14.67 | 40.03 | 45.95 | 38.66 | 47.41 | 68.20 | -20.79 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 124 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5510 TX RSE

Note : 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1125.813 | 2.97 | 24.23 | 46.55 | 49.44 | 30.09 | 74.00 | -43.91 | peak |
| 2 | 1687.347 | 4.17 | 24.98 | 46.37 | 48.92 | 31.70 | 74.00 | -42.30 | peak |
| 3 | 3455.508 | 6.88 | 28.69 | 46.31 | 49.95 | 39.21 | 68.20 | -28.99 | peak |
| 4 | 4329.354 | 7.48 | 29.97 | 46.23 | 50.56 | 41.78 | 74.00 | -32.22 | peak |
| 5 | 11020.000 | 11.37 | 39.60 | 46.50 | 42.09 | 46.56 | 74.00 | -27.44 | peak |
| 6 | 16530.000 | 14.67 | 40.03 | 45.95 | 39.39 | 48.14 | 68.20 | -20.06 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 125 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5550 TX RSE

Note : 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1245.663 | 3.25 | 24.28 | 46.50 | 48.96 | 29.99 | 68.20 | -38.21 | peak |
| 2 | 1697.129 | 4.19 | 25.00 | 46.37 | 49.21 | 32.03 | 74.00 | -41.97 | peak |
| 3 | 3328.077 | 6.58 | 28.67 | 46.44 | 49.78 | 38.59 | 68.20 | -29.61 | peak |
| 4 | 4074.388 | 7.49 | 29.61 | 45.90 | 50.37 | 41.57 | 74.00 | -32.43 | peak |
| 5 | 11100.000 | 11.41 | 39.62 | 46.50 | 42.77 | 47.30 | 74.00 | -26.70 | peak |
| 6 | 16650.000 | 14.57 | 40.43 | 45.97 | 39.97 | 49.00 | 68.20 | -19.20 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 126 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5550 TX RSE

Note : 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1238.483 | 3.24 | 24.28 | 46.51 | 48.58 | 29.59 | 74.00 | -44.41 | peak |
| 2 | 1672.779 | 4.14 | 24.95 | 46.38 | 49.00 | 31.71 | 74.00 | -42.29 | peak |
| 3 | 3366.778 | 6.67 | 28.67 | 46.40 | 49.92 | 38.86 | 68.20 | -29.34 | peak |
| 4 | 4469.214 | 7.47 | 30.16 | 46.40 | 50.20 | 41.43 | 68.20 | -26.77 | peak |
| 5 | 11100.000 | 11.41 | 39.62 | 46.50 | 42.48 | 47.01 | 74.00 | -26.99 | peak |
| 6 | 16650.000 | 14.57 | 40.43 | 45.97 | 38.29 | 47.32 | 68.20 | -20.88 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 127 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5670 TX RSE

Note : 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1224.247 | 3.20 | 24.29 | 46.51 | 48.62 | 29.60 | 74.00 | -44.40 | peak |
| 2 | 1697.129 | 4.19 | 25.00 | 46.37 | 48.49 | 31.31 | 74.00 | -42.69 | peak |
| 3 | 3435.590 | 6.84 | 28.69 | 46.33 | 49.61 | 38.81 | 68.20 | -29.39 | peak |
| 4 | 4495.125 | 7.47 | 30.19 | 46.43 | 50.05 | 41.28 | 68.20 | -26.92 | peak |
| 5 | 11340.000 | 11.52 | 39.67 | 46.50 | 43.00 | 47.69 | 74.00 | -26.31 | peak |
| 6 | 17010.000 | 14.30 | 41.65 | 46.01 | 38.86 | 48.80 | 68.20 | -19.40 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 128 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5670 TX RSE

Note : 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1234.909 | 3.23 | 24.28 | 46.51 | 49.25 | 30.25 | 74.00 | -43.75 | peak |
| 2 | 1667.951 | 4.13 | 24.94 | 46.38 | 48.87 | 31.56 | 74.00 | -42.44 | peak |
| 3 | 3455.508 | 6.88 | 28.69 | 46.31 | 49.23 | 38.49 | 68.20 | -29.71 | peak |
| 4 | 4379.699 | 7.47 | 30.04 | 46.29 | 49.62 | 40.84 | 74.00 | -33.16 | peak |
| 5 | 11340.000 | 11.52 | 39.67 | 46.50 | 43.90 | 48.59 | 74.00 | -25.41 | peak |
| 6 | 17010.000 | 14.30 | 41.65 | 46.01 | 38.52 | 48.46 | 68.20 | -19.74 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CPU Doccheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 129 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5530 TX RSE

Note : 5G WIFI 11AC80

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1224.247 | 3.20 | 24.29 | 46.51 | 49.00 | 29.98 | 74.00 | -44.02 | peak |
| 2 | 1677.621 | 4.15 | 24.96 | 46.38 | 48.78 | 31.51 | 74.00 | -42.49 | peak |
| 3 | 3415.787 | 6.79 | 28.68 | 46.35 | 49.54 | 38.66 | 68.20 | -29.54 | peak |
| 4 | 4469.214 | 7.47 | 30.16 | 46.40 | 50.11 | 41.34 | 68.20 | -26.86 | peak |
| 5 | 11060.000 | 11.39 | 39.61 | 46.50 | 43.05 | 47.55 | 74.00 | -26.45 | peak |
| 6 | 16590.000 | 14.62 | 40.23 | 45.96 | 39.05 | 47.94 | 68.20 | -20.26 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 130 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5530 TX RSE

Note : 5G WIFI 11AC80

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1293.359 | 3.36 | 24.25 | 46.49 | 48.35 | 29.47 | 68.20 | -38.73 | peak |
| 2 | 1672.779 | 4.14 | 24.95 | 46.38 | 49.54 | 32.25 | 74.00 | -41.75 | peak |
| 3 | 3465.510 | 6.91 | 28.69 | 46.30 | 49.38 | 38.68 | 68.20 | -29.52 | peak |
| 4 | 4495.125 | 7.47 | 30.19 | 46.43 | 49.90 | 41.13 | 68.20 | -27.07 | peak |
| 5 | 11060.000 | 11.39 | 39.61 | 46.50 | 42.86 | 47.36 | 74.00 | -26.64 | peak |
| 6 | 16590.000 | 14.62 | 40.23 | 45.96 | 38.90 | 47.79 | 68.20 | -20.41 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CPU Doccheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 131 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5610 TX RSE

Note : 5G WIFI 11AC80

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1119.323 | 2.95 | 24.22 | 46.55 | 49.53 | 30.15 | 74.00 | -43.85 | peak |
| 2 | 1687.347 | 4.17 | 24.98 | 46.37 | 48.65 | 31.43 | 74.00 | -42.57 | peak |
| 3 | 3465.510 | 6.91 | 28.69 | 46.30 | 49.09 | 38.39 | 68.20 | -29.81 | peak |
| 4 | 4304.400 | 7.48 | 29.94 | 46.19 | 49.94 | 41.17 | 74.00 | -32.83 | peak |
| 5 | 11220.000 | 11.47 | 39.65 | 46.50 | 42.33 | 46.95 | 74.00 | -27.05 | peak |
| 6 | 16830.000 | 14.43 | 41.04 | 45.98 | 40.73 | 50.22 | 68.20 | -17.98 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 132 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5610 TX RSE

Note : 5G WIFI 11AC80

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1267.454 | 3.30 | 24.26 | 46.50 | 48.52 | 29.58 | 68.20 | -38.62 | peak |
| 2 | 1574.265 | 3.93 | 24.73 | 46.40 | 49.88 | 32.14 | 74.00 | -41.86 | peak |
| 3 | 3465.510 | 6.91 | 28.69 | 46.30 | 49.52 | 38.82 | 68.20 | -29.38 | peak |
| 4 | 4443.453 | 7.47 | 30.12 | 46.37 | 49.40 | 40.62 | 68.20 | -27.58 | peak |
| 5 | 11220.000 | 11.47 | 39.65 | 46.50 | 42.09 | 46.71 | 74.00 | -27.29 | peak |
| 6 | 16830.000 | 14.43 | 41.04 | 45.98 | 40.42 | 49.91 | 68.20 | -18.29 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 133 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5745 TX RSE Note : 5G WIFI 11A

| | | **** | | | | | | | | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|--|
| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | 4007 704 | 2.04 | 24.20 | 46 54 | 40.00 | 20.00 | 74.00 | 44.00 | | |
| 1 | 1227.791 | 3.21 | 24.29 | 46.51 | 48.99 | 29.98 | /4.00 | -44.02 | peak | |
| 2 | 1663.137 | 4.12 | 24.93 | 46.38 | 49.31 | 31.98 | 74.00 | -42.02 | peak | |
| 3 | 3435.590 | 6.84 | 28.69 | 46.33 | 49.30 | 38.50 | 68.20 | -29.70 | peak | |
| 4 | 4482.150 | 7.47 | 30.18 | 46.41 | 49.60 | 40.84 | 68.20 | -27.36 | peak | |
| 5 | 11490.000 | 11.60 | 39.70 | 46.50 | 41.62 | 46.42 | 74.00 | -27.58 | peak | |
| 6 | 17235.000 | 14.39 | 42.87 | 46.17 | 37.74 | 48.83 | 68.20 | -19.37 | peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 134 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5745 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1227.791 | 3.21 | 24.29 | 46.51 | 48.79 | 29.78 | 74.00 | -44.22 | peak |
| 2 | 1667.951 | 4.13 | 24.94 | 46.38 | 49.67 | 32.36 | 74.00 | -41.64 | peak |
| 3 | 3475.541 | 6.93 | 28.70 | 46.29 | 49.52 | 38.86 | 68.20 | -29.34 | peak |
| 4 | 4379.699 | 7.47 | 30.04 | 46.29 | 50.58 | 41.80 | 74.00 | -32.20 | peak |
| 5 | 11490.000 | 11.60 | 39.70 | 46.50 | 41.07 | 45.87 | 74.00 | -28.13 | peak |
| 6 | 17235.000 | 14.39 | 42.87 | 46.17 | 37.50 | 48.59 | 68.20 | -19.61 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 135 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5785 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1234.909 | 3.23 | 24.28 | 46.51 | 48.72 | 29.72 | 74.00 | -44.28 | peak |
| 2 | 1697.129 | 4.19 | 25.00 | 46.37 | 48.50 | 31.32 | 74.00 | -42.68 | peak |
| 3 | 3455.508 | 6.88 | 28.69 | 46.31 | 50.07 | 39.33 | 68.20 | -28.87 | peak |
| 4 | 4379.699 | 7.47 | 30.04 | 46.29 | 50.42 | 41.64 | 74.00 | -32.36 | peak |
| 5 | 11570.000 | 11.60 | 39.72 | 46.50 | 41.69 | 46.51 | 74.00 | -27.49 | peak |
| 6 | 17355.000 | 14.44 | 43.52 | 46.25 | 37.19 | 48.90 | 68.20 | -19.30 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 136 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5785 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1217.190 | 3.19 | 24.29 | 46.51 | 49.13 | 30.10 | 74.00 | -43.90 | peak |
| 2 | 1653.550 | 4.10 | 24.91 | 46.38 | 49.63 | 32.26 | 68.20 | -35.94 | peak |
| 3 | 3405.929 | 6.77 | 28.68 | 46.36 | 49.51 | 38.60 | 68.20 | -29.60 | peak |
| 4 | 4495.125 | 7.47 | 30.19 | 46.43 | 49.65 | 40.88 | 68.20 | -27.32 | peak |
| 5 | 11570.000 | 11.60 | 39.72 | 46.50 | 41.38 | 46.20 | 74.00 | -27.80 | peak |
| 6 | 17355.000 | 14.44 | 43.52 | 46.25 | 37.33 | 49.04 | 68.20 | -19.16 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 137 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5825 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1158.828 | 3.05 | 24.26 | 46.54 | 49.37 | 30.14 | 74.00 | -43.86 | peak |
| 2 | 1692.231 | 4.18 | 24.99 | 46.37 | 49.55 | 32.35 | 74.00 | -41.65 | peak |
| 3 | 3386.297 | 6.72 | 28.68 | 46.38 | 49.48 | 38.50 | 68.20 | -29.70 | peak |
| 4 | 4354.454 | 7.48 | 30.00 | 46.26 | 50.55 | 41.77 | 74.00 | -32.23 | peak |
| 5 | 11650.000 | 11.60 | 39.73 | 46.50 | 41.29 | 46.12 | 74.00 | -27.88 | peak |
| 6 | 17475.000 | 14.48 | 44.16 | 46.34 | 36.81 | 49.11 | 68.20 | -19.09 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 138 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT

Mode : 5825 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|----------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | d Bu V/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1297.103 | 3.36 | 24.25 | 46.49 | 48.62 | 29.74 | 68.20 | -38.46 | peak |
| 2 | 1672.779 | 4.14 | 24.95 | 46.38 | 49.06 | 31.77 | 74.00 | -42.23 | peak |
| 3 | 3455.508 | 6.88 | 28.69 | 46.31 | 49.85 | 39.11 | 68.20 | -29.09 | peak |
| 4 | 4379.699 | 7.47 | 30.04 | 46.29 | 50.15 | 41.37 | 74.00 | -32.63 | peak |
| 5 | 11650.000 | 11.60 | 39.73 | 46.50 | 41.18 | 46.01 | 74.00 | -27.99 | peak |
| 6 | 17475.000 | 14.48 | 44.16 | 46.34 | 37.12 | 49.42 | 68.20 | -18.78 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 139 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5745 TX RSE

Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|----------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | d Bu V/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1245.663 | 3.25 | 24.28 | 46.50 | 49.06 | 30.09 | 68.20 | -38.11 | peak |
| 2 | 1677.621 | 4.15 | 24.96 | 46.38 | 49.23 | 31.96 | 74.00 | -42.04 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 49.24 | 38.47 | 68.20 | -29.73 | peak |
| 4 | 4405.090 | 7.47 | 30.07 | 46.32 | 49.85 | 41.07 | 68.20 | -27.13 | peak |
| 5 | 11490.000 | 11.60 | 39.70 | 46.50 | 40.88 | 45.68 | 74.00 | -28.32 | peak |
| 6 | 17235.000 | 14.39 | 42.87 | 46.17 | 38.01 | 49.10 | 68.20 | -19.10 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 140 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5745 TX RSE

Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|-------------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 4 | 1207 102 | 2 26 | 24.25 | 46 40 | 40 40 | 20.00 | CO 20 | 20.00 | |
| 1 | 1297.103 | 3.30 | 24.25 | 46.49 | 40.40 | 29.00 | 00.20 | -30.00 | реак |
| 2 | 1663.137 | 4.12 | 24.93 | 46.38 | 48.89 | 31.56 | 74.00 | -42.44 | peak |
| 3 | 3435.590 | 6.84 | 28.69 | 46.33 | 49.57 | 38.77 | 68.20 | -29.43 | peak |
| 4 | 4417.841 | 7.47 | 30.09 | 46.33 | 49.57 | 40.80 | 68.20 | -27.40 | peak |
| 5 | 11490.000 | 11.60 | 39.70 | 46.50 | 41.26 | 46.06 | 74.00 | -27.94 | peak |
| 6 | 17235.000 | 14.39 | 42.87 | 46.17 | 38.10 | 49.19 | 68.20 | -19.01 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 141 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5785 TX RSE

Note : 5785 IX KSE Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1256.512 | 3.28 | 24.27 | 46.50 | 48.84 | 29.89 | 68.20 | -38.31 | peak |
| 2 | 1667.951 | 4.13 | 24.94 | 46.38 | 49.73 | 32.42 | 74.00 | -41.58 | peak |
| 3 | 3455.508 | 6.88 | 28.69 | 46.31 | 49.51 | 38.77 | 68.20 | -29.43 | peak |
| 4 | 4169.698 | 7.48 | 29.75 | 46.02 | 49.58 | 40.79 | 74.00 | -33.21 | peak |
| 5 | 11570.000 | 11.60 | 39.72 | 46.50 | 41.26 | 46.08 | 74.00 | -27.92 | peak |
| 6 | 17355.000 | 14.44 | 43.52 | 46.25 | 36.91 | 48.62 | 68.20 | -19.58 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 142 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5785 TX RSE

Mode : 5/85 IX RSE Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | ——dB | |
| 1 | 1245.663 | 3.25 | 24.28 | 46.50 | 48.84 | 29.87 | 68.20 | -38.33 | peak |
| 2 | 1687.347 | 4.17 | 24.98 | 46.37 | 48.96 | 31.74 | 74.00 | -42.26 | peak |
| 3 | 3242.619 | 6.36 | 28.65 | 46.53 | 50.41 | 38.89 | 68.20 | -29.31 | peak |
| 4 | 4218.186 | 7.48 | 29.82 | 46.09 | 49.93 | 41.14 | 74.00 | -32.86 | peak |
| 5 | 11570.000 | 11.60 | 39.72 | 46.50 | 41.60 | 46.42 | 74.00 | -27.58 | peak |
| 6 | 17355.000 | 14.44 | 43.52 | 46.25 | 37.34 | 49.05 | 68.20 | -19.15 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 143 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5825 TX RSE

Note : 56 WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|----------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | d Bu V/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1213.677 | 3.18 | 24.29 | 46.52 | 48.48 | 29.43 | 74.00 | -44.57 | peak |
| 2 | 1692.231 | 4.18 | 24.99 | 46.37 | 49.44 | 32.24 | 74.00 | -41.76 | peak |
| 3 | 3386.297 | 6.72 | 28.68 | 46.38 | 50.06 | 39.08 | 68.20 | -29.12 | peak |
| 4 | 4430.628 | 7.47 | 30.11 | 46.35 | 49.85 | 41.08 | 68.20 | -27.12 | peak |
| 5 | 11650.000 | 11.60 | 39.73 | 46.50 | 41.07 | 45.90 | 74.00 | -28.10 | peak |
| 6 | 17475.000 | 14.48 | 44.16 | 46.34 | 36.93 | 49.23 | 68.20 | -18.97 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 144 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5825 TX RSE

Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1297.103 | 3.36 | 24.25 | 46.49 | 48.82 | 29.94 | 68.20 | -38.26 | peak |
| 2 | 1583.392 | 3.95 | 24.75 | 46.40 | 49.53 | 31.83 | 74.00 | -42.17 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 49.61 | 38.84 | 68.20 | -29.36 | peak |
| 4 | 4456.315 | 7.47 | 30.14 | 46.38 | 50.19 | 41.42 | 68.20 | -26.78 | peak |
| 5 | 11650.000 | 11.60 | 39.73 | 46.50 | 41.09 | 45.92 | 74.00 | -28.08 | peak |
| 6 | 17475.000 | 14.48 | 44.16 | 46.34 | 36.96 | 49.26 | 68.20 | -18.94 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 145 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5755 TX RSE

Note : 5G WIFI 11N40

| | | | | Preamp | | | | | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1227.791 | 3.21 | 24.29 | 46.51 | 48.74 | 29.73 | 74.00 | -44.27 | peak |
| 2 | 1667.951 | 4.13 | 24.94 | 46.38 | 49.14 | 31.83 | 74.00 | -42.17 | peak |
| 3 | 3445.535 | 6.86 | 28.69 | 46.32 | 49.57 | 38.80 | 68.20 | -29.40 | peak |
| 4 | 4405.090 | 7.47 | 30.07 | 46.32 | 50.61 | 41.83 | 68.20 | -26.37 | peak |
| 5 | 11510.000 | 11.60 | 39.70 | 46.50 | 41.49 | 46.29 | 74.00 | -27.71 | peak |
| 6 | 17265.000 | 14.40 | 43.03 | 46.19 | 37.77 | 49.01 | 68.20 | -19.19 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 146 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5755 TX RSE

Note : 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|-------------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 4 | 1224 247 | 2 20 | 24.20 | AC E1 | 40.46 | 20 44 | 74.00 | 42.56 | |
| 1 | 1224.247 | 5.20 | 24.29 | 46.51 | 49.46 | 30.44 | 74.00 | -43.50 | peak |
| 2 | 1697.129 | 4.19 | 25.00 | 46.37 | 48.72 | 31.54 | 74.00 | -42.46 | peak |
| 3 | 3366.778 | 6.67 | 28.67 | 46.40 | 49.97 | 38.91 | 68.20 | -29.29 | peak |
| 4 | 4443.453 | 7.47 | 30.12 | 46.37 | 50.87 | 42.09 | 68.20 | -26.11 | peak |
| 5 | 11510.000 | 11.60 | 39.70 | 46.50 | 41.30 | 46.10 | 74.00 | -27.90 | peak |
| 6 | 17265.000 | 14.40 | 43.03 | 46.19 | 38.10 | 49.34 | 68.20 | -18.86 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 147 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5795 TX RSE

Note : 5G WIFI 11N40

| | | | | Preamp | | | | | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1129.072 | 2.98 | 24.23 | 46.55 | 48.97 | 29.63 | 74.00 | -44.37 | peak |
| 2 | 1658.337 | 4.11 | 24.92 | 46.38 | 49.29 | 31.94 | 68.20 | -36.26 | peak |
| 3 | 3357.061 | 6.65 | 28.67 | 46.41 | 50.38 | 39.29 | 74.00 | -34.71 | peak |
| 4 | 4456.315 | 7.47 | 30.14 | 46.38 | 50.16 | 41.39 | 68.20 | -26.81 | peak |
| 5 | 11590.000 | 11.60 | 39.72 | 46.50 | 41.04 | 45.86 | 74.00 | -28.14 | peak |
| 6 | 17385.000 | 14.45 | 43.68 | 46.27 | 37.63 | 49.49 | 68.20 | -18.71 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 148 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5795 TX RSE

Note : 5G WIFI 11N40

| | | | | Preamp | | | | | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1297.103 | 3.36 | 24.25 | 46.49 | 48.79 | 29.91 | 68.20 | -38.29 | peak |
| 2 | 1672.779 | 4.14 | 24.95 | 46.38 | 49.23 | 31.94 | 74.00 | -42.06 | peak |
| 3 | 3475.541 | 6.93 | 28.70 | 46.29 | 49.14 | 38.48 | 68.20 | -29.72 | peak |
| 4 | 4169.698 | 7.48 | 29.75 | 46.02 | 49.62 | 40.83 | 74.00 | -33.17 | peak |
| 5 | 11590.000 | 11.60 | 39.72 | 46.50 | 40.91 | 45.73 | 74.00 | -28.27 | peak |
| 6 | 17385.000 | 14.45 | 43.68 | 46.27 | 38.51 | 50.37 | 68.20 | -17.83 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 149 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5745 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1138.904 | 3.00 | 24.24 | 46.54 | 49.34 | 30.04 | 74.00 | -43.96 | peak |
| 2 | 1667.951 | 4.13 | 24.94 | 46.38 | 49.45 | 32.14 | 74.00 | -41.86 | peak |
| 3 | 3495.691 | 6.98 | 28.70 | 46.27 | 49.29 | 38.70 | 68.20 | -29.50 | peak |
| 4 | 4443.453 | 7.47 | 30.12 | 46.37 | 50.46 | 41.68 | 68.20 | -26.52 | peak |
| 5 | 11490.000 | 11.60 | 39.70 | 46.50 | 40.39 | 45.19 | 74.00 | -28.81 | peak |
| 6 | 17235.000 | 14.39 | 42.87 | 46.17 | 38.56 | 49.65 | 68.20 | -18.55 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 150 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5745 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1132.340 | 2.99 | 24.24 | 46.55 | 49.64 | 30.32 | 74.00 | -43.68 | peak |
| 2 | 1667.951 | 4.13 | 24.94 | 46.38 | 49.03 | 31.72 | 74.00 | -42.28 | peak |
| 3 | 3376.523 | 6.69 | 28.68 | 46.39 | 49.97 | 38.95 | 68.20 | -29.25 | peak |
| 4 | 4469.214 | 7.47 | 30.16 | 46.40 | 49.48 | 40.71 | 68.20 | -27.49 | peak |
| 5 | 11490.000 | 11.60 | 39.70 | 46.50 | 41.00 | 45.80 | 74.00 | -28.20 | peak |
| 6 | 17235.000 | 14.39 | 42.87 | 46.17 | 37.95 | 49.04 | 68.20 | -19.16 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 151 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5785 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1227.791 | 3.21 | 24.29 | 46.51 | 48.90 | 29.89 | 74.00 | -44.11 | peak |
| 2 | 1592.571 | 3.97 | 24.78 | 46.40 | 49.25 | 31.60 | 74.00 | -42.40 | peak |
| 3 | 3435.590 | 6.84 | 28.69 | 46.33 | 49.35 | 38.55 | 68.20 | -29.65 | peak |
| 4 | 4279.589 | 7.48 | 29.90 | 46.16 | 50.45 | 41.67 | 74.00 | -32.33 | peak |
| 5 | 11570.000 | 11.60 | 39.72 | 46.50 | 41.07 | 45.89 | 74.00 | -28.11 | peak |
| 6 | 17355.000 | 14.44 | 43.52 | 46.25 | 37.25 | 48.96 | 68.20 | -19.24 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 152 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5785 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|-------------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 4 | 1245 662 | 2 25 | 24.20 | 46 50 | 40.70 | 20.72 | CO 20 | 20 47 | |
| 1 | 1245.663 | 3.25 | 24.20 | 46.50 | 40.70 | 29.75 | 66.20 | -30.4/ | реак |
| 2 | 1663.137 | 4.12 | 24.93 | 46.38 | 49.23 | 31.90 | 74.00 | -42.10 | peak |
| 3 | 3465.510 | 6.91 | 28.69 | 46.30 | 49.35 | 38.65 | 68.20 | -29.55 | peak |
| 4 | 4341.886 | 7.48 | 29.99 | 46.24 | 50.10 | 41.33 | 74.00 | -32.67 | peak |
| 5 | 11570.000 | 11.60 | 39.72 | 46.50 | 41.92 | 46.74 | 74.00 | -27.26 | peak |
| 6 | 17355.000 | 14.44 | 43.52 | 46.25 | 37.52 | 49.23 | 68.20 | -18.97 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 153 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT Mode : 5825 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1249.269 | 3.26 | 24.27 | 46.50 | 49.03 | 30.06 | 68.20 | -38.14 | peak |
| 2 | 1667.951 | 4.13 | 24.94 | 46.38 | 49.36 | 32.05 | 74.00 | -41.95 | peak |
| 3 | 3475.541 | 6.93 | 28.70 | 46.29 | 49.65 | 38.99 | 68.20 | -29.21 | peak |
| 4 | 4482.150 | 7.47 | 30.18 | 46.41 | 49.72 | 40.96 | 68.20 | -27.24 | peak |
| 5 | 11650.000 | 11.60 | 39.73 | 46.50 | 40.93 | 45.76 | 74.00 | -28.24 | peak |
| 6 | 17475.000 | 14.48 | 44.16 | 46.34 | 37.67 | 49.97 | 68.20 | -18.23 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 154 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5825 TX RSE

Note : 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1103.264 | 2.91 | 24.21 | 46.56 | 49.60 | 30.16 | 74.00 | -43.84 | peak |
| 2 | 1697.129 | 4.19 | 25.00 | 46.37 | 48.71 | 31.53 | 74.00 | -42.47 | peak |
| 3 | 3386.297 | 6.72 | 28.68 | 46.38 | 49.55 | 38.57 | 68.20 | -29.63 | peak |
| 4 | 4062.629 | 7.49 | 29.59 | 45.88 | 50.02 | 41.22 | 74.00 | -32.78 | peak |
| 5 | 11650.000 | 11.60 | 39.73 | 46.50 | 40.71 | 45.54 | 74.00 | -28.46 | peak |
| 6 | 17475.000 | 14.48 | 44.16 | 46.34 | 37.15 | 49.45 | 68.20 | -18.75 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 155 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5755 TX RSE

Note : 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|-------------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 4 | 1125 012 | 2.07 | 24.22 | 46 55 | 40.00 | 20.74 | 74.00 | 44.26 | |
| 1 | 1125.813 | 2.97 | 24.23 | 46.55 | 49.09 | 29.74 | 74.00 | -44.20 | реак |
| 2 | 1653.550 | 4.10 | 24.91 | 46.38 | 49.58 | 32.21 | 68.20 | -35.99 | peak |
| 3 | 3376.523 | 6.69 | 28.68 | 46.39 | 50.41 | 39.39 | 68.20 | -28.81 | peak |
| 4 | 4495.125 | 7.47 | 30.19 | 46.43 | 49.85 | 41.08 | 68.20 | -27.12 | peak |
| 5 | 11510.000 | 11.60 | 39.70 | 46.50 | 40.51 | 45.31 | 74.00 | -28.69 | peak |
| 6 | 17265.000 | 14.40 | 43.03 | 46.19 | 38.01 | 49.25 | 68.20 | -18.95 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 156 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5755 TX RSE

Note : 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1224.247 | 3.20 | 24.29 | 46.51 | 48.73 | 29.71 | 74.00 | -44.29 | peak |
| 2 | 1677.621 | 4.15 | 24.96 | 46.38 | 49.07 | 31.80 | 74.00 | -42.20 | peak |
| 3 | 3475.541 | 6.93 | 28.70 | 46.29 | 49.56 | 38.90 | 68.20 | -29.30 | peak |
| 4 | 4367.058 | 7.48 | 30.02 | 46.27 | 49.64 | 40.87 | 74.00 | -33.13 | peak |
| 5 | 11510.000 | 11.60 | 39.70 | 46.50 | 40.93 | 45.73 | 74.00 | -28.27 | peak |
| 6 | 17265.000 | 14.40 | 43.03 | 46.19 | 38.18 | 49,42 | 68.20 | -18.78 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 157 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5795 TX RSE

Note : 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1227.791 | 3.21 | 24.29 | 46.51 | 48.93 | 29.92 | 74.00 | -44.08 | peak |
| 2 | 1658.337 | 4.11 | 24.92 | 46.38 | 48.71 | 31.36 | 68.20 | -36.84 | peak |
| 3 | 3475.541 | 6.93 | 28.70 | 46.29 | 49.83 | 39.17 | 68.20 | -29.03 | peak |
| 4 | 4430.628 | 7.47 | 30.11 | 46.35 | 49.69 | 40.92 | 68.20 | -27.28 | peak |
| 5 | 11590.000 | 11.60 | 39.72 | 46.50 | 41.12 | 45.94 | 74.00 | -28.06 | peak |
| 6 | 17385.000 | 14.45 | 43.68 | 46.27 | 37.64 | 49.50 | 68.20 | -18.70 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 158 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5795 TX RSE

Note : 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1238.483 | 3.24 | 24.28 | 46.51 | 48.78 | 29.79 | 74.00 | -44.21 | peak |
| 2 | 1578.822 | 3.94 | 24.74 | 46.40 | 49.97 | 32.25 | 74.00 | -41.75 | peak |
| 3 | 3455.508 | 6.88 | 28.69 | 46.31 | 49.37 | 38.63 | 68.20 | -29.57 | peak |
| 4 | 4392.376 | 7.47 | 30.06 | 46.30 | 49.85 | 41.08 | 74.00 | -32.92 | peak |
| 5 | 11590.000 | 11.60 | 39.72 | 46.50 | 40.89 | 45.71 | 74.00 | -28.29 | peak |
| 6 | 17385.000 | 14.45 | 43.68 | 46.27 | 37.91 | 49.77 | 68.20 | -18.43 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 159 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5775 TX RSE

Note : 5G WIFI 11AC80

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1231.345 | 3.22 | 24.28 | 46.51 | 49.15 | 30.14 | 74.00 | -43.86 | peak |
| 2 | 1672.779 | 4.14 | 24.95 | 46.38 | 49.23 | 31.94 | 74.00 | -42.06 | peak |
| 3 | 3396.098 | 6.74 | 28.68 | 46.37 | 49.61 | 38.66 | 68.20 | -29.54 | peak |
| 4 | 4430.628 | 7.47 | 30.11 | 46.35 | 49.66 | 40.89 | 68.20 | -27.31 | peak |
| 5 | 11550.000 | 11.60 | 39.71 | 46.50 | 41.68 | 46.49 | 74.00 | -27.51 | peak |
| 6 | 17325.000 | 14.42 | 43.36 | 46.23 | 37.54 | 49.09 | 68.20 | -19.11 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 160 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5775 TX RSE

Note : 5G WIFI 11AC80

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1206.682 | 3.16 | 24.30 | 46.52 | 48.65 | 29.59 | 74.00 | -44.41 | peak |
| 2 | 1682.477 | 4.16 | 24.97 | 46.37 | 49.44 | 32.20 | 74.00 | -41.80 | peak |
| 3 | 3415.787 | 6.79 | 28.68 | 46.35 | 49.79 | 38.91 | 68.20 | -29.29 | peak |
| 4 | 4316.859 | 7.48 | 29.95 | 46.21 | 49.84 | 41.06 | 74.00 | -32.94 | peak |
| 5 | 11550.000 | 11.60 | 39.71 | 46.50 | 41.37 | 46.18 | 74.00 | -27.82 | peak |
| 6 | 17325.000 | 14.42 | 43.36 | 46.23 | 37.58 | 49.13 | 68.20 | -19.07 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 161 of 532

7.9 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.209 & 15.407(b)

Test Method: KDB 789033 D02 II G

Measurement Distance: 3m

Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| 0.009-0.490 | 2400/F(kHz) | 300 |
| 0.490-1.705 | 24000/F(kHz) | 30 |
| 1.705-30.0 | 30 | 30 |
| 30-88 | 100 | 3 |
| 88-216 | 150 | 3 |
| 216-960 | 200 | 3 |
| Above 960 | 500 | 3 |

- *(1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (2) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (3) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (4) For transmitters operating in the 5.725-5.85 GHz band:
- (i) All emissions shall be limited to a level of −27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

7.9.1 E.U.T. Operation

Operating Environment:

Temperature: 23.5 °C Humidity: 56.3 % RH Atmospheric Pressure: 1020 mbar



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comments, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Co



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 162 of 532

7.9.2 Test Mode Description

| | | rescription |
|--------------------------|--------------|---|
| Pre-scan / Final test | Mode Code | Description |
| Final test | 03 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. |
| Final test | 04 | TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. |
| Final test | 05 | TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. |
| Final test | 06 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 163 of 532

7.9.3 Test Setup Diagram



7.9.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.

Remark: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Condition



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 164 of 532



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 165 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5180 Band edge

: 5G WIFI 11A

| | Freq | | Ant Factor | | | | | | |
|---|------------|------|---------------|-------|--------|--------|--------|--------|------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5144.860 | 8.29 | 31.76 | 46.92 | 69.43 | 62.56 | 74.00 | -11.44 | peak |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 69.19 | 62.33 | 74.00 | -11.67 | peak |
| 3 | . 5180.000 | 8.29 | 31.85 | 46.90 | 116.84 | 110.08 | 68.20 | 41.88 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CPU Doccheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 166 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5180 Band edge

: 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5148.058 | 8.29 | 31.77 | 46.92 | 56.68 | 49.82 | 54.00 | -4.18 | Average |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 56.81 | 49.95 | 54.00 | -4.05 | Average |
| 3 | 5180.000 | 8.29 | 31.85 | 46.90 | 107.50 | 100.74 | | | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 167 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5180 Band edge

: 5G WIFI 11A

| | | Freq | | Ant Factor | | | | | | Remark | |
|---|---|----------|------|---------------|-------|--------|--------|--------|--------|--------|---|
| | - | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | _ |
| 1 | | 5148.458 | 8.29 | 31.77 | 46.92 | 70.88 | 64.02 | 74.00 | -9.98 | Peak | |
| 2 | | 5149.980 | 8.29 | 31.77 | 46.92 | 69.40 | 62.54 | 74.00 | -11.46 | Peak | |
| 3 | | 5180.000 | 8.29 | 31.85 | 46.90 | 116.12 | 109.36 | 68.20 | 41.16 | Peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 168 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5180 Band edge

: 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5149.157 | 8.29 | 31.77 | 46.92 | 56.71 | 49.85 | 54.00 | -4.15 | Average |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 56.64 | 49.78 | 54.00 | -4.22 | Average |
| 3 | 5180.000 | 8.29 | 31.85 | 46.90 | 106.61 | 99.85 | | | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 169 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5240 Band edge

: 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5240.000 | 8.29 | 31.99 | 46.87 | 116.05 | 109.46 | 68.20 | 41.26 | peak |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 67.41 | 61.13 | 74.00 | -12.87 | peak |
| 3 | 5353.337 | 8.28 | 32.26 | 46.81 | 68.56 | 62.29 | 74.00 | -11.71 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 170 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5240 Band edge

: 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|--|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 5240.000 | 8.29 | 31.99 | 46.87 | 107.44 | 100.85 | | | Average | |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 55.81 | 49.53 | 54.00 | -4.47 | Average | |
| 3 | 5353.053 | 8.28 | 32.26 | 46.81 | 56.20 | 49.93 | 54.00 | -4.07 | Average | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification insues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, versualist CARD Decchack CARD and CARD an




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 171 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5240 Band edge

: 5G WIFI 11A

| | Freq | | Ant Factor | | | | | | Remark |
|---|------------|------|---------------|-------|--------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | . 5240.000 | 8.29 | 31.99 | 46.87 | 115.91 | 109.32 | 68.20 | 41.12 | Peak |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 67.96 | 61.68 | 74.00 | -12.32 | Peak |
| 3 | 5354.187 | 8.28 | 32.26 | 46.81 | 68.94 | 62.67 | 74.00 | -11.33 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Autho




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 172 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5240 Band edge

: 5G WIFI 11A

| | Freq | | | | | Level | | | Remark | |
|---|----------|------|-------|-------|--------|--------|--------|-------|---------|---|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | _ |
| 1 | 5240.000 | 8.29 | 31.99 | 46.87 | 107.32 | 100.73 | | | Average | |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 56.06 | 49.78 | 54.00 | -4.22 | Average | |
| 3 | 5350.929 | 8.28 | 32.25 | 46.81 | 56.15 | 49.87 | 54.00 | -4.13 | Average | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 173 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5180 Band edge

: 5G WIFI 11N20

| | Freq | | Ant Factor | • | | | | | Remark |
|---|----------------------|------|---------------|-------|--------|--------|--------|-------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | 5105.053 5149.980 | | | | | | | | • |
| 3 | . 5180.000 | 8.29 | 31.85 | 46.90 | 113.11 | 106.35 | 68.20 | 38.15 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 174 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5180 Band edge

: 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5103.963 | 8.29 | 31.66 | 46.94 | 56.58 | 49.59 | 54.00 | -4.41 | Average |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 56.19 | 49.33 | 54.00 | -4.67 | Average |
| 3 | 5180.000 | 8.29 | 31.85 | 46.90 | 104.37 | 97.61 | | | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 175 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5180 Band edge

: 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|---|------------|-------|--------|--------|--------|--------|--------|--------|--------|--|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 5121.535 | 8.29 | 31.70 | 46.93 | 69.33 | 62.39 | 74.00 | -11.61 | Peak | |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 68.05 | 61.19 | 74.00 | -12.81 | Peak | |
| 3 | . 5180.000 | 8.29 | 31.85 | 46.90 | 112.99 | 106.23 | 68.20 | 38.03 | Peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Autho




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 176 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5180 Band edge

: 5G WIFI 11N20

| | Freq | | Ant Factor | | | | | | Remark | |
|---|----------|------|---------------|-------|--------|--------|--------|-------|---------|---|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | _ |
| 1 | 5103.269 | 8.29 | 31.66 | 46.94 | 56.75 | 49.76 | 54.00 | -4.24 | Average | |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 56.35 | 49.49 | 54.00 | -4.51 | Average | |
| 3 | 5180.000 | 8.29 | 31.85 | 46.90 | 104.10 | 97.34 | | | Average | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 177 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5240 Band edge

: 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|------------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | . 5240.000 | 8.29 | 31.99 | 46.87 | 113.94 | 107.35 | 68.20 | 39.15 | peak |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 67.48 | 61.20 | 74.00 | -12.80 | peak |
| | 5358.865 | | | | | | | | • |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Autho




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 178 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5240 Band edge

: 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5240.000 | 8.29 | 31.99 | 46.87 | 104.73 | 98.14 | | | Average |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 56.03 | 49.75 | 54.00 | -4.25 | Average |
| 3 | 5352.770 | 8.28 | 32.26 | 46.81 | 56.02 | 49.75 | 54.00 | -4.25 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 179 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5240 Band edge

: 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|--|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 5240.000 | 8.29 | 31.99 | 46.87 | 114.15 | 107.56 | 68.20 | 39.36 | Peak | |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 67.98 | 61.70 | 74.00 | -12.30 | Peak | |
| 3 | 5355.179 | 8.28 | 32.26 | 46.81 | 68.62 | 62.35 | 74.00 | -11.65 | Peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 180 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5240 Band edge

: 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5240.000 | 8.29 | 31.99 | 46.87 | 105.59 | 99.00 | | | Average |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 56.02 | 49.74 | 54.00 | -4.26 | Average |
| 3 | 5354.612 | 8.28 | 32.26 | 46.81 | 56.10 | 49.83 | 54.00 | -4.17 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 181 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5190 Band edge

: 5G WIFI 11N40

| Freq | | Ant Factor | | | | | | Remark |
|------------------------|----|---------------|----|------|--------|--------|----|--------|
| MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 5112.707 | | | | | | | | • |
| 5149.980 . 5190.000 | | | | | | | | • |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 182 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5190 Band edge

: 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5149.461 | 8.29 | 31.77 | 46.92 | 57.21 | 50.35 | 54.00 | -3.65 | Average |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 57.42 | 50.56 | 54.00 | -3.44 | Average |
| 3 | 5190.000 | 8.29 | 31.87 | 46.90 | 101.08 | 94.34 | | | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 183 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5190 Band edge : 5G WIFI 11N40

Cable Ant Preamp Read Limit Over
Freq Loss Factor Factor Level Level Line Limit Remark

MHz dB dB/m dB dBuV dBuV/m dBuV/m dB

1 5105.222 8.29 31.66 46.94 69.55 62.56 74.00 -11.44 Peak 2 5149.980 8.29 31.77 46.92 69.77 62.91 74.00 -11.09 Peak 3 . 5190.000 8.29 31.87 46.90 109.98 103.24 68.20 35.04 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 184 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5190 Band edge

: 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5149.342 | 8.29 | 31.77 | 46.92 | 57.27 | 50.41 | 54.00 | -3.59 | Average |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 57.11 | 50.25 | 54.00 | -3.75 | Average |
| 3 | 5190.000 | 8.29 | 31.87 | 46.90 | 100.90 | 94.16 | | | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 185 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5230 Band edge

: 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|----|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1. | 5230.000 | 8.29 | 31.97 | 46.88 | 110.10 | 103.48 | 68.20 | 35.28 | peak |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 68.04 | 61.76 | 74.00 | -12.24 | peak |
| 3 | 5357.402 | 8.28 | 32.27 | 46.81 | 68.60 | 62.34 | 74.00 | -11.66 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 186 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5230 Band edge

: 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5230.000 | 8.29 | 31.97 | 46.88 | 101.43 | 94.81 | | | Average |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 56.01 | 49.73 | 54.00 | -4.27 | Average |
| 3 | 5357.077 | 8.28 | 32.27 | 46.81 | 56.14 | 49.88 | 54.00 | -4.12 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 187 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5230 Band edge

: 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5230.000 | 8.29 | 31.97 | 46.88 | 110.37 | 103.75 | 68.20 | 35.55 | Peak |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 68.05 | 61.77 | 74.00 | -12.23 | Peak |
| 3 | 5353.669 | 8.28 | 32.26 | 46.81 | 68.08 | 61.81 | 74.00 | -12.19 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 188 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5230 Band edge : 5G WIFI 11N40

Cable Ant Preamp Read Limit Over

Loss Factor Factor Level Level Line Limit Remark Frea MHz dB/m dBuV dBuV/m dBuV/m 5230.000 8.29 31.97 46.88 101.94 95.32 ----- Average 1 2 5350.020 8.28 32.25 46.81 55.94 49.66 54.00 -4.34 Average 5357.727 8.28 32.27 46.81 56.03 49.77 54.00 -4.23 Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 189 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5180 Band edge

: 5G WIFI 11AC20

| | Freq | | | | | | Limit Line | | Remark |
|-----|----------|------|-------|-------|--------|--------|---------------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5101.387 | 8.29 | 31.65 | 46.94 | 70.08 | 63.08 | 74.00 | -10.92 | peak |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 68.08 | 61.22 | 74.00 | -12.78 | peak |
| 3 . | 5180.000 | 8.29 | 31.85 | 46.90 | 113.37 | 106.61 | 68.20 | 38.41 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 190 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5180 Band edge

: 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5112.990 | 8.29 | 31.68 | 46.94 | 56.59 | 49.62 | 54.00 | -4.38 | Average |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 56.10 | 49.24 | 54.00 | -4.76 | Average |
| 3 | 5180.000 | 8.29 | 31.85 | 46.90 | 104.42 | 97.66 | | | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 191 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5180 Band edge

: 5G WIFI 11AC20

| | Freq | | | | | | Limit Line | | Remark |
|-----|----------|------|-------|-------|--------|--------|---------------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5147.058 | 8.29 | 31.76 | 46.92 | 69.54 | 62.67 | 74.00 | -11.33 | Peak |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 68.58 | 61.72 | 74.00 | -12.28 | Peak |
| 3 . | 5180.000 | 8.29 | 31.85 | 46.90 | 113.29 | 106.53 | 68.20 | 38.33 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 192 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

5180.000

1 2

Condition: 3m VERTICAL
Job No : 00074AT\00075AT
Mode : 5180 Band edge

: 5180 Band edge : 5G WIFI 11AC20

8.29

31.85

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Frea MHz dB/m dBuV dBuV/m dBuV/m dB 5101.585 8.29 31.65 46.94 56.61 49.61 54.00 -4.39 Average 5149.980 8.29 31.77 46.92 56.16 49.30 54.00 -4.70 Average

46.90 104.31 97.55 ----- Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 193 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5240 Band edge

: 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|------------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | . 5240.000 | 8.29 | 31.99 | 46.87 | 113.85 | 107.26 | 68.20 | 39.06 | peak |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 67.43 | 61.15 | 74.00 | -12.85 | peak |
| 3 | 5356.738 | 8.28 | 32.27 | 46.81 | 68.10 | 61.84 | 74.00 | -12.16 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 194 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5240 Band edge
: 5G WIFI 11AC20

Cable Ant Preamp Read Limit Over

Loss Factor Factor Limit Remark Frea Level Level Line MHz dB/m dBuV dBuV/m dBuV/m 5240.000 8.29 31.99 46.87 104.94 98.35 ----- Average 1 2 5350.020 8.28 32.25 46.81 55.79 49.51 54.00 -4.49 Average 5354.329 8.28 32.26 46.81 55.96 49.69 54.00 -4.31 Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification insues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, vernally CARD Roccheck (1982).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 195 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5240 Band edge

: 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|------------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | . 5240.000 | 8.29 | 31.99 | 46.87 | 114.10 | 107.51 | 68.20 | 39.31 | Peak |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 67.47 | 61.19 | 74.00 | -12.81 | Peak |
| 3 | 5355.321 | 8.28 | 32.26 | 46.81 | 68.28 | 62.01 | 74.00 | -11.99 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 196 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5240 Band edge

: 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5240.000 | 8.29 | 31.99 | 46.87 | 105.56 | 98.97 | | | Average |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 55.98 | 49.70 | 54.00 | -4.30 | Average |
| 3 | 5356.596 | 8.28 | 32.27 | 46.81 | 56.03 | 49.77 | 54.00 | -4.23 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification insues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, National Content or appearance of the company in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 197 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5190 Band edge

: 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|----|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5149.461 | 8.29 | 31.77 | 46.92 | 69.98 | 63.12 | 74.00 | -10.88 | peak |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 69.14 | 62.28 | 74.00 | -11.72 | peak |
| 3. | 5190.000 | 8.29 | 31.87 | 46.90 | 107.90 | 101.16 | 68.20 | 32.96 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 198 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5190 Band edge

: 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5148.623 | 8.29 | 31.77 | 46.92 | 57.55 | 50.69 | 54.00 | -3.31 | Average |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 57.58 | 50.72 | 54.00 | -3.28 | Average |
| 3 | 5190.000 | 8.29 | 31.87 | 46.90 | 99.03 | 92.29 | | | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 199 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5190 Band edge

: 5G WIFI 11AC40

| | Freq | | | • | | Level | | | Remark |
|---|------------|------|-------|-------|--------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5149.222 | 8.29 | 31.77 | 46.92 | 70.22 | 63.36 | 74.00 | -10.64 | Peak |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 68.87 | 62.01 | 74.00 | -11.99 | Peak |
| 3 | . 5190.000 | 8.29 | 31.87 | 46.90 | 107.91 | 101.17 | 68.20 | 32.97 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 200 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL
Job No : 00074AT\00075AT
Mode : 5190 Band edge

: 5G WIFI 11AC40

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Frea MHz dB/m dBuV dBuV/m dBuV/m dB 5148.144 8.29 31.77 46.92 57.49 50.63 54.00 -3.37 Average 1 31.77 46.92 57.50 50.64 54.00 -3.36 Average 2 5149.980 8.29 5190,000 8.29 31.87 46.90 98.96 92.22 ----- Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 201 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5230 Band edge
: 5G WIFI 11AC40

Cable Ant Preamp Read Limit Over

Loss Factor Factor Limit Remark Frea Level Level Line MHz dB/m dBuV dBuV/m dBuV/m dB 1 . 5230.000 8.29 31.97 46.88 109.13 102.51 68.20 34.31 peak 5350.020 8.28 32.25 46.81 67.41 61.13 74.00 -12.87 peak 5359.837 8.28 32.27 46.81 68.37 62.11 74.00 -11.89 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 202 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5230 Band edge

: 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5230.000 | 8.29 | 31.97 | 46.88 | 99.87 | 93.25 | | | Average |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 55.97 | 49.69 | 54.00 | -4.31 | Average |
| 3 | 5350.587 | 8.28 | 32.25 | 46.81 | 56.04 | 49.76 | 54.00 | -4.24 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 203 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5230 Band edge

: 5G WIFI 11AC40

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Limit Remark Frea Level Level Line MHz dB/m dBuV dBuV/m dBuV/m dB 1 . 5230.000 8.29 31.97 46.88 109.20 102.58 68.20 34.38 Peak 5350.020 8.28 32.25 46.81 68.51 62.23 74.00 -11.77 Peak 5352.046 8.28 32.26 46.81 68.67 62.40 74.00 -11.60 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 204 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5230 Band edge

: 5G WIFI 11AC40

| | Freq | | | | Read Level | | | | Remark |
|---|----------|------|-------|-------|---------------|--------|--------|-------|---------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5230.000 | 8.29 | 31.97 | 46.88 | 100.10 | 93.48 | | | Average |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 55.99 | 49.71 | 54.00 | -4.29 | Average |
| 3 | 5353.506 | 8.28 | 32.26 | 46.81 | 56.10 | 49.83 | 54.00 | -4.17 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CPU Doccheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 205 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5210 Band edge

: 5G WIFI 11AC80

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|----|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5139.969 | 8.29 | 31.75 | 46.92 | 69.33 | 62.45 | 74.00 | -11.55 | peak |
| 2. | 5210.000 | 8.29 | 31.92 | 46.89 | 105.21 | 98.53 | 68.20 | 30.33 | peak |
| 3 | 5350.680 | 8.28 | 32.25 | 46.81 | 68.86 | 62.58 | 74.00 | -11.42 | peak |
| | | | | | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 206 of 532

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5210 Band edge

: 5G WIFI 11AC80

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5103.551 | 8.29 | 31.66 | 46.94 | 57.54 | 50.55 | 54.00 | -3.45 | Average |
| 2 | 5210.000 | 8.29 | 31.92 | 46.89 | 96.94 | 90.26 | | | Average |
| 3 | 5360.000 | 8.28 | 32.28 | 46.81 | 56.74 | 50.49 | 54.00 | -3.51 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 207 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

5358.667

Condition: 3m VERTICAL Job No : 00074AT\000

Job No : 00074AT\00075AT Mode : 5210 Band edge : 5G WIFI 11AC80

8.28

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Limit Remark Frea Level Level Line MHz dB/m dBuV dBuV/m dBuV/m dB 5131.797 8.29 31.73 46.93 69.39 62.48 74.00 -11.52 Peak 68.20 30.72 Peak 2 . 5210.000 8.29 31.92 46.89 105.60 98.92

32.27 46.81 68.80



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982

| Fujorg|ab. Xinlong TechnoPark, Fanglang Road, Fujorg|Subdistid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

62.54 74.00 -11.46 Peak




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 208 of 532

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5210 Band edge

: 5G WIFI 11AC80

| | Freq | | | Preamp Factor | | | | | Remark |
|-------------|----------------------------------|------|-------|------------------|-------|--------|--------|----|---------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 2 3 | 5148.922 5210.000 5354.406 | 8.29 | 31.92 | 46.89 | 97.23 | 90.55 | | | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 209 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5260 Band edge

: 5G WIFI 11A

| | Freq | | Ant Factor | | | | | | |
|---|------------|------|---------------|-------|--------|--------|--------|--------|------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5105.133 | 8.29 | 31.66 | 46.94 | 69.12 | 62.13 | 74.00 | -11.87 | peak |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 67.62 | 60.76 | 74.00 | -13.24 | peak |
| 3 | . 5260.000 | 8.28 | 32.04 | 46.86 | 113.16 | 106.62 | 68.20 | 38.42 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 210 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5260 Band edge

: 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5111.511 | 8.29 | 31.68 | 46.94 | 56.51 | 49.54 | 54.00 | -4.46 | Average |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 56.01 | 49.15 | 54.00 | -4.85 | Average |
| 3 | 5260.000 | 8.28 | 32.04 | 46.86 | 104.45 | 97.91 | | | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 211 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5260 Band edge

: 5G WIFI 11A

| | Freq | | | | | Level | | | Remark |
|---|------------|------|-------|-------|--------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5144.595 | 8.29 | 31.76 | 46.92 | 69.36 | 62.49 | 74.00 | -11.51 | Peak |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 67.76 | 60.90 | 74.00 | -13.10 | Peak |
| 3 | . 5260.000 | 8.28 | 32.04 | 46.86 | 114.24 | 107.70 | 68.20 | 39.50 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 212 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5260 Band edge

: 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5108.321 | 8.29 | 31.67 | 46.94 | 56.44 | 49.46 | 54.00 | -4.54 | Average |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 56.19 | 49.33 | 54.00 | -4.67 | Average |
| 3 | 5260.000 | 8.28 | 32.04 | 46.86 | 104.48 | 97.94 | | | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 213 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5320 Band edge

: 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|----|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1. | 5320.000 | 8.28 | 32.18 | 46.83 | 113.66 | 107.29 | 68.20 | 39.09 | peak |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 68.35 | 62.07 | 74.00 | -11.93 | peak |
| 3 | 5365.890 | 8.28 | 32.29 | 46.81 | 68.98 | 62.74 | 74.00 | -11.26 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 214 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5320 Band edge

: 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5320.000 | 8.28 | 32.18 | 46.83 | 105.15 | 98.78 | | | Average |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 56.19 | 49.91 | 54.00 | -4.09 | Average |
| 3 | 5353.768 | 8.28 | 32.26 | 46.81 | 56.19 | 49.92 | 54.00 | -4.08 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 215 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00074AT\00075AT
Mode : 5320 Band edge

: 5G WIFI 11A

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Limit Remark Frea Level Level Line MHz dB/m dBuV dBuV/m dBuV/m dB 1 . 5320.000 8.28 32.18 46.83 114.45 108.08 68.20 39.88 Peak 5350.020 8.28 32.25 46.81 69.38 63.10 74.00 -10.90 Peak 5351.767 8.28 32.26 46.81 69.82 63.55 74.00 -10.45 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification insues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, National Content or appearance of the company in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 216 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00074AT\00075AT
Mode : 5320 Band edge

: 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5320.000 | 8.28 | 32.18 | 46.83 | 105.98 | 99.61 | | | Average |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 56.38 | 50.10 | 54.00 | -3.90 | Average |
| 3 | 5350.866 | 8.28 | 32.25 | 46.81 | 56.44 | 50.16 | 54.00 | -3.84 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 217 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5260 Band edge

: 5G WIFI 11N20

| | Freq | | Ant Factor | | | | | | Remark |
|---|------------|------|---------------|-------|--------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | 5118.253 | | | | | | | | • |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 67.93 | 61.07 | 74.00 | -12.93 | peak |
| 3 | . 5260.000 | 8.28 | 32.04 | 46.86 | 113.18 | 106.64 | 68.20 | 38.44 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 218 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5260 Band edge

: 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5103.008 | 8.29 | 31.66 | 46.94 | 56.51 | 49.52 | 54.00 | -4.48 | Average |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 56.22 | 49.36 | 54.00 | -4.64 | Average |
| 3 | 5260.000 | 8.28 | 32.04 | 46.86 | 103.68 | 97.14 | | | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 219 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5260 Band edge

: 5G WIFI 11N20

| | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|----------|-----------------------|--|--|--|---|--|---|--|
| Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | |
| MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | |
| 5103.893 | 8.29 | 31.66 | 46.94 | 69.25 | 62.26 | 74.00 | -11.74 | Peak |
| 5149.980 | 8.29 | 31.77 | 46.92 | 67.63 | 60.77 | 74.00 | -13.23 | Peak |
| 5260.000 | 8.28 | 32.04 | 46.86 | 113.64 | 107.10 | 68.20 | 38.90 | Peak |
| | MHz 5103.893 5149.980 | Freq Loss MHz dB 5103.893 8.29 5149.980 8.29 | Freq Loss Factor MHz dB dB/m 5103.893 8.29 31.66 5149.980 8.29 31.77 | Freq Loss Factor Factor MHz dB dB/m dB 5103.893 8.29 31.66 46.94 5149.980 8.29 31.77 46.92 | Freq Loss Factor Factor Level MHz dB dB/m dB dBuV 5103.893 8.29 31.66 46.94 69.25 5149.980 8.29 31.77 46.92 67.63 | Freq Loss Factor Factor Level Level MHz dB dB/m dB dBuV dBuV/m 5103.893 8.29 31.66 46.94 69.25 62.26 5149.980 8.29 31.77 46.92 67.63 60.77 | Freq Loss Factor Factor Level Level Line MHz dB dB/m dB dBuV dBuV/m dBuV/m dBuV/m 5103.893 8.29 31.66 46.94 69.25 62.26 74.00 5149.980 8.29 31.77 46.92 67.63 60.77 74.00 | Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit MHz dB dB/m dB dBuV dBuV/m dBuV/m dBuV/m dBuV/m dBuV/m dB 5103.893 8.29 31.66 46.94 69.25 62.26 74.00 -11.74 5149.980 8.29 31.77 46.92 67.63 60.77 74.00 -13.23 5260.000 8.28 32.04 46.86 113.64 107.10 68.20 38.90 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification insues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, versualist CARD Decchack CARD and CARD an




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 220 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5260 Band edge

: 5G WIFI 11N20 Cable Ant Preamp Read

| | Freq | | Factor | | | | | | Remark | |
|---|----------------------------------|------|--------|-------|-------|--------|--------|-------|---------|--|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| 2 | 5109.916 5149.980 5260.000 | 8.29 | 31.77 | 46.92 | 56.02 | 49.16 | 54.00 | -4.84 | Average | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 221 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5320 Band edge

: 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5320.000 | 8.28 | 32.18 | 46.83 | 113.52 | 107.15 | 68.20 | 38.95 | peak |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 69.35 | 63.07 | 74.00 | -10.93 | peak |
| 3 | 5351.467 | 8.28 | 32.26 | 46.81 | 69.33 | 63.06 | 74.00 | -10.94 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 222 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5320 Band edge

: 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5320.000 | 8.28 | 32.18 | 46.83 | 104.84 | 98.47 | | | Average |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 56.41 | 50.13 | 54.00 | -3.87 | Average |
| 3 | 5351.767 | 8.28 | 32.26 | 46.81 | 56.32 | 50.05 | 54.00 | -3.95 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 223 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00074AT\00075AT
Mode : 5320 Band edge

: 5G WIFI 11N20

| | Freq | | | | | | Limit Line | | Remark |
|---|------------|------|-------|-------|--------|--------|---------------|-------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | . 5320.000 | 8.28 | 32.18 | 46.83 | 114.70 | 108.33 | 68.20 | 40.13 | Peak |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 70.92 | 64.64 | 74.00 | -9.36 | Peak |
| 3 | 5350.667 | 8.28 | 32.25 | 46.81 | 71.40 | 65.12 | 74.00 | -8.88 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 224 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5320 Band edge

: 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5320.000 | 8.28 | 32.18 | 46.83 | 105.26 | 98.89 | | | Average |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 56.68 | 50.40 | 54.00 | -3.60 | Average |
| 3 | 5350.866 | 8.28 | 32.25 | 46.81 | 56.67 | 50.39 | 54.00 | -3.61 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 225 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5270 Band edge

: 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|------------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5100.981 | 8.29 | 31.65 | 46.95 | 70.08 | 63.07 | 74.00 | -10.93 | peak |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 67.84 | 60.98 | 74.00 | -13.02 | peak |
| 3 | . 5270.000 | 8.28 | 32.06 | 46.86 | 114.06 | 107.54 | 68.20 | 39.34 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 226 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5270 Band edge

: 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5100.981 | 8.29 | 31.65 | 46.95 | 57.58 | 50.57 | 54.00 | -3.43 | Average |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 56.97 | 50.11 | 54.00 | -3.89 | Average |
| 3 | 5270.000 | 8.28 | 32.06 | 46.86 | 104.86 | 98.34 | | | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 227 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5270 Band edge : 5G WIFI 11N40

Cable Ant Preamp Read Limit Over
Freq Loss Factor Factor Level Level Line Limit Remark

MHz dB dB/m dB dBuV dBuV/m dBuV/m dB

1 5104.907 8.29 31.66 46.94 69.64 62.65 74.00 -11.35 Peak 2 5149.980 8.29 31.77 46.92 68.30 61.44 74.00 -12.56 Peak 3 . 5270.000 8.28 32.06 46.86 111.44 104.92 68.20 36.72 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Accessible 2002.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 228 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5270 Band edge

: 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5101.177 | 8.29 | 31.65 | 46.95 | 57.46 | 50.45 | 54.00 | -3.55 | Average |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 56.81 | 49.95 | 54.00 | -4.05 | Average |
| 3 | 5270.000 | 8.28 | 32.06 | 46.86 | 102.81 | 96.29 | | | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 229 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5310 Band edge

: 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|----|----------|-------|--------|--------|--------|--------|--------|-------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1. | 5310.000 | 8.28 | 32.16 | 46.84 | 110.86 | 104.46 | 68.20 | 36.26 | peak |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 73.43 | 67.15 | 74.00 | -6.85 | peak |
| 3 | 5350.714 | 8.28 | 32.25 | 46.81 | 72.28 | 66.00 | 74.00 | -8.00 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 230 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5310 Band edge

: 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5310.000 | 8.28 | 32.16 | 46.84 | 102.21 | 95.81 | | | Average |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 56.86 | 50.58 | 54.00 | -3.42 | Average |
| 3 | 5351.796 | 8.28 | 32.26 | 46.81 | 56.94 | 50.67 | 54.00 | -3.33 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 231 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5310 Band edge

: 5G WIFI 11N40

| | Freq | | | | | | Limit Line | | Remark |
|---|----------------------------------|------|-------|-------|-------|--------|---------------|-------|--------|
| | MHz | dB | dB/m | ——dB | dBuV | dBuV/m | dBuV/m | dB | |
| 2 | 5310.000 5350.020 5350.474 | 8.28 | 32.25 | 46.81 | 72.42 | 66.14 | 74.00 | -7.86 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Accessible 2002.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 232 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5310 Band edge

: 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|---|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | _ |
| | | | | | | • | | | | |
| 1 | 5310.000 | 8.28 | 32.16 | 46.84 | 101.34 | 94.94 | | | Average | |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 57.11 | 50.83 | 54.00 | -3.17 | Average | |
| 3 | 5350.714 | 8.28 | 32.25 | 46.81 | 57.00 | 50.72 | 54.00 | -3.28 | Average | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 233 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5260 Band edge

: 5G WIFI 11AC20

| Freq | | Ant Factor | | | | | | Remark |
|----------------------|----|---------------|----|------|--------|--------|----|--------|
| MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 5134.434 5149.980 | | | | | | | | • |
| . 5260.000 | | | | | | | | • |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 234 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5260 Band edge

: 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5104.602 | 8.29 | 31.66 | 46.94 | 56.88 | 49.89 | 54.00 | -4.11 | Average |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 56.48 | 49.62 | 54.00 | -4.38 | Average |
| 3 | 5260.000 | 8.28 | 32.04 | 46.86 | 107.21 | 100.67 | | | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 235 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5260 Band edge

: 5G WIFI 11AC20

| | Freq | | | Preamp Factor | | | | | Remark |
|----|----------|------|-------|------------------|--------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5116.655 | 8.29 | 31.69 | 46.94 | 69.15 | 62.19 | 74.00 | -11.81 | Peak |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 68.35 | 61.49 | 74.00 | -12.51 | Peak |
| 3. | 5260.000 | 8.28 | 32.04 | 46.86 | 114.44 | 107.90 | 68.20 | 39.70 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Accessible 2002.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 236 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

1 2

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5260 Band edge

: 5G WIFI 11AC20

| | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|----------|-------|--------|--------|--------|--------|--------|-------|---------|--|
| Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | |
| MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | |
| 5114.171 | 8.29 | 31.68 | 46.94 | 56.83 | 49.86 | 54.00 | -4.14 | Average | |
| 5149.980 | 8.29 | 31.77 | 46.92 | 56.24 | 49.38 | 54.00 | -4.62 | Average | |
| 5260.000 | 8.28 | 32.04 | 46.86 | 105.46 | 98.92 | | | Average | |
| | | | | | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 237 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5320 Band edge

: 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5320.000 | 8.28 | 32.18 | 46.83 | 116.08 | 109.71 | 68.20 | 41.51 | peak |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 73.76 | 67.48 | 74.00 | -6.52 | peak |
| 3 | 5350.966 | 8.28 | 32.25 | 46.81 | 74.75 | 68.47 | 74.00 | -5.53 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 238 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5320 Band edge

: 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|---|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | - |
| | | | • | | | , | , | | | |
| 1 | 5320.000 | 8.28 | 32.18 | 46.83 | 107.45 | 101.08 | | | Average | |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 57.21 | 50.93 | 54.00 | -3.07 | Average | |
| 3 | 5350.866 | 8.28 | 32.25 | 46.81 | 57.16 | 50.88 | 54.00 | -3.12 | Average | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification insues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, National Content or appearance of the company in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 239 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00074AT\00075AT
Mode : 5320 Band edge

: 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|----|----------|-------|--------|--------|--------|--------|--------|-------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1. | 5320.000 | 8.28 | 32.18 | 46.83 | 115.66 | 109.29 | 68.20 | 41.09 | Peak |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 73.26 | 66.98 | 74.00 | -7.02 | Peak |
| 3 | 5351.066 | 8.28 | 32.25 | 46.81 | 74.34 | 68.06 | 74.00 | -5.94 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 240 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5320 Band edge

: 5G WIFI 11AC20

| | | | Ant | | | | | | |
|---|----------|------|--------|--------|--------|--------|-------------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | 5300 000 | | 20.40 | 46.00 | 406.00 | 400 46 | | | |
| 1 | 5320.000 | 8.28 | 32.18 | 46.83 | 106.83 | 100.46 | | | Average |
| 2 | 5350.020 | 8.28 | 32.25 | 46.81 | 57.14 | 50.86 | 54.00 | -3.14 | Average |
| 3 | 5350.566 | 8.28 | 32.25 | 46.81 | 56.91 | 50.63 | 54.00 | -3.37 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 241 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5270 Band edge

: 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|------------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5121.625 | 8.29 | 31.70 | 46.93 | 69.41 | 62.47 | 74.00 | -11.53 | peak |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 68.43 | 61.57 | 74.00 | -12.43 | peak |
| 3 | . 5270.000 | 8.28 | 32.06 | 46.86 | 111.92 | 105.40 | 68.20 | 37.20 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 242 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5270 Band edge

: 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5102.158 | 8.29 | 31.65 | 46.94 | 57.29 | 50.29 | 54.00 | -3.71 | Average |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 56.70 | 49.84 | 54.00 | -4.16 | Average |
| 3 | 5270.000 | 8.28 | 32.06 | 46.86 | 103.83 | 97.31 | | | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 243 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5270 Band edge

: 5G WIFI 11AC40

| | Freq | | | | | | Limit Line | | Remark |
|----|----------|------|-------|-------|--------|--------|---------------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5112.768 | 8.29 | 31.68 | 46.94 | 69.38 | 62.41 | 74.00 | -11.59 | Peak |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 67.84 | 60.98 | 74.00 | -13.02 | Peak |
| 3. | 5270.000 | 8.28 | 32.06 | 46.86 | 110.40 | 103.88 | 68.20 | 35.68 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Accessible 2002.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 244 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5270 Band edge

: 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|---|----------|-------|--------|--------|--------|--------|--------|-------|---------|---|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | _ |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 5101.962 | 8.29 | 31.65 | 46.94 | 57.21 | 50.21 | 54.00 | -3.79 | Average | |
| 2 | 5149.980 | 8.29 | 31.77 | 46.92 | 56.58 | 49.72 | 54.00 | -4.28 | Average | |
| 3 | 5270.000 | 8.28 | 32.06 | 46.86 | 101.82 | 95.30 | | | Average | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Accessible 2002.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 245 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5310 Band edge
: 5G WIFI 11AC40

Cable Ant Preamp Read Limit Over
reg Loss Factor Factor Level Level Line Limit R

| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
|---|----------------------------------|------|--------|--------|-------|--------|--------|-------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 2 | 5310.000 5350.020 5350.594 | 8.28 | 32.25 | 46.81 | 72.62 | 66.34 | 74.00 | -7.66 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification insues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, National Content or appearance of the company in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 246 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber

1 2

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5310 Band edge

: 5G WIFI 11AC40

| Freq | | | | | Level | | | Remark |
|----------------------------------|------|-------|-------|-------|--------|--------|-------|---------|
| MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 5310.000 5350.020 5350.955 | 8.28 | 32.25 | 46.81 | 57.11 | 50.83 | 54.00 | -3.17 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 247 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5310 Band edge

: 5G WIFI 11AC40

| | | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | | |
| | | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | | |
| 1 | . ! | 5310.000 | 8.28 | 32.16 | 46.84 | 109.66 | 103.26 | 68.20 | 35.06 | Peak |
| 2 | | 5350.020 | 8.28 | 32.25 | 46.81 | 70.06 | 63.78 | 74.00 | -10.22 | Peak |
| 3 | | 5353.480 | 8.28 | 32.26 | 46.81 | 70.95 | 64.68 | 74.00 | -9.32 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 248 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00074AT\00075AT
Mode : 5310 Band edge

: 5G WIFI 11AC40

| | Freq | | | | | | Limit Line | | Remark |
|-------------|----------------------------------|------|-------|-------|-------|--------|---------------|-------|---------|
| | MHz | | | | | dBuV/m | | dB | |
| 1 2 3 | 5310.000 5350.020 5350.955 | 8.28 | 32.25 | 46.81 | 56.73 | 50.45 | 54.00 | -3.55 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 249 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5290 Band edge

: 5G WIFI 11AC80

| | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|----------|-----------------------------|--|--|--|--|---|---|--|
| Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | |
| MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | |
| 5106.417 | 8.29 | 31.67 | 46.94 | 69.50 | 62.52 | 74.00 | -11.48 | peak |
| 5290.000 | 8.28 | 32.11 | 46.85 | 105.82 | 99.36 | 68.20 | 31.16 | peak |
| 5356.042 | 8.28 | 32.27 | 46.81 | 68.26 | 62.00 | 74.00 | -12.00 | peak |
| | MHz 5106.417 5290.000 | Freq Loss MHz dB 5106.417 8.29 5290.000 8.28 | Freq Loss Factor MHz dB dB/m 5106.417 8.29 31.67 5290.000 8.28 32.11 | Freq Loss Factor Factor MHz dB dB/m dB 5106.417 8.29 31.67 46.94 5290.000 8.28 32.11 46.85 | Freq Loss Factor Factor Level MHz dB dB/m dB dBuV 5106.417 8.29 31.67 46.94 69.50 5290.000 8.28 32.11 46.85 105.82 | Freq Loss Factor Factor Level Level MHz dB dB/m dB dBuV dBuV/m 5106.417 8.29 31.67 46.94 69.50 62.52 5290.000 8.28 32.11 46.85 105.82 99.36 | Freq Loss Factor Factor Level Level Line MHz dB dB/m dB dBuV dBuV/m dBuV/m 5106.417 8.29 31.67 46.94 69.50 62.52 74.00 5290.000 8.28 32.11 46.85 105.82 99.36 68.20 | Cable Ant Preamp Read Limit Over Loss Factor Factor Level Level Line Limit MHz dB dB/m dB dBuV dBuV/m dBuV/m dBuV/m dBuV/m dB 5106.417 8.29 31.67 46.94 69.50 62.52 74.00 -11.48 5290.000 8.28 32.11 46.85 105.82 99.36 68.20 31.16 5356.042 8.28 32.27 46.81 68.26 62.00 74.00 -12.00 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 250 of 532

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5290 Band edge

: 5G WIFI 11AC80

| | Freq | | | Preamp Factor | | | | | Remark |
|-------------|----------------------------------|------|-------|------------------|-------|--------|--------|----|---------|
| - | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 2 3 | 5100.292 5290.000 5351.146 | 8.28 | 32.11 | 46.85 | 97.72 | 91.26 | | | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 251 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

5358.186

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5290 Band edge : 5G WIFI 11AC80

8.28

Cable Ant Preamp Read Limit Over

32.27 46.81 67.81

Loss Factor Factor Limit Remark Frea Level Level Line MHz dB/m dBuV dBuV/m dBuV/m dB 5119.276 8.29 31.70 46.94 70.16 63.21 74.00 -10.79 Peak 32.11 46.85 104.91 68.20 30.25 Peak 2 . 5290.000 8.28 98.45



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982

61.55

Fuyong ab. Xinlong TechnoPark, Fenglang Road, Fuyong Subdistriat, Badan, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

74.00 -12.45 Peak




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 252 of 532

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5290 Band edge

: 5G WIFI 11AC80

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|-------|---------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5115.181 | 8.29 | 31.69 | 46.94 | 57.60 | 50.64 | 54.00 | -3.36 | Average |
| 2 | 5290.000 | 8.28 | 32.11 | 46.85 | 96.87 | 90.41 | | | Average |
| 3 | 5357.573 | 8.28 | 32.27 | 46.81 | 57.02 | 50.76 | 54.00 | -3.24 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 253 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5500 Band edge

: 5G WIFI 11A

| | Freq | | Ant Factor | | | | | | |
|---|------------|------|---------------|-------|--------|--------|--------|--------|------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5416.046 | 8.27 | 32.41 | 46.78 | 69.02 | 62.92 | 74.00 | -11.08 | peak |
| 2 | 5468.678 | 8.27 | 32.53 | 46.75 | 70.99 | 65.04 | 68.20 | -3.16 | peak |
| 3 | . 5500.000 | 8.27 | 32.60 | 46.74 | 117.25 | 111.38 | 68.20 | 43.18 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 254 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

1

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT Mode : 5500 Band edge

: 5G WIFI 11A

Ant Preamp Cable Read Limit 0ver Loss Factor Factor Level Level Limit Remark Frea Line MHz dB/m dBuV dBuV/m dBuV/m dB 5452.715 8.27 32.49 46.76 56.11 50.11 54.00 -3.89 Average 8.27 32.60 46.74 108.17 102.30 ----- Average 5500.000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 255 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5500 Band edge

: 5G WIFI 11A

| | Freq | | Ant Factor | | | | | | Remark |
|---|------------|------|---------------|-------|--------|--------|--------|-------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | 5453.434 | | | | | | | | |
| 2 | 5464.112 | 8.27 | 32.52 | 46.76 | 71.07 | 65.10 | 68.20 | -3.10 | peak |
| 3 | . 5500.000 | 8.27 | 32.60 | 46.74 | 116.32 | 110.45 | 68.20 | 42.25 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 256 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

1

Job No : 00074AT\00075AT Mode : 5500 Band edge

: 5G WIFI 11A

Ant Preamp Cable Read Limit 0ver Loss Factor Factor Level Level Limit Remark Frea Line MHz dB/m dBuV dBuV/m dBuV/m dB 5415.332 8.27 32.40 46.78 56.16 50.05 54.00 -3.95 Average 8.27 32.60 46.74 107.33 101.46 ----- Average 5500.000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 257 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5700 Band edge

: 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|---|------------|-------|--------|--------|--------|--------|--------|-------|--------|--|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | . 5700.000 | 8.01 | 32.52 | 46.64 | 114.83 | 108.72 | 68.20 | 40.52 | peak | |
| | 5725.000 | | | | | | | | • | |
| | 5751.422 | | | | | | | | • | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 258 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00074AT\00075AT
Mode : 5700 Band edge

: 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|------------|-------|--------|--------|--------|--------|--------|-------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | . 5700.000 | 8.01 | 32.52 | 46.64 | 115.81 | 109.70 | 68.20 | 41.50 | Peak |
| 2 | 5725.000 | 7.98 | 32.51 | 46.63 | 69.29 | 63.15 | 68.20 | -5.05 | Peak |
| 3 | 5728.682 | 7.98 | 32.51 | 46.63 | 70.30 | 64.16 | 68.20 | -4.04 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 259 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5500 Band edge

: 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|------------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5407.482 | 8.28 | 32.39 | 46.79 | 68.92 | 62.80 | 74.00 | -11.20 | peak |
| 2 | 5466.395 | 8.27 | 32.52 | 46.76 | 68.27 | 62.30 | 68.20 | -5.90 | peak |
| 3 | . 5500.000 | 8.27 | 32.60 | 46.74 | 113.43 | 107.56 | 68.20 | 39.36 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 260 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

1

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT Mode : 5500 Band edge

: 5G WIFI 11N20

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Frea MHz dB/m dBuV dBuV/m dBuV/m dB 5426.771 8.27 32.43 46.78 56.24 50.16 54.00 -3.84 Average 8.27 32.60 46.74 105.03 99.16 ----- Average 5500.000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 261 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5500 Band edge

: 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|------------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5449.720 | 8.27 | 32.48 | 46.76 | 69.01 | 63.00 | 74.00 | -11.00 | Peak |
| 2 | 5466.154 | 8.27 | 32.52 | 46.76 | 68.83 | 62.86 | 68.20 | -5.34 | peak |
| 3 | . 5500.000 | 8.27 | 32.60 | 46.74 | 111.88 | 106.01 | 68.20 | 37.81 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 262 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5500 Band edge : 5G WIFI 11N20

Cable Ant Preamp Read Limit Over

Freq Loss Factor Factor Level Level Line Limit Remark

MHz dB dB/m dB dBuV dBuV/m dBuV/m dB

1 5449.001 8.27 32.48 46.76 56.03 50.02 54.00 -3.98 Average 2 5500.000 8.27 32.60 46.74 103.15 97.28 ----- Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority Aut




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 263 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5700 Band edge

: 5G WIFI 11N20

| | Freq | | | | | | Limit Line | | Remark |
|---|------------|------|-------|-------|--------|--------|---------------|-------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | . 5700.000 | 8.01 | 32.52 | 46.64 | 113.26 | 107.15 | 68.20 | 38.95 | peak |
| 2 | 5725.000 | 7.98 | 32.51 | 46.63 | 70.69 | 64.55 | 68.20 | -3.65 | peak |
| 3 | 5742.896 | 7.96 | 32.50 | 46.62 | 70.59 | 64.43 | 68.20 | -3.77 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 264 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5700 Band edge

: 5G WIFI 11N20

| | Freq Los | | | | Read Limit Level Level Line | | | | | |
|---|----------------------------------|------|-------|-------|--------------------------------|--------|--------|-------|------|--|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| 2 | 5700.000 5725.000 5758.855 | 7.98 | 32.51 | 46.63 | 70.14 | 64.00 | 68.20 | -4.20 | Peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 265 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5510 Band edge
: 5G WIFI 11N40

Cable Ant Preamp Read Limit Over Freq Loss Factor Factor Level Level Line Limit Remark

| MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
|--|------|-------|-------|-------|--------|--------|-------|------|
| 1 5459.901 2 5469.692 3 . 5510.000 | 8.27 | 32.53 | 46.75 | 71.08 | 65.13 | 68.20 | -3.07 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 266 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

1

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT Mode : 5510 Band edge

: 5G WIFI 11N40

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Frea MHz dB/m dBuV dBuV/m dBuV/m dB 5450.825 8.27 32.49 46.76 56.94 50.94 54.00 -3.06 Average 8.26 32.60 46.73 101.57 95.70 ----- Average 5510.000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 267 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL
Job No : 00074AT\00075AT
Mode : 5510 Band edge

: 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|----|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5432.439 | 8.27 | 32.44 | 46.77 | 68.60 | 62.54 | 74.00 | -11.46 | Peak |
| 2 | 5469.972 | 8.27 | 32.53 | 46.75 | 70.57 | 64.62 | 68.20 | -3.58 | peak |
| 3. | 5510.000 | 8.26 | 32.60 | 46.73 | 108.93 | 103.06 | 68.20 | 34.86 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority Aut




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 268 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

MHz

Job No : 00074AT\00075AT Mode : 5510 Band edge : 5G WIFI 11N40

Cable Ant Preamp Read Limit Over

Freq Loss Factor Factor Level Level Line Limit Remark

dBuV dBuV/m dBuV/m

1 5432.301 8.27 32.44 46.77 56.88 50.82 54.00 -3.18 Average 2 5510.000 8.26 32.60 46.73 100.16 94.29 ----- Average

dB/m



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.

dB




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 269 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5670 Band edge

: 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|----|----------|-------|--------|--------|--------|--------|--------|-------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1. | 5670.000 | 8.05 | 32.53 | 46.66 | 108.82 | 102.74 | 68.20 | 34.54 | peak |
| 2 | 5725.000 | 7.98 | 32.51 | 46.63 | 68.14 | 62.00 | 68.20 | -6.20 | peak |
| 3 | 5742.284 | 7.96 | 32.50 | 46.62 | 70.46 | 64.30 | 68.20 | -3.90 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 270 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5670 Band edge : 5G WIFI 11N40

7.98

7.93

32.49

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Limit Remark Frea Level Level Line MHz dB/m dBuV dBuV/m dBuV/m dB 1 . 5670.000 8.05 32.53 46.66 109.29 103.21 68.20 35.01 Peak

62.81

63.78

68.20

68.20

32.51 46.63 68.95

46.61 69.97



5725.000

5763.301

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982

| Fujorg|ab. Xinlong TechnoPark, Fanglang Road, Fujorg|Subdistid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

-5.39 Peak

-4.42 Peak




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 271 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5500 Band edge
: 5G WIFI 11AC20

Cable Ant Preamp Read Limit Over

Loss Factor Factor Level Level Limit Remark Frea Line MHz dB/m dBuV dBuV/m dBuV/m dB 1 5431.902 8.27 32.44 46.77 68.88 62.82 74.00 -11.18 peak 32.52 46.76 68.43 62.46 5464.232 8.27 68.20 -5.74 peak 3 . 5500.000 8.27 32.60 46.74 114.25 108.38 68.20 40.18 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority Aut




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 272 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

1

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT Mode : 5500 Band edge

: 5G WIFI 11AC20

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Frea MHz dB/m dBuV dBuV/m dBuV/m dB 5432.379 8.27 32.44 46.77 56.28 50.22 54.00 -3.78 Average 8.27 32.60 46.74 105.20 99.33 ----- Average 5500.000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority Aut




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 273 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

1

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5500 Band edge

: 5G WIFI 11AC20 Cable Ant Preamp Read Limit 0ver

Loss Factor Factor Level Level Limit Remark Frea Line MHz dB/m dBuV dBuV/m dBuV/m dB 5424.743 8.27 32.43 46.78 69.00 62.92 74.00 -11.08 Peak 32.53 46.75 68.54 62.59 5468.077 8.27 68.20 -5.61 peak 3 . 5500.000 8.27 32.60 46.74 112.60 106.73 68.20 38.53 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority Aut




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 274 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

1

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5500 Band edge

: 5G WIFI 11AC20

| Freq | | | | | | Limit Line | | Remark | |
|----------------------|----|------|----|------|--------|---------------|----|--------|---|
| MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | _ |
| 5401.662 5500.000 | | | | | | | | _ | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 275 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5700 Band edge

: 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|----|----------|-------|--------|--------|--------|--------|--------|-------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1. | 5700.000 | 8.01 | 32.52 | 46.64 | 112.20 | 106.09 | 68.20 | 37.89 | peak |
| 2 | 5725.000 | 7.98 | 32.51 | 46.63 | 69.53 | 63.39 | 68.20 | -4.81 | peak |
| 3 | 5725.983 | 7.98 | 32.51 | 46.63 | 70.15 | 64.01 | 68.20 | -4.19 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority Aut




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 276 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5700 Band edge

: 5G WIFI 11AC20 Cable Ant Preamp Read Limit Over

Loss Factor Factor Limit Remark Frea Level Level Line MHz dB/m dBuV dBuV/m dBuV/m dB 1 . 5700.000 8.01 32.52 46.64 113.48 107.37 68.20 39.17 Peak 32.51 46.63 68.49 62.35 5725.000 7.98 68.20 -5.85 Peak 5743.297 7.96 32.50 46.62 70.21 64.05 68.20 -4.15 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority Aut




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 277 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5510 Band edge

: 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5429.243 | 8.27 | 32.44 | 46.77 | 69.52 | 63.46 | 74.00 | -10.54 | peak |
| 2 | 5469.552 | 8.27 | 32.53 | 46.75 | 68.90 | 62.95 | 68.20 | -5.25 | peak |
| 3 | 5510.000 | 8.26 | 32.60 | 46.73 | 109.38 | 103.51 | 68.20 | 35.31 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 278 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

1

Condition: 3m HORIZONTAL Job No : 00074AT\00075AT Mode : 5510 Band edge

: 5G WIFI 11AC40

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Frea MHz dB/m dBuV dBuV/m dBuV/m dB 5455.291 8.27 32.50 46.76 56.91 50.92 54.00 -3.08 Average 8.26 32.60 46.73 101.51 95.64 ----- Average 5510.000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 279 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5510 Band edge

: 5G WIFI 11AC40

Cable Ant Preamp Read Limit Over

Loss Factor Factor Level Level Limit Remark Frea Line MHz dB/m dBuV dBuV/m dBuV/m dB 1 5418.137 8.27 32.41 46.78 68.93 62.83 74.00 -11.17 Peak 32.52 46.76 68.80 62.83 5467.173 8.27 68.20 -5.37 peak 3 . 5510.000 8.26 32.60 46.73 109.24 103.37 68.20 35.17 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority Aut




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 280 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

1

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5510 Band edge

: 5G WIFI 11AC40

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Frea MHz dB/m dBuV dBuV/m dBuV/m dB 5459.202 8.27 32.51 46.76 56.83 50.85 54.00 -3.15 Average 8.26 32.60 46.73 100.14 94.27 ----- Average 5510.000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 281 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5670 Band edge

: 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|----|----------|-------|--------|--------|--------|--------|--------|-------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1. | 5670.000 | 8.05 | 32.53 | 46.66 | 107.72 | 101.64 | 68.20 | 33.44 | peak |
| 2 | 5725.000 | 7.98 | 32.51 | 46.63 | 69.22 | 63.08 | 68.20 | -5.12 | peak |
| 3 | 5754.969 | 7.94 | 32.50 | 46.61 | 70.26 | 64.09 | 68.20 | -4.11 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority Aut




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 282 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5670 Band edge : 5G WIFI 11AC40

Cable Ant Preamp Read Limit Over

Loss Factor Factor Limit Remark Frea Level Level Line MHz dB/m dBuV dBuV/m dBuV/m dB 1 . 5670.000 8.05 32.53 46.66 108.94 102.86 68.20 34.66 Peak 5725.000 7.98 32.51 46.63 68.75 62.61 68.20 -5.59 Peak 5731.733 7.97 32.51 46.63 69.86 63.71 68.20 -4.49 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 283 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5530 Band edge

: 5G WIFI 11AC80

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|----|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5453.918 | 8.27 | 32.49 | 46.76 | 69.03 | 63.03 | 74.00 | -10.97 | peak |
| 2 | 5464.659 | 8.27 | 32.52 | 46.76 | 68.28 | 62.31 | 68.20 | -5.89 | peak |
| 3. | 5530.000 | 8.23 | 32.59 | 46.72 | 104.56 | 98.66 | 68.20 | 30.46 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercilia** (24 Descheck**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 284 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5530 Band edge

: 5G WIFI 11AC80

| | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|----------|--------------|----------------------------------|---|--|---|--|---|---|---|
| Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | _ |
| MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | |
| 5434.460 | 8.27 | 32.45 | 46.77 | 56.87 | 50.82 | 54.00 | -3.18 | Average | |
| 5530.000 | 8.23 | 32.59 | 46.72 | 97.21 | 91.31 | | | Average | |
| | MHz 5434.460 | Freq Loss MHz dB 5434.460 8.27 | $\frac{\text{Freq}}{\text{MHz}} = \frac{\text{Loss Factor}}{\text{dB}} = \frac{\text{dB/m}}{\text{dB/m}}$ $5434.460 = 8.27 = 32.45$ | Freq Loss Factor Factor MHz dB dB/m dB 5434.460 8.27 32.45 46.77 | Freq Loss Factor Factor Level MHz dB dB/m dB dBuV 5434.460 8.27 32.45 46.77 56.87 | Freq Loss Factor Factor Level Level MHz dB dB/m dB dBuV dBuV/m 5434.460 8.27 32.45 46.77 56.87 50.82 | Freq Loss Factor Factor Level Level Level Line MHz dB dB/m dB dBuV dBuV/m dBuV/m dBuV/m 5434.460 8.27 32.45 46.77 56.87 50.82 54.00 | MHz dB dB/m dB dBuV dBuV/m dBuV/m dB 5434.460 8.27 32.45 46.77 56.87 50.82 54.00 -3.18 | Freq Loss Factor Factor Level Level Line Limit Remark |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 285 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL
Job No : 00074AT\00075AT
Mode : 5530 Band edge

: 5G WIFI 11AC80

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|------------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5419.690 | 8.27 | 32.41 | 46.78 | 69.24 | 63.14 | 74.00 | -10.86 | Peak |
| 2 | 5462.509 | 8.27 | 32.51 | 46.76 | 68.71 | 62.73 | 68.20 | -5.47 | peak |
| 3 | . 5530.000 | 8.23 | 32.59 | 46.72 | 104.20 | 98.30 | 68.20 | 30.10 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 286 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:Low



Site : chamber

5530.000

1

Condition: 3m VERTICAL
Job No : 00074AT\00075AT
Mode : 5530 Band edge

: 5G WIFI 11AC80

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark Frea MHz dB/m dBuV dBuV/m dBuV/m dB 5419.512 8.27 32.41 46.78 56.95 50.85 54.00 -3.15 Average

8.23 32.59 46.72 95.98 90.08 ----- Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, August 1982 and 1982




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 287 of 532

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5610 Band edge

: 5G WIFI 11AC80

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Line Limit Remark Frea Level Level MHz dB/m dBuV dBuV/m dBuV/m dB 1 . 5610.000 32.55 46.68 104.27 98.27 68.20 30.07 peak 8.13 7.95 32.50 46.62 70.01 63.84 68.20 5748.206 -4.36 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority Aut




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 288 of 532

Test Mode: 05; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00074AT\00075AT
Mode : 5610 Band edge

: 5G WIFI 11AC80

Cable Ant Preamp Read Limit Over

Freq Loss Factor Factor Level Level Line Limit Remark

MHz dB dB/m dB dBuV dBuV/m dBuV/m dB

1 . 5610.000 8.13 32.55 46.68 103.11 97.11 68.20 28.91 Peak 2 5758.779 7.94 32.49 46.61 69.83 63.65 68.20 -4.55 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority Aut




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 289 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5745 Band edge

: 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|----------|----------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | | dB/m | | | dBuV/m | dBuV/m | dB | |
| | PILIZ | ub | ub/III | ub | ubuv | ubuv/III | ubuv/III | ub | |
| 1 | 5649.412 | 8.08 | 32.54 | 46.67 | 69.74 | 63.69 | 68.20 | -4.51 | peak |
| 2 | 5715.000 | 7.99 | 32.51 | 46.63 | 74.23 | 68.10 | 109.40 | -41.30 | peak |
| 3 | 5725.000 | 7.98 | 32.51 | 46.63 | 89.55 | 83.41 | 122.20 | -38.79 | peak |
| 4 | 5745.000 | 7.95 | 32.50 | 46.62 | 118.59 | 112.42 | | | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 290 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5745 Band edge

: 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5644.427 | 8.08 | 32.54 | 46.67 | 69.38 | 63.33 | 68.20 | -4.87 | peak |
| 2 | 5715.000 | 7.99 | 32.51 | 46.63 | 73.63 | 67.50 | 109.40 | -41.90 | peak |
| 3 | 5725.000 | 7.98 | 32.51 | 46.63 | 89.14 | 83.00 | 122.20 | -39.20 | peak |
| 4 | 5745.000 | 7.95 | 32.50 | 46.62 | 120.28 | 114.11 | | | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 291 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5825 Band edge

: 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5825.000 | 7.85 | 32.47 | 46.58 | 116.72 | 110.46 | | | peak |
| 2 | 5850.000 | 7.82 | 32.46 | 46.57 | 73.80 | 67.51 | 122.20 | -54.69 | peak |
| 3 | 5860.000 | 7.81 | 32.45 | 46.56 | 70.71 | 64.41 | 109.40 | -44.99 | peak |
| 4 | 5939.035 | 7.71 | 32.42 | 46.53 | 70.91 | 64.51 | 68.20 | -3.69 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 292 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00074AT\00075AT

Job No : 00074AT\00075AT Mode : 5825 Band edge

: 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5825.000 | 7.85 | 32.47 | 46.58 | 119.94 | 113.68 | | | peak |
| 2 | 5850.000 | 7.82 | 32.46 | 46.57 | 74.14 | 67.85 | 122.20 | -54.35 | peak |
| 3 | 5860.000 | 7.81 | 32.45 | 46.56 | 70.61 | 64.31 | 109.40 | -45.09 | peak |
| 4 | 5928.375 | 7.73 | 32.43 | 46.53 | 71.07 | 64.70 | 68.20 | -3.50 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Autho




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 293 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5745 Band edge

: 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5648.304 | 8.08 | 32.54 | 46.67 | 69.70 | 63.65 | 68.20 | -4.55 | peak |
| 2 | 5715.000 | 7.99 | 32.51 | 46.63 | 68.88 | 62.75 | 109.40 | -46.65 | peak |
| 3 | 5725.000 | 7.98 | 32.51 | 46.63 | 77.20 | 71.06 | 122.20 | -51.14 | peak |
| | 5745.000 | | | | | | | | • |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 294 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL
Job No : 00074AT\00075AT
Mode : 5745 Band edge

: 5G WIFI 11N20

| | Freq | | | | | Level | | | Remark |
|---|----------|------|-------|-------|--------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5646.780 | 8.08 | 32.54 | 46.67 | 69.80 | 63.75 | 68.20 | -4.45 | peak |
| 2 | 5715.000 | 7.99 | 32.51 | 46.63 | 71.66 | 65.53 | 109.40 | -43.87 | peak |
| 3 | 5725.000 | 7.98 | 32.51 | 46.63 | 80.30 | 74.16 | 122.20 | -48.04 | peak |
| 4 | 5745.000 | 7.95 | 32.50 | 46.62 | 116.34 | 110.17 | | | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Autho




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 295 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5825 Band edge

: 5G WIFI 11N20

Cable Ant Preamp Read Li

| | Freq | | Factor | | | | | | Remark | |
|---|--|--------------|----------------|----------------|----------------|----------------|------------------|------------------|--------------|--|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| 2 | 5825.000 5850.000 5860.000 5937.466 | 7.82 7.81 | 32.46 32.45 | 46.57 46.56 | 70.49 70.00 | 64.20 63.70 | 122.20 109.40 | -58.00 -45.70 | peak peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority Aut




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 296 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5825 Band edge

: 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5825.000 | 7.85 | 32.47 | 46.58 | 116.16 | 109.90 | | | peak |
| 2 | 5850.000 | 7.82 | 32.46 | 46.57 | 72.00 | 65.71 | 122.20 | -56.49 | peak |
| 3 | 5860.000 | 7.81 | 32.45 | 46.56 | 70.92 | 64.62 | 109.40 | -44.78 | peak |
| 4 | 5941.232 | 7.71 | 32.42 | 46.53 | 71.32 | 64.92 | 68.20 | -3.28 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 297 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

1

2

3

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5755 Band edge
: 5G WIFI 11N40

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Limit Remark Frea Line MHz dB/m dBuV dBuV/m dBuV/m dB 5647.804 8.08 32.54 46.67 70.07 64.02 68.20 -4.18 peak 63.65 109.40 -45.75 peak 5715.000 7.99 32.51 46.63 69.78 5725.000 7.98 32.51 46.63 71.27 65.13 122.20 -57.07 peak 5755.000 7.94 32.50 46.61 107.75 101.58 ----- peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority Aut




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 298 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5755 Band edge

: 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5648.416 | 8.08 | 32.54 | 46.67 | 69.43 | 63.38 | 68.20 | -4.82 | peak |
| 2 | 5715.000 | 7.99 | 32.51 | 46.63 | 69.82 | 63.69 | 109.40 | -45.71 | peak |
| 3 | 5725.000 | 7.98 | 32.51 | 46.63 | 72.93 | 66.79 | 122.20 | -55.41 | peak |
| | 5755.000 | | | | | | | | • |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority Aut




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 299 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5795 Band edge

: 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | ——dB | |
| 1 | 5795.000 | 7.89 | 32.48 | 46.60 | 108.13 | 101.90 | | | peak |
| 2 | 5850.000 | 7.82 | 32.46 | 46.57 | 69.18 | 62.89 | 122.20 | -59.31 | peak |
| 3 | 5860.000 | 7.81 | 32.45 | 46.56 | 70.33 | 64.03 | 109.40 | -45.37 | peak |
| 4 | 5936.461 | 7.72 | 32.42 | 46.53 | 70.68 | 64.29 | 68.20 | -3.91 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**).




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 300 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5795 Band edge

: 5G WIFI 11N40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | - |
| 1 | 5795.000 | 7.89 | 32.48 | 46.60 | 109.65 | 103.42 | | | peak |
| 2 | 5850.000 | 7.82 | 32.46 | 46.57 | 69.59 | 63.30 | 122.20 | -58.90 | peak |
| 3 | 5860.000 | 7.81 | 32.45 | 46.56 | 69.90 | 63.60 | 109.40 | -45.80 | peak |
| 4 | 5937.478 | 7.72 | 32.42 | 46.53 | 71.57 | 65.18 | 68.20 | -3.02 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 301 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5745 Band edge

: 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5648.165 | 8.08 | 32.54 | 46.67 | 69.32 | 63.27 | 68.20 | -4.93 | peak |
| 2 | 5715.000 | 7.99 | 32.51 | 46.63 | 70.25 | 64.12 | 109.40 | -45.28 | peak |
| 3 | 5725.000 | 7.98 | 32.51 | 46.63 | 83.94 | 77.80 | 122.20 | -44.40 | peak |
| 4 | 5745.000 | 7.95 | 32.50 | 46.62 | 116.29 | 110.12 | | | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 302 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Site : chamber

1

2

3

Condition: 3m VERTICAL
Job No : 00074AT\0007

Job No : 00074AT\00075AT Mode : 5745 Band edge : 5G WIFI 11AC20

> Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Limit Remark Frea Line MHz dB/m dBuV dBuV/m dBuV/m dB 5648.581 8.08 32.54 46.67 70.02 63.97 68.20 -4.23 peak 32.51 46.63 71.91 65.78 109.40 -43.62 peak 5715.000 7.99 5725.000 7.98 32.51 46.63 83.80 77.66 122.20 -44.54 peak 5745.000 7.95 32.50 46.62 118.33 112.16 ----- peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 303 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5825 Band edge

: 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5825.000 | 7.85 | 32.47 | 46.58 | 115.64 | 109.38 | | | peak |
| 2 | 5850.000 | 7.82 | 32.46 | 46.57 | 77.36 | 71.07 | 122.20 | -51.13 | peak |
| 3 | 5860.000 | 7.81 | 32.45 | 46.56 | 70.65 | 64.35 | 109.40 | -45.05 | peak |
| 4 | 5931.039 | 7.72 | 32.43 | 46.53 | 71.37 | 64.99 | 68.20 | -3.21 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 304 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00074AT\00075AT
Mode : 5825 Band edge

: 5G WIFI 11AC20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 4 | E02E 000 | 7.05 | 22.47 | 46 50 | 447 56 | 444 20 | | | |
| 1 | 5825.000 | 7.85 | 32.4/ | 46.58 | 117.56 | 111.30 | | | peak |
| 2 | 5850.000 | 7.82 | 32.46 | 46.57 | 76.61 | 70.32 | 122.20 | -51.88 | peak |
| 3 | 5860.000 | 7.81 | 32.45 | 46.56 | 70.97 | 64.67 | 109.40 | -44.73 | peak |
| 4 | 5936.211 | 7.72 | 32.42 | 46.53 | 70.94 | 64.55 | 68.20 | -3.65 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 305 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5755 Band edge

: 5G WIFI 11AC40

| | Freq | | Ant Factor | | | | | | Remark |
|---|----------|------|---------------|-------|--------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5647.804 | 8.08 | 32.54 | 46.67 | 69.46 | 63.41 | 68.20 | -4.79 | peak |
| 2 | 5715.000 | 7.99 | 32.51 | 46.63 | 70.96 | 64.83 | 109.40 | -44.57 | peak |
| 3 | 5725.000 | 7.98 | 32.51 | 46.63 | 74.76 | 68.62 | 122.20 | -53.58 | peak |
| 4 | 5755.000 | 7.94 | 32.50 | 46.61 | 111.53 | 105.36 | | | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority Aut




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 306 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5755 Band edge

: 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| _ | | | | | | | | | |
| 1 | 5647.957 | 8.08 | 32.54 | 46.67 | 69.43 | 63.38 | 68.20 | -4.82 | peak |
| 2 | 5715.000 | 7.99 | 32.51 | 46.63 | 72.24 | 66.11 | 109.40 | -43.29 | peak |
| 3 | 5725.000 | 7.98 | 32.51 | 46.63 | 78.31 | 72.17 | 122.20 | -50.03 | peak |
| 4 | 5755.000 | 7.94 | 32.50 | 46.61 | 114.14 | 107.97 | | | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 307 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5795 Band edge
: 5G WIFI 11AC40

Cable Ant Preamp Read Limit Over

Limit Remark Loss Factor Factor Frea Level Level Line MHz dB/m dBuV dBuV/m dBuV/m dB 5795.000 7.89 32.48 46.60 111.14 104.91 ----- peak 1 2 5850.000 7.82 32.46 46.57 69.34 63.05 122.20 -59.15 peak 3 5860.000 7.81 32.45 46.56 69.99 63.69 109.40 -45.71 peak 5926.516 7.73 32.43 46.53 70.82 64.45 68.20 -3.75 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Company Authority Aut




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 308 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5795 Band edge

: 5G WIFI 11AC40

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | - |
| 1 | 5795.000 | 7.89 | 32.48 | 46.60 | 113.72 | 107.49 | | | peak |
| 2 | 5850.000 | 7.82 | 32.46 | 46.57 | 70.08 | 63.79 | 122.20 | -58.41 | peak |
| 3 | 5860.000 | 7.81 | 32.45 | 46.56 | 69.90 | 63.60 | 109.40 | -45.80 | peak |
| 4 | 5936.055 | 7.72 | 32.42 | 46.53 | 71.39 | 65.00 | 68.20 | -3.20 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 309 of 532

Test Mode: 06; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00074AT\00075AT
Mode : 5775 Band edge

: 5G WIFI 11AC80

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|----------|-------|--------|--------|--------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 5717.761 | 7.99 | 32.51 | 46.63 | 69.44 | 63.31 | 110.17 | -46.86 | peak |
| 2 | 5775.000 | 7.92 | 32.49 | 46.60 | 104.91 | 98.72 | | | peak |
| 3 | 5852.116 | 7.82 | 32.46 | 46.57 | 70.09 | 63.80 | 117.37 | -53.57 | peak |
| | 5935.614 | | | | | | | | • |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 310 of 532

Test Mode: 06; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 00074AT\00075AT Mode : 5775 Band edge : 5G WIFI 11AC80

Cable Ant Preamp Read Limit Over

| | Freq | | | | | | Line | | Remark | |
|---|----------|------|-------|-------|--------|--------|--------|--------|--------|--|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| 1 | 5718.966 | 7.99 | 32.51 | 46.63 | 71.78 | 65.65 | 110.51 | -44.86 | peak | |
| 2 | 5775.000 | 7.92 | 32.49 | 46.60 | 108.03 | 101.84 | | | peak | |
| 3 | 5853.349 | 7.82 | 32.46 | 46.57 | 70.37 | 64.08 | 114.56 | -50.48 | peak | |
| 4 | 5933.739 | 7.72 | 32.43 | 46.53 | 70.32 | 63.94 | 68.20 | -4.26 | peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 311 of 532

7.10 Frequency Stability

Test Requirement 47 CFR Part 15, Subpart C 15.407 (g)
Test Method: ANSI C63.10 (2013) Section 6.8

7.10.1 E.U.T. Operation

Operating Environment:

Temperature: 25.7 °C Humidity: 55.3 % RH Atmospheric Pressure: 1020 mbar

7.10.2 Test Mode Description

| 7.10.2 Test Mode Description | | | | | | | | |
|------------------------------|--------------|--|--|--|--|--|--|--|
| Pre-scan / Final test | Mode Code | Description | | | | | | |
| Final test | 03 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. | | | | | | |
| Final test | 04 | TX mode (U-NII-2A)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. | | | | | | |
| Final test | 05 | TX mode (U-NII-2C)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. | | | | | | |
| Final test | 06 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20); data rate @ MCS0 is the worst case of IEEE 802.11n(HT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT20); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT40); data rate @ MCS0 is the worst case of IEEE 802.11ac(VHT80). Only the data of worst case is recorded in the report. | | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or remail: CPU Doccheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 312 of 532

7.10.3 Test Setup Diagram



Ground Reference Plane

7.10.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Cercibil CARD Descheef **Participility** in the content of the content o



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220400007403

Page: 313 of 532

7.11 Non-occupancy period

Test Requirement KDB 905462 D02 Section 5.1
Test Method: KDB 905462 D02 Section 7.8.3

Limit:

| Test item | Limit | Applicability | | |
|-----------------------------------|--|---|---|--|
| | | Master Device or client with Radar Detection | Client without Radar Detection | |
| Non-occupancy period | Minimum 30 minutes | Yes | Not required | |
| Channel Availability Check Time | 60 seconds | Yes | Not required | |
| Channel Move Time | 10 seconds See Note 1. | Yes | Yes | |
| Channel Closing Transmission Time | 200 milliseconds + an aggregate of 60 milliseconds over remaining 10 second period. See Notes 1 and 2. | Yes | Yes | |
| U-NII Detection Bandwidth | Minimum 100% of the U-NII 99% transmission power bandwidth. See Note 3. | Yes | Not required | |

Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

Note 2: The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.

Note 3: During the U-NII Detection Bandwidth detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.

7.11.1 E.U.T. Operation

Operating Environment:

Temperature: 25.7 °C Humidity: 55.3 % RH Atmospheric Pressure: 1020 mbar



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate, Please contact us at telephone: (86-755) 8307 1443, **Certificate,