



U-NII-2A 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5102.875	58.38	4.25	74.0	15.62	Peak	73.00	150	Vertical	Pass
1**	5102.875	47.34	4.25	54.0	6.66	AV	73.00	150	Vertical	Pass
2	5149.675	56.24	4.06	74.0	17.76	Peak	0.00	200	Vertical	Pass
2**	5149.675	47.03	4.06	54.0	6.97	AV	0.00	200	Vertical	Pass

U-NII-2A 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.90	5.11	74.0	14.10	Peak	222.00	100	Vertical	Pass
1**	5350.000	48.89	5.11	54.0	5.11	AV	222.00	100	Vertical	Pass
2	5356.600	61.31	4.58	74.0	12.69	Peak	360.00	150	Vertical	Pass
2**	5356.600	48.09	4.58	54.0	5.91	AV	360.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5125.625	58.56	4.52	74.0	15.44	Peak	0.00	200	Vertical	Pass
1**	5125.625	47.50	4.52	54.0	6.50	AV	0.00	200	Vertical	Pass
2	5149.675	57.54	4.06	74.0	16.46	Peak	211.00	100	Vertical	Pass
2**	5149.675	47.03	4.06	54.0	6.97	AV	211.00	100	Vertical	Pass

U-NII-2A 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	62.10	5.10	74.0	11.90	Peak	103.00	200	Vertical	Pass
1**	5350.055	52.17	5.10	54.0	1.83	AV	103.00	200	Vertical	Pass
2	5350.715	64.41	5.02	74.0	9.59	Peak	210.00	100	Vertical	Pass
2**	5350.715	51.99	5.02	54.0	2.01	AV	210.00	100	Vertical	Pass
3	5350.825	63.21	5.01	74.0	10.79	Peak	166.00	150	Vertical	Pass
3**	5350.825	52.42	5.01	54.0	1.58	AV	166.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5129.200	58.76	4.50	74.0	15.24	Peak	349.00	100	Vertical	Pass
1**	5129.200	47.89	4.50	54.0	6.11	AV	349.00	100	Vertical	Pass
2	5149.675	56.89	4.06	74.0	17.11	Peak	26.00	200	Vertical	Pass
2**	5149.675	47.55	4.06	54.0	6.45	AV	26.00	200	Vertical	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.02	5.11	74.0	12.98	Peak	3.00	150	Vertical	Pass
1**	5350.000	51.47	5.11	54.0	2.53	AV	3.00	150	Vertical	Pass
2	5352.530	62.24	4.91	74.0	11.76	Peak	0.00	150	Vertical	Pass
2**	5352.530	51.32	4.91	54.0	2.68	AV	0.00	150	Vertical	Pass
3	5350.770	60.82	5.01	74.0	13.18	Peak	0.00	150	Vertical	Pass
3**	5350.770	51.86	5.01	54.0	2.14	AV	0.00	150	Vertical	Pass

U-NII-2A 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5129.525	58.50	4.50	74.0	15.50	Peak	240.00	100	Vertical	Pass
1**	5129.525	47.83	4.50	54.0	6.17	AV	240.00	100	Vertical	Pass
2	5149.675	56.75	4.06	74.0	17.25	Peak	96.00	100	Vertical	Pass
2**	5149.675	46.93	4.06	54.0	7.07	AV	96.00	100	Vertical	Pass

U-NII-2A 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	62.40	5.10	74.0	11.60	Peak	107.00	200	Vertical	Pass
1**	5350.055	48.49	5.10	54.0	5.51	AV	107.00	200	Vertical	Pass
2	5350.220	63.77	5.08	74.0	10.23	Peak	112.00	100	Vertical	Pass
2**	5350.220	48.57	5.08	54.0	5.43	AV	112.00	100	Vertical	Pass

U-NII-2A 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.225	58.48	4.51	74.0	15.52	Peak	0.00	200	Vertical	Pass
1**	5128.225	47.42	4.51	54.0	6.58	AV	0.00	200	Vertical	Pass
2	5149.675	56.73	4.06	74.0	17.27	Peak	300.00	100	Vertical	Pass
2**	5149.675	47.03	4.06	54.0	6.97	AV	300.00	100	Vertical	Pass

U-NII-2A 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.48	5.11	74.0	13.52	Peak	99.00	100	Vertical	Pass
1**	5350.000	48.37	5.11	54.0	5.63	AV	99.00	100	Vertical	Pass
2	5350.385	61.61	5.06	74.0	12.39	Peak	182.00	150	Vertical	Pass
2**	5350.385	48.51	5.06	54.0	5.49	AV	182.00	150	Vertical	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5125.950	58.84	4.52	74.0	15.16	Peak	176.00	200	Vertical	Pass
1**	5125.950	47.28	4.52	54.0	6.72	AV	176.00	200	Vertical	Pass
2	5149.675	56.30	4.06	74.0	17.70	Peak	159.00	100	Vertical	Pass
2**	5149.675	47.19	4.06	54.0	6.81	AV	159.00	100	Vertical	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.61	5.10	74.0	16.39	Peak	47.00	200	Vertical	Pass
1**	5350.055	48.28	5.10	54.0	5.72	AV	47.00	200	Vertical	Pass
2	5398.455	59.38	4.71	74.0	14.62	Peak	171.00	200	Vertical	Pass
2**	5398.455	48.07	4.71	54.0	5.93	AV	171.00	200	Vertical	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5394.160	59.91	4.58	74.0	14.09	Peak	354.00	100	Vertical	Pass
1**	5394.160	47.78	4.58	54.0	6.22	AV	354.00	100	Vertical	Pass
2	5459.980	56.81	4.04	74.0	17.19	Peak	0.00	200	Vertical	Pass
2**	5459.980	46.94	4.04	54.0	7.06	AV	0.00	200	Vertical	Pass
3	5469.100	61.07	4.01	68.2	7.13	Peak	360.00	100	Vertical	Pass
3**	5469.100	47.26	4.01	--	--	AV	360.00	100	Vertical	N/A
4	5469.940	57.51	4.06	68.2	10.69	Peak	360.00	100	Vertical	Pass
4**	5469.940	47.67	4.06	--	--	AV	360.00	100	Vertical	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.01	3.93	68.2	7.19	Peak	0.00	150	Vertical	Pass
2	5727.688	63.19	3.69	68.2	5.01	Peak	344.00	100	Vertical	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5359.360	59.47	4.72	74.0	14.53	Peak	166.00	200	Vertical	Pass
1**	5359.360	47.76	4.72	54.0	6.24	AV	166.00	200	Vertical	Pass
2	5459.980	56.58	4.04	74.0	17.42	Peak	291.00	150	Vertical	Pass
2**	5459.980	47.11	4.04	54.0	6.89	AV	291.00	150	Vertical	Pass
3	5469.160	59.05	4.01	68.2	9.15	Peak	327.00	150	Vertical	Pass
3**	5469.160	47.41	4.01	--	--	AV	327.00	150	Vertical	N/A
4	5469.940	56.66	4.06	68.2	11.54	Peak	291.00	100	Vertical	Pass
4**	5469.940	47.40	4.06	--	--	AV	291.00	100	Vertical	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.41	3.93	68.2	7.79	Peak	360.00	150	Vertical	Pass
2	5727.250	63.63	3.75	68.2	4.57	Peak	360.00	200	Vertical	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.840	60.77	4.15	74.0	13.23	Peak	355.00	100	Vertical	Pass
1**	5458.840	48.49	4.15	54.0	5.51	AV	355.00	100	Vertical	Pass
2	5459.980	59.31	4.04	74.0	14.69	Peak	18.00	200	Vertical	Pass
2**	5459.980	48.41	4.04	54.0	5.59	AV	18.00	200	Vertical	Pass
3	5469.640	61.83	4.03	68.2	6.37	Peak	209.00	100	Vertical	Pass
3**	5469.640	49.77	4.03	--	--	AV	209.00	100	Vertical	N/A
4	5469.940	58.99	4.06	68.2	9.21	Peak	8.00	100	Vertical	Pass
4**	5469.940	50.27	4.06	--	--	AV	8.00	100	Vertical	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	59.15	3.92	68.2	9.05	Peak	203.00	150	Vertical	Pass
2	5730.625	60.79	3.68	68.2	7.41	Peak	210.00	200	Vertical	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5380.180	59.41	4.67	74.0	14.59	Peak	79.00	100	Vertical	Pass
1**	5380.180	47.92	4.67	54.0	6.08	AV	79.00	100	Vertical	Pass
2	5459.980	56.32	4.04	74.0	17.68	Peak	183.00	150	Vertical	Pass
2**	5459.980	47.16	4.04	54.0	6.84	AV	183.00	150	Vertical	Pass
3	5468.620	60.31	3.99	68.2	7.89	Peak	212.00	100	Vertical	Pass
3**	5468.620	47.83	3.99	--	--	AV	212.00	100	Vertical	N/A
4	5469.940	57.50	4.06	68.2	10.70	Peak	220.00	150	Vertical	Pass
4**	5469.940	48.35	4.06	--	--	AV	220.00	150	Vertical	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.63	3.93	68.2	9.57	Peak	360.00	200	Vertical	Pass
2	5728.813	63.49	3.55	68.2	4.71	Peak	213.00	200	Vertical	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.840	60.71	4.15	74.0	13.29	Peak	8.00	150	Vertical	Pass
1**	5458.840	48.39	4.15	54.0	5.61	AV	8.00	150	Vertical	Pass
2	5459.980	56.88	4.04	74.0	17.12	Peak	0.00	150	Vertical	Pass
2**	5459.980	47.56	4.04	54.0	6.44	AV	0.00	150	Vertical	Pass
3	5469.580	61.14	4.03	68.2	7.06	Peak	8.00	150	Vertical	Pass
3**	5469.580	50.56	4.03	--	--	AV	8.00	150	Vertical	N/A
4	5469.940	59.83	4.06	68.2	8.37	Peak	0.00	150	Vertical	Pass
4**	5469.940	50.07	4.06	--	--	AV	0.00	150	Vertical	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	59.58	3.92	68.2	8.62	Peak	222.00	200	Vertical	Pass
2	5728.062	60.39	3.64	68.2	7.81	Peak	213.00	150	Vertical	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.860	62.46	4.05	74.0	11.54	Peak	210.00	100	Vertical	Pass
1**	5459.860	51.52	4.05	54.0	2.48	AV	210.00	100	Vertical	Pass
2	5459.980	60.66	4.04	74.0	13.34	Peak	204.00	200	Vertical	Pass
2**	5459.980	52.44	4.04	54.0	1.56	AV	204.00	200	Vertical	Pass
3	5469.280	65.28	4.02	68.2	2.92	Peak	210.00	100	Vertical	Pass
3**	5469.280	53.12	4.02	--	--	AV	210.00	100	Vertical	N/A
4	5469.940	62.96	4.06	68.2	5.24	Peak	206.00	100	Vertical	Pass
4**	5469.940	53.94	4.06	--	--	AV	206.00	100	Vertical	N/A
5	5455.660	59.99	4.23	74.0	14.01	Peak	210.00	150	Vertical	Pass
5**	5455.660	52.51	4.23	54.0	1.49	AV	210.00	150	Vertical	Pass

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.91	3.92	68.2	9.29	Peak	111.00	150	Vertical	Pass
2	5737.937	60.30	3.71	68.2	7.90	Peak	220.00	200	Vertical	Pass

U-NII-2C 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5396.980	59.88	4.75	74.0	14.12	Peak	169.00	200	Vertical	Pass
1**	5396.980	47.87	4.75	54.0	6.13	AV	169.00	200	Vertical	Pass
2	5459.980	56.63	4.04	74.0	17.37	Peak	186.00	150	Vertical	Pass
2**	5459.980	46.77	4.04	54.0	7.23	AV	186.00	150	Vertical	Pass
3	5469.460	57.81	4.03	68.2	10.39	Peak	228.00	100	Vertical	Pass
3**	5469.460	46.89	4.03	--	--	AV	228.00	100	Vertical	N/A
4	5469.940	56.85	4.06	68.2	11.35	Peak	52.00	150	Vertical	Pass
4**	5469.940	47.21	4.06	--	--	AV	52.00	150	Vertical	N/A

U-NII-2C 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.13	3.92	68.2	10.07	Peak	81.00	100	Vertical	Pass
2	5768.062	60.34	4.49	68.2	7.86	Peak	108.00	150	Vertical	Pass

U-NII-2C 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5384.260	59.47	4.63	74.0	14.53	Peak	122.00	100	Vertical	Pass
1**	5384.260	47.61	4.63	54.0	6.39	AV	122.00	100	Vertical	Pass
2	5459.980	57.42	4.04	74.0	16.58	Peak	20.00	100	Vertical	Pass
2**	5459.980	47.29	4.04	54.0	6.71	AV	20.00	100	Vertical	Pass
3	5464.300	62.06	3.97	68.2	6.14	Peak	215.00	150	Vertical	Pass
3**	5464.300	47.74	3.97	--	--	AV	215.00	150	Vertical	N/A
4	5469.940	58.26	4.06	68.2	9.94	Peak	209.00	200	Vertical	Pass
4**	5469.940	48.83	4.06	--	--	AV	209.00	200	Vertical	N/A

U-NII-2C 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.25	3.93	68.2	6.95	Peak	352.00	200	Vertical	Pass
2	5729.312	64.60	3.55	68.2	3.60	Peak	211.00	100	Vertical	Pass

U-NII-2C 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.380	64.64	4.11	74.0	9.36	Peak	210.00	100	Vertical	Pass
1**	5459.380	50.48	4.11	54.0	3.52	AV	210.00	100	Vertical	Pass
2	5459.980	61.07	4.04	74.0	12.93	Peak	210.00	150	Vertical	Pass
2**	5459.980	50.71	4.04	54.0	3.29	AV	210.00	150	Vertical	Pass
3	5469.460	66.20	4.03	68.2	2.00	Peak	186.00	150	Vertical	Pass
3**	5469.460	53.83	4.03	--	--	AV	186.00	150	Vertical	N/A
4	5469.940	66.58	4.06	68.2	1.62	Peak	210.00	200	Vertical	Pass
4**	5469.940	53.83	4.06	--	--	AV	210.00	200	Vertical	N/A
5	5458.600	61.34	4.17	74.0	12.66	Peak	210.00	150	Vertical	Pass
5**	5458.600	52.51	4.17	54.0	1.49	AV	210.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.21	3.93	68.2	6.99	Peak	224.00	100	Vertical	Pass
2	5728.375	61.44	3.60	68.2	6.76	Peak	210.00	100	Vertical	Pass

U-NII-2C 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.460	61.21	3.96	74.0	12.79	Peak	215.00	200	Vertical	Pass
1**	5445.460	48.10	3.96	54.0	5.90	AV	215.00	200	Vertical	Pass
2	5459.980	59.93	4.04	74.0	14.07	Peak	188.00	150	Vertical	Pass
2**	5459.980	50.05	4.04	54.0	3.95	AV	188.00	150	Vertical	Pass
3	5469.820	61.64	4.04	68.2	6.56	Peak	186.00	200	Vertical	Pass
3**	5469.820	50.60	4.04	--	--	AV	186.00	200	Vertical	N/A
4	5469.940	60.11	4.06	68.2	8.09	Peak	205.00	150	Vertical	Pass
4**	5469.940	51.32	4.06	--	--	AV	205.00	150	Vertical	N/A

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.78	3.93	68.2	8.42	Peak	115.00	200	Vertical	Pass
2	5729.375	59.92	3.55	68.2	8.28	Peak	217.00	200	Vertical	Pass

U-NII-2C 11ax160 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5443.540	59.62	4.08	74.0	14.38	Peak	213.00	150	Vertical	Pass
1**	5443.540	47.33	4.08	54.0	6.67	AV	213.00	150	Vertical	Pass
2	5459.980	56.84	4.04	74.0	17.16	Peak	191.00	100	Vertical	Pass
2**	5459.980	47.16	4.04	54.0	6.84	AV	191.00	100	Vertical	Pass
3	5467.660	58.46	3.95	68.2	9.74	Peak	297.00	150	Vertical	Pass
3**	5467.660	47.26	3.95	--	--	AV	297.00	150	Vertical	N/A
4	5469.940	56.19	4.06	68.2	12.01	Peak	222.00	200	Vertical	Pass
4**	5469.940	47.45	4.06	--	--	AV	222.00	200	Vertical	N/A

U-NII-2C 11ax160 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.65	3.93	68.2	9.55	Peak	72.00	150	Vertical	Pass
2	5739.188	60.94	3.74	68.2	7.26	Peak	99.00	200	Vertical	Pass

U-NII-2C 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5388.040	59.56	4.47	74.0	14.44	Peak	127.00	150	Vertical	Pass
1**	5388.040	47.68	4.47	54.0	6.32	AV	127.00	150	Vertical	Pass
2	5459.980	56.18	4.04	74.0	17.82	Peak	290.00	150	Vertical	Pass
2**	5459.980	46.86	4.04	54.0	7.14	AV	290.00	150	Vertical	Pass
3	5464.600	57.74	3.94	68.2	10.46	Peak	0.00	200	Vertical	Pass
3**	5464.600	46.65	3.94	--	--	AV	0.00	200	Vertical	N/A
4	5469.940	57.07	4.06	68.2	11.13	Peak	288.00	150	Vertical	Pass
4**	5469.940	46.62	4.06	--	--	AV	288.00	150	Vertical	N/A

U-NII-2C 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.36	3.93	68.2	10.84	Peak	101.00	150	Vertical	Pass
2	5730.000	62.59	3.62	68.2	5.61	Peak	207.00	200	Vertical	Pass

U-NII-2C 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5352.640	59.48	4.90	74.0	14.52	Peak	169.00	100	Vertical	Pass
1**	5352.640	47.96	4.90	54.0	6.04	AV	169.00	100	Vertical	Pass
2	5459.980	56.23	4.04	74.0	17.77	Peak	331.00	100	Vertical	Pass
2**	5459.980	46.70	4.04	54.0	7.30	AV	331.00	100	Vertical	Pass
3	5463.760	58.18	4.01	68.2	10.02	Peak	66.00	150	Vertical	Pass
3**	5463.760	46.52	4.01	--	--	AV	66.00	150	Vertical	N/A
4	5469.940	55.90	4.06	68.2	12.30	Peak	42.00	150	Vertical	Pass
4**	5469.940	46.75	4.06	--	--	AV	42.00	150	Vertical	N/A

U-NII-2C 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.07	3.92	68.2	11.13	Peak	0.00	100	Vertical	Pass
2	5764.000	59.87	4.23	68.2	8.33	Peak	212.00	150	Vertical	Pass

U-NII-2C 11ax80 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5404.300	59.35	4.61	74.0	14.65	Peak	309.00	150	Vertical	Pass
1**	5404.300	47.64	4.61	54.0	6.36	AV	309.00	150	Vertical	Pass
2	5459.980	56.30	4.04	74.0	17.70	Peak	287.00	150	Vertical	Pass
2**	5459.980	46.58	4.04	54.0	7.42	AV	287.00	150	Vertical	Pass
3	5463.520	57.70	4.03	68.2	10.50	Peak	147.00	150	Vertical	Pass
3**	5463.520	46.60	4.03	--	--	AV	147.00	150	Vertical	N/A
4	5469.940	55.69	4.06	68.2	12.51	Peak	185.00	200	Vertical	Pass
4**	5469.940	46.51	4.06	--	--	AV	185.00	200	Vertical	N/A

U-NII-2C 11ax80 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.79	3.93	68.2	11.41	Peak	6.00	100	Vertical	Pass
2	5848.813	60.17	5.44	68.2	8.03	Peak	134.00	150	Vertical	Pass

U-NII-2C 11ax160 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5353.360	59.61	4.82	74.0	14.39	Peak	33.00	200	Horizontal	Pass
1**	5353.360	48.00	4.82	54.0	6.00	AV	33.00	200	Horizontal	Pass
2	5459.980	56.26	4.04	74.0	17.74	Peak	221.00	200	Horizontal	Pass
2**	5459.980	46.79	4.04	54.0	7.21	AV	221.00	200	Horizontal	Pass
3	5462.320	58.13	3.96	68.2	10.07	Peak	189.00	150	Horizontal	Pass
3**	5462.320	46.66	3.96	--	--	AV	189.00	150	Horizontal	N/A
4	5469.940	57.40	4.06	68.2	10.80	Peak	345.00	200	Horizontal	Pass
4**	5469.940	46.99	4.06	--	--	AV	345.00	200	Horizontal	N/A

U-NII-2C 11ax160 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.60	3.93	68.2	10.60	Peak	360.00	100	Horizontal	Pass
2	5790.188	59.17	4.38	68.2	9.03	Peak	144.00	100	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5601.250	56.67	1.22	68.2	11.53	Peak	312.00	100	Horizontal	Pass
2	5650.000	54.68	-0.21	68.2	13.52	Peak	85.00	200	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.57	0.01	68.2	13.63	Peak	171.00	150	Horizontal	Pass
2	5994.750	56.44	0.56	68.2	11.76	Peak	0.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5627.708	56.18	0.62	68.2	12.02	Peak	52.00	150	Horizontal	Pass
2	5650.000	54.25	-0.21	68.2	13.95	Peak	325.00	100	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.50	0.01	68.2	13.70	Peak	344.00	100	Horizontal	Pass
2	5997.500	56.15	0.46	68.2	12.05	Peak	308.00	100	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5610.000	56.83	1.13	68.2	11.37	Peak	7.00	150	Horizontal	Pass
2	5650.000	55.38	-0.21	68.2	12.82	Peak	204.00	100	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.16	0.01	68.2	14.04	Peak	119.00	200	Horizontal	Pass
2	5987.750	56.46	0.68	68.2	11.74	Peak	0.00	200	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5625.833	56.75	0.85	68.2	11.45	Peak	45.00	200	Horizontal	Pass
2	5650.000	54.16	-0.21	68.2	14.04	Peak	19.00	100	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.74	0.01	68.2	14.46	Peak	67.00	100	Horizontal	Pass
2	5998.750	56.64	0.46	68.2	11.56	Peak	360.00	150	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.292	57.21	0.26	68.2	10.99	Peak	166.00	100	Horizontal	Pass
2	5650.000	54.55	-0.21	68.2	13.65	Peak	29.00	150	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.98	0.01	68.2	14.22	Peak	170.00	200	Horizontal	Pass
2	5993.250	56.46	0.93	68.2	11.74	Peak	128.00	150	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.416	60.72	-0.02	68.2	7.48	Peak	162.00	200	Horizontal	Pass
2	5650.000	59.18	-0.21	68.2	9.02	Peak	51.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.48	0.01	68.2	12.72	Peak	49.00	150	Horizontal	Pass
2	5975.000	57.21	0.55	68.2	10.99	Peak	19.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5616.459	56.87	1.05	68.2	11.33	Peak	222.00	100	Horizontal	Pass
2	5650.000	53.92	-0.21	68.2	14.28	Peak	230.00	100	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.91	0.01	68.2	13.29	Peak	52.00	200	Horizontal	Pass
2	5986.500	56.34	0.59	68.2	11.86	Peak	143.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.334	56.71	-0.21	68.2	11.49	Peak	67.00	150	Horizontal	Pass
2	5650.000	54.40	-0.21	68.2	13.80	Peak	205.00	100	Horizontal	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.07	0.01	68.2	14.13	Peak	295.00	100	Horizontal	Pass
2	5979.250	56.10	0.42	68.2	12.10	Peak	337.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5625.833	60.60	0.85	68.2	7.60	Peak	68.00	150	Horizontal	Pass
2	5650.000	59.23	-0.21	68.2	8.97	Peak	29.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.13	0.01	68.2	13.07	Peak	47.00	100	Horizontal	Pass
2	5928.250	56.47	-0.24	68.2	11.73	Peak	181.00	150	Horizontal	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.500	59.73	4.94	68.2	8.47	Peak	35.00	200	Horizontal	Pass
2	5650.000	57.89	4.41	68.2	10.31	Peak	186.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.59	3.49	68.3	11.71	Peak	181.00	200	Horizontal	Pass
2	5954.700	58.81	3.59	68.2	9.39	Peak	305.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5601.563	59.86	5.21	68.2	8.34	Peak	98.00	100	Horizontal	Pass
2	5650.000	58.74	4.41	68.2	9.46	Peak	222.00	150	Horizontal	Pass
3	5664.312	76.99	4.61	78.8	1.81	Peak	225.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.92	3.49	68.3	12.38	Peak	96.00	100	Horizontal	Pass
2	5989.125	58.93	3.97	68.2	9.27	Peak	271.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5623.500	62.00	4.73	68.2	6.20	Peak	0.00	100	Horizontal	Pass
2	5650.000	56.98	4.41	68.2	11.22	Peak	191.00	200	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.72	3.49	68.3	10.58	Peak	0.00	150	Horizontal	Pass
2	5966.475	66.26	3.96	68.2	1.94	Peak	141.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5392.000	57.21	1.76	74.0	16.79	Peak	261.00	100	Horizontal	Pass
1**	5392.000	44.83	1.76	54.0	9.17	AV	261.00	100	Horizontal	Pass
2	5460.000	54.60	1.37	74.0	19.40	Peak	16.00	150	Horizontal	Pass
2**	5460.000	44.36	1.37	54.0	9.64	AV	16.00	150	Horizontal	Pass
3	5468.600	55.75	1.43	68.2	12.45	Peak	223.00	100	Horizontal	Pass
3**	5468.600	44.39	1.43	--	--	AV	223.00	100	Horizontal	N/A
4	5470.000	54.40	1.09	68.2	13.80	Peak	198.00	200	Horizontal	Pass
4**	5470.000	44.16	1.09	--	--	AV	198.00	200	Horizontal	N/A
5	5390.000	55.40	2.31	74.0	18.60	Peak	133.00	150	Horizontal	Pass
5**	5390.000	45.57	2.31	54.0	8.43	AV	133.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.07	0.01	68.2	14.13	Peak	103.00	200	Horizontal	Pass
2	5996.750	56.30	0.51	68.2	11.90	Peak	197.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5380.600	56.91	1.95	74.0	17.09	Peak	48.00	150	Horizontal	Pass
1**	5380.600	45.13	1.95	54.0	8.87	AV	48.00	150	Horizontal	Pass
2	5460.000	54.85	1.37	74.0	19.15	Peak	344.00	100	Horizontal	Pass
2**	5460.000	44.26	1.37	54.0	9.74	AV	344.00	100	Horizontal	Pass
3	5461.400	55.76	1.56	68.2	12.44	Peak	105.00	200	Horizontal	Pass
3**	5461.400	44.58	1.56	--	---	AV	105.00	200	Horizontal	N/A
4	5470.000	54.39	1.09	68.2	13.81	Peak	179.00	100	Horizontal	Pass
4**	5470.000	44.21	1.09	--	--	AV	179.00	100	Horizontal	N/A
5	5390.000	55.54	2.31	74.0	18.46	Peak	173.00	150	Horizontal	Pass
5**	5390.000	45.56	2.31	54.0	8.44	AV	173.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.87	0.01	68.2	14.33	Peak	12.00	100	Horizontal	Pass
2	5992.750	56.15	0.65	68.2	12.05	Peak	3.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5395.600	57.09	1.98	74.0	16.91	Peak	152.00	200	Horizontal	Pass
1**	5395.600	45.17	1.98	54.0	8.83	AV	152.00	200	Horizontal	Pass
2	5460.000	55.20	1.37	74.0	18.80	Peak	359.00	150	Horizontal	Pass
2**	5460.000	44.37	1.37	54.0	9.63	AV	359.00	150	Horizontal	Pass
3	5463.000	56.18	1.45	68.2	12.02	Peak	188.00	100	Horizontal	Pass
3**	5463.000	44.94	1.45	--	--	AV	188.00	100	Horizontal	N/A
4	5470.000	54.51	1.09	68.2	13.69	Peak	137.00	200	Horizontal	Pass
4**	5470.000	44.20	1.09	--	--	AV	137.00	200	Horizontal	N/A
5	5390.000	56.24	2.31	74.0	17.76	Peak	360.00	150	Horizontal	Pass
5**	5390.000	45.42	2.31	54.0	8.58	AV	360.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.26	0.01	68.2	14.94	Peak	228.00	150	Horizontal	Pass
2	5993.500	55.81	0.90	68.2	12.39	Peak	226.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5389.800	57.71	2.21	74.0	16.29	Peak	293.00	150	Horizontal	Pass
1**	5389.800	45.28	2.21	54.0	8.72	AV	293.00	150	Horizontal	Pass
2	5460.000	54.66	1.37	74.0	19.34	Peak	91.00	150	Horizontal	Pass
2**	5460.000	44.37	1.37	54.0	9.63	AV	91.00	150	Horizontal	Pass
3	5464.600	56.40	1.55	68.2	11.80	Peak	134.00	150	Horizontal	Pass
3**	5464.600	44.71	1.55	--	--	AV	134.00	150	Horizontal	N/A
4	5470.000	55.70	1.09	68.2	12.50	Peak	0.00	200	Horizontal	Pass
4**	5470.000	44.14	1.09	--	--	AV	0.00	200	Horizontal	N/A
5	5390.000	56.20	2.31	74.0	17.80	Peak	21.00	150	Horizontal	Pass
5**	5390.000	45.30	2.31	54.0	8.70	AV	21.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.60	0.01	68.2	13.60	Peak	296.00	200	Horizontal	Pass
2	5994.250	56.30	0.57	68.2	11.90	Peak	52.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5395.600	56.65	1.98	74.0	17.35	Peak	231.00	200	Horizontal	Pass
1**	5395.600	45.20	1.98	54.0	8.80	AV	231.00	200	Horizontal	Pass
2	5460.000	54.78	1.37	74.0	19.22	Peak	28.00	150	Horizontal	Pass
2**	5460.000	44.46	1.37	54.0	9.54	AV	28.00	150	Horizontal	Pass
3	5464.000	55.83	1.50	68.2	12.37	Peak	68.00	200	Horizontal	Pass
3**	5464.000	44.53	1.50	--	--	AV	68.00	200	Horizontal	N/A
4	5470.000	54.37	1.09	68.2	13.83	Peak	288.00	200	Horizontal	Pass
4**	5470.000	44.18	1.09	--	--	AV	288.00	200	Horizontal	N/A
5	5384.600	55.29	2.13	74.0	18.71	Peak	153.00	150	Horizontal	Pass
5**	5384.600	45.44	2.13	54.0	8.56	AV	153.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.15	0.01	68.2	14.05	Peak	110.00	100	Horizontal	Pass
2	5993.000	56.16	0.95	68.2	12.04	Peak	150.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5391.800	56.96	1.93	74.0	17.04	Peak	53.00	100	Horizontal	Pass
1**	5391.800	45.32	1.93	54.0	8.68	AV	53.00	100	Horizontal	Pass
2	5460.000	55.90	1.37	74.0	18.10	Peak	47.00	150	Horizontal	Pass
2**	5460.000	45.26	1.37	54.0	8.74	AV	47.00	150	Horizontal	Pass
3	5464.200	56.58	1.45	68.2	11.62	Peak	47.00	200	Horizontal	Pass
3**	5464.200	45.34	1.45	--	---	AV	47.00	200	Horizontal	N/A
4	5470.000	55.37	1.09	68.2	12.83	Peak	43.00	150	Horizontal	Pass
4**	5470.000	45.10	1.09	--	---	AV	43.00	150	Horizontal	N/A
5	5387.600	55.55	2.11	74.0	18.45	Peak	6.00	150	Horizontal	Pass
5**	5387.600	45.56	2.11	54.0	8.44	AV	6.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.86	0.01	68.2	14.34	Peak	147.00	100	Horizontal	Pass
2	5988.000	56.14	0.68	68.2	12.06	Peak	23.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ax20 (SU) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5389.000	56.67	2.14	74.0	17.33	Peak	148.00	150	Horizontal	Pass
1**	5389.000	45.27	2.14	54.0	8.73	AV	148.00	150	Horizontal	Pass
2	5460.000	54.79	1.37	74.0	19.21	Peak	95.00	100	Horizontal	Pass
2**	5460.000	44.41	1.37	54.0	9.59	AV	95.00	100	Horizontal	Pass
3	5463.200	56.57	1.42	68.2	11.63	Peak	292.00	100	Horizontal	Pass
3**	5463.200	44.51	1.42	--	--	AV	292.00	100	Horizontal	N/A
4	5470.000	55.12	1.09	68.2	13.08	Peak	95.00	150	Horizontal	Pass
4**	5470.000	44.11	1.09	--	--	AV	95.00	150	Horizontal	N/A
5	5390.000	56.06	2.31	74.0	17.94	Peak	190.00	150	Horizontal	Pass
5**	5390.000	45.44	2.31	54.0	8.56	AV	190.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ax20 (SU) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.21	0.01	68.2	14.99	Peak	201.00	100	Horizontal	Pass
2	5993.250	55.94	0.93	68.2	12.26	Peak	227.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ax40 (SU) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5391.600	57.01	2.01	74.0	16.99	Peak	16.00	100	Horizontal	Pass
1**	5391.600	45.21	2.01	54.0	8.79	AV	16.00	100	Horizontal	Pass
2	5460.000	55.49	1.37	74.0	18.51	Peak	293.00	100	Horizontal	Pass
2**	5460.000	44.40	1.37	54.0	9.60	AV	293.00	100	Horizontal	Pass
3	5463.600	56.28	1.33	68.2	11.92	Peak	112.00	200	Horizontal	Pass
3**	5463.600	44.31	1.33	--	--	AV	112.00	200	Horizontal	N/A
4	5470.000	54.72	1.09	68.2	13.48	Peak	149.00	150	Horizontal	Pass
4**	5470.000	44.14	1.09	--	--	AV	149.00	150	Horizontal	N/A
5	5390.000	55.45	2.31	74.0	18.55	Peak	185.00	150	Horizontal	Pass
5**	5390.000	45.47	2.31	54.0	8.53	AV	185.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ax40 (SU) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.31	0.01	68.2	13.89	Peak	337.00	150	Horizontal	Pass
2	5998.250	56.48	0.42	68.2	11.72	Peak	301.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ax80 (SU) 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5390.600	57.40	1.94	74.0	16.60	Peak	52.00	150	Horizontal	Pass
1**	5390.600	45.21	1.94	54.0	8.79	AV	52.00	150	Horizontal	Pass
2	5460.000	55.81	1.37	74.0	18.19	Peak	93.00	100	Horizontal	Pass
2**	5460.000	44.87	1.37	54.0	9.13	AV	93.00	100	Horizontal	Pass
3	5465.000	56.20	1.49	68.2	12.00	Peak	86.00	200	Horizontal	Pass
3**	5465.000	45.02	1.49	--	--	AV	86.00	200	Horizontal	N/A
4	5470.000	54.97	1.09	68.2	13.23	Peak	82.00	100	Horizontal	Pass
4**	5470.000	44.74	1.09	--	--	AV	82.00	100	Horizontal	N/A
5	5390.000	55.76	2.31	74.0	18.24	Peak	122.00	150	Horizontal	Pass
5**	5390.000	45.51	2.31	54.0	8.49	AV	122.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ax80 (SU) 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.15	0.01	68.2	14.05	Peak	98.00	100	Horizontal	Pass
2	5987.250	55.84	0.66	68.2	12.36	Peak	50.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ax20 (RU26) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5363.800	58.94	4.45	74.0	15.06	Peak	152.00	200	Horizontal	Pass
1**	5363.800	47.62	4.45	54.0	6.38	AV	152.00	200	Horizontal	Pass
2	5459.980	56.14	4.04	74.0	17.86	Peak	315.00	150	Horizontal	Pass
2**	5459.980	46.55	4.04	54.0	7.45	AV	315.00	150	Horizontal	Pass
3	5467.600	57.69	3.95	68.2	10.51	Peak	299.00	200	Horizontal	Pass
3**	5467.600	46.65	3.95	--	--	AV	299.00	200	Horizontal	N/A
4	5469.940	55.68	4.06	68.2	12.52	Peak	25.00	100	Horizontal	Pass
4**	5469.940	46.50	4.06	--	--	AV	25.00	100	Horizontal	N/A

U-NII-2C & U-NII-3 11ax20 (RU26) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.94	3.49	68.3	12.36	Peak	135.00	200	Horizontal	Pass
2	5933.775	59.08	4.27	68.2	9.12	Peak	49.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ax40 (RU26) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5374.600	59.44	4.54	74.0	14.56	Peak	189.00	200	Horizontal	Pass
1**	5374.600	47.64	4.54	54.0	6.36	AV	189.00	200	Horizontal	Pass
2	5459.980	56.55	4.04	74.0	17.45	Peak	0.00	100	Horizontal	Pass
2**	5459.980	47.04	4.04	54.0	6.96	AV	0.00	100	Horizontal	Pass
3	5466.160	57.44	3.89	68.2	10.76	Peak	9.00	200	Horizontal	Pass
3**	5466.160	46.34	3.89	--	--	AV	9.00	200	Horizontal	N/A
4	5469.940	55.88	4.06	68.2	12.32	Peak	126.00	100	Horizontal	Pass
4**	5469.940	46.65	4.06	--	--	AV	126.00	100	Horizontal	N/A

U-NII-2C & U-NII-3 11ax40 (RU26) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.95	3.49	68.3	12.35	Peak	339.00	200	Horizontal	Pass
2	5940.150	58.99	4.40	68.2	9.21	Peak	360.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11ax80 (RU26) 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5380.240	59.55	4.66	74.0	14.45	Peak	62.00	200	Horizontal	Pass
1**	5380.240	47.76	4.66	54.0	6.24	AV	62.00	200	Horizontal	Pass
2	5459.980	56.21	4.04	74.0	17.79	Peak	59.00	100	Horizontal	Pass
2**	5459.980	46.72	4.04	54.0	7.28	AV	59.00	100	Horizontal	Pass
3	5468.800	57.65	4.00	68.2	10.55	Peak	0.00	100	Horizontal	Pass
3**	5468.800	46.51	4.00	--	--	AV	0.00	100	Horizontal	N/A
4	5469.940	56.57	4.06	68.2	11.63	Peak	215.00	150	Horizontal	Pass
4**	5469.940	46.50	4.06	--	--	AV	215.00	150	Horizontal	N/A

U-NII-2C & U-NII-3 11ax80 (RU26) 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.02	3.49	68.3	12.28	Peak	221.00	200	Horizontal	Pass
2	5933.475	58.56	4.28	68.2	9.64	Peak	26.00	100	Horizontal	Pass

U-NII-5 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5849.350	59.28	5.40	88.2	28.92	Peak	135.00	200	Vertical	Pass
1**	5849.350	48.62	5.40	68.2	19.58	AV	135.00	200	Vertical	Pass
2	5924.788	56.32	3.47	88.2	31.88	Peak	163.00	150	Vertical	Pass
2**	5924.788	46.23	3.47	68.2	21.97	AV	163.00	150	Vertical	Pass

U-NII-5 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5629.200	59.51	4.84	88.2	28.69	Peak	304.00	100	Vertical	Pass
1**	5629.200	48.35	4.84	68.2	19.85	AV	304.00	100	Vertical	Pass
2	5924.788	55.59	3.47	88.2	32.61	Peak	45.00	100	Vertical	Pass
2**	5924.788	46.52	3.47	68.2	21.68	AV	45.00	100	Vertical	Pass

U-NII-5 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5705.700	59.26	3.92	88.2	28.94	Peak	0.00	150	Vertical	Pass
1**	5705.700	47.17	3.92	68.2	21.03	AV	0.00	150	Vertical	Pass
2	5924.788	55.65	3.47	88.2	32.55	Peak	168.00	200	Vertical	Pass
2**	5924.788	46.40	3.47	68.2	21.80	AV	168.00	200	Vertical	Pass

U-NII-5 11ax160 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5805.362	59.52	4.13	88.2	28.68	Peak	299.00	200	Vertical	Pass
1**	5805.362	47.23	4.13	68.2	20.97	AV	299.00	200	Vertical	Pass
2	5924.788	55.72	3.47	88.2	32.48	Peak	359.00	150	Vertical	Pass
2**	5924.788	46.46	3.47	68.2	21.74	AV	359.00	150	Vertical	Pass

U-NII-5 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5853.175	59.88	5.21	88.2	28.32	Peak	176.00	150	Vertical	Pass
1**	5853.175	48.06	5.21	68.2	20.14	AV	176.00	150	Vertical	Pass
2	5924.788	55.62	3.47	88.2	32.58	Peak	142.00	100	Vertical	Pass
2**	5924.788	46.43	3.47	68.2	21.77	AV	142.00	100	Vertical	Pass

U-NII-5 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.612	59.83	4.65	88.2	28.37	Peak	18.00	100	Vertical	Pass
1**	5639.612	47.94	4.65	68.2	20.26	AV	18.00	100	Vertical	Pass
2	5924.788	56.51	3.47	88.2	31.69	Peak	74.00	200	Vertical	Pass
2**	5924.788	46.42	3.47	68.2	21.78	AV	74.00	200	Vertical	Pass

U-NII-5 11ax80 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5664.050	59.45	4.60	88.2	28.75	Peak	16.00	100	Vertical	Pass
1**	5664.050	48.27	4.60	68.2	19.93	AV	16.00	100	Vertical	Pass
2	5924.788	55.84	3.47	88.2	32.36	Peak	117.00	200	Vertical	Pass
2**	5924.788	46.24	3.47	68.2	21.96	AV	117.00	200	Vertical	Pass

U-NII-5 11ax160 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5627.288	59.65	4.82	88.2	28.55	Peak	185.00	150	Vertical	Pass
1**	5627.288	48.09	4.82	68.2	20.11	AV	185.00	150	Vertical	Pass
2	5924.788	56.30	3.47	88.2	31.90	Peak	102.00	150	Vertical	Pass
2**	5924.788	46.28	3.47	68.2	21.92	AV	102.00	150	Vertical	Pass

U-NII-8 11ax20 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	59.15	6.89	88.2	29.05	Peak	360.00	200	Vertical	Pass
1**	7125.000	49.52	6.89	68.2	18.68	AV	360.00	200	Vertical	Pass
2	7199.688	63.54	10.21	88.2	24.66	Peak	360.00	200	Vertical	Pass
2**	7199.688	52.09	10.21	68.2	16.11	AV	360.00	200	Vertical	Pass

U-NII-8 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	70.41	6.89	88.2	17.79	Peak	224.00	150	Vertical	Pass
1**	7125.000	62.47	6.89	68.2	5.73	AV	224.00	150	Vertical	Pass
2	7125.125	69.25	6.91	88.2	18.95	Peak	334.00	150	Vertical	Pass
2**	7125.125	60.37	6.91	68.2	7.83	AV	334.00	150	Vertical	Pass
3	7125.000	70.41	6.89	88.2	17.79	Peak	224.00	150	Vertical	Pass
3**	7125.000	62.47	6.89	68.2	5.73	AV	224.00	150	Vertical	Pass

U-NII-8 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	61.22	6.90	88.2	26.98	Peak	20.00	100	Vertical	Pass
1**	7125.063	49.67	6.90	68.2	18.53	AV	20.00	100	Vertical	Pass
2	7198.688	63.40	10.24	88.2	24.80	Peak	74.00	200	Vertical	Pass
2**	7198.688	52.06	10.24	68.2	16.14	AV	74.00	200	Vertical	Pass

U-NII-8 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.30	6.90	88.2	28.90	Peak	330.00	100	Vertical	Pass
1**	7125.063	49.80	6.90	68.2	18.40	AV	330.00	100	Vertical	Pass
2	7195.438	63.38	9.92	88.2	24.82	Peak	65.00	200	Vertical	Pass
2**	7195.438	51.93	9.92	68.2	16.27	AV	65.00	200	Vertical	Pass

U-NII-8 11ax160 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	60.25	6.89	88.2	27.95	Peak	360.00	150	Vertical	Pass
1**	7125.000	49.62	6.89	68.2	18.58	AV	360.00	150	Vertical	Pass
2	7204.687	63.39	9.34	88.2	24.81	Peak	255.00	200	Vertical	Pass
2**	7204.687	51.48	9.34	68.2	16.72	AV	255.00	200	Vertical	Pass

U-NII-8 11ax20 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	58.99	6.90	88.2	29.21	Peak	30.00	100	Vertical	Pass
1**	7125.063	49.44	6.90	68.2	18.76	AV	30.00	100	Vertical	Pass
2	7200.187	63.05	10.13	88.2	25.15	Peak	281.00	100	Vertical	Pass
2**	7200.187	52.52	10.13	68.2	15.68	AV	281.00	100	Vertical	Pass

U-NII-8 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	73.83	6.89	88.2	14.37	Peak	332.00	150	Vertical	Pass
1**	7125.000	66.86	6.89	68.2	1.34	AV	332.00	150	Vertical	Pass
2	7125.125	73.74	6.91	88.2	14.46	Peak	249.00	100	Vertical	Pass
2**	7125.125	64.91	6.91	68.2	3.29	AV	249.00	100	Vertical	Pass
3	7125.000	73.83	6.89	88.2	14.37	Peak	332.00	150	Vertical	Pass
3**	7125.000	66.86	6.89	68.2	1.34	AV	332.00	150	Vertical	Pass

U-NII-8 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	59.24	6.89	88.2	28.96	Peak	157.00	200	Vertical	Pass
1**	7125.000	49.56	6.89	68.2	18.64	AV	157.00	200	Vertical	Pass
2	7198.437	63.27	10.24	88.2	24.93	Peak	293.00	100	Vertical	Pass
2**	7198.437	52.18	10.24	68.2	16.02	AV	293.00	100	Vertical	Pass

U-NII-8 11ax80 (RU26) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	58.95	6.90	88.2	29.25	Peak	31.00	150	Vertical	Pass
1**	7125.063	49.45	6.90	68.2	18.75	AV	31.00	150	Vertical	Pass
2	7201.187	63.02	9.97	88.2	25.18	Peak	210.00	100	Vertical	Pass
2**	7201.187	52.00	9.97	68.2	16.20	AV	210.00	100	Vertical	Pass


U-NII-8 11ax160 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	60.02	6.90	88.2	28.18	Peak	9.00	100	Vertical	Pass
1**	7125.063	49.43	6.90	68.2	18.77	AV	9.00	100	Vertical	Pass
2	7199.563	63.02	10.23	88.2	25.18	Peak	271.00	100	Vertical	Pass
2**	7199.563	52.33	10.23	68.2	15.87	AV	271.00	100	Vertical	Pass


MIMO

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.450	60.48	4.00	74.0	13.52	Peak	122.00	200	Vertical	Pass
1**	5145.450	47.66	4.00	54.0	6.34	AV	122.00	200	Vertical	Pass
2	5149.675	57.48	4.06	74.0	16.52	Peak	122.00	100	Vertical	Pass
2**	5149.675	47.61	4.06	54.0	6.39	AV	122.00	100	Vertical	Pass

U-NII-1 11a High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.26	5.10	74.0	15.74	Peak	0.00	200	Vertical	Pass
1**	5350.055	48.73	5.10	54.0	5.27	AV	0.00	200	Vertical	Pass
2	5351.595	59.51	4.96	74.0	14.49	Peak	60.00	150	Vertical	Pass
2**	5351.595	48.30	4.96	54.0	5.70	AV	60.00	150	Vertical	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.075	60.64	4.12	74.0	13.36	Peak	84.00	100	Vertical	Pass
1**	5147.075	47.52	4.12	54.0	6.48	AV	84.00	100	Vertical	Pass
2	5149.675	57.51	4.06	74.0	16.49	Peak	262.00	100	Vertical	Pass
2**	5149.675	47.92	4.06	54.0	6.08	AV	262.00	100	Vertical	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.54	5.11	74.0	15.46	Peak	0.00	200	Vertical	Pass
1**	5350.000	48.23	5.11	54.0	5.77	AV	0.00	200	Vertical	Pass
2	5383.330	59.51	4.67	74.0	14.49	Peak	330.00	150	Vertical	Pass
2**	5383.330	47.73	4.67	54.0	6.27	AV	330.00	150	Vertical	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	59.89	4.06	74.0	14.11	Peak	125.00	100	Vertical	Pass
1**	5149.675	48.79	4.06	54.0	5.21	AV	125.00	100	Vertical	Pass
2	5149.675	59.89	4.06	74.0	14.11	Peak	125.00	100	Vertical	Pass
2**	5149.675	48.79	4.06	54.0	5.21	AV	125.00	100	Vertical	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.13	5.11	74.0	15.87	Peak	157.00	200	Vertical	Pass
1**	5350.000	48.36	5.11	54.0	5.64	AV	157.00	200	Vertical	Pass
2	5361.110	59.56	4.57	74.0	14.44	Peak	318.00	200	Vertical	Pass
2**	5361.110	48.06	4.57	54.0	5.94	AV	318.00	200	Vertical	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	61.78	4.14	74.0	12.22	Peak	80.00	200	Vertical	Pass
1**	5146.750	47.67	4.14	54.0	6.33	AV	80.00	200	Vertical	Pass
2	5149.675	58.39	4.06	74.0	15.61	Peak	85.00	100	Vertical	Pass
2**	5149.675	47.60	4.06	54.0	6.40	AV	85.00	100	Vertical	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.12	5.10	74.0	15.88	Peak	39.00	200	Vertical	Pass
1**	5350.055	48.49	5.10	54.0	5.51	AV	39.00	200	Vertical	Pass
2	5357.205	59.60	4.58	74.0	14.40	Peak	205.00	100	Vertical	Pass
2**	5357.205	48.10	4.58	54.0	5.90	AV	205.00	100	Vertical	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.100	59.91	4.07	74.0	14.09	Peak	172.00	150	Vertical	Pass
1**	5146.100	48.01	4.07	54.0	5.99	AV	172.00	150	Vertical	Pass
2	5149.675	59.33	4.06	74.0	14.67	Peak	179.00	200	Vertical	Pass
2**	5149.675	48.77	4.06	54.0	5.23	AV	179.00	200	Vertical	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.45	5.11	74.0	15.55	Peak	350.00	100	Vertical	Pass
1**	5350.000	48.46	5.11	54.0	5.54	AV	350.00	100	Vertical	Pass
2	5352.035	59.87	4.94	74.0	14.13	Peak	14.00	100	Vertical	Pass
2**	5352.035	48.33	4.94	54.0	5.67	AV	14.00	100	Vertical	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.275	64.41	4.52	74.0	9.59	Peak	102.00	100	Vertical	Pass
1**	5126.275	49.26	4.52	54.0	4.74	AV	102.00	100	Vertical	Pass
2	5149.675	60.77	4.06	74.0	13.23	Peak	173.00	200	Vertical	Pass
2**	5149.675	50.21	4.06	54.0	3.79	AV	173.00	200	Vertical	Pass
3	5147.400	59.47	4.11	74.0	14.53	Peak	98.00	150	Vertical	Pass
3**	5147.400	50.63	4.11	54.0	3.37	AV	98.00	150	Vertical	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.21	5.10	74.0	15.79	Peak	227.00	100	Vertical	Pass
1**	5350.055	48.28	5.10	54.0	5.72	AV	227.00	100	Vertical	Pass
2	5352.365	59.41	4.92	74.0	14.59	Peak	64.00	150	Vertical	Pass
2**	5352.365	48.43	4.92	54.0	5.57	AV	64.00	150	Vertical	Pass

U-NII-1 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5091.500	59.34	4.19	74.0	14.66	Peak	261.00	200	Vertical	Pass
1**	5091.500	47.41	4.19	54.0	6.59	AV	261.00	200	Vertical	Pass
2	5149.675	57.12	4.06	74.0	16.88	Peak	5.00	150	Vertical	Pass
2**	5149.675	47.64	4.06	54.0	6.36	AV	5.00	150	Vertical	Pass

U-NII-1 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.39	5.11	74.0	13.61	Peak	210.00	200	Vertical	Pass
1**	5350.000	48.60	5.11	54.0	5.40	AV	210.00	200	Vertical	Pass
2	5404.120	59.88	4.61	74.0	14.12	Peak	161.00	100	Vertical	Pass
2**	5404.120	47.96	4.61	54.0	6.04	AV	161.00	100	Vertical	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.450	61.09	4.00	74.0	12.91	Peak	79.00	100	Vertical	Pass
1**	5145.450	47.38	4.00	54.0	6.62	AV	79.00	100	Vertical	Pass
2	5149.675	57.91	4.06	74.0	16.09	Peak	245.00	200	Vertical	Pass
2**	5149.675	47.60	4.06	54.0	6.40	AV	245.00	200	Vertical	Pass

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.24	5.11	74.0	15.76	Peak	123.00	150	Vertical	Pass
1**	5350.000	48.54	5.11	54.0	5.46	AV	123.00	150	Vertical	Pass
2	5363.255	59.79	4.46	74.0	14.21	Peak	139.00	150	Vertical	Pass
2**	5363.255	47.74	4.46	54.0	6.26	AV	139.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	58.94	4.03	74.0	15.06	Peak	200.00	200	Vertical	Pass
1**	5149.025	48.76	4.03	54.0	5.24	AV	200.00	200	Vertical	Pass
2	5149.675	58.27	4.06	74.0	15.73	Peak	13.00	100	Vertical	Pass
2**	5149.675	48.70	4.06	54.0	5.30	AV	13.00	100	Vertical	Pass
3	5149.350	58.31	4.04	74.0	15.69	Peak	0.00	150	Vertical	Pass
3**	5149.350	49.21	4.04	54.0	4.79	AV	0.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.53	5.11	74.0	15.47	Peak	6.00	150	Vertical	Pass
1**	5350.000	48.22	5.11	54.0	5.78	AV	6.00	150	Vertical	Pass
2	5408.080	59.31	4.42	74.0	14.69	Peak	289.00	100	Vertical	Pass
2**	5408.080	47.57	4.42	54.0	6.43	AV	289.00	100	Vertical	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5127.575	61.64	4.52	74.0	12.36	Peak	25.00	100	Vertical	Pass
1**	5127.575	48.81	4.52	54.0	5.19	AV	25.00	100	Vertical	Pass
2	5149.675	58.54	4.06	74.0	15.46	Peak	20.00	150	Vertical	Pass
2**	5149.675	49.96	4.06	54.0	4.04	AV	20.00	150	Vertical	Pass
3	5150.000	59.36	4.07	74.0	14.64	Peak	111.00	150	Vertical	Pass
3**	5150.000	50.20	4.07	54.0	3.80	AV	111.00	150	Vertical	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.14	5.10	74.0	15.86	Peak	15.00	150	Vertical	Pass
1**	5350.055	48.39	5.10	54.0	5.61	AV	15.00	150	Vertical	Pass
2	5385.035	59.63	4.60	74.0	14.37	Peak	227.00	200	Vertical	Pass
2**	5385.035	47.90	4.60	54.0	6.10	AV	227.00	200	Vertical	Pass

U-NII-1 11ax160 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5069.725	59.56	4.31	74.0	14.44	Peak	360.00	200	Vertical	Pass
1**	5069.725	47.26	4.31	54.0	6.74	AV	360.00	200	Vertical	Pass
2	5149.675	57.35	4.06	74.0	16.65	Peak	210.00	200	Vertical	Pass
2**	5149.675	47.44	4.06	54.0	6.56	AV	210.00	200	Vertical	Pass

U-NII-1 11ax160 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.09	5.11	74.0	14.91	Peak	172.00	150	Vertical	Pass
1**	5350.000	48.79	5.11	54.0	5.21	AV	172.00	150	Vertical	Pass
2	5397.080	59.63	4.75	74.0	14.37	Peak	198.00	150	Vertical	Pass
2**	5397.080	48.14	4.75	54.0	5.86	AV	198.00	150	Vertical	Pass

U-NII-1 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5136.025	59.52	3.99	74.0	14.48	Peak	98.00	200	Vertical	Pass
1**	5136.025	47.28	3.99	54.0	6.72	AV	98.00	200	Vertical	Pass
2	5149.675	57.70	4.06	74.0	16.30	Peak	83.00	200	Vertical	Pass
2**	5149.675	47.10	4.06	54.0	6.90	AV	83.00	200	Vertical	Pass

U-NII-1 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.92	5.10	74.0	15.08	Peak	360.00	150	Vertical	Pass
1**	5350.055	48.26	5.10	54.0	5.74	AV	360.00	150	Vertical	Pass
2	5435.635	59.46	4.37	74.0	14.54	Peak	318.00	150	Vertical	Pass
2**	5435.635	46.86	4.37	54.0	7.14	AV	318.00	150	Vertical	Pass

U-NII-1 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.900	59.02	4.15	74.0	14.98	Peak	257.00	150	Vertical	Pass
1**	5075.900	47.06	4.15	54.0	6.94	AV	257.00	150	Vertical	Pass
2	5149.675	57.29	4.06	74.0	16.71	Peak	206.00	100	Vertical	Pass
2**	5149.675	47.06	4.06	54.0	6.94	AV	206.00	100	Vertical	Pass

U-NII-1 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.83	5.10	74.0	15.17	Peak	244.00	150	Vertical	Pass
1**	5350.055	48.26	5.10	54.0	5.74	AV	244.00	150	Vertical	Pass
2	5397.630	60.25	4.76	74.0	13.75	Peak	0.00	200	Vertical	Pass
2**	5397.630	47.81	4.76	54.0	6.19	AV	0.00	200	Vertical	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5136.350	59.17	3.98	74.0	14.83	Peak	230.00	150	Vertical	Pass
1**	5136.350	47.92	3.98	54.0	6.08	AV	230.00	150	Vertical	Pass
2	5149.675	57.05	4.06	74.0	16.95	Peak	298.00	100	Vertical	Pass
2**	5149.675	46.98	4.06	54.0	7.02	AV	298.00	100	Vertical	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.32	5.11	74.0	15.68	Peak	145.00	150	Vertical	Pass
1**	5350.000	48.18	5.11	54.0	5.82	AV	145.00	150	Vertical	Pass
2	5379.040	59.53	4.83	74.0	14.47	Peak	48.00	150	Vertical	Pass
2**	5379.040	47.73	4.83	54.0	6.27	AV	48.00	150	Vertical	Pass

U-NII-1 11ax160 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5125.950	58.85	4.52	74.0	15.15	Peak	193.00	150	Vertical	Pass
1**	5125.950	47.65	4.52	54.0	6.35	AV	193.00	150	Vertical	Pass
2	5149.675	57.66	4.06	74.0	16.34	Peak	134.00	200	Vertical	Pass
2**	5149.675	47.31	4.06	54.0	6.69	AV	134.00	200	Vertical	Pass

U-NII-1 11ax160 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.45	5.11	74.0	15.55	Peak	357.00	100	Vertical	Pass
1**	5350.000	48.28	5.11	54.0	5.72	AV	357.00	100	Vertical	Pass
2	5395.870	59.62	4.72	74.0	14.38	Peak	360.00	200	Vertical	Pass
2**	5395.870	47.87	4.72	54.0	6.13	AV	360.00	200	Vertical	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5114.575	58.97	4.37	74.0	15.03	Peak	357.00	100	Vertical	Pass
1**	5114.575	47.37	4.37	54.0	6.63	AV	357.00	100	Vertical	Pass
2	5149.675	57.01	4.06	74.0	16.99	Peak	116.00	100	Vertical	Pass
2**	5149.675	47.42	4.06	54.0	6.58	AV	116.00	100	Vertical	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.75	5.11	74.0	12.25	Peak	45.00	150	Vertical	Pass
1**	5350.000	48.96	5.11	54.0	5.04	AV	45.00	150	Vertical	Pass
2	5350.550	62.93	5.04	74.0	11.07	Peak	360.00	150	Vertical	Pass
2**	5350.550	48.98	5.04	54.0	5.02	AV	360.00	150	Vertical	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5124.325	59.21	4.51	74.0	14.79	Peak	239.00	200	Vertical	Pass
1**	5124.325	47.50	4.51	54.0	6.50	AV	239.00	200	Vertical	Pass
2	5149.675	56.29	4.06	74.0	17.71	Peak	360.00	100	Vertical	Pass
2**	5149.675	47.36	4.06	54.0	6.64	AV	360.00	100	Vertical	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.71	5.10	74.0	15.29	Peak	339.00	200	Vertical	Pass
1**	5350.055	48.95	5.10	54.0	5.05	AV	339.00	200	Vertical	Pass
2	5350.330	62.67	5.07	74.0	11.33	Peak	360.00	200	Vertical	Pass
2**	5350.330	48.89	5.07	54.0	5.11	AV	360.00	200	Vertical	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5096.375	58.61	4.18	74.0	15.39	Peak	248.00	100	Vertical	Pass
1**	5096.375	47.51	4.18	54.0	6.49	AV	248.00	100	Vertical	Pass
2	5149.675	56.76	4.06	74.0	17.24	Peak	33.00	200	Vertical	Pass
2**	5149.675	47.36	4.06	54.0	6.64	AV	33.00	200	Vertical	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.72	5.10	74.0	12.28	Peak	115.00	200	Vertical	Pass
1**	5350.055	50.30	5.10	54.0	3.70	AV	115.00	200	Vertical	Pass
2	5352.860	64.56	4.89	74.0	9.44	Peak	98.00	150	Vertical	Pass
2**	5352.860	50.22	4.89	54.0	3.78	AV	98.00	150	Vertical	Pass
3	5350.935	62.75	5.00	74.0	11.25	Peak	103.00	200	Vertical	Pass
3**	5350.935	50.88	5.00	54.0	3.12	AV	103.00	150	Vertical	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.275	58.51	4.52	74.0	15.49	Peak	195.00	200	Vertical	Pass
1**	5126.275	47.67	4.52	54.0	6.33	AV	195.00	200	Vertical	Pass
2	5149.675	57.64	4.06	74.0	16.36	Peak	132.00	200	Vertical	Pass
2**	5149.675	47.28	4.06	54.0	6.72	AV	132.00	200	Vertical	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.25	5.10	74.0	12.75	Peak	38.00	150	Vertical	Pass
1**	5350.055	48.98	5.10	54.0	5.02	AV	38.00	150	Vertical	Pass
2	5350.990	61.75	5.00	74.0	12.25	Peak	0.00	200	Vertical	Pass
2**	5350.990	48.84	5.00	54.0	5.16	AV	0.00	200	Vertical	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5137.000	58.58	3.93	74.0	15.42	Peak	251.00	200	Vertical	Pass
1**	5137.000	47.20	3.93	54.0	6.80	AV	251.00	200	Vertical	Pass
2	5149.675	57.14	4.06	74.0	16.86	Peak	336.00	100	Vertical	Pass
2**	5149.675	47.25	4.06	54.0	6.75	AV	336.00	100	Vertical	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.20	5.11	74.0	13.80	Peak	89.00	150	Vertical	Pass
1**	5350.000	51.28	5.11	54.0	2.72	AV	89.00	150	Vertical	Pass
2	5350.220	64.02	5.08	74.0	9.98	Peak	360.00	200	Vertical	Pass
2**	5350.220	51.29	5.08	54.0	2.71	AV	360.00	200	Vertical	Pass
3	5350.220	64.02	5.08	74.0	9.98	Peak	360.00	150	Vertical	Pass
3**	5350.220	51.29	5.08	54.0	2.71	AV	360.00	150	Vertical	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5096.700	59.04	4.19	74.0	14.96	Peak	86.00	100	Vertical	Pass
1**	5096.700	47.23	4.19	54.0	6.77	AV	86.00	100	Vertical	Pass
2	5149.675	56.71	4.06	74.0	17.29	Peak	93.00	150	Vertical	Pass
2**	5149.675	47.60	4.06	54.0	6.40	AV	93.00	150	Vertical	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.85	5.11	74.0	13.15	Peak	93.00	100	Vertical	Pass
1**	5350.000	51.11	5.11	54.0	2.89	AV	93.00	100	Vertical	Pass
2	5357.315	62.96	4.59	74.0	11.04	Peak	102.00	100	Vertical	Pass
2**	5357.315	50.31	4.59	54.0	3.69	AV	102.00	100	Vertical	Pass
3	5352.805	60.43	4.89	74.0	13.57	Peak	102.00	150	Vertical	Pass
3**	5352.805	52.00	4.89	54.0	2.00	AV	102.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.875	58.34	4.50	74.0	15.66	Peak	101.00	100	Vertical	Pass
1**	5128.875	47.90	4.50	54.0	6.10	AV	101.00	100	Vertical	Pass
2	5149.675	56.99	4.06	74.0	17.01	Peak	0.00	200	Vertical	Pass
2**	5149.675	47.41	4.06	54.0	6.59	AV	0.00	200	Vertical	Pass

U-NII-2A 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	62.48	5.10	74.0	11.52	Peak	360.00	100	Vertical	Pass
1**	5350.055	49.01	5.10	54.0	4.99	AV	360.00	100	Vertical	Pass
2	5350.330	62.65	5.07	74.0	11.35	Peak	274.00	100	Vertical	Pass
2**	5350.330	48.78	5.07	54.0	5.22	AV	274.00	100	Vertical	Pass

U-NII-2A 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5089.225	58.93	4.01	74.0	15.07	Peak	303.00	100	Vertical	Pass
1**	5089.225	47.01	4.01	54.0	6.99	AV	303.00	100	Vertical	Pass
2	5149.675	56.74	4.06	74.0	17.26	Peak	76.00	100	Vertical	Pass
2**	5149.675	47.46	4.06	54.0	6.54	AV	76.00	100	Vertical	Pass

U-NII-2A 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.17	5.11	74.0	11.83	Peak	210.00	200	Vertical	Pass
1**	5350.000	51.16	5.11	54.0	2.84	AV	210.00	200	Vertical	Pass
2	5353.080	64.38	4.86	74.0	9.62	Peak	95.00	150	Vertical	Pass
2**	5353.080	50.82	4.86	54.0	3.18	AV	95.00	150	Vertical	Pass
3	5350.165	60.51	5.09	74.0	13.49	Peak	242.00	150	Vertical	Pass
3**	5350.165	51.70	5.09	54.0	2.30	AV	242.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5123.025	58.47	4.47	74.0	15.53	Peak	286.00	100	Vertical	Pass
1**	5123.025	47.63	4.47	54.0	6.37	AV	286.00	100	Vertical	Pass
2	5149.675	57.79	4.06	74.0	16.21	Peak	120.00	150	Vertical	Pass
2**	5149.675	47.30	4.06	54.0	6.70	AV	120.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.36	5.11	74.0	12.64	Peak	171.00	150	Vertical	Pass
1**	5350.000	51.34	5.11	54.0	2.66	AV	171.00	150	Vertical	Pass
2	5356.930	63.32	4.58	74.0	10.68	Peak	108.00	150	Vertical	Pass
2**	5356.930	50.66	4.58	54.0	3.34	AV	108.00	150	Vertical	Pass

U-NII-2A 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5120.750	59.14	4.38	74.0	14.86	Peak	310.00	100	Vertical	Pass
1**	5120.750	47.27	4.38	54.0	6.73	AV	310.00	100	Vertical	Pass
2	5149.675	56.60	4.06	74.0	17.40	Peak	89.00	100	Vertical	Pass
2**	5149.675	47.27	4.06	54.0	6.73	AV	89.00	100	Vertical	Pass

U-NII-2A 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	62.51	5.10	74.0	11.49	Peak	271.00	200	Vertical	Pass
1**	5350.055	48.32	5.10	54.0	5.68	AV	271.00	200	Vertical	Pass
2	5350.385	62.96	5.06	74.0	11.04	Peak	103.00	100	Vertical	Pass
2**	5350.385	48.52	5.06	54.0	5.48	AV	103.00	100	Vertical	Pass

U-NII-2A 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5117.175	58.95	4.42	74.0	15.05	Peak	72.00	150	Vertical	Pass
1**	5117.175	47.29	4.42	54.0	6.71	AV	72.00	150	Vertical	Pass
2	5149.675	56.60	4.06	74.0	17.40	Peak	57.00	150	Vertical	Pass
2**	5149.675	47.24	4.06	54.0	6.76	AV	57.00	150	Vertical	Pass

U-NII-2A 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.54	5.11	74.0	15.46	Peak	107.00	200	Vertical	Pass
1**	5350.000	48.30	5.11	54.0	5.70	AV	107.00	200	Vertical	Pass
2	5409.455	59.31	4.38	74.0	14.69	Peak	5.00	150	Vertical	Pass
2**	5409.455	47.22	4.38	54.0	6.78	AV	5.00	150	Vertical	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5095.725	58.63	4.16	74.0	15.37	Peak	49.00	100	Vertical	Pass
1**	5095.725	47.20	4.16	54.0	6.80	AV	49.00	100	Vertical	Pass
2	5149.675	56.41	4.06	74.0	17.59	Peak	147.00	150	Vertical	Pass
2**	5149.675	47.07	4.06	54.0	6.93	AV	147.00	150	Vertical	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.71	5.11	74.0	15.29	Peak	278.00	200	Vertical	Pass
1**	5350.000	48.21	5.11	54.0	5.79	AV	278.00	200	Vertical	Pass
2	5351.595	59.97	4.96	74.0	14.03	Peak	83.00	150	Vertical	Pass
2**	5351.595	48.04	4.96	54.0	5.96	AV	83.00	150	Vertical	Pass

U-NII-2C 11a Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5402.860	59.33	4.64	74.0	14.67	Peak	320.00	200	Horizontal	Pass
1**	5402.860	47.67	4.64	54.0	6.33	AV	320.00	200	Horizontal	Pass
2	5459.980	56.63	4.04	74.0	17.37	Peak	83.00	100	Horizontal	Pass
2**	5459.980	46.78	4.04	54.0	7.22	AV	83.00	100	Horizontal	Pass
3	5463.700	61.40	4.01	68.2	6.80	Peak	88.00	150	Horizontal	Pass
3**	5463.700	46.72	4.01	--	--	AV	88.00	150	Horizontal	N/A
4	5469.940	57.15	4.06	68.2	11.05	Peak	181.00	200	Horizontal	Pass
4**	5469.940	46.99	4.06	--	--	AV	181.00	200	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.66	3.93	68.2	6.54	Peak	209.00	200	Horizontal	Pass
2	5725.313	66.10	3.90	68.2	2.10	Peak	48.00	200	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5439.880	60.58	4.19	74.0	13.42	Peak	0.00	200	Horizontal	Pass
1**	5439.880	46.81	4.19	54.0	7.19	AV	0.00	200	Horizontal	Pass
2	5459.980	57.30	4.04	74.0	16.70	Peak	140.00	200	Horizontal	Pass
2**	5459.980	47.01	4.04	54.0	6.99	AV	140.00	200	Horizontal	Pass
3	5469.760	61.18	4.04	68.2	7.02	Peak	123.00	200	Horizontal	Pass
3**	5469.760	46.96	4.04	--	--	AV	123.00	200	Horizontal	N/A
4	5469.940	57.84	4.06	68.2	10.36	Peak	120.00	200	Horizontal	Pass
4**	5469.940	47.43	4.06	--	--	AV	120.00	200	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.63	3.93	68.2	4.57	Peak	146.00	100	Horizontal	Pass
2	5726.625	66.41	3.81	68.2	1.79	Peak	158.00	100	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.080	59.67	4.14	74.0	14.33	Peak	360.00	200	Horizontal	Pass
1**	5459.080	47.17	4.14	54.0	6.83	AV	360.00	200	Horizontal	Pass
2	5459.980	56.41	4.04	74.0	17.59	Peak	339.00	100	Horizontal	Pass
2**	5459.980	47.45	4.04	54.0	6.55	AV	339.00	100	Horizontal	Pass
3	5469.700	61.24	4.04	68.2	6.96	Peak	59.00	150	Horizontal	Pass
3**	5469.700	48.25	4.04	--	--	AV	59.00	150	Horizontal	N/A
4	5469.940	59.06	4.06	68.2	9.14	Peak	210.00	100	Horizontal	Pass
4**	5469.940	48.09	4.06	--	--	AV	210.00	100	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.71	3.93	68.2	10.49	Peak	261.00	150	Horizontal	Pass
2	5765.938	59.47	4.28	68.2	8.73	Peak	104.00	150	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.480	59.94	4.01	74.0	14.06	Peak	85.00	100	Horizontal	Pass
1**	5452.480	46.84	4.01	54.0	7.16	AV	85.00	100	Horizontal	Pass
2	5459.980	56.61	4.04	74.0	17.39	Peak	293.00	200	Horizontal	Pass
2**	5459.980	47.11	4.04	54.0	6.89	AV	293.00	200	Horizontal	Pass
3	5466.400	61.70	3.90	68.2	6.50	Peak	39.00	200	Horizontal	Pass
3**	5466.400	46.86	3.90	--	--	AV	39.00	200	Horizontal	N/A
4	5469.940	58.13	4.06	68.2	10.07	Peak	198.00	100	Horizontal	Pass
4**	5469.940	47.21	4.06	--	--	AV	198.00	100	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.03	3.93	68.2	5.17	Peak	84.00	200	Horizontal	Pass
2	5726.938	65.68	3.79	68.2	2.52	Peak	158.00	100	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.720	60.04	4.23	74.0	13.96	Peak	13.00	100	Horizontal	Pass
1**	5455.720	47.09	4.23	54.0	6.91	AV	13.00	100	Horizontal	Pass
2	5459.980	56.96	4.04	74.0	17.04	Peak	360.00	200	Horizontal	Pass
2**	5459.980	47.08	4.04	54.0	6.92	AV	360.00	200	Horizontal	Pass
3	5469.700	60.77	4.04	68.2	7.43	Peak	35.00	150	Horizontal	Pass
3**	5469.700	47.90	4.04	--	--	AV	35.00	150	Horizontal	N/A
4	5469.940	59.87	4.06	68.2	8.33	Peak	37.00	200	Horizontal	Pass
4**	5469.940	48.25	4.06	--	--	AV	37.00	200	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.32	3.92	68.2	10.88	Peak	0.00	150	Horizontal	Pass
2	5790.625	59.92	4.35	68.2	8.28	Peak	0.00	150	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.560	60.93	4.09	74.0	13.07	Peak	86.00	200	Horizontal	Pass
1**	5453.560	47.39	4.09	54.0	6.61	AV	86.00	200	Horizontal	Pass
2	5459.980	58.98	4.04	74.0	15.02	Peak	181.00	200	Horizontal	Pass
2**	5459.980	47.16	4.04	54.0	6.84	AV	181.00	200	Horizontal	Pass
3	5461.240	59.45	3.89	68.2	8.75	Peak	343.00	150	Horizontal	Pass
3**	5461.240	47.17	3.89	--	--	AV	343.00	150	Horizontal	N/A
4	5469.940	56.84	4.06	68.2	11.36	Peak	0.00	200	Horizontal	Pass
4**	5469.940	47.75	4.06	--	--	AV	0.00	200	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.40	3.92	68.2	10.80	Peak	332.00	200	Horizontal	Pass
2	5767.750	59.78	4.48	68.2	8.42	Peak	12.00	150	Horizontal	Pass

U-NII-2C 11ac160 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5407.240	59.13	4.50	74.0	14.87	Peak	286.00	100	Horizontal	Pass
1**	5407.240	47.61	4.50	54.0	6.39	AV	286.00	100	Horizontal	Pass
2	5459.980	55.98	4.04	74.0	18.02	Peak	158.00	100	Horizontal	Pass
2**	5459.980	46.89	4.04	54.0	7.11	AV	158.00	100	Horizontal	Pass
3	5467.360	57.83	3.94	68.2	10.37	Peak	360.00	200	Horizontal	Pass
3**	5467.360	46.59	3.94	--	--	AV	360.00	200	Horizontal	N/A
4	5469.940	56.80	4.06	68.2	11.40	Peak	87.00	150	Horizontal	Pass
4**	5469.940	46.95	4.06	--	--	AV	87.00	150	Horizontal	N/A

U-NII-2C 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.14	3.92	68.2	11.06	Peak	112.00	100	Horizontal	Pass
2	5849.250	59.69	5.41	68.2	8.51	Peak	360.00	100	Horizontal	Pass

U-NII-2C 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.100	60.24	4.28	74.0	13.76	Peak	360.00	150	Horizontal	Pass
1**	5457.100	47.29	4.28	54.0	6.71	AV	360.00	150	Horizontal	Pass
2	5459.980	57.11	4.04	74.0	16.89	Peak	188.00	150	Horizontal	Pass
2**	5459.980	46.82	4.04	54.0	7.18	AV	188.00	150	Horizontal	Pass
3	5466.820	61.30	3.92	68.2	6.90	Peak	60.00	200	Horizontal	Pass
3**	5466.820	47.03	3.92	--	--	AV	60.00	200	Horizontal	N/A
4	5469.940	57.56	4.06	68.2	10.64	Peak	36.00	150	Horizontal	Pass
4**	5469.940	47.33	4.06	--	--	AV	36.00	150	Horizontal	N/A

U-NII-2C 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	65.26	3.92	68.2	2.94	Peak	42.00	200	Horizontal	Pass
2	5726.750	66.25	3.80	68.2	1.95	Peak	42.00	200	Horizontal	Pass

U-NII-2C 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.180	60.87	4.20	74.0	13.13	Peak	360.00	150	Horizontal	Pass
1**	5458.180	47.37	4.20	54.0	6.63	AV	360.00	150	Horizontal	Pass
2	5459.980	56.57	4.04	74.0	17.43	Peak	259.00	150	Horizontal	Pass
2**	5459.980	47.58	4.04	54.0	6.42	AV	259.00	150	Horizontal	Pass
3	5469.700	60.64	4.04	68.2	7.56	Peak	193.00	100	Horizontal	Pass
3**	5469.700	48.55	4.04	--	--	AV	193.00	100	Horizontal	N/A
4	5469.940	58.51	4.06	68.2	9.69	Peak	0.00	100	Horizontal	Pass
4**	5469.940	48.27	4.06	--	--	AV	0.00	100	Horizontal	N/A

U-NII-2C 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.67	3.93	68.2	10.53	Peak	360.00	150	Horizontal	Pass
2	5726.375	59.81	3.83	68.2	8.39	Peak	152.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.440	61.84	4.26	74.0	12.16	Peak	60.00	100	Horizontal	Pass
1**	5456.440	48.01	4.26	54.0	5.99	AV	60.00	100	Horizontal	Pass
2	5459.980	57.38	4.04	74.0	16.62	Peak	220.00	100	Horizontal	Pass
2**	5459.980	48.35	4.04	54.0	5.65	AV	220.00	100	Horizontal	Pass
3	5468.260	59.68	3.98	68.2	8.52	Peak	327.00	150	Horizontal	Pass
3**	5468.260	48.31	3.98	--	--	AV	327.00	150	Horizontal	N/A
4	5469.940	57.55	4.06	68.2	10.65	Peak	356.00	100	Horizontal	Pass
4**	5469.940	48.36	4.06	--	--	AV	356.00	100	Horizontal	N/A

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.03	3.92	68.2	11.17	Peak	302.00	200	Horizontal	Pass
2	5843.750	59.97	5.24	68.2	8.23	Peak	232.00	200	Horizontal	Pass

U-NII-2C 11ax160 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5433.160	63.70	4.28	74.0	10.30	Peak	3.00	100	Horizontal	Pass
1**	5433.160	50.29	4.28	54.0	3.71	AV	3.00	100	Horizontal	Pass
2	5459.980	60.09	4.04	74.0	13.91	Peak	62.00	150	Horizontal	Pass
2**	5459.980	51.12	4.04	54.0	2.88	AV	62.00	150	Horizontal	Pass
3	5467.300	63.45	3.94	68.2	4.75	Peak	84.00	150	Horizontal	Pass
3**	5467.300	51.28	3.94	--	--	AV	84.00	150	Horizontal	N/A
4	5469.940	60.24	4.06	68.2	7.96	Peak	57.00	150	Horizontal	Pass
4**	5469.940	51.40	4.06	--	--	AV	57.00	150	Horizontal	N/A

U-NII-2C 11ax160 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.45	3.93	68.2	3.75	Peak	41.00	100	Horizontal	Pass
2	5735.375	66.55	3.65	68.2	1.65	Peak	157.00	100	Horizontal	Pass

U-NII-2C 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5358.520	59.99	4.68	74.0	14.01	Peak	360.00	200	Horizontal	Pass
1**	5358.520	47.94	4.68	54.0	6.06	AV	360.00	200	Horizontal	Pass
2	5459.980	55.93	4.04	74.0	18.07	Peak	245.00	100	Horizontal	Pass
2**	5459.980	46.63	4.04	54.0	7.37	AV	245.00	100	Horizontal	Pass
3	5467.060	58.89	3.93	68.2	9.31	Peak	33.00	200	Horizontal	Pass
3**	5467.060	46.35	3.93	--	--	AV	33.00	200	Horizontal	N/A
4	5469.940	56.18	4.06	68.2	12.02	Peak	145.00	150	Horizontal	Pass
4**	5469.940	46.60	4.06	--	--	AV	145.00	150	Horizontal	N/A

U-NII-2C 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.40	3.93	68.2	10.80	Peak	229.00	150	Horizontal	Pass
2	5728.375	62.03	3.60	68.2	6.17	Peak	103.00	200	Horizontal	Pass

U-NII-2C 11ax40 (RU26) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5401.360	59.60	4.67	74.0	14.40	Peak	0.00	150	Horizontal	Pass
1**	5401.360	47.79	4.67	54.0	6.21	AV	0.00	150	Horizontal	Pass
2	5459.980	56.26	4.04	74.0	17.74	Peak	3.00	100	Horizontal	Pass
2**	5459.980	46.64	4.04	54.0	7.36	AV	3.00	100	Horizontal	Pass
3	5466.940	58.63	3.92	68.2	9.57	Peak	190.00	200	Horizontal	Pass
3**	5466.940	46.83	3.92	--	--	AV	190.00	200	Horizontal	N/A
4	5469.940	57.05	4.06	68.2	11.15	Peak	237.00	200	Horizontal	Pass
4**	5469.940	46.64	4.06	--	--	AV	237.00	200	Horizontal	N/A

U-NII-2C 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.48	3.93	68.2	10.72	Peak	70.00	200	Horizontal	Pass
2	5789.437	59.43	4.42	68.2	8.77	Peak	189.00	150	Horizontal	Pass

U-NII-2C 11ax80 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5384.620	59.70	4.61	74.0	14.30	Peak	360.00	150	Horizontal	Pass
1**	5384.620	47.58	4.61	54.0	6.42	AV	360.00	150	Horizontal	Pass
2	5459.980	55.84	4.04	74.0	18.16	Peak	157.00	150	Horizontal	Pass
2**	5459.980	46.70	4.04	54.0	7.30	AV	157.00	150	Horizontal	Pass
3	5469.580	58.28	4.03	68.2	9.92	Peak	188.00	150	Horizontal	Pass
3**	5469.580	46.31	4.03	--	--	AV	188.00	150	Horizontal	N/A
4	5469.940	57.14	4.06	68.2	11.06	Peak	276.00	150	Horizontal	Pass
4**	5469.940	46.61	4.06	--	--	AV	276.00	150	Horizontal	N/A

U-NII-2C 11ax80 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.13	3.92	68.2	11.07	Peak	296.00	150	Horizontal	Pass
2	5816.688	59.61	4.26	68.2	8.59	Peak	157.00	100	Horizontal	Pass

U-NII-2C 11ax160 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5356.240	59.32	4.57	74.0	14.68	Peak	130.00	100	Horizontal	Pass
1**	5356.240	47.73	4.57	54.0	6.27	AV	130.00	100	Horizontal	Pass
2	5459.980	55.90	4.04	74.0	18.10	Peak	35.00	200	Horizontal	Pass
2**	5459.980	46.78	4.04	54.0	7.22	AV	35.00	200	Horizontal	Pass
3	5465.320	57.41	3.88	68.2	10.79	Peak	0.00	150	Horizontal	Pass
3**	5465.320	46.78	3.88	--	--	AV	0.00	150	Horizontal	N/A
4	5469.940	56.96	4.06	68.2	11.24	Peak	342.00	200	Horizontal	Pass
4**	5469.940	46.52	4.06	--	--	AV	342.00	200	Horizontal	N/A

U-NII-2C 11ax160 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.71	3.93	68.2	11.49	Peak	360.00	100	Horizontal	Pass
2	5827.375	59.08	4.30	68.2	9.12	Peak	289.00	200	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5602.708	56.41	1.19	68.2	11.79	Peak	343.00	200	Horizontal	Pass
2	5650.000	54.66	-0.21	68.2	13.54	Peak	62.00	100	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.39	0.01	68.2	13.81	Peak	249.00	200	Horizontal	Pass
2	5991.750	56.42	0.48	68.2	11.78	Peak	292.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5603.334	56.89	1.03	68.2	11.31	Peak	183.00	100	Horizontal	Pass
2	5650.000	53.98	-0.21	68.2	14.22	Peak	89.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.12	0.01	68.2	14.08	Peak	58.00	100	Horizontal	Pass
2	5990.500	56.64	1.00	68.2	11.56	Peak	61.00	150	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5624.792	56.65	0.95	68.2	11.55	Peak	45.00	200	Horizontal	Pass
2	5650.000	54.64	-0.21	68.2	13.56	Peak	135.00	100	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.21	0.01	68.2	13.99	Peak	34.00	150	Horizontal	Pass
2	5990.750	56.25	0.80	68.2	11.95	Peak	131.00	100	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5629.375	56.23	0.29	68.2	11.97	Peak	345.00	200	Horizontal	Pass
2	5650.000	53.57	-0.21	68.2	14.63	Peak	194.00	150	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.23	0.01	68.2	13.97	Peak	6.00	150	Horizontal	Pass
2	5985.250	56.31	0.61	68.2	11.89	Peak	8.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5600.000	56.61	1.00	68.2	11.59	Peak	11.00	200	Horizontal	Pass
2	5650.000	54.51	-0.21	68.2	13.69	Peak	53.00	200	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.07	0.01	68.2	13.13	Peak	212.00	100	Horizontal	Pass
2	5993.500	56.34	0.90	68.2	11.86	Peak	54.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5602.916	56.87	1.33	68.2	11.33	Peak	50.00	200	Horizontal	Pass
2	5650.000	55.13	-0.21	68.2	13.07	Peak	153.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.73	0.01	68.2	14.47	Peak	45.00	150	Horizontal	Pass
2	5993.000	56.69	0.95	68.2	11.51	Peak	83.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.500	56.36	0.19	68.2	11.84	Peak	22.00	200	Horizontal	Pass
2	5650.000	54.33	-0.21	68.2	13.87	Peak	184.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.76	0.01	68.2	14.44	Peak	244.00	200	Horizontal	Pass
2	5979.500	56.15	0.45	68.2	12.05	Peak	180.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5607.291	56.40	1.12	68.2	11.80	Peak	169.00	100	Horizontal	Pass
2	5650.000	54.36	-0.21	68.2	13.84	Peak	249.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.79	0.01	68.2	14.41	Peak	161.00	100	Horizontal	Pass
2	5986.500	56.04	0.59	68.2	12.16	Peak	226.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5612.084	56.37	1.28	68.2	11.83	Peak	123.00	100	Horizontal	Pass
2	5650.000	54.91	-0.21	68.2	13.29	Peak	33.00	100	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.73	0.01	68.2	13.47	Peak	353.00	100	Horizontal	Pass
2	5984.250	56.56	0.69	68.2	11.64	Peak	46.00	150	Horizontal	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5633.187	59.82	4.84	68.2	8.38	Peak	215.00	100	Horizontal	Pass
2	5650.000	56.87	4.41	68.2	11.33	Peak	0.00	200	Horizontal	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.56	3.49	68.3	11.74	Peak	132.00	150	Vertical	Pass
2	5931.450	58.32	4.11	68.2	9.88	Peak	254.00	100	Vertical	Pass

U-NII-3 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.500	59.48	4.85	68.2	8.72	Peak	344.00	200	Horizontal	Pass
2	5650.000	57.54	4.41	68.2	10.66	Peak	120.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.91	3.49	68.3	12.39	Peak	134.00	150	Horizontal	Pass
2	5939.775	58.90	4.39	68.2	9.30	Peak	303.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5624.563	62.83	4.60	68.2	5.37	Peak	157.00	100	Horizontal	Pass
2	5650.000	57.41	4.41	68.2	10.79	Peak	273.00	200	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.58	3.49	68.3	11.72	Peak	21.00	150	Horizontal	Pass
2	5964.150	64.95	3.86	68.2	3.25	Peak	154.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5390.000	56.89	2.31	74.0	17.11	Peak	360.00	100	Horizontal	Pass
1**	5390.000	45.50	2.31	54.0	8.50	AV	360.00	100	Horizontal	Pass
2	5460.000	55.13	1.37	74.0	18.87	Peak	278.00	150	Horizontal	Pass
2**	5460.000	44.37	1.37	54.0	9.63	AV	278.00	150	Horizontal	Pass
3	5468.200	56.16	1.49	68.2	12.04	Peak	189.00	100	Horizontal	Pass
3**	5468.200	44.52	1.49	--	--	AV	189.00	100	Horizontal	N/A
4	5470.000	55.41	1.09	68.2	12.79	Peak	324.00	150	Horizontal	Pass
4**	5470.000	44.10	1.09	--	--	AV	324.00	150	Horizontal	N/A

U-NII-2C & U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.55	0.01	68.2	14.65	Peak	206.00	100	Horizontal	Pass
2	5973.250	56.19	0.25	68.2	12.01	Peak	14.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5386.200	56.46	1.88	74.0	17.54	Peak	0.00	150	Horizontal	Pass
1**	5386.200	45.02	1.88	54.0	8.98	AV	0.00	150	Horizontal	Pass
2	5460.000	54.76	1.37	74.0	19.24	Peak	0.00	150	Horizontal	Pass
2**	5460.000	44.57	1.37	54.0	9.43	AV	0.00	150	Horizontal	Pass
3	5467.400	56.35	1.23	68.2	11.85	Peak	120.00	100	Horizontal	Pass
3**	5467.400	44.41	1.23	--	--	AV	120.00	100	Horizontal	N/A
4	5470.000	55.63	1.09	68.2	12.57	Peak	333.00	150	Horizontal	Pass
4**	5470.000	44.23	1.09	--	--	AV	333.00	150	Horizontal	N/A
5	5389.200	56.05	2.14	74.0	17.95	Peak	256.00	150	Horizontal	Pass
5**	5389.200	45.51	2.14	54.0	8.49	AV	256.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.86	0.01	68.2	14.34	Peak	17.00	100	Horizontal	Pass
2	5993.250	57.44	0.93	68.2	10.76	Peak	342.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5375.200	56.79	1.24	74.0	17.21	Peak	304.00	200	Horizontal	Pass
1**	5375.200	44.33	1.24	54.0	9.67	AV	304.00	200	Horizontal	Pass
2	5460.000	54.60	1.37	74.0	19.40	Peak	272.00	100	Horizontal	Pass
2**	5460.000	44.40	1.37	54.0	9.60	AV	272.00	100	Horizontal	Pass
3	5464.600	55.90	1.55	68.2	12.30	Peak	160.00	200	Horizontal	Pass
3**	5464.600	44.63	1.55	--	--	AV	160.00	200	Horizontal	N/A
4	5470.000	54.72	1.09	68.2	13.48	Peak	304.00	100	Horizontal	Pass
4**	5470.000	44.21	1.09	--	--	AV	304.00	100	Horizontal	N/A
5	5390.000	55.60	2.31	74.0	18.40	Peak	96.00	150	Horizontal	Pass
5**	5390.000	45.46	2.31	54.0	8.54	AV	96.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.73	0.01	68.2	14.47	Peak	167.00	200	Horizontal	Pass
2	5992.750	55.70	0.65	68.2	12.50	Peak	119.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5387.200	56.80	2.00	74.0	17.20	Peak	169.00	200	Horizontal	Pass
1**	5387.200	45.18	2.00	54.0	8.82	AV	169.00	200	Horizontal	Pass
2	5460.000	55.04	1.37	74.0	18.96	Peak	96.00	200	Horizontal	Pass
2**	5460.000	44.44	1.37	54.0	9.56	AV	96.00	200	Horizontal	Pass
3	5462.000	56.02	1.64	68.2	12.18	Peak	0.00	100	Horizontal	Pass
3**	5462.000	44.68	1.64	--	--	AV	0.00	100	Horizontal	N/A
4	5470.000	54.44	1.09	68.2	13.76	Peak	114.00	150	Horizontal	Pass
4**	5470.000	44.44	1.09	--	--	AV	114.00	150	Horizontal	N/A
5	5390.000	56.41	2.31	74.0	17.59	Peak	231.00	150	Horizontal	Pass
5**	5390.000	45.48	2.31	54.0	8.52	AV	231.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.89	0.01	68.2	14.31	Peak	14.00	200	Horizontal	Pass
2	5994.000	57.06	0.75	68.2	11.14	Peak	169.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5387.800	57.27	2.09	74.0	16.73	Peak	60.00	150	Horizontal	Pass
1**	5387.800	45.24	2.09	54.0	8.76	AV	60.00	150	Horizontal	Pass
2	5460.000	55.28	1.37	74.0	18.72	Peak	9.00	150	Horizontal	Pass
2**	5460.000	44.33	1.37	54.0	9.67	AV	9.00	150	Horizontal	Pass
3	5460.400	56.76	1.33	68.2	11.44	Peak	88.00	150	Horizontal	Pass
3**	5460.400	44.44	1.33	--	--	AV	88.00	150	Horizontal	N/A
4	5470.000	54.61	1.09	68.2	13.59	Peak	98.00	100	Horizontal	Pass
4**	5470.000	44.26	1.09	--	--	AV	98.00	100	Horizontal	N/A
5	5390.000	55.58	2.31	74.0	18.42	Peak	193.00	150	Horizontal	Pass
5**	5390.000	45.56	2.31	54.0	8.44	AV	193.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.71	0.01	68.2	14.49	Peak	56.00	100	Horizontal	Pass
2	5978.250	56.13	0.51	68.2	12.07	Peak	1.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5384.400	57.09	2.07	74.0	16.91	Peak	295.00	150	Horizontal	Pass
1**	5384.400	45.14	2.07	54.0	8.86	AV	295.00	150	Horizontal	Pass
2	5460.000	55.01	1.37	74.0	18.99	Peak	360.00	100	Horizontal	Pass
2**	5460.000	44.39	1.37	54.0	9.61	AV	360.00	100	Horizontal	Pass
3	5460.600	56.52	1.37	68.2	11.68	Peak	263.00	100	Horizontal	Pass
3**	5460.600	44.41	1.37	--	--	AV	263.00	100	Horizontal	N/A
4	5470.000	54.17	1.09	68.2	14.03	Peak	29.00	100	Horizontal	Pass
4**	5470.000	44.14	1.09	--	--	AV	29.00	100	Horizontal	N/A
5	5390.000	56.04	2.31	74.0	17.96	Peak	204.00	150	Horizontal	Pass
5**	5390.000	45.41	2.31	54.0	8.59	AV	204.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.72	0.01	68.2	14.48	Peak	186.00	200	Horizontal	Pass
2	5980.750	55.98	0.52	68.2	12.22	Peak	322.00	200	Horizontal	Pass

U-NII-2C & U-NII-3 11ax20 (SU) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5391.200	56.49	1.87	74.0	17.51	Peak	145.00	200	Horizontal	Pass
1**	5391.200	45.03	1.87	54.0	8.97	AV	145.00	200	Horizontal	Pass
2	5460.000	55.23	1.37	74.0	18.77	Peak	69.00	150	Horizontal	Pass
2**	5460.000	44.46	1.37	54.0	9.54	AV	69.00	150	Horizontal	Pass
3	5462.800	56.14	1.23	68.2	12.06	Peak	360.00	100	Horizontal	Pass
3**	5462.800	44.43	1.23	--	--	AV	360.00	100	Horizontal	N/A
4	5470.000	54.54	1.09	68.2	13.66	Peak	27.00	200	Horizontal	Pass
4**	5470.000	44.25	1.09	--	--	AV	27.00	200	Horizontal	N/A
5	5390.000	55.65	2.31	74.0	18.35	Peak	125.00	150	Horizontal	Pass
5**	5390.000	45.58	2.31	54.0	8.42	AV	125.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ax20 (SU) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.95	0.01	68.2	14.25	Peak	321.00	200	Horizontal	Pass
2	5985.250	56.15	0.61	68.2	12.05	Peak	118.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ax40 (SU) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5393.800	56.94	1.72	74.0	17.06	Peak	181.00	100	Horizontal	Pass
1**	5393.800	44.78	1.72	54.0	9.22	AV	181.00	100	Horizontal	Pass
2	5460.000	54.93	1.37	74.0	19.07	Peak	123.00	200	Horizontal	Pass
2**	5460.000	44.38	1.37	54.0	9.62	AV	123.00	200	Horizontal	Pass
3	5460.800	56.78	1.49	68.2	11.42	Peak	72.00	200	Horizontal	Pass
3**	5460.800	44.55	1.49	--	--	AV	72.00	200	Horizontal	N/A
4	5470.000	55.90	1.09	68.2	12.30	Peak	136.00	150	Horizontal	Pass
4**	5470.000	44.39	1.09	--	--	AV	136.00	150	Horizontal	N/A
5	5390.000	56.30	2.31	74.0	17.70	Peak	49.00	150	Horizontal	Pass
5**	5390.000	45.49	2.31	54.0	8.51	AV	49.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ax40 (SU) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.37	0.01	68.2	13.83	Peak	58.00	150	Horizontal	Pass
2	5985.750	56.28	0.65	68.2	11.92	Peak	21.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11ax80 (SU) 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5394.800	56.51	1.84	74.0	17.49	Peak	283.00	200	Horizontal	Pass
1**	5394.800	45.00	1.84	54.0	9.00	AV	283.00	200	Horizontal	Pass
2	5460.000	54.57	1.37	74.0	19.43	Peak	27.00	100	Horizontal	Pass
2**	5460.000	44.39	1.37	54.0	9.61	AV	27.00	100	Horizontal	Pass
3	5464.200	55.73	1.45	68.2	12.47	Peak	235.00	200	Horizontal	Pass
3**	5464.200	44.37	1.45	--	--	AV	235.00	200	Horizontal	N/A
4	5470.000	55.29	1.09	68.2	12.91	Peak	4.00	100	Horizontal	Pass
4**	5470.000	44.27	1.09	--	--	AV	4.00	100	Horizontal	N/A
5	5384.600	55.35	2.13	74.0	18.65	Peak	327.00	150	Horizontal	Pass
5**	5384.600	45.38	2.13	54.0	8.62	AV	327.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ax80 (SU) 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.02	0.01	68.2	14.18	Peak	164.00	150	Horizontal	Pass
2	5999.000	55.99	0.73	68.2	12.21	Peak	1.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ax20 (RU26) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5365.240	59.35	4.43	74.0	14.65	Peak	140.00	100	Horizontal	Pass
1**	5365.240	47.56	4.43	54.0	6.44	AV	140.00	100	Horizontal	Pass
2	5459.980	56.67	4.04	74.0	17.33	Peak	86.00	200	Horizontal	Pass
2**	5459.980	46.89	4.04	54.0	7.11	AV	86.00	200	Horizontal	Pass
3	5464.360	58.46	3.96	68.2	9.74	Peak	8.00	100	Horizontal	Pass
3**	5464.360	46.65	3.96	--	--	AV	8.00	100	Horizontal	N/A
4	5469.940	56.66	4.06	68.2	11.54	Peak	27.00	150	Horizontal	Pass
4**	5469.940	46.62	4.06	--	--	AV	27.00	150	Horizontal	N/A

U-NII-2C & U-NII-3 11ax20 (RU26) 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.28	3.49	68.3	12.02	Peak	264.00	100	Horizontal	Pass
2	5948.325	59.29	3.83	68.2	8.91	Peak	327.00	150	Horizontal	Pass

U-NII-2C & U-NII-3 11ax40 (RU26) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.200	59.70	4.99	74.0	14.30	Peak	109.00	200	Horizontal	Pass
1**	5351.200	48.10	4.99	54.0	5.90	AV	109.00	200	Horizontal	Pass
2	5459.980	57.22	4.04	74.0	16.78	Peak	75.00	150	Horizontal	Pass
2**	5459.980	46.88	4.04	54.0	7.12	AV	75.00	150	Horizontal	Pass
3	5460.220	57.87	4.01	68.2	10.33	Peak	237.00	150	Horizontal	Pass
3**	5460.220	46.56	4.01	--	--	AV	237.00	150	Horizontal	N/A
4	5469.940	56.00	4.06	68.2	12.20	Peak	332.00	100	Horizontal	Pass
4**	5469.940	46.59	4.06	--	--	AV	332.00	100	Horizontal	N/A

U-NII-2C & U-NII-3 11ax40 (RU26) 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.33	3.49	68.3	11.97	Peak	125.00	100	Horizontal	Pass
2	5933.700	58.55	4.27	68.2	9.65	Peak	51.00	100	Horizontal	Pass

U-NII-2C & U-NII-3 11ax80 (RU26) 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5359.300	59.32	4.73	74.0	14.68	Peak	144.00	150	Horizontal	Pass
1**	5359.300	48.01	4.73	54.0	5.99	AV	144.00	150	Horizontal	Pass
2	5459.980	55.91	4.04	74.0	18.09	Peak	67.00	150	Horizontal	Pass
2**	5459.980	46.72	4.04	54.0	7.28	AV	67.00	150	Horizontal	Pass
3	5467.000	57.91	3.93	68.2	10.29	Peak	96.00	150	Horizontal	Pass
3**	5467.000	46.33	3.93	--	--	AV	96.00	150	Horizontal	N/A
4	5469.940	56.00	4.06	68.2	12.20	Peak	166.00	150	Horizontal	Pass
4**	5469.940	46.89	4.06	--	--	AV	166.00	150	Horizontal	N/A

U-NII-2C & U-NII-3 11ax80 (RU26) 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.47	3.49	68.3	12.83	Peak	196.00	100	Horizontal	Pass
2	5944.650	58.98	4.19	68.2	9.22	Peak	264.00	150	Horizontal	Pass

U-NII-5 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.450	59.53	4.43	88.2	28.67	Peak	0.00	200	Horizontal	Pass
1**	5650.450	47.41	4.43	68.2	20.79	AV	0.00	200	Horizontal	Pass
2	5924.788	56.27	3.47	88.2	31.93	Peak	198.00	100	Horizontal	Pass
2**	5924.788	46.13	3.47	68.2	22.07	AV	198.00	100	Horizontal	Pass

U-NII-5 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5664.050	59.49	4.60	88.2	28.71	Peak	27.00	200	Horizontal	Pass
1**	5664.050	47.93	4.60	68.2	20.27	AV	27.00	200	Horizontal	Pass
2	5924.788	56.35	3.47	88.2	31.85	Peak	55.00	100	Horizontal	Pass
2**	5924.788	46.18	3.47	68.2	22.02	AV	55.00	100	Horizontal	Pass

U-NII-5 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.212	59.34	4.96	88.2	28.86	Peak	103.00	200	Horizontal	Pass
1**	5636.212	48.18	4.96	68.2	20.02	AV	103.00	200	Horizontal	Pass
2	5924.788	55.71	3.47	88.2	32.49	Peak	157.00	150	Horizontal	Pass
2**	5924.788	46.21	3.47	68.2	21.99	AV	157.00	150	Horizontal	Pass

U-NII-5 11ax160 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.600	59.65	4.79	88.2	28.55	Peak	312.00	100	Horizontal	Pass
1**	5632.600	48.02	4.79	68.2	20.18	AV	312.00	100	Horizontal	Pass
2	5924.788	55.47	3.47	88.2	32.73	Peak	169.00	100	Horizontal	Pass
2**	5924.788	46.43	3.47	68.2	21.77	AV	169.00	100	Horizontal	Pass

U-NII-5 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5780.712	60.23	4.22	88.2	27.97	Peak	284.00	100	Horizontal	Pass
1**	5780.712	47.37	4.22	68.2	20.83	AV	284.00	100	Horizontal	Pass
2	5924.788	55.50	3.47	88.2	32.70	Peak	126.00	200	Horizontal	Pass
2**	5924.788	46.30	3.47	68.2	21.90	AV	126.00	200	Horizontal	Pass

U-NII-5 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5664.688	59.58	4.62	88.2	28.62	Peak	337.00	200	Horizontal	Pass
1**	5664.688	48.17	4.62	68.2	20.03	AV	337.00	200	Horizontal	Pass
2	5924.788	55.67	3.47	88.2	32.53	Peak	64.00	200	Horizontal	Pass
2**	5924.788	46.11	3.47	68.2	22.09	AV	64.00	200	Horizontal	Pass

U-NII-5 11ax80 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.937	59.95	4.97	88.2	28.25	Peak	10.00	150	Horizontal	Pass
1**	5634.937	48.47	4.97	68.2	19.73	AV	10.00	150	Horizontal	Pass
2	5924.788	56.21	3.47	88.2	31.99	Peak	271.00	150	Horizontal	Pass
2**	5924.788	46.20	3.47	68.2	22.00	AV	271.00	150	Horizontal	Pass

U-NII-5 11ax160 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5602.000	59.58	5.18	88.2	28.62	Peak	30.00	150	Horizontal	Pass
1**	5602.000	48.45	5.18	68.2	19.75	AV	30.00	150	Horizontal	Pass
2	5924.788	56.94	3.47	88.2	31.26	Peak	179.00	200	Horizontal	Pass
2**	5924.788	46.23	3.47	68.2	21.97	AV	179.00	200	Horizontal	Pass

U-NII-8 11ax20 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	59.47	6.89	88.2	28.73	Peak	193.00	200	Horizontal	Pass
1**	7125.000	49.57	6.89	68.2	18.63	AV	193.00	200	Horizontal	Pass
2	7199.813	63.55	10.19	88.2	24.65	Peak	38.00	150	Horizontal	Pass
2**	7199.813	52.40	10.19	68.2	15.80	AV	38.00	150	Horizontal	Pass

U-NII-8 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	71.99	6.90	88.2	16.21	Peak	90.00	200	Horizontal	Pass
1**	7125.063	61.17	6.90	68.2	7.03	AV	90.00	200	Horizontal	Pass
2	7125.125	68.43	6.91	88.2	19.77	Peak	90.00	200	Horizontal	Pass
2**	7125.125	60.97	6.91	68.2	7.23	AV	90.00	200	Horizontal	Pass
3	7125.000	70.96	6.89	88.2	17.24	Peak	93.00	0	Horizontal	Pass
3**	7125.000	62.39	6.89	68.2	5.81	AV	93.00	0	Horizontal	Pass

U-NII-8 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	60.25	6.89	88.2	27.95	Peak	14.00	200	Horizontal	Pass
1**	7125.000	49.65	6.89	68.2	18.55	AV	14.00	200	Horizontal	Pass
2	7200.125	63.34	10.14	88.2	24.86	Peak	249.00	150	Horizontal	Pass
2**	7200.125	52.14	10.14	68.2	16.06	AV	249.00	150	Horizontal	Pass

U-NII-8 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.47	6.90	88.2	28.73	Peak	200.00	200	Horizontal	Pass
1**	7125.063	49.38	6.90	68.2	18.82	AV	200.00	200	Horizontal	Pass
2	7197.938	63.84	10.24	88.2	24.36	Peak	249.00	150	Horizontal	Pass
2**	7197.938	52.20	10.24	68.2	16.00	AV	249.00	150	Horizontal	Pass

U-NII-8 11ax160 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.52	6.90	88.2	28.68	Peak	5.00	100	Horizontal	Pass
1**	7125.063	49.84	6.90	68.2	18.36	AV	5.00	100	Horizontal	Pass
2	7197.687	63.57	10.24	88.2	24.63	Peak	223.00	200	Horizontal	Pass
2**	7197.687	52.22	10.24	68.2	15.98	AV	223.00	200	Horizontal	Pass

U-NII-8 11ax20 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	59.77	6.89	88.2	28.43	Peak	52.00	150	Horizontal	Pass
1**	7125.000	49.47	6.89	68.2	18.73	AV	52.00	150	Horizontal	Pass
2	7189.938	62.99	9.50	88.2	25.21	Peak	349.00	200	Horizontal	Pass
2**	7189.938	51.52	9.50	68.2	16.68	AV	349.00	200	Horizontal	Pass

U-NII-8 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	74.31	6.89	88.2	13.89	Peak	86.00	150	Horizontal	Pass
1**	7125.000	67.19	6.89	68.2	1.01	AV	86.00	150	Horizontal	Pass
2	7125.250	72.88	6.91	88.2	15.32	Peak	86.00	200	Horizontal	Pass
2**	7125.250	61.58	6.91	68.2	6.62	AV	86.00	200	Horizontal	Pass
3	7125.000	74.31	6.89	88.2	13.89	Peak	86.00	150	Horizontal	Pass
3**	7125.000	67.19	6.89	68.2	1.01	AV	86.00	150	Horizontal	Pass

U-NII-8 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	59.73	6.89	88.2	28.47	Peak	42.00	150	Horizontal	Pass
1**	7125.000	49.55	6.89	68.2	18.65	AV	42.00	150	Horizontal	Pass
2	7197.188	63.29	10.20	88.2	24.91	Peak	130.00	100	Horizontal	Pass
2**	7197.188	52.27	10.20	68.2	15.93	AV	130.00	100	Horizontal	Pass

U-NII-8 11ax80 (RU26) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.28	6.90	88.2	28.92	Peak	337.00	200	Horizontal	Pass
1**	7125.063	49.49	6.90	68.2	18.71	AV	337.00	200	Horizontal	Pass
2	7199.250	63.45	10.24	88.2	24.75	Peak	254.00	150	Horizontal	Pass
2**	7199.250	52.10	10.24	68.2	16.10	AV	254.00	150	Horizontal	Pass

U-NII-8 11ax160 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.69	6.90	88.2	28.51	Peak	355.00	200	Horizontal	Pass
1**	7125.063	49.67	6.90	68.2	18.53	AV	355.00	200	Horizontal	Pass
2	7197.562	63.72	10.24	88.2	24.48	Peak	82.00	200	Horizontal	Pass
2**	7197.562	52.14	10.24	68.2	16.06	AV	82.00	200	Horizontal	Pass

A.7 Contention Based Protocol

Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
☒ Conducted ☐ Radiation	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 2.83 dBi. The Regulated Threshold Level = -62 dBm + G (2.83 dBi) = -59.17 dBm


Test Data

U-NII-5 (5925 MHz to 6425 MHz)								
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Measured Detection Level (dBm)	Detection Rate	Regulated Threshold Level (dBm)	Margin (dB)	Verdict
802.11ax (HE20)	37	6135	6135	-66.54	90%	-59.17	7.37	Pass
802.11ax (HE160)	47	6185	6110	-71.01	100%	-59.17	11.84	Pass
			6185	-68.14	100%	-59.17	8.97	Pass
			6260	-63.16	100%	-59.17	3.99	Pass

Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 37




Date: 11 APR 2023 16:26:37

802.11ax (HE160)-Channel 47 (Low Edge)



Date: 11 APR 2023 16:27:52

802.11ax (HE160)-Channel 47 (Middle Edge)



Date: 11 APR 2023 16:28:59


802.11ax (HE160)-Channel 47 (High Edge)



Date: 11 APR 2023 16:30:24


Plots of EUT Tx waveform

802.11ax (HE20)-Channel 37




Date: 11 APR 2023 17:12:43

802.11ax (HE160)-Channel 47 (Low Edge)




Date: 11 APR 2023 14:43:13

802.11ax (HE160)-Channel 47 (Middle Edge)



Date: 11 APR 2023 14:50:54

802.11ax (HE160)-Channel 47 (High Edge)



Date: 11 APR 2023 15:00:18

Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
☒ Conducted ☐ Radiation	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 0.1 dBi. The Regulated Threshold Level = -62 dBm + G (0.1 dBi) = -61.9 dBm


Test Data

U-NII-6 (6425 MHz to 6525 MHz)								
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Measured Detection Level (dBm)	Detection Rate	Regulated Threshold Level (dBm)	Margin (dB)	Verdict
802.11ax (HE20)	97	6435	6435	-66.91	100%	-61.90	5.01	Pass
802.11ax (HE160)	111	6505	6430	-70.22	100%	-61.90	8.32	Pass
			6505	-66.70	100%	-61.90	4.80	Pass
			6580	-69.29	100%	-61.90	7.39	Pass

Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 97




Date: 11 APR 2023 16:25:46

802.11ax (HE160)-Channel 111 (Low Edge)




Date: 11 APR 2023 16:31:29

802.11ax (HE160)-Channel 111 (Middle Edge)



Date: 11 APR 2023 16:32:28


802.11ax (HE160)-Channel 111 (High Edge)



Date: 11 APR 2023 16:33:56


Plots of EUT Tx waveform

802.11ax (HE20)-Channel 97




Date: 11 APR 2023 17:21:28

802.11ax (HE160)-Channel 111 (Low Edge)




Date: 11 APR 2023 15:08:42

802.11ax (HE160)-Channel 111 (Middle Edge)



Date: 11 APR 2023 15:19:46

802.11ax (HE160)-Channel 111 (High Edge)



Date: 11 APR 2023 15:30:35

Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
☒ Conducted ☐ Radiation	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 1.28 dBi. The Regulated Threshold Level = -62 dBm + G (1.28 dBi) = -60.72 dBm


Test Data

U-NII-7 (6425 MHz to 6875 MHz)								
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Measured Detection Level (dBm)	Detection Rate	Regulated Threshold Level (dBm)	Margin (dB)	Verdict
802.11ax (HE20)	129	6595	6595	-66.29	90%	-60.17	6.12	Pass
802.11ax (HE160)	143	6665	6590	-69.57	100%	-60.17	9.40	Pass
			6665	-66.88	100%	-60.17	6.71	Pass
			6740	-69.19	100%	-60.17	9.02	Pass

Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 129




Date: 11 APR 2023 18:24:33

802.11ax (HE160)-Channel 143 (Low Edge)




Date: 11 APR 2023 18:35:04

802.11ax (HE160)-Channel 143 (Middle Edge)



Date: 11 APR 2023 18:36:22


802.11ax (HE160)-Channel 143 (High Edge)



Date: 11 APR 2023 18:37:34


Plots of EUT Tx waveform

802.11ax (HE20)-Channel 129




Date: 11 APR 2023 15:15:30

802.11ax (HE160)-Channel 143 (Low Edge)




Date: 11 APR 2023 15:39:54

802.11ax (HE160)-Channel 143 (Middle Edge)



Date: 11 APR 2023 15:48:40

802.11ax (HE160)-Channel 143 (High Edge)



Date: 11 APR 2023 16:02:56

Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
☒ Conducted ☐ Radiation	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 3.14 dBi. The Regulated Threshold Level = -62 dBm + G (3.14 dBi) = -58.86 dBm


Test Data

U-NII-8 (6875 MHz to 7125 MHz)								
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Measured Detection Level (dBm)	Detection Rate	Regulated Threshold Level (dBm)	Margin (dB)	Verdict
802.11ax (HE20)	193	6915	6915	-64.29	90%	-58.50	5.79	Pass
802.11ax (HE160)	207	6985	6910	-68.40	100%	-58.50	9.90	Pass
			6985	-65.92	90%	-58.50	7.42	Pass
			7060	-68.71	100%	-58.50	10.21	Pass

Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 193




Date: 11 APR 2023 16:23:20

802.11ax (HE160)-Channel 207 (Low Edge)




Date: 11 APR 2023 16:38:51

802.11ax (HE160)-Channel 207 (Middle Edge)



Date: 11 APR 2023 16:39:57


802.11ax (HE160)-Channel 207 (High Edge)




Date: 11 APR 2023 16:41:01

Plots of EUT Tx waveform


802.11ax (HE20)-Channel 193




802.11ax (HE160)-Channel 207 (Low Edge)



802.11ax (HE160)-Channel 207 (Middle Edge)



802.11ax (HE160)-Channel 207 (High Edge)




A.8 In-Band Emissions

Test Data and Plots


Main Antenna

11ax20 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-36.18	5918.82	-53.23	-64.28	-13.23	Pass
-30	-20	0.2	-30	5925	-53.73	-64.79	-13.73	Pass
-20	-11	0.2	-11	5944	-23.53	-34.58	-3.53	Pass
-11	-10	0.2	-11	5944	-23.72	-34.77	-3.72	Pass
10	11	0.2	11	5966	-23.57	-34.63	3.57	Pass
11	20	0.2	11.28	5966.28	-23.5	-34.55	3.25	Pass
20	30	0.2	30	5985	-53.28	-64.33	13.28	Pass
30	60	0.2	38.04	5993.04	-52.33	-63.38	12.33	Pass

11ax20 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-75.3	-37.65	0.2	-40.7373	6134.2627	-53.17	-63.92	-13.17	Pass
-37.65	-25.1	0.2	-37.3488	6137.6512	-53.52	-64.28	-13.81	Pass
-25.1	-13.55	0.2	-13.6293	6161.3707	-30.97	-41.73	-10.92	Pass
-13.55	-12.55	0.2	-13.55	6161.45	-31.66	-42.41	-11.66	Pass
12.55	13.55	0.2	13.55	6188.55	-32.24	-42.99	12.24	Pass
13.55	25.1	0.2	13.55	6188.55	-31.51	-42.26	11.51	Pass
25.1	37.65	0.2	37.3488	6212.3488	-54.23	-64.99	14.52	Pass
37.65	75.3	0.2	39.0807	6214.0807	-53.84	-64.59	13.84	Pass

11ax20 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-77.1	-38.55	0.2	-44.8722	6370.1278	-54.41	-65.21	-14.41	Pass
-38.55	-25.7	0.2	-38.3187	6376.6813	-54.75	-65.55	-14.97	Pass
-25.7	-13.85	0.2	-13.85	6401.15	-32.72	-43.52	-12.72	Pass
-13.85	-12.85	0.2	-13.85	6401.15	-32.93	-43.73	-12.93	Pass
12.85	13.85	0.2	13.85	6428.85	-33.52	-44.32	13.52	Pass
13.85	25.7	0.2	13.85	6428.85	-33.14	-43.94	13.14	Pass
25.7	38.55	0.2	38.4729	6453.4729	-54.64	-65.44	14.71	Pass
38.55	77.1	0.2	44.7951	6459.7951	-54.53	-65.33	14.53	Pass

11ax40 (SU), U-NII-5, Low Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.16	5902.84	-54.36	-61.56	-14.36	Pass
-60	-40	0.4	-59.76	5905.24	-54.9	-62.1	-15.04	Pass
-40	-21	0.4	-21	5944	-23.31	-30.51	-3.31	Pass
-21	-20	0.4	-21	5944	-23.31	-30.51	-3.31	Pass
20	21	0.4	21	5986	-23.43	-30.63	3.43	Pass
21	40	0.4	21	5986	-23.43	-30.63	3.43	Pass
40	60	0.4	59.64	6024.64	-53.96	-61.17	14.18	Pass
60	120	0.4	63.6	6028.6	-53.84	-61.04	13.84	Pass

11ax40 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-137.4	-68.7	0.4	-71.8602	6093.1398	-53.19	-60.82	-13.19	Pass
-68.7	-45.8	0.4	-68.7	6096.3	-54.21	-61.85	-14.21	Pass
-45.8	-23.9	0.4	-	6141.035682	-29.63	-37.26	-9.6	Pass
-23.9	-22.9	0.4	-23.9	6141.1	-29.77	-37.4	-9.77	Pass
22.9	23.9	0.4	23.9	6188.9	-30.33	-37.96	10.33	Pass
23.9	45.8	0.4	23.9	6188.9	-30.33	-37.96	10.33	Pass
45.8	68.7	0.4	68.7	6233.7	-54.78	-62.41	14.78	Pass
68.7	137.4	0.4	71.9976	6236.9976	-54.63	-62.26	14.63	Pass

11ax40 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.2	6343.8	-54.44	-61.9	-14.44	Pass
-60	-40	0.4	-60	6345	-55.16	-62.62	-15.16	Pass
-40	-21	0.4	-21	6384	-23.03	-30.49	-3.03	Pass
-21	-20	0.4	-21	6384	-23.03	-30.49	-3.03	Pass
20	21	0.4	21	6426	-23.7	-31.15	3.7	Pass
21	40	0.4	21.169415	6426.169415	-23.76	-31.22	3.69	Pass
40	60	0.4	59.64	6464.64	-55.46	-62.92	15.67	Pass
60	120	0.4	67.68	6472.68	-54.71	-62.17	14.71	Pass

11ax80 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.12	5861.88	-55.3	-59.78	-15.3	Pass
-120	-80	0.8	-118.08	5866.92	-55.93	-60.41	-16.5	Pass
-80	-41	0.8	-41.13943	5943.86057	-25.08	-29.56	-5.06	Pass
-41	-40	0.8	-41	5944	-25.08	-29.56	-5.08	Pass
40	41	0.8	41	6026	-25.51	-29.99	5.51	Pass
41	80	0.8	41	6026	-25.51	-29.99	5.51	Pass
80	120	0.8	118.08	6103.08	-55.46	-59.94	16.03	Pass
120	240	0.8	121.92	6106.92	-54.75	-59.23	14.75	Pass

11ax80 (SU), U-NII-5, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.96	6024.04	-54.82	-58.91	-14.82	Pass
-120	-80	0.8	-120	6025	-55.34	-59.42	-15.34	Pass
-80	-41	0.8	-41.13943	6103.86057	-24.29	-28.38	-4.26	Pass
-41	-40	0.8	-41	6104	-24.55	-28.64	-4.55	Pass
40	41	0.8	41	6186	-25.64	-29.73	5.64	Pass
41	80	0.8	41	6186	-25.64	-29.73	5.64	Pass
80	120	0.8	120	6265	-56.41	-60.49	16.41	Pass
120	240	0.8	124.32	6269.32	-55.72	-59.8	15.72	Pass

11ax80 (SU), U-NII-5, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-137.04	6247.96	-55.58	-60.06	-15.58	Pass
-120	-80	0.8	-119.52	6265.48	-56.14	-60.62	-16.28	Pass
-80	-41	0.8	-41.13943	6343.86057	-24.9	-29.38	-4.87	Pass
-41	-40	0.8	-41	6344	-25.02	-29.5	-5.02	Pass
40	41	0.8	41	6426	-25.42	-29.9	5.42	Pass
41	80	0.8	41	6426	-25.42	-29.9	5.42	Pass
80	120	0.8	119.76	6504.76	-56.21	-60.69	16.28	Pass
120	240	0.8	124.08	6509.08	-55.92	-60.4	15.92	Pass

11ax160 (SU), U-NII-5, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-493.5	-246.75	1.6	-247.737	5777.263	-52.98	-54.89	-12.98	Pass
-246.75	-164.5	1.6	-246.2565	5778.7435	-52.87	-54.77	-12.94	Pass
-164.5	-83.25	1.6	-83.25	5941.75	-29.18	-31.08	-9.18	Pass
-83.25	-82.25	1.6	-83.25	5941.75	-29.18	-31.08	-9.18	Pass
82.25	83.25	1.6	83.25	6108.25	-31.48	-33.38	11.48	Pass
83.25	164.5	1.6	152.16866 6	6177.1686 66	-38.11	-40.02	11.33	Pass
164.5	246.75	1.6	246.75	6271.75	-53.97	-55.88	13.97	Pass
246.75	493.5	1.6	375.06	6400.06	-52.45	-54.36	12.45	Pass

11ax160 (SU), U-NII-5, Middle Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-492.3	-246.15	1.6	-248.1192	5936.8808	-52.01	-53.89	-12.01	Pass
-246.15	-164.1	1.6	-245.1654	5939.8346	-52.28	-54.16	-12.42	Pass
-164.1	-83.05	1.6	-83.05	6101.95	-27.87	-29.75	-7.87	Pass
-83.05	-82.05	1.6	-83.05	6101.95	-27.87	-29.75	-7.87	Pass
82.05	83.05	1.6	83.05	6268.05	-29.84	-31.72	9.84	Pass
83.05	164.1	1.6	83.05	6268.05	-29.84	-31.72	9.84	Pass
164.1	246.15	1.6	215.1351	6400.1351	-48.5	-50.38	13.04	Pass
246.15	492.3	1.6	246.15	6431.15	-53.29	-55.17	13.29	Pass

11ax160 (SU), U-NII-5, High Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-493.8	-246.9	1.6	-248.8752	6096.1248	-50.62	-52.57	-10.62	Pass
-246.9	-164.6	1.6	-246.4062	6098.5938	-51.17	-53.12	-11.24	Pass
-164.6	-83.3	1.6	-83.3	6261.7	-28.44	-30.39	-8.44	Pass
-83.3	-82.3	1.6	-83.3	6261.7	-28.44	-30.39	-8.44	Pass
82.3	83.3	1.6	83.3	6428.3	-30.02	-31.97	10.02	Pass
83.3	164.6	1.6	83.3	6428.3	-30.02	-31.97	10.02	Pass
164.6	246.9	1.6	245.4186	6590.4186	-52.79	-54.74	13.01	Pass
246.9	493.8	1.6	247.3938	6592.3938	-52.7	-54.65	12.7	Pass

11ax20 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-74.4	-37.2	0.2	-37.944	6397.056	-53.61	-67.08	-13.61	Pass
-37.2	-24.8	0.2	-35.0424	6399.9576	-46.01	-59.49	-8.1	Pass
-24.8	-13.4	0.2	-13.4664	6421.5336	-31.19	-44.66	-11.14	Pass
-13.4	-12.4	0.2	-13.4	6421.6	-31.41	-44.88	-11.41	Pass
12.4	13.4	0.2	13.4	6448.4	-31.91	-45.39	11.91	Pass
13.4	24.8	0.2	13.4	6448.4	-31.92	-45.39	11.92	Pass
24.8	37.2	0.2	37.2	6472.2	-54.03	-67.51	14.03	Pass
37.2	74.4	0.2	38.0184	6473.0184	-53.66	-67.13	13.66	Pass

11ax20 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-34.5	6440.5	-53.52	-66.88	-13.52	Pass
-30	-20	0.2	-29.76	6445.24	-54.24	-67.59	-14.53	Pass
-20	-11	0.2	-11.28	6463.72	-23.6	-36.96	-3.35	Pass
-11	-10	0.2	-11	6464	-23.66	-37.02	-3.66	Pass
10	11	0.2	11	6486	-23.54	-36.9	3.54	Pass
11	20	0.2	11.22	6486.22	-23.3	-36.65	3.1	Pass
20	30	0.2	29.94	6504.94	-53.56	-66.92	13.63	Pass
30	60	0.2	38.1	6513.1	-53.1	-66.46	13.1	Pass

11ax20 (SU), U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-76.8	-38.4	0.2	-38.9376	6476.0624	-53.53	-66.59	-13.53	Pass
-38.4	-25.6	0.2	-38.4	6476.6	-54.57	-67.63	-14.57	Pass
-25.6	-13.8	0.2	-13.9008	6501.0992	-32.63	-45.69	-12.56	Pass
-13.8	-12.8	0.2	-13.8	6501.2	-32.69	-45.74	-12.69	Pass
12.8	13.8	0.2	13.8	6528.8	-32.99	-46.04	12.99	Pass
13.8	25.6	0.2	13.9008	6528.9008	-33.68	-46.73	13.61	Pass
25.6	38.4	0.2	38.1696	6553.1696	-54.03	-67.09	14.25	Pass
38.4	76.8	0.2	40.1664	6555.1664	-54.15	-67.2	14.15	Pass

11ax40 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.64	6382.36	-54.75	-64.74	-14.75	Pass
-60	-40	0.4	-59.4	6385.6	-54.88	-64.86	-15.24	Pass
-40	-21	0.4	-	6423.830585	-23.28	-33.27	-3.21	Pass
-21	-20	0.4	-21	6424	-23.54	-33.53	-3.54	Pass
20	21	0.4	21	6466	-24.31	-34.3	4.31	Pass
21	40	0.4	21.289355	6466.289355	-24.33	-34.31	4.2	Pass
40	60	0.4	59.76	6504.76	-54.62	-64.6	14.76	Pass
60	120	0.4	63.24	6508.24	-54.37	-64.36	14.37	Pass

11ax40 (SU), U-NII-6, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-85.08	6399.92	-48.75	-58.7	-8.75	Pass
-60	-40	0.4	-59.4	6425.6	-55.1	-65.05	-15.46	Pass
-40	-21	0.4	-21	6464	-23.71	-33.66	-3.71	Pass
-21	-20	0.4	-21	6464	-23.71	-33.66	-3.71	Pass
20	21	0.4	21	6506	-23.6	-33.55	3.6	Pass
21	40	0.4	21	6506	-23.6	-33.55	3.6	Pass
40	60	0.4	59.88	6544.88	-55.12	-65.07	15.19	Pass
60	120	0.4	61.8	6546.8	-54.61	-64.56	14.61	Pass

11ax40 (SU), U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.44	6463.56	-54.87	-64.49	-14.87	Pass
-60	-40	0.4	-59.64	6465.36	-55.18	-64.79	-15.39	Pass
-40	-21	0.4	-	6503.830585	-23.6	-33.22	-3.53	Pass
-21	-20	0.4	-21	6504	-23.73	-33.34	-3.73	Pass
20	21	0.4	21	6546	-23.87	-33.48	3.87	Pass
21	40	0.4	21	6546	-23.87	-33.48	3.87	Pass
40	60	0.4	59.88	6584.88	-55.66	-65.28	15.73	Pass
60	120	0.4	63.96	6588.96	-54.85	-64.47	14.85	Pass

11ax80 (SU), U-NII-6, Low Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-143.76	6321.24	-56.2	-63.05	-16.2	Pass
-120	-80	0.8	-119.76	6345.24	-56.65	-63.5	-16.72	Pass
-80	-41	0.8	-41.61919	6423.38081	-25.48	-32.34	-5.36	Pass
-41	-40	0.8	-41	6424	-25.59	-32.45	-5.59	Pass
40	41	0.8	41	6506	-25.57	-32.42	5.57	Pass
41	80	0.8	41.37931	6506.37931	-25.64	-32.5	5.56	Pass
80	120	0.8	120	6585	-56.5	-63.36	16.5	Pass
120	240	0.8	120.96	6585.96	-55.91	-62.77	15.91	Pass

11ax80 (SU), U-NII-6, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-144.96	6400.04	-51.55	-58.27	-11.55	Pass
-120	-80	0.8	-120	6425	-55.87	-62.59	-15.87	Pass
-80	-41	0.8	-41	6504	-24.93	-31.65	-4.93	Pass
-41	-40	0.8	-41	6504	-24.93	-31.65	-4.93	Pass
40	41	0.8	41	6586	-25.75	-32.47	5.75	Pass
41	80	0.8	41.37931	6586.37931	-25.73	-32.45	5.65	Pass
80	120	0.8	119.28	6664.28	-57.23	-63.95	17.45	Pass
120	240	0.8	124.32	6669.32	-56.63	-63.35	16.63	Pass

11ax160 (SU), U-NII-6, Middle Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-491.4	-245.7	1.6	-251.1054	6253.8946	-52.8	-57.15	-12.8	Pass
-245.7	-163.8	1.6	-241.2774	6263.7226	-52.14	-56.49	-12.79	Pass
-163.8	-82.9	1.6	-82.9	6422.1	-28.94	-33.28	-8.94	Pass
-82.9	-81.9	1.6	-82.9	6422.1	-28.94	-33.28	-8.94	Pass
81.9	82.9	1.6	82.9	6587.9	-29.73	-34.08	9.73	Pass
82.9	163.8	1.6	82.9	6587.9	-29.73	-34.08	9.73	Pass
163.8	245.7	1.6	243.7344	6748.7344	-54.05	-58.4	14.34	Pass
245.7	491.4	1.6	248.6484	6753.6484	-54.34	-58.69	14.34	Pass

11ax20 (SU), U-NII-7, Low Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-76.8	-38.4	0.2	-71.7312	6463.2688	-53.64	-67.32	-13.64	Pass
-38.4	-25.6	0.2	-38.016	6496.984	-53.92	-67.61	-14.28	Pass
-25.6	-13.8	0.2	-13.824	6521.176	-30.98	-44.66	-10.97	Pass
-13.8	-12.8	0.2	-13.8	6521.2	-31.05	-44.73	-11.05	Pass
12.8	13.8	0.2	13.8	6548.8	-32.47	-46.15	12.47	Pass
13.8	25.6	0.2	13.8	6548.8	-32.21	-45.89	12.21	Pass
25.6	38.4	0.2	37.8624	6572.8624	-53.86	-67.55	14.37	Pass
38.4	76.8	0.2	40.4736	6575.4736	-53.75	-67.44	13.75	Pass

11ax20 (SU), U-NII-7, Middle Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-35.82	6679.18	-54.43	-67.64	-14.43	Pass
-30	-20	0.2	-29.88	6685.12	-54.82	-68.04	-14.97	Pass
-20	-11	0.2	-11	6704	-23.08	-36.3	-3.08	Pass
-11	-10	0.2	-11	6704	-23.36	-36.58	-3.36	Pass
10	11	0.2	11	6726	-24.56	-37.78	4.56	Pass
11	20	0.2	11.34	6726.34	-24.34	-37.55	4.04	Pass
20	30	0.2	29.82	6744.82	-54.68	-67.9	14.9	Pass
30	60	0.2	32.94	6747.94	-54.38	-67.6	14.38	Pass

11ax20 (SU), U-NII-7, High Channel




Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-59.76	6795.24	-54.18	-68.09	-14.18	Pass
-30	-20	0.2	-29.52	6825.48	-54.11	-68.02	-14.68	Pass
-20	-11	0.2	-11.04	6843.96	-23.12	-37.04	-3.09	Pass
-11	-10	0.2	-11	6844	-23.24	-37.15	-3.24	Pass
10	11	0.2	11	6866	-23.54	-37.45	3.54	Pass
11	20	0.2	11.16	6866.16	-24.22	-38.14	4.08	Pass
20	30	0.2	29.94	6884.94	-54.79	-68.71	14.86	Pass
30	60	0.2	37.92	6892.92	-54.17	-68.08	14.17	Pass

11ax40 (SU), U-NII-7, Low Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-63.84	6501.16	-53.76	-64.7	-13.76	Pass
-60	-40	0.4	-60	6505	-54.34	-65.29	-14.34	Pass
-40	-21	0.4	-21.169415	6543.830585	-23.14	-34.09	-3.07	Pass
-21	-20	0.4	-21	6544	-23.44	-34.38	-3.44	Pass
20	21	0.4	21	6586	-23.59	-34.53	3.59	Pass
21	40	0.4	21	6586	-23.59	-34.53	3.59	Pass
40	60	0.4	59.64	6624.64	-54.8	-65.74	15.02	Pass
60	120	0.4	63.12	6628.12	-54.3	-65.24	14.3	Pass

11ax40 (SU), U-NII-7, Middle Channel



Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-72.48	6652.52	-54.21	-65.08	-14.21	Pass
-60	-40	0.4	-59.52	6665.48	-54.13	-65	-14.42	Pass
-40	-21	0.4	-21	6704	-23.31	-34.17	-3.31	Pass
-21	-20	0.4	-21	6704	-23.31	-34.17	-3.31	Pass
20	21	0.4	21	6746	-23.56	-34.42	3.56	Pass
21	40	0.4	21.049475	6746.049475	-23.41	-34.28	3.39	Pass
40	60	0.4	59.76	6784.76	-54.72	-65.59	14.86	Pass
60	120	0.4	87.36	6812.36	-54.39	-65.25	14.39	Pass