


## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX




EUT\_Y\_1TX(Port1)  
Setting 23  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.92658G     | 46.07             | 74.00             | -27.93         | 38.41         | 3           | Vertical  | 176            | 2.19          | -       | 32.76      | 5.66       | 30.76      |  |  |  |
| AV   | 4.93588G     | 32.80             | 54.00             | -21.20         | 25.07         | 3           | Vertical  | 176            | 2.19          | -       | 32.82      | 5.67       | 30.76      |  |  |  |
| PK   | 7.37904G     | 50.55             | 74.00             | -23.45         | 39.10         | 3           | Vertical  | 37             | 1.27          | -       | 36.60      | 6.81       | 31.96      |  |  |  |
| AV   | 7.3827G      | 36.84             | 54.00             | -17.16         | 25.39         | 3           | Vertical  | 37             | 1.27          | -       | 36.60      | 6.81       | 31.96      |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX




EUT\_Y\_1TX(Port1)  
Setting 23  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.93654G     | 46.32             | 74.00             | -27.68         | 38.59         | 3           | Horizontal | 10             | 2.04          | -       | 32.82      | 5.67       | 30.76      |  |  |  |
| AV   | 4.93378G     | 32.56             | 54.00             | -21.44         | 24.85         | 3           | Horizontal | 10             | 2.04          | -       | 32.80      | 5.67       | 30.76      |  |  |  |
| PK   | 7.39404G     | 50.32             | 74.00             | -23.68         | 38.89         | 3           | Horizontal | 103            | 2.50          | -       | 36.60      | 6.80       | 31.97      |  |  |  |
| AV   | 7.37364G     | 36.86             | 54.00             | -17.14         | 25.41         | 3           | Horizontal | 103            | 2.50          | -       | 36.60      | 6.81       | 31.96      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2412MHz\_TX




EUT Y\_1TX(Port2)  
Setting 29  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3896G      | 61.28             | 74.00             | -12.72         | 30.75         | 3           | Vertical  | 121            | 1.76          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.3892G      | 53.27             | 54.00             | -0.73          | 22.74         | 3           | Vertical  | 121            | 1.76          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.411G       | 121.36            | Inf               | -Inf           | 90.71         | 3           | Vertical  | 121            | 1.76          | -       | 27.44      | 3.21       | -          |  |  |  |
| AV   | 2.4112G      | 117.76            | Inf               | -Inf           | 87.11         | 3           | Vertical  | 121            | 1.76          | -       | 27.44      | 3.21       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2412MHz\_TX




EUT Y\_1TX(Port2)  
Setting 29  
02-F-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.82402G | 54.60    | 74.00    | -19.40 | 47.39  | 3    | Vertical  | 294     | 2.92   | -       | 32.40 | 5.61 | 30.80 |  |  |  |
| AV   | 4.82398G | 52.15    | 54.00    | -1.85  | 44.94  | 3    | Vertical  | 294     | 2.92   | -       | 32.40 | 5.61 | 30.80 |  |  |  |

### 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

#### 2412MHz\_TX




EUT\_Y\_1TX(Port2)  
Setting 29  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.82384G     | 47.22             | 74.00             | -26.78         | 40.01         | 3           | Horizontal | 42             | 1.80          | -       | 32.40      | 5.61       | 30.80      |  |  |  |
| AV   | 4.82398G     | 40.57             | 54.00             | -13.43         | 33.36         | 3           | Horizontal | 42             | 1.80          | -       | 32.40      | 5.61       | 30.80      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2437MHz\_TX




EUT\_Y\_1TX(Port2)  
Setting 28.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.389G       | 57.52             | 74.00             | -16.48         | 27.00         | 3           | Vertical  | 203            | 1.93          | -       | 27.33      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 46.57             | 54.00             | -7.43          | 16.04         | 3           | Vertical  | 203            | 1.93          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4378G      | 123.66            | Inf               | -Inf           | 92.89         | 3           | Vertical  | 203            | 1.93          | -       | 27.55      | 3.22       | -          |  |  |  |
| AV   | 2.4366G      | 119.89            | Inf               | -Inf           | 89.12         | 3           | Vertical  | 203            | 1.93          | -       | 27.55      | 3.22       | -          |  |  |  |
| PK   | 2.4835G      | 56.15             | 74.00             | -17.85         | 25.11         | 3           | Vertical  | 203            | 1.93          | -       | 27.80      | 3.24       | -          |  |  |  |
| AV   | 2.485G       | 45.82             | 54.00             | -8.18          | 14.77         | 3           | Vertical  | 203            | 1.93          | -       | 27.81      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2437MHz\_TX




EUT\_Y\_1TX(Port2)  
Setting 28.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.87402G     | 55.93             | 74.00             | -18.07         | 48.52         | 3           | Vertical  | 357            | 2.87          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| AV   | 4.87398G     | 53.06             | 54.00             | -0.94          | 45.65         | 3           | Vertical  | 357            | 2.87          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| PK   | 7.30972G     | 49.78             | 74.00             | -24.22         | 38.09         | 3           | Vertical  | 177            | 1.08          | -       | 36.76      | 6.85       | 31.92      |  |  |  |
| AV   | 7.31362G     | 37.45             | 54.00             | -16.55         | 25.78         | 3           | Vertical  | 177            | 1.08          | -       | 36.75      | 6.84       | 31.92      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2437MHz\_TX




EUT Y\_1TX(Port2)  
Setting 28.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.87394G     | 48.55             | 74.00             | -25.45         | 41.14         | 3           | Horizontal | 289            | 1.82          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| AV   | 4.87404G     | 42.10             | 54.00             | -11.90         | 34.69         | 3           | Horizontal | 289            | 1.82          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| PK   | 7.3109G      | 50.25             | 74.00             | -23.75         | 38.57         | 3           | Horizontal | 349            | 1.18          | -       | 36.76      | 6.84       | 31.92      |  |  |  |
| AV   | 7.31592G     | 37.49             | 54.00             | -16.51         | 25.83         | 3           | Horizontal | 349            | 1.18          | -       | 36.74      | 6.84       | 31.92      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2462MHz\_TX




EUT Y\_1TX(Port2)  
Setting 27.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 2.461G       | 120.26            | Inf               | -Inf           | 89.36         | 3           | Vertical  | 203            | 1.77          | -       | 27.67      | 3.23       | -          |  |  |  |  |
| AV   | 2.4612G      | 116.63            | Inf               | -Inf           | 85.73         | 3           | Vertical  | 203            | 1.77          | -       | 27.67      | 3.23       | -          |  |  |  |  |
| PK   | 2.4836G      | 59.11             | 74.00             | -14.89         | 28.07         | 3           | Vertical  | 203            | 1.77          | -       | 27.80      | 3.24       | -          |  |  |  |  |
| AV   | 2.4835G      | 50.87             | 54.00             | -3.13          | 19.83         | 3           | Vertical  | 203            | 1.77          | -       | 27.80      | 3.24       | -          |  |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2462MHz\_TX




EUT\_Y\_1TX(Port2)  
Setting 27.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.92394G     | 54.64             | 74.00             | -19.36         | 47.00         | 3           | Vertical  | 198            | 2.97          | -       | 32.74      | 5.66       | 30.76      |  |  |  |
| AV   | 4.92398G     | 51.86             | 54.00             | -2.14          | 44.22         | 3           | Vertical  | 198            | 2.97          | -       | 32.74      | 5.66       | 30.76      |  |  |  |
| PK   | 7.38556G     | 49.92             | 74.00             | -24.08         | 38.47         | 3           | Vertical  | 276            | 1.86          | -       | 36.60      | 6.81       | 31.96      |  |  |  |
| AV   | 7.39092G     | 38.14             | 54.00             | -15.86         | 26.71         | 3           | Vertical  | 276            | 1.86          | -       | 36.60      | 6.80       | 31.97      |  |  |  |

### 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

#### 2462MHz\_TX




EUT\_Y\_1TX(Port2)  
Setting 27.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.92396G     | 47.33             | 74.00             | -26.67         | 39.69         | 3           | Horizontal | 286            | 1.80          | -       | 32.74      | 5.66       | 30.76      |  |  |  |
| AV   | 4.92396G     | 38.59             | 54.00             | -15.41         | 30.95         | 3           | Horizontal | 286            | 1.80          | -       | 32.74      | 5.66       | 30.76      |  |  |  |
| PK   | 7.38228G     | 50.38             | 74.00             | -23.62         | 38.93         | 3           | Horizontal | 99             | 1.57          | -       | 36.60      | 6.81       | 31.96      |  |  |  |
| AV   | 7.38682G     | 37.82             | 54.00             | -16.18         | 26.37         | 3           | Horizontal | 99             | 1.57          | -       | 36.60      | 6.81       | 31.96      |  |  |  |

### 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

#### 2412MHz\_TX




EUT Y\_1TX(Port2)  
Setting 25.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.39G        | 65.35             | 74.00             | -8.65          | 34.81         | 3           | Vertical  | 172            | 1.76          | -       | 27.34      | 3.20       | -          |  |  |  |
| AV   | 2.39G        | 52.14             | 54.00             | -1.86          | 21.60         | 3           | Vertical  | 172            | 1.76          | -       | 27.34      | 3.20       | -          |  |  |  |
| PK   | 2.4088G      | 119.42            | Inf               | -Inf           | 88.78         | 3           | Vertical  | 172            | 1.76          | -       | 27.44      | 3.20       | -          |  |  |  |
| AV   | 2.409G       | 109.06            | Inf               | -Inf           | 78.42         | 3           | Vertical  | 172            | 1.76          | -       | 27.44      | 3.20       | -          |  |  |  |

### 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

#### 2412MHz\_TX




EUT Y\_1TX(Port2)  
Setting 25.5  
02-F-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.83756G | 45.49    | 74.00    | -28.51 | 38.22  | 3    | Vertical  | 144     | 2.55   | -       | 32.45 | 5.62 | 30.80 |  |  |  |
| AV   | 4.82628G | 33.22    | 54.00    | -20.78 | 26.00  | 3    | Vertical  | 144     | 2.55   | -       | 32.41 | 5.61 | 30.80 |  |  |  |

### 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

#### 2412MHz\_TX




EUT V\_1TX(Port2)  
Setting 25.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.83006G     | 45.67             | 74.00             | -28.33         | 38.43         | 3           | Horizontal | 80             | 2.83          | -       | 32.42      | 5.62       | 30.80      |  |  |  |
| AV   | 4.82616G     | 33.25             | 54.00             | -20.75         | 26.04         | 3           | Horizontal | 80             | 2.83          | -       | 32.40      | 5.61       | 30.80      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2417MHz\_TX




EUT\_Y\_1TX(Port2)  
Setting 27  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3886G      | 65.94             | 74.00             | -8.06          | 35.42         | 3           | Vertical  | 205            | 2.21          | -       | 27.33      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 52.59             | 54.00             | -1.41          | 22.06         | 3           | Vertical  | 205            | 2.21          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4138G      | 120.81            | Inf               | -Inf           | 90.14         | 3           | Vertical  | 205            | 2.21          | -       | 27.46      | 3.21       | -          |  |  |  |
| AV   | 2.4138G      | 110.75            | Inf               | -Inf           | 80.08         | 3           | Vertical  | 205            | 2.21          | -       | 27.46      | 3.21       | -          |  |  |  |
| PK   | 2.4922G      | 57.11             | 74.00             | -16.89         | 26.01         | 3           | Vertical  | 205            | 2.21          | -       | 27.85      | 3.25       | -          |  |  |  |
| AV   | 2.4835G      | 45.14             | 54.00             | -8.86          | 14.10         | 3           | Vertical  | 205            | 2.21          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2437MHz\_TX




EUT\_Y\_1TX(Port2)  
Setting 29  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3898G      | 62.15             | 74.00             | -11.85         | 31.62         | 3           | Vertical  | 203            | 1.94          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 50.42             | 54.00             | -3.58          | 19.89         | 3           | Vertical  | 203            | 1.94          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4386G      | 125.38            | Inf               | -Inf           | 94.61         | 3           | Vertical  | 203            | 1.94          | -       | 27.55      | 3.22       | -          |  |  |  |
| AV   | 2.4402G      | 114.93            | Inf               | -Inf           | 84.15         | 3           | Vertical  | 203            | 1.94          | -       | 27.56      | 3.22       | -          |  |  |  |
| PK   | 2.4835G      | 59.40             | 74.00             | -14.60         | 28.36         | 3           | Vertical  | 203            | 1.94          | -       | 27.80      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 47.99             | 54.00             | -6.01          | 16.95         | 3           | Vertical  | 203            | 1.94          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2437MHz\_TX




EUT\_Y\_1TX(Port2)  
Setting 29  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.87448G     | 54.32             | 74.00             | -19.68         | 46.91         | 3           | Vertical  | 334            | 2.87          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| AV   | 4.87424G     | 40.86             | 54.00             | -13.14         | 33.45         | 3           | Vertical  | 334            | 2.87          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| PK   | 7.32402G     | 50.23             | 74.00             | -23.77         | 38.62         | 3           | Vertical  | 12             | 1.01          | -       | 36.70      | 6.84       | 31.93      |  |  |  |
| AV   | 7.3218G      | 37.39             | 54.00             | -16.61         | 25.77         | 3           | Vertical  | 12             | 1.01          | -       | 36.71      | 6.84       | 31.93      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2437MHz\_TX




EUT\_Y\_1TX(Port2)  
Setting 29  
02-F-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.86806G | 46.47    | 74.00    | -27.53 | 39.09  | 3    | Horizontal | 289     | 1.78   | -       | 32.54 | 5.63 | 30.79 |  |  |  |
| AV   | 4.87046G | 33.61    | 54.00    | -20.39 | 26.21  | 3    | Horizontal | 289     | 1.78   | -       | 32.54 | 5.64 | 30.78 |  |  |  |
| PK   | 7.32036G | 50.47    | 74.00    | -23.53 | 38.84  | 3    | Horizontal | 149     | 2.96   | -       | 36.72 | 6.84 | 31.93 |  |  |  |
| AV   | 7.3215G  | 37.02    | 54.00    | -16.98 | 25.40  | 3    | Horizontal | 149     | 2.96   | -       | 36.71 | 6.84 | 31.93 |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2457MHz\_TX




EUT Y\_1TX(Port2)  
Setting 25.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3894G      | 56.85             | 74.00             | -17.15         | 26.32         | 3           | Vertical  | 203            | 1.91          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 45.89             | 54.00             | -8.11          | 15.36         | 3           | Vertical  | 203            | 1.91          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4538G      | 120.41            | Inf               | -Inf           | 89.56         | 3           | Vertical  | 203            | 1.91          | -       | 27.62      | 3.23       | -          |  |  |  |
| AV   | 2.4498G      | 110.58            | Inf               | -Inf           | 79.76         | 3           | Vertical  | 203            | 1.91          | -       | 27.60      | 3.22       | -          |  |  |  |
| PK   | 2.4835G      | 66.32             | 74.00             | -7.68          | 35.28         | 3           | Vertical  | 203            | 1.91          | -       | 27.80      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 51.67             | 54.00             | -2.33          | 20.63         | 3           | Vertical  | 203            | 1.91          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT\_Y\_1TX(Port2)  
Setting 25  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.4588G      | 119.40            | Inf               | -Inf           | 88.52         | 3           | Vertical  | 203            | 1.92          | -       | 27.65      | 3.23       | -          |  |  |  |
| AV   | 2.4554G      | 109.50            | Inf               | -Inf           | 78.64         | 3           | Vertical  | 203            | 1.92          | -       | 27.63      | 3.23       | -          |  |  |  |
| PK   | 2.486G       | 67.60             | 74.00             | -6.40          | 36.54         | 3           | Vertical  | 203            | 1.92          | -       | 27.82      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 53.99             | 54.00             | -0.01          | 22.95         | 3           | Vertical  | 203            | 1.92          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT\_Y\_1TX(Port2)  
Setting 25  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.92016G     | 45.42             | 74.00             | -28.58         | 37.80         | 3           | Vertical  | 211            | 1.13          | -       | 32.72      | 5.66       | 30.76      |  |  |  |
| AV   | 4.9366G      | 32.75             | 54.00             | -21.25         | 25.02         | 3           | Vertical  | 211            | 1.13          | -       | 32.82      | 5.67       | 30.76      |  |  |  |
| PK   | 7.39152G     | 50.37             | 74.00             | -23.63         | 38.94         | 3           | Vertical  | 14             | 2.24          | -       | 36.60      | 6.80       | 31.97      |  |  |  |
| AV   | 7.39422G     | 37.01             | 54.00             | -16.99         | 25.58         | 3           | Vertical  | 14             | 2.24          | -       | 36.60      | 6.80       | 31.97      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT\_Y\_1TX(Port2)  
Setting 25  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.91608G     | 45.10             | 74.00             | -28.90         | 37.51         | 3           | Horizontal | 135            | 2.29          | -       | 32.70      | 5.66       | 30.77      |  |  |  |
| AV   | 4.93222G     | 32.64             | 54.00             | -21.36         | 24.94         | 3           | Horizontal | 135            | 2.29          | -       | 32.79      | 5.67       | 30.76      |  |  |  |
| PK   | 7.37298G     | 49.77             | 74.00             | -24.23         | 38.32         | 3           | Horizontal | 240            | 2.17          | -       | 36.60      | 6.81       | 31.96      |  |  |  |
| AV   | 7.4007G      | 36.97             | 54.00             | -17.03         | 25.54         | 3           | Horizontal | 240            | 2.17          | -       | 36.60      | 6.80       | 31.97      |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT Y\_1TX(Port2)  
Setting 25.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.39G        | 65.27             | 74.00             | -8.73          | 34.73         | 3           | Vertical  | 170            | 1.80          | -       | 27.34      | 3.20       | -          |  |  |  |
| AV   | 2.3898G      | 51.92             | 54.00             | -2.08          | 21.39         | 3           | Vertical  | 170            | 1.80          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4066G      | 120.86            | Inf               | -Inf           | 90.23         | 3           | Vertical  | 170            | 1.80          | -       | 27.43      | 3.20       | -          |  |  |  |
| AV   | 2.4086G      | 107.61            | Inf               | -Inf           | 76.98         | 3           | Vertical  | 170            | 1.80          | -       | 27.43      | 3.20       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT Y\_1TX(Port2)  
Setting 25.5  
02-F-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.82236G | 45.58    | 74.00    | -28.42 | 38.38  | 3    | Vertical  | 237     | 1.58   | -       | 32.39 | 5.61 | 30.80 |  |  |  |
| AV   | 4.8204G  | 32.12    | 54.00    | -21.88 | 24.94  | 3    | Vertical  | 237     | 1.58   | -       | 32.38 | 5.61 | 30.81 |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT Y\_1TX(Port2)  
Setting 25.5  
02-F-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.82112G | 45.72    | 74.00    | -28.28 | 38.54  | 3    | Horizontal | 203     | 1.68   | -       | 32.38 | 5.61 | 30.81 |  |  |  |
| AV   | 4.8216G  | 32.02    | 54.00    | -21.98 | 24.82  | 3    | Horizontal | 203     | 1.68   | -       | 32.39 | 5.61 | 30.80 |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2417MHz\_TX




EUT\_Y\_1TX(Port2)  
Setting 27  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3894G      | 70.46             | 74.00             | -3.54          | 39.93         | 3           | Vertical  | 206            | 2.21          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 51.68             | 54.00             | -2.32          | 21.15         | 3           | Vertical  | 206            | 2.21          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4134G      | 122.08            | Inf               | -Inf           | 91.42         | 3           | Vertical  | 206            | 2.21          | -       | 27.45      | 3.21       | -          |  |  |  |
| AV   | 2.4122G      | 109.14            | Inf               | -Inf           | 78.48         | 3           | Vertical  | 206            | 2.21          | -       | 27.45      | 3.21       | -          |  |  |  |
| PK   | 2.4838G      | 55.84             | 74.00             | -18.16         | 24.80         | 3           | Vertical  | 206            | 2.21          | -       | 27.80      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 44.84             | 54.00             | -9.16          | 13.80         | 3           | Vertical  | 206            | 2.21          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT\_V\_1TX(Port2)  
Setting 29  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3898G      | 62.07             | 74.00             | -11.93         | 31.54         | 3           | Vertical  | 202            | 1.95          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 50.45             | 54.00             | -3.55          | 19.92         | 3           | Vertical  | 202            | 1.95          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4422G      | 126.31            | Inf               | -Inf           | 95.52         | 3           | Vertical  | 202            | 1.95          | -       | 27.57      | 3.22       | -          |  |  |  |
| AV   | 2.4414G      | 113.23            | Inf               | -Inf           | 82.44         | 3           | Vertical  | 202            | 1.95          | -       | 27.57      | 3.22       | -          |  |  |  |
| PK   | 2.4835G      | 59.79             | 74.00             | -14.21         | 28.75         | 3           | Vertical  | 202            | 1.95          | -       | 27.80      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 47.89             | 54.00             | -6.11          | 16.85         | 3           | Vertical  | 202            | 1.95          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT\_Y\_1TX(Port2)  
Setting 29  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.87474G     | 54.24             | 74.00             | -19.76         | 46.83         | 3           | Vertical  | 355            | 2.86          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| AV   | 4.87272G     | 38.74             | 54.00             | -15.26         | 31.33         | 3           | Vertical  | 355            | 2.86          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| PK   | 7.31436G     | 49.99             | 74.00             | -24.01         | 38.33         | 3           | Vertical  | 190            | 1.28          | -       | 36.74      | 6.84       | 31.92      |  |  |  |
| AV   | 7.3154G      | 36.47             | 54.00             | -17.53         | 24.81         | 3           | Vertical  | 190            | 1.28          | -       | 36.74      | 6.84       | 31.92      |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT Y\_1TX(Port2)  
Setting 29  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.87228G     | 46.70             | 74.00             | -27.30         | 39.30         | 3           | Horizontal | 262            | 1.07          | -       | 32.54      | 5.64       | 30.78      |  |  |  |
| AV   | 4.87262G     | 33.07             | 54.00             | -20.93         | 25.66         | 3           | Horizontal | 262            | 1.07          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| PK   | 7.30886G     | 49.67             | 74.00             | -24.33         | 37.98         | 3           | Horizontal | 290            | 1.05          | -       | 36.76      | 6.85       | 31.92      |  |  |  |
| AV   | 7.31418G     | 36.55             | 54.00             | -17.45         | 24.89         | 3           | Horizontal | 290            | 1.05          | -       | 36.74      | 6.84       | 31.92      |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2457MHz\_TX




EUT\_Y\_1TX(Port2)  
Setting 26  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.389G       | 57.39             | 74.00             | -16.61         | 26.87         | 3           | Vertical  | 203            | 1.92          | -       | 27.33      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 45.73             | 54.00             | -8.27          | 15.20         | 3           | Vertical  | 203            | 1.92          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4522G      | 122.40            | Inf               | -Inf           | 91.56         | 3           | Vertical  | 203            | 1.92          | -       | 27.61      | 3.23       | -          |  |  |  |
| AV   | 2.4506G      | 109.56            | Inf               | -Inf           | 78.73         | 3           | Vertical  | 203            | 1.92          | -       | 27.60      | 3.23       | -          |  |  |  |
| PK   | 2.4835G      | 68.05             | 74.00             | -5.95          | 37.01         | 3           | Vertical  | 203            | 1.92          | -       | 27.80      | 3.24       | -          |  |  |  |
| AV   | 2.4838G      | 52.63             | 54.00             | -1.37          | 21.59         | 3           | Vertical  | 203            | 1.92          | -       | 27.80      | 3.24       | -          |  |  |  |

### 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 2462MHz\_TX




EUT Y\_1TX(Port2)  
Setting 25  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.4562G      | 121.81            | Inf               | -Inf           | 90.94         | 3           | Vertical  | 199            | 1.94          | -       | 27.64      | 3.23       | -          |  |  |  |
| AV   | 2.4542G      | 107.88            | Inf               | -Inf           | 77.02         | 3           | Vertical  | 199            | 1.94          | -       | 27.63      | 3.23       | -          |  |  |  |
| PK   | 2.4835G      | 69.65             | 74.00             | -4.35          | 38.61         | 3           | Vertical  | 199            | 1.94          | -       | 27.80      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 53.10             | 54.00             | -0.90          | 22.06         | 3           | Vertical  | 199            | 1.94          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX




EUT Y\_1TX(Port2)  
Setting 25  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.92462G     | 45.70             | 74.00             | -28.30         | 38.05         | 3           | Vertical  | 91             | 2.27          | -       | 32.75      | 5.66       | 30.76      |  |  |  |
| AV   | 4.9237G      | 32.36             | 54.00             | -21.64         | 24.72         | 3           | Vertical  | 91             | 2.27          | -       | 32.74      | 5.66       | 30.76      |  |  |  |
| PK   | 7.38866G     | 50.30             | 74.00             | -23.70         | 38.86         | 3           | Vertical  | 292            | 2.15          | -       | 36.60      | 6.81       | 31.97      |  |  |  |
| AV   | 7.38584G     | 36.81             | 54.00             | -17.19         | 25.36         | 3           | Vertical  | 292            | 2.15          | -       | 36.60      | 6.81       | 31.96      |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX




EUT\_Y\_1TX(Port2)  
Setting 25  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.9263G      | 46.21             | 74.00             | -27.79         | 38.55         | 3           | Horizontal | 131            | 1.55          | -       | 32.76      | 5.66       | 30.76      |  |  |  |
| AV   | 4.92326G     | 32.46             | 54.00             | -21.54         | 24.82         | 3           | Horizontal | 131            | 1.55          | -       | 32.74      | 5.66       | 30.76      |  |  |  |
| PK   | 7.38244G     | 50.17             | 74.00             | -23.83         | 38.72         | 3           | Horizontal | 125            | 2.92          | -       | 36.60      | 6.81       | 31.96      |  |  |  |
| AV   | 7.38376G     | 36.73             | 54.00             | -17.27         | 25.28         | 3           | Horizontal | 125            | 2.92          | -       | 36.60      | 6.81       | 31.96      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

### 2412MHz\_TX




EUT\_Y\_2TX  
Setting 28  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3892G      | 61.74             | 74.00             | -12.26         | 31.21         | 3           | Vertical  | 174            | 1.59          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.3888G      | 52.97             | 54.00             | -1.03          | 22.45         | 3           | Vertical  | 174            | 1.59          | -       | 27.33      | 3.19       | -          |  |  |  |
| PK   | 2.413G       | 126.49            | Inf               | -Inf           | 95.83         | 3           | Vertical  | 174            | 1.59          | -       | 27.45      | 3.21       | -          |  |  |  |
| AV   | 2.4114G      | 122.62            | Inf               | -Inf           | 91.96         | 3           | Vertical  | 174            | 1.59          | -       | 27.45      | 3.21       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

### 2412MHz\_TX




EUT\_Y\_2TX  
Setting 28  
02-F-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.82396G | 53.46    | 74.00    | -20.54 | 46.25  | 3    | Vertical  | 305     | 1.68   | -       | 32.40 | 5.61 | 30.80 |  |  |  |
| AV   | 4.82402G | 50.20    | 54.00    | -3.80  | 42.99  | 3    | Vertical  | 305     | 1.68   | -       | 32.40 | 5.61 | 30.80 |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

### 2412MHz\_TX




EUT\_Y\_2TX  
Setting 28  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.82398G     | 48.48             | 74.00             | -25.52         | 41.27         | 3           | Horizontal | 159            | 1.80          | -       | 32.40      | 5.61       | 30.80      |  |  |  |
| AV   | 4.82404G     | 41.78             | 54.00             | -12.22         | 34.57         | 3           | Horizontal | 159            | 1.80          | -       | 32.40      | 5.61       | 30.80      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 26  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3882G      | 56.07             | 74.00             | -17.93         | 25.55         | 3           | Vertical  | 151            | 1.72          | -       | 27.33      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 46.05             | 54.00             | -7.95          | 15.52         | 3           | Vertical  | 151            | 1.72          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4378G      | 106.23            | Inf               | -Inf           | 75.46         | 3           | Vertical  | 151            | 1.72          | -       | 27.55      | 3.22       | -          |  |  |  |
| AV   | 2.439G       | 102.44            | Inf               | -Inf           | 71.66         | 3           | Vertical  | 151            | 1.72          | -       | 27.56      | 3.22       | -          |  |  |  |
| PK   | 2.4838G      | 57.87             | 74.00             | -16.13         | 26.83         | 3           | Vertical  | 151            | 1.72          | -       | 27.80      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 47.49             | 54.00             | -6.51          | 16.45         | 3           | Vertical  | 151            | 1.72          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 26  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.87406G     | 56.23             | 74.00             | -17.77         | 48.82         | 3           | Vertical  | 114            | 1.11          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| AV   | 4.874G       | 53.68             | 54.00             | -0.32          | 46.27         | 3           | Vertical  | 114            | 1.11          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| PK   | 7.30868G     | 49.77             | 74.00             | -24.23         | 38.07         | 3           | Vertical  | 144            | 2.59          | -       | 36.77      | 6.85       | 31.92      |  |  |  |
| AV   | 7.30952G     | 37.76             | 54.00             | -16.24         | 26.07         | 3           | Vertical  | 144            | 2.59          | -       | 36.76      | 6.85       | 31.92      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 26  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.87416G     | 48.75             | 74.00             | -25.25         | 41.34         | 3           | Horizontal | 340            | 1.80          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| AV   | 4.87406G     | 42.55             | 54.00             | -11.45         | 35.14         | 3           | Horizontal | 340            | 1.80          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| PK   | 7.31436G     | 49.38             | 74.00             | -24.62         | 37.72         | 3           | Horizontal | 259            | 2.76          | -       | 36.74      | 6.84       | 31.92      |  |  |  |
| AV   | 7.30682G     | 37.25             | 54.00             | -16.75         | 25.55         | 3           | Horizontal | 259            | 2.76          | -       | 36.77      | 6.85       | 31.92      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 24.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.463G       | 123.30            | Inf               | -Inf           | 92.39         | 3           | Vertical  | 175            | 1.54          | -       | 27.68      | 3.23       | -          |  |  |  |
| AV   | 2.4614G      | 119.73            | Inf               | -Inf           | 88.83         | 3           | Vertical  | 175            | 1.54          | -       | 27.67      | 3.23       | -          |  |  |  |
| PK   | 2.484G       | 58.70             | 74.00             | -15.30         | 27.66         | 3           | Vertical  | 175            | 1.54          | -       | 27.80      | 3.24       | -          |  |  |  |
| AV   | 2.4842G      | 47.81             | 54.00             | -6.19          | 16.76         | 3           | Vertical  | 175            | 1.54          | -       | 27.81      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 24.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.9239G      | 56.58             | 74.00             | -17.42         | 48.94         | 3           | Vertical  | 42             | 1.74          | -       | 32.74      | 5.66       | 30.76      |  |  |  |
| AV   | 4.92402G     | 53.88             | 54.00             | -0.12          | 46.24         | 3           | Vertical  | 42             | 1.74          | -       | 32.74      | 5.66       | 30.76      |  |  |  |
| PK   | 7.38368G     | 50.60             | 74.00             | -23.40         | 39.15         | 3           | Vertical  | 12             | 1.86          | -       | 36.60      | 6.81       | 31.96      |  |  |  |
| AV   | 7.38368G     | 38.06             | 54.00             | -15.94         | 26.61         | 3           | Vertical  | 12             | 1.86          | -       | 36.60      | 6.81       | 31.96      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 24.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.924G       | 49.06             | 74.00             | -24.94         | 41.42         | 3           | Horizontal | 141            | 1.80          | -       | 32.74      | 5.66       | 30.76      |  |  |  |
| AV   | 4.92394G     | 42.48             | 54.00             | -11.52         | 34.84         | 3           | Horizontal | 141            | 1.80          | -       | 32.74      | 5.66       | 30.76      |  |  |  |
| PK   | 7.3817G      | 50.22             | 74.00             | -23.78         | 38.77         | 3           | Horizontal | 166            | 1.33          | -       | 36.60      | 6.81       | 31.96      |  |  |  |
| AV   | 7.38382G     | 38.21             | 54.00             | -15.79         | 26.76         | 3           | Horizontal | 166            | 1.33          | -       | 36.60      | 6.81       | 31.96      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2412MHz\_TX




EUT\_Y\_2TX  
Setting 25  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3898G      | 68.84             | 74.00             | -5.16          | 38.31         | 3           | Vertical  | 172            | 1.80          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.39G        | 53.20             | 54.00             | -0.80          | 22.66         | 3           | Vertical  | 172            | 1.80          | -       | 27.34      | 3.20       | -          |  |  |  |
| PK   | 2.4148G      | 123.52            | Inf               | -Inf           | 92.85         | 3           | Vertical  | 172            | 1.80          | -       | 27.46      | 3.21       | -          |  |  |  |
| AV   | 2.4146G      | 113.87            | Inf               | -Inf           | 83.20         | 3           | Vertical  | 172            | 1.80          | -       | 27.46      | 3.21       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2412MHz\_TX




EUT\_Y\_2TX  
Setting 25  
02-F-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.8242G  | 47.27    | 74.00    | -26.73 | 40.06  | 3    | Vertical  | 318     | 2.53   | -       | 32.40 | 5.61 | 30.80 |  |  |  |
| AV   | 4.82364G | 34.30    | 54.00    | -19.70 | 27.10  | 3    | Vertical  | 318     | 2.53   | -       | 32.39 | 5.61 | 30.80 |  |  |  |

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

2412MHz\_TX




EUT\_Y\_2TX  
Setting 25  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.8328G      | 45.82             | 74.00             | -28.18         | 38.57         | 3           | Horizontal | 136            | 2.97          | -       | 32.43      | 5.62       | 30.80      |  |  |  |
| AV   | 4.822G       | 32.19             | 54.00             | -21.81         | 24.99         | 3           | Horizontal | 136            | 2.97          | -       | 32.39      | 5.61       | 30.80      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2417MHz\_TX




EUT\_Y\_2TX  
Setting 25.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3898G      | 64.49             | 74.00             | -9.51          | 33.96         | 3           | Vertical  | 175            | 1.93          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 53.17             | 54.00             | -0.83          | 22.64         | 3           | Vertical  | 175            | 1.93          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4202G      | 124.64            | Inf               | -Inf           | 93.95         | 3           | Vertical  | 175            | 1.93          | -       | 27.48      | 3.21       | -          |  |  |  |
| AV   | 2.4198G      | 114.85            | Inf               | -Inf           | 84.16         | 3           | Vertical  | 175            | 1.93          | -       | 27.48      | 3.21       | -          |  |  |  |
| PK   | 2.4838G      | 57.75             | 74.00             | -16.25         | 26.71         | 3           | Vertical  | 175            | 1.93          | -       | 27.80      | 3.24       | -          |  |  |  |
| AV   | 2.4838G      | 46.10             | 54.00             | -7.90          | 15.06         | 3           | Vertical  | 175            | 1.93          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 28.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3886G      | 66.09             | 74.00             | -7.91          | 35.57         | 3           | Vertical  | 199            | 1.98          | -       | 27.33      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 53.92             | 54.00             | -0.08          | 23.39         | 3           | Vertical  | 199            | 1.98          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4402G      | 128.78            | Inf               | -Inf           | 98.00         | 3           | Vertical  | 199            | 1.98          | -       | 27.56      | 3.22       | -          |  |  |  |
| AV   | 2.4398G      | 118.69            | Inf               | -Inf           | 87.91         | 3           | Vertical  | 199            | 1.98          | -       | 27.56      | 3.22       | -          |  |  |  |
| PK   | 2.4835G      | 65.06             | 74.00             | -8.94          | 34.02         | 3           | Vertical  | 199            | 1.98          | -       | 27.80      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 53.25             | 54.00             | -0.75          | 22.21         | 3           | Vertical  | 199            | 1.98          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 28.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.87452G     | 57.90             | 74.00             | -16.10         | 50.49         | 3           | Vertical  | 317            | 1.00          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| AV   | 4.87432G     | 44.01             | 54.00             | -9.99          | 36.60         | 3           | Vertical  | 317            | 1.00          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| PK   | 7.32088G     | 49.71             | 74.00             | -24.29         | 38.08         | 3           | Vertical  | 342            | 1.15          | -       | 36.72      | 6.84       | 31.93      |  |  |  |
| AV   | 7.32028G     | 36.61             | 54.00             | -17.39         | 24.98         | 3           | Vertical  | 342            | 1.15          | -       | 36.72      | 6.84       | 31.93      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 28.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.87612G     | 49.64             | 74.00             | -24.36         | 42.23         | 3           | Horizontal | 168            | 1.00          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| AV   | 4.87588G     | 35.99             | 54.00             | -18.01         | 28.58         | 3           | Horizontal | 168            | 1.00          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| PK   | 7.31456G     | 49.51             | 74.00             | -24.49         | 37.85         | 3           | Horizontal | 360            | 1.69          | -       | 36.74      | 6.84       | 31.92      |  |  |  |
| AV   | 7.31148G     | 36.68             | 54.00             | -17.32         | 25.01         | 3           | Horizontal | 360            | 1.69          | -       | 36.75      | 6.84       | 31.92      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2457MHz\_TX




EUT\_Y\_2TX  
Setting 25  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3878G      | 57.69             | 74.00             | -16.31         | 27.17         | 3           | Vertical  | 178            | 1.77          | -       | 27.33      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 46.47             | 54.00             | -7.53          | 15.94         | 3           | Vertical  | 178            | 1.77          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4538G      | 124.39            | Inf               | -Inf           | 93.54         | 3           | Vertical  | 178            | 1.77          | -       | 27.62      | 3.23       | -          |  |  |  |
| AV   | 2.4578G      | 114.38            | Inf               | -Inf           | 83.50         | 3           | Vertical  | 178            | 1.77          | -       | 27.65      | 3.23       | -          |  |  |  |
| PK   | 2.4835G      | 68.72             | 74.00             | -5.28          | 37.68         | 3           | Vertical  | 178            | 1.77          | -       | 27.80      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 53.99             | 54.00             | -0.01          | 22.95         | 3           | Vertical  | 178            | 1.77          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 24  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.4578G      | 123.51            | Inf               | -Inf           | 92.63         | 3           | Vertical  | 177            | 1.75          | -       | 27.65      | 3.23       | -          |  |  |  |
| AV   | 2.4576G      | 113.35            | Inf               | -Inf           | 82.47         | 3           | Vertical  | 177            | 1.75          | -       | 27.65      | 3.23       | -          |  |  |  |
| PK   | 2.4835G      | 65.20             | 74.00             | -8.80          | 34.16         | 3           | Vertical  | 177            | 1.75          | -       | 27.80      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 53.99             | 54.00             | -0.01          | 22.95         | 3           | Vertical  | 177            | 1.75          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 24  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.91924G     | 46.38             | 74.00             | -27.62         | 38.76         | 3           | Vertical  | 249            | 2.79          | -       | 32.72      | 5.66       | 30.76      |  |  |  |
| AV   | 4.9292G      | 34.62             | 54.00             | -19.38         | 26.94         | 3           | Vertical  | 249            | 2.79          | -       | 32.78      | 5.66       | 30.76      |  |  |  |
| PK   | 7.38556G     | 49.41             | 74.00             | -24.59         | 37.96         | 3           | Vertical  | 180            | 1.64          | -       | 36.60      | 6.81       | 31.96      |  |  |  |
| AV   | 7.3924G      | 36.83             | 54.00             | -17.17         | 25.40         | 3           | Vertical  | 180            | 1.64          | -       | 36.60      | 6.80       | 31.97      |  |  |  |

### 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

#### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 24  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.92784G     | 45.42             | 74.00             | -28.58         | 37.75         | 3           | Horizontal | 1              | 2.47          | -       | 32.77      | 5.66       | 30.76      |  |  |  |
| AV   | 4.92368G     | 32.28             | 54.00             | -21.72         | 24.64         | 3           | Horizontal | 1              | 2.47          | -       | 32.74      | 5.66       | 30.76      |  |  |  |
| PK   | 7.3762G      | 50.06             | 74.00             | -23.94         | 38.61         | 3           | Horizontal | 6              | 2.89          | -       | 36.60      | 6.81       | 31.96      |  |  |  |
| AV   | 7.39108G     | 36.93             | 54.00             | -17.07         | 25.50         | 3           | Horizontal | 6              | 2.89          | -       | 36.60      | 6.80       | 31.97      |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 2412MHz\_TX




EUT\_Y\_2TX  
Setting 25  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3898G      | 65.84             | 74.00             | -8.16          | 35.31         | 3           | Vertical  | 177            | 1.97          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.39G        | 53.96             | 54.00             | -0.04          | 23.42         | 3           | Vertical  | 177            | 1.97          | -       | 27.34      | 3.20       | -          |  |  |  |
| PK   | 2.4132G      | 125.50            | Inf               | -Inf           | 94.84         | 3           | Vertical  | 177            | 1.97          | -       | 27.45      | 3.21       | -          |  |  |  |
| AV   | 2.4134G      | 112.98            | Inf               | -Inf           | 82.32         | 3           | Vertical  | 177            | 1.97          | -       | 27.45      | 3.21       | -          |  |  |  |

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

2412MHz\_TX




EUT\_Y\_2TX  
Setting 25  
02-F-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.82532G | 47.95    | 74.00    | -26.05 | 40.74  | 3    | Vertical  | -0      | 2.51   | -       | 32.40 | 5.61 | 30.80 |  |  |  |
| AV   | 4.8264G  | 33.85    | 54.00    | -20.15 | 26.63  | 3    | Vertical  | -0      | 2.51   | -       | 32.41 | 5.61 | 30.80 |  |  |  |

### 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 2412MHz\_TX




EUT\_Y\_2TX  
Setting 25  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.82636G     | 47.81             | 74.00             | -26.19         | 40.59         | 3           | Horizontal | 96             | 2.54          | -       | 32.41      | 5.61       | 30.80      |  |  |  |
| AV   | 4.82728G     | 33.78             | 54.00             | -20.22         | 26.56         | 3           | Horizontal | 96             | 2.54          | -       | 32.41      | 5.61       | 30.80      |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 2417MHz\_TX




EUT\_Y\_2TX  
Setting 26  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3898G      | 72.25             | 74.00             | -1.75          | 41.72         | 3           | Vertical  | 165            | 1.98          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 53.83             | 54.00             | -0.17          | 23.30         | 3           | Vertical  | 165            | 1.98          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.419G       | 126.71            | Inf               | -Inf           | 96.02         | 3           | Vertical  | 165            | 1.98          | -       | 27.48      | 3.21       | -          |  |  |  |
| AV   | 2.4198G      | 113.49            | Inf               | -Inf           | 82.80         | 3           | Vertical  | 165            | 1.98          | -       | 27.48      | 3.21       | -          |  |  |  |
| PK   | 2.4842G      | 57.44             | 74.00             | -16.56         | 26.39         | 3           | Vertical  | 165            | 1.98          | -       | 27.81      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 46.08             | 54.00             | -7.92          | 15.04         | 3           | Vertical  | 165            | 1.98          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 28.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3894G      | 67.10             | 74.00             | -6.90          | 36.57         | 3           | Vertical  | 200            | 1.76          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 53.72             | 54.00             | -0.28          | 23.19         | 3           | Vertical  | 200            | 1.76          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4426G      | 129.53            | Inf               | -Inf           | 98.74         | 3           | Vertical  | 200            | 1.76          | -       | 27.57      | 3.22       | -          |  |  |  |
| AV   | 2.433G       | 117.38            | Inf               | -Inf           | 86.63         | 3           | Vertical  | 200            | 1.76          | -       | 27.53      | 3.22       | -          |  |  |  |
| PK   | 2.4835G      | 66.68             | 74.00             | -7.32          | 35.64         | 3           | Vertical  | 200            | 1.76          | -       | 27.80      | 3.24       | -          |  |  |  |
| AV   | 2.4846G      | 52.45             | 54.00             | -1.55          | 21.40         | 3           | Vertical  | 200            | 1.76          | -       | 27.81      | 3.24       | -          |  |  |  |

### 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 28.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.87658G     | 56.83             | 74.00             | -17.17         | 49.42         | 3           | Vertical  | 117            | 1.80          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| AV   | 4.877G       | 41.35             | 54.00             | -12.65         | 33.94         | 3           | Vertical  | 117            | 1.80          | -       | 32.55      | 5.64       | 30.78      |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 28.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.87526G     | 48.06             | 74.00             | -25.94         | 40.65         | 3           | Horizontal | 341            | 1.80          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| AV   | 4.87658G     | 34.77             | 54.00             | -19.23         | 27.36         | 3           | Horizontal | 341            | 1.80          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| PK   | 7.30098G     | 49.11             | 74.00             | -24.89         | 37.37         | 3           | Horizontal | 347            | 1.07          | -       | 36.80      | 6.85       | 31.91      |  |  |  |
| AV   | 7.31676G     | 36.24             | 54.00             | -17.76         | 24.59         | 3           | Horizontal | 347            | 1.07          | -       | 36.73      | 6.84       | 31.92      |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 2457MHz\_TX




EUT\_Y\_2TX  
Setting 25.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3866G      | 56.85             | 74.00             | -17.15         | 26.34         | 3           | Vertical  | 179            | 1.75          | -       | 27.32      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 46.23             | 54.00             | -7.77          | 15.70         | 3           | Vertical  | 179            | 1.75          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4586G      | 126.92            | Inf               | -Inf           | 96.04         | 3           | Vertical  | 179            | 1.75          | -       | 27.65      | 3.23       | -          |  |  |  |
| AV   | 2.4586G      | 113.47            | Inf               | -Inf           | 82.59         | 3           | Vertical  | 179            | 1.75          | -       | 27.65      | 3.23       | -          |  |  |  |
| PK   | 2.4866G      | 68.76             | 74.00             | -5.24          | 37.70         | 3           | Vertical  | 179            | 1.75          | -       | 27.82      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 52.01             | 54.00             | -1.99          | 20.97         | 3           | Vertical  | 179            | 1.75          | -       | 27.80      | 3.24       | -          |  |  |  |

### 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

#### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 23.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 2.4628G      | 124.65            | Inf               | -Inf           | 93.74         | 3           | Vertical  | 176            | 1.78          | -       | 27.68      | 3.23       | -          |  |  |  |  |
| AV   | 2.463G       | 111.60            | Inf               | -Inf           | 80.69         | 3           | Vertical  | 176            | 1.78          | -       | 27.68      | 3.23       | -          |  |  |  |  |
| PK   | 2.4842G      | 67.85             | 74.00             | -6.15          | 36.80         | 3           | Vertical  | 176            | 1.78          | -       | 27.81      | 3.24       | -          |  |  |  |  |
| AV   | 2.4835G      | 53.34             | 54.00             | -0.66          | 22.30         | 3           | Vertical  | 176            | 1.78          | -       | 27.80      | 3.24       | -          |  |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 23.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.92528G     | 44.63             | 74.00             | -29.37         | 36.98         | 3           | Vertical  | 318            | 2.43          | -       | 32.75      | 5.66       | 30.76      |  |  |  |
| AV   | 4.92596G     | 31.96             | 54.00             | -22.04         | 24.30         | 3           | Vertical  | 318            | 2.43          | -       | 32.76      | 5.66       | 30.76      |  |  |  |
| PK   | 7.37884G     | 49.68             | 74.00             | -24.32         | 38.23         | 3           | Vertical  | 350            | 2.99          | -       | 36.60      | 6.81       | 31.96      |  |  |  |
| AV   | 7.38276G     | 36.37             | 54.00             | -17.63         | 24.92         | 3           | Vertical  | 350            | 2.99          | -       | 36.60      | 6.81       | 31.96      |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 2462MHz\_TX



EUT Y\_2TX  
Setting 23.5  
02-F-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.93272G     | 45.77             | 74.00             | -28.23         | 38.06         | 3           | Horizontal | 232            | 1.47          | -       | 32.80      | 5.67       | 30.76      |  |  |  |
| AV   | 4.9306G      | 31.90             | 54.00             | -22.10         | 24.21         | 3           | Horizontal | 232            | 1.47          | -       | 32.78      | 5.67       | 30.76      |  |  |  |
| PK   | 7.37872G     | 50.18             | 74.00             | -23.82         | 38.73         | 3           | Horizontal | 170            | 2.13          | -       | 36.60      | 6.81       | 31.96      |  |  |  |
| AV   | 7.39348G     | 36.32             | 54.00             | -17.68         | 24.89         | 3           | Horizontal | 170            | 2.13          | -       | 36.60      | 6.80       | 31.97      |  |  |  |




**Summary**

| Mode                    | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|-------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 2.4-2.4835GHz           | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11g_Nss1(6Mbps)_1TX | Pass   | AV   | 2.39G        | 53.99             | 54.00             | -0.01          | 3           | Vertical  | 137            | 1.91          | -        |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2412MHz\_TX




EUT\_Y\_1TX  
Setting 25  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 2.3838G      | 64.96             | 74.00             | -9.04          | 34.47         | 3           | Vertical  | 136            | 1.75          | -       | 27.30      | 3.19       | -          |  |  |  |  |
| AV   | 2.3864G      | 53.89             | 54.00             | -0.11          | 23.38         | 3           | Vertical  | 136            | 1.75          | -       | 27.32      | 3.19       | -          |  |  |  |  |
| PK   | 2.411G       | 119.76            | Inf               | -Inf           | 89.11         | 3           | Vertical  | 136            | 1.75          | -       | 27.44      | 3.21       | -          |  |  |  |  |
| AV   | 2.4112G      | 116.11            | Inf               | -Inf           | 85.46         | 3           | Vertical  | 136            | 1.75          | -       | 27.44      | 3.21       | -          |  |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2412MHz\_TX




EUT Y\_1TX  
Setting 25  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 2.387G       | 59.84             | 74.00             | -14.16         | 29.33         | 3           | Horizontal | 186            | 2.47          | -       | 27.32      | 3.19       | -          |  |  |  |  |
| AV   | 2.387G       | 49.60             | 54.00             | -4.40          | 19.09         | 3           | Horizontal | 186            | 2.47          | -       | 27.32      | 3.19       | -          |  |  |  |  |
| PK   | 2.411G       | 114.87            | Inf               | -Inf           | 84.22         | 3           | Horizontal | 186            | 2.47          | -       | 27.44      | 3.21       | -          |  |  |  |  |
| AV   | 2.4112G      | 111.12            | Inf               | -Inf           | 80.47         | 3           | Horizontal | 186            | 2.47          | -       | 27.44      | 3.21       | -          |  |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2412MHz\_TX




EUT\_Y\_1TX  
Setting 25  
02-F-W-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 4.82386G | 51.63    | 74.00    | -22.37 | 44.42  | 3    | Vertical  | 190     | 1.80   | -       | 32.40 | 5.61 | 30.80 |  |  |  |  |
| AV   | 4.82398G | 47.43    | 54.00    | -6.57  | 40.22  | 3    | Vertical  | 190     | 1.80   | -       | 32.40 | 5.61 | 30.80 |  |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2412MHz\_TX




EUT\_Y\_1TX  
Setting 25  
02-F-W-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 4.82398G | 50.84    | 74.00    | -23.16 | 43.63  | 3    | Horizontal | 140     | 1.80   | -       | 32.40 | 5.61 | 30.80 |  |  |  |  |
| AV   | 4.82398G | 46.02    | 54.00    | -7.98  | 38.81  | 3    | Horizontal | 140     | 1.80   | -       | 32.40 | 5.61 | 30.80 |  |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2417MHz\_TX




EUT Y\_1TX  
Setting 25.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 2.3874G      | 63.72             | 74.00             | -10.28         | 33.21         | 3           | Vertical  | 142            | 2.18          | -       | 27.32      | 3.19       | -          |  |  |  |  |
| AV   | 2.3888G      | 53.81             | 54.00             | -0.19          | 23.29         | 3           | Vertical  | 142            | 2.18          | -       | 27.33      | 3.19       | -          |  |  |  |  |
| PK   | 2.418G       | 120.50            | Inf               | -Inf           | 89.82         | 3           | Vertical  | 142            | 2.18          | -       | 27.47      | 3.21       | -          |  |  |  |  |
| AV   | 2.4162G      | 116.64            | Inf               | -Inf           | 85.97         | 3           | Vertical  | 142            | 2.18          | -       | 27.46      | 3.21       | -          |  |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2417MHz\_TX




EUT Y\_1TX  
Setting 25.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 2.3894G      | 59.86             | 74.00             | -14.14         | 29.33         | 3           | Horizontal | 188            | 2.21          | -       | 27.34      | 3.19       | -          |  |  |  |  |
| AV   | 2.3886G      | 49.25             | 54.00             | -4.75          | 18.73         | 3           | Horizontal | 188            | 2.21          | -       | 27.33      | 3.19       | -          |  |  |  |  |
| PK   | 2.418G       | 114.90            | Inf               | -Inf           | 84.22         | 3           | Horizontal | 188            | 2.21          | -       | 27.47      | 3.21       | -          |  |  |  |  |
| AV   | 2.4162G      | 111.32            | Inf               | -Inf           | 80.65         | 3           | Horizontal | 188            | 2.21          | -       | 27.46      | 3.21       | -          |  |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2437MHz\_TX




EUT\_Y\_1TX  
Setting 28.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3898G      | 61.48             | 74.00             | -12.52         | 30.95         | 3           | Vertical  | 142            | 2.11          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 49.96             | 54.00             | -4.04          | 19.43         | 3           | Vertical  | 142            | 2.11          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4362G      | 123.41            | Inf               | -Inf           | 92.65         | 3           | Vertical  | 142            | 2.11          | -       | 27.54      | 3.22       | -          |  |  |  |
| AV   | 2.4362G      | 119.84            | Inf               | -Inf           | 89.08         | 3           | Vertical  | 142            | 2.11          | -       | 27.54      | 3.22       | -          |  |  |  |
| PK   | 2.4874G      | 58.08             | 74.00             | -15.92         | 27.02         | 3           | Vertical  | 142            | 2.11          | -       | 27.82      | 3.24       | -          |  |  |  |
| AV   | 2.4842G      | 47.01             | 54.00             | -6.99          | 15.96         | 3           | Vertical  | 142            | 2.11          | -       | 27.81      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2437MHz\_TX




EUT\_Y\_1TX  
Setting 28.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3894G      | 56.77             | 74.00             | -17.23         | 26.24         | 3           | Horizontal | 189            | 2.01          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.3894G      | 46.19             | 54.00             | -7.81          | 15.66         | 3           | Horizontal | 189            | 2.01          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4362G      | 117.27            | Inf               | -Inf           | 86.51         | 3           | Horizontal | 189            | 2.01          | -       | 27.54      | 3.22       | -          |  |  |  |
| AV   | 2.4362G      | 113.65            | Inf               | -Inf           | 82.89         | 3           | Horizontal | 189            | 2.01          | -       | 27.54      | 3.22       | -          |  |  |  |
| PK   | 2.4906G      | 55.37             | 74.00             | -18.63         | 24.28         | 3           | Horizontal | 189            | 2.01          | -       | 27.84      | 3.25       | -          |  |  |  |
| AV   | 2.485G       | 44.99             | 54.00             | -9.01          | 13.94         | 3           | Horizontal | 189            | 2.01          | -       | 27.81      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2437MHz\_TX




EUT\_Y\_1TX  
Setting 28.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.87392G     | 56.65             | 74.00             | -17.35         | 49.24         | 3           | Vertical  | 176            | 1.81          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| AV   | 4.874G       | 53.96             | 54.00             | -0.04          | 46.55         | 3           | Vertical  | 176            | 1.81          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| PK   | 7.30928G     | 55.27             | 74.00             | -18.73         | 43.58         | 3           | Vertical  | 138            | 1.47          | -       | 36.76      | 6.85       | 31.92      |  |  |  |
| AV   | 7.31174G     | 48.15             | 54.00             | -5.85          | 36.48         | 3           | Vertical  | 138            | 1.47          | -       | 36.75      | 6.84       | 31.92      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2437MHz\_TX




EUT\_Y\_1TX  
Setting 28.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.87392G     | 55.07             | 74.00             | -18.93         | 47.66         | 3           | Horizontal | 137            | 1.79          | -       | 32.55      | 5.64       | 30.78      |  |  |  |  |
| AV   | 4.87398G     | 51.98             | 54.00             | -2.02          | 44.57         | 3           | Horizontal | 137            | 1.79          | -       | 32.55      | 5.64       | 30.78      |  |  |  |  |
| PK   | 7.31182G     | 57.51             | 74.00             | -16.49         | 45.84         | 3           | Horizontal | 215            | 2.06          | -       | 36.75      | 6.84       | 31.92      |  |  |  |  |
| AV   | 7.31172G     | 51.18             | 54.00             | -2.82          | 39.51         | 3           | Horizontal | 215            | 2.06          | -       | 36.75      | 6.84       | 31.92      |  |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2462MHz\_TX




EUT\_Y\_1TX  
Setting 27.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 2.461G       | 121.56            | Inf               | -Inf           | 90.66         | 3           | Vertical  | 140            | 2.26          | -       | 27.67      | 3.23       | -          |  |  |  |  |
| AV   | 2.4614G      | 117.87            | Inf               | -Inf           | 86.97         | 3           | Vertical  | 140            | 2.26          | -       | 27.67      | 3.23       | -          |  |  |  |  |
| PK   | 2.4836G      | 61.33             | 74.00             | -12.67         | 30.29         | 3           | Vertical  | 140            | 2.26          | -       | 27.80      | 3.24       | -          |  |  |  |  |
| AV   | 2.4835G      | 51.57             | 54.00             | -2.43          | 20.53         | 3           | Vertical  | 140            | 2.26          | -       | 27.80      | 3.24       | -          |  |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2462MHz\_TX




EUT Y\_1TX  
Setting 27.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 2.461G       | 116.93            | Inf               | -Inf           | 86.03         | 3           | Horizontal | 148            | 2.20          | -       | 27.67      | 3.23       | -          |  |  |  |  |
| AV   | 2.4614G      | 113.25            | Inf               | -Inf           | 82.35         | 3           | Horizontal | 148            | 2.20          | -       | 27.67      | 3.23       | -          |  |  |  |  |
| PK   | 2.4842G      | 59.06             | 74.00             | -14.94         | 28.01         | 3           | Horizontal | 148            | 2.20          | -       | 27.81      | 3.24       | -          |  |  |  |  |
| AV   | 2.4835G      | 49.03             | 54.00             | -4.97          | 17.99         | 3           | Horizontal | 148            | 2.20          | -       | 27.80      | 3.24       | -          |  |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2462MHz\_TX




EUT\_Y\_1TX  
Setting 27.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.92398G     | 51.92             | 74.00             | -22.08         | 44.28         | 3           | Vertical  | 172            | 2.00          | -       | 32.74      | 5.66       | 30.76      |  |  |  |
| AV   | 4.92398G     | 47.67             | 54.00             | -6.33          | 40.03         | 3           | Vertical  | 172            | 2.00          | -       | 32.74      | 5.66       | 30.76      |  |  |  |
| PK   | 7.38724G     | 52.75             | 74.00             | -21.25         | 41.30         | 3           | Vertical  | 138            | 1.46          | -       | 36.60      | 6.81       | 31.96      |  |  |  |
| AV   | 7.38672G     | 43.12             | 54.00             | -10.88         | 31.67         | 3           | Vertical  | 138            | 1.46          | -       | 36.60      | 6.81       | 31.96      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_1TX

### 2462MHz\_TX




EUT\_Y\_1TX  
Setting 27.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.92396G     | 51.45             | 74.00             | -22.55         | 43.81         | 3           | Horizontal | 229            | 1.91          | -       | 32.74      | 5.66       | 30.76      |  |  |  |
| AV   | 4.924G       | 47.09             | 54.00             | -6.91          | 39.45         | 3           | Horizontal | 229            | 1.91          | -       | 32.74      | 5.66       | 30.76      |  |  |  |
| PK   | 7.3869G      | 54.50             | 74.00             | -19.50         | 43.05         | 3           | Horizontal | 218            | 1.69          | -       | 36.60      | 6.81       | 31.96      |  |  |  |
| AV   | 7.38528G     | 46.20             | 54.00             | -7.80          | 34.75         | 3           | Horizontal | 218            | 1.69          | -       | 36.60      | 6.81       | 31.96      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2412MHz\_TX




EUT\_Y\_1TX  
Setting 20.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3898G      | 68.60             | 74.00             | -5.40          | 38.07         | 3           | Vertical  | 137            | 1.91          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.39G        | 53.99             | 54.00             | -0.01          | 23.45         | 3           | Vertical  | 137            | 1.91          | -       | 27.34      | 3.20       | -          |  |  |  |
| PK   | 2.4162G      | 116.91            | Inf               | -Inf           | 86.24         | 3           | Vertical  | 137            | 1.91          | -       | 27.46      | 3.21       | -          |  |  |  |
| AV   | 2.4098G      | 106.79            | Inf               | -Inf           | 76.15         | 3           | Vertical  | 137            | 1.91          | -       | 27.44      | 3.20       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2412MHz\_TX




EUT\_Y\_1TX  
Setting 20.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 2.3896G      | 63.99             | 74.00             | -10.01         | 33.46         | 3           | Horizontal | 189            | 2.48          | -       | 27.34      | 3.19       | -          |  |  |  |  |
| AV   | 2.39G        | 49.72             | 54.00             | -4.28          | 19.18         | 3           | Horizontal | 189            | 2.48          | -       | 27.34      | 3.20       | -          |  |  |  |  |
| PK   | 2.4106G      | 111.51            | Inf               | -Inf           | 80.86         | 3           | Horizontal | 189            | 2.48          | -       | 27.44      | 3.21       | -          |  |  |  |  |
| AV   | 2.4102G      | 101.88            | Inf               | -Inf           | 71.23         | 3           | Horizontal | 189            | 2.48          | -       | 27.44      | 3.21       | -          |  |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2412MHz\_TX




EUT\_Y\_1TX  
Setting 20.5  
02-F-W-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.81932G | 45.91    | 74.00    | -28.09 | 38.73  | 3    | Vertical  | 117     | 1.83   | -       | 32.38 | 5.61 | 30.81 |  |  |  |
| AV   | 4.82246G | 32.41    | 54.00    | -21.59 | 25.21  | 3    | Vertical  | 117     | 1.83   | -       | 32.39 | 5.61 | 30.80 |  |  |  |

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

2412MHz\_TX




EUT\_Y\_1TX  
Setting 20.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.82352G     | 45.71             | 74.00             | -28.29         | 38.51         | 3           | Horizontal | 78             | 1.94          | -       | 32.39      | 5.61       | 30.80      |  |  |  |
| AV   | 4.82268G     | 32.34             | 54.00             | -21.66         | 25.14         | 3           | Horizontal | 78             | 1.94          | -       | 32.39      | 5.61       | 30.80      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2417MHz\_TX




EUT Y\_1TX  
Setting 23.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3896G      | 68.17             | 74.00             | -5.83          | 37.64         | 3           | Vertical  | 142            | 2.19          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 53.53             | 54.00             | -0.47          | 23.00         | 3           | Vertical  | 142            | 2.19          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4192G      | 119.70            | Inf               | -Inf           | 89.01         | 3           | Vertical  | 142            | 2.19          | -       | 27.48      | 3.21       | -          |  |  |  |
| AV   | 2.4192G      | 110.02            | Inf               | -Inf           | 79.33         | 3           | Vertical  | 142            | 2.19          | -       | 27.48      | 3.21       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2417MHz\_TX




EUT\_Y\_1TX  
Setting 23.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3894G      | 63.37             | 74.00             | -10.63         | 32.84         | 3           | Horizontal | 187            | 2.46          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 49.04             | 54.00             | -4.96          | 18.51         | 3           | Horizontal | 187            | 2.46          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4136G      | 115.02            | Inf               | -Inf           | 84.36         | 3           | Horizontal | 187            | 2.46          | -       | 27.45      | 3.21       | -          |  |  |  |
| AV   | 2.4138G      | 104.52            | Inf               | -Inf           | 73.85         | 3           | Horizontal | 187            | 2.46          | -       | 27.46      | 3.21       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2437MHz\_TX




EUT\_Y\_1TX  
Setting 29  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3882G      | 64.72             | 74.00             | -9.28          | 34.20         | 3           | Vertical  | 141            | 2.10          | -       | 27.33      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 50.87             | 54.00             | -3.13          | 20.34         | 3           | Vertical  | 141            | 2.10          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4394G      | 122.32            | Inf               | -Inf           | 91.54         | 3           | Vertical  | 141            | 2.10          | -       | 27.56      | 3.22       | -          |  |  |  |
| AV   | 2.4338G      | 112.70            | Inf               | -Inf           | 81.94         | 3           | Vertical  | 141            | 2.10          | -       | 27.54      | 3.22       | -          |  |  |  |
| PK   | 2.485G       | 64.81             | 74.00             | -9.19          | 33.76         | 3           | Vertical  | 141            | 2.10          | -       | 27.81      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 50.18             | 54.00             | -3.82          | 19.14         | 3           | Vertical  | 141            | 2.10          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2437MHz\_TX




EUT\_Y\_1TX  
Setting 29  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.389G       | 59.09             | 74.00             | -14.91         | 28.57         | 3           | Horizontal | 186            | 2.68          | -       | 27.33      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 46.74             | 54.00             | -7.26          | 16.21         | 3           | Horizontal | 186            | 2.68          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.433G       | 118.25            | Inf               | -Inf           | 87.50         | 3           | Horizontal | 186            | 2.68          | -       | 27.53      | 3.22       | -          |  |  |  |
| AV   | 2.4338G      | 107.78            | Inf               | -Inf           | 77.02         | 3           | Horizontal | 186            | 2.68          | -       | 27.54      | 3.22       | -          |  |  |  |
| PK   | 2.4835G      | 60.23             | 74.00             | -13.77         | 29.19         | 3           | Horizontal | 186            | 2.68          | -       | 27.80      | 3.24       | -          |  |  |  |
| AV   | 2.4838G      | 46.21             | 54.00             | -7.79          | 15.17         | 3           | Horizontal | 186            | 2.68          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2437MHz\_TX




EUT\_Y\_1TX  
Setting 29  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.8751G      | 52.33             | 74.00             | -21.67         | 44.92         | 3           | Vertical  | 176            | 1.80          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| AV   | 4.87422G     | 38.48             | 54.00             | -15.52         | 31.07         | 3           | Vertical  | 176            | 1.80          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| PK   | 7.3074G      | 53.09             | 74.00             | -20.91         | 41.39         | 3           | Vertical  | 137            | 1.48          | -       | 36.77      | 6.85       | 31.92      |  |  |  |
| AV   | 7.30926G     | 40.22             | 54.00             | -13.78         | 28.53         | 3           | Vertical  | 137            | 1.48          | -       | 36.76      | 6.85       | 31.92      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2437MHz\_TX




EUT\_Y\_1TX  
Setting 29  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.8704G      | 51.02             | 74.00             | -22.98         | 43.62         | 3           | Horizontal | 139            | 1.80          | -       | 32.54      | 5.64       | 30.78      |  |  |  |
| AV   | 4.87424G     | 37.48             | 54.00             | -16.52         | 30.07         | 3           | Horizontal | 139            | 1.80          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| PK   | 7.31574G     | 49.66             | 74.00             | -24.34         | 38.00         | 3           | Horizontal | 161            | 2.56          | -       | 36.74      | 6.84       | 31.92      |  |  |  |
| AV   | 7.31568G     | 37.13             | 54.00             | -16.87         | 25.47         | 3           | Horizontal | 161            | 2.56          | -       | 36.74      | 6.84       | 31.92      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2457MHz\_TX




EUT Y\_1TX  
Setting 24  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 2.4554G      | 119.64            | Inf               | -Inf           | 88.78         | 3           | Vertical  | 142            | 2.22          | -       | 27.63      | 3.23       | -          |  |  |  |  |
| AV   | 2.4546G      | 109.81            | Inf               | -Inf           | 78.95         | 3           | Vertical  | 142            | 2.22          | -       | 27.63      | 3.23       | -          |  |  |  |  |
| PK   | 2.4836G      | 71.00             | 74.00             | -3.00          | 39.96         | 3           | Vertical  | 142            | 2.22          | -       | 27.80      | 3.24       | -          |  |  |  |  |
| AV   | 2.484G       | 53.09             | 54.00             | -0.91          | 22.05         | 3           | Vertical  | 142            | 2.22          | -       | 27.80      | 3.24       | -          |  |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2457MHz\_TX




EUT Y\_1TX  
Setting 24  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 2.4572G      | 115.53            | Inf               | -Inf           | 84.66         | 3           | Horizontal | 150            | 2.20          | -       | 27.64      | 3.23       | -          |  |  |  |  |
| AV   | 2.4596G      | 105.12            | Inf               | -Inf           | 74.23         | 3           | Horizontal | 150            | 2.20          | -       | 27.66      | 3.23       | -          |  |  |  |  |
| PK   | 2.4835G      | 68.29             | 74.00             | -5.71          | 37.25         | 3           | Horizontal | 150            | 2.20          | -       | 27.80      | 3.24       | -          |  |  |  |  |
| AV   | 2.4835G      | 50.20             | 54.00             | -3.80          | 19.16         | 3           | Horizontal | 150            | 2.20          | -       | 27.80      | 3.24       | -          |  |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT\_Y\_1TX  
Setting 23.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 2.466G       | 119.63            | Inf               | -Inf           | 88.70         | 3           | Vertical  | 142            | 2.28          | -       | 27.70      | 3.23       | -          |  |  |  |  |
| AV   | 2.4588G      | 109.41            | Inf               | -Inf           | 78.53         | 3           | Vertical  | 142            | 2.28          | -       | 27.65      | 3.23       | -          |  |  |  |  |
| PK   | 2.4864G      | 71.27             | 74.00             | -2.73          | 40.21         | 3           | Vertical  | 142            | 2.28          | -       | 27.82      | 3.24       | -          |  |  |  |  |
| AV   | 2.4835G      | 53.60             | 54.00             | -0.40          | 22.56         | 3           | Vertical  | 142            | 2.28          | -       | 27.80      | 3.24       | -          |  |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT\_Y\_1TX  
Setting 23.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.46G        | 114.59            | Inf               | -Inf           | 83.70         | 3           | Horizontal | 147            | 2.64          | -       | 27.66      | 3.23       | -          |  |  |  |
| AV   | 2.4644G      | 104.75            | Inf               | -Inf           | 73.83         | 3           | Horizontal | 147            | 2.64          | -       | 27.69      | 3.23       | -          |  |  |  |
| PK   | 2.4868G      | 66.88             | 74.00             | -7.12          | 35.82         | 3           | Horizontal | 147            | 2.64          | -       | 27.82      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 50.46             | 54.00             | -3.54          | 19.42         | 3           | Horizontal | 147            | 2.64          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT\_Y\_1TX  
Setting 23.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.92514G     | 46.77             | 74.00             | -27.23         | 39.12         | 3           | Vertical  | 172            | 1.80          | -       | 32.75      | 5.66       | 30.76      |  |  |  |
| AV   | 4.92538G     | 33.87             | 54.00             | -20.13         | 26.22         | 3           | Vertical  | 172            | 1.80          | -       | 32.75      | 5.66       | 30.76      |  |  |  |
| PK   | 7.3851G      | 50.62             | 74.00             | -23.38         | 39.17         | 3           | Vertical  | 142            | 1.59          | -       | 36.60      | 6.81       | 31.96      |  |  |  |
| AV   | 7.38186G     | 37.56             | 54.00             | -16.44         | 26.11         | 3           | Vertical  | 142            | 1.59          | -       | 36.60      | 6.81       | 31.96      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_1TX

### 2462MHz\_TX




EUT\_Y\_1TX  
Setting 23.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.93174G     | 45.76             | 74.00             | -28.24         | 38.06         | 3           | Horizontal | 173            | 1.35          | -       | 32.79      | 5.67       | 30.76      |  |  |  |
| AV   | 4.93546G     | 32.41             | 54.00             | -21.59         | 24.69         | 3           | Horizontal | 173            | 1.35          | -       | 32.81      | 5.67       | 30.76      |  |  |  |
| PK   | 7.38912G     | 50.58             | 74.00             | -23.42         | 39.14         | 3           | Horizontal | 255            | 2.69          | -       | 36.60      | 6.81       | 31.97      |  |  |  |
| AV   | 7.38666G     | 37.42             | 54.00             | -16.58         | 25.97         | 3           | Horizontal | 255            | 2.69          | -       | 36.60      | 6.81       | 31.96      |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT\_Y\_1TX  
Setting 18  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3898G      | 69.79             | 74.00             | -4.21          | 39.26         | 3           | Vertical  | 141            | 2.14          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.39G        | 53.81             | 54.00             | -0.19          | 23.27         | 3           | Vertical  | 141            | 2.14          | -       | 27.34      | 3.20       | -          |  |  |  |
| PK   | 2.4142G      | 117.20            | Inf               | -Inf           | 86.53         | 3           | Vertical  | 141            | 2.14          | -       | 27.46      | 3.21       | -          |  |  |  |
| AV   | 2.4104G      | 103.89            | Inf               | -Inf           | 73.24         | 3           | Vertical  | 141            | 2.14          | -       | 27.44      | 3.21       | -          |  |  |  |

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

2412MHz\_TX




EUT\_Y\_1TX  
Setting 18  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3892G      | 63.52             | 74.00             | -10.48         | 32.99         | 3           | Horizontal | 192            | 2.48          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.39G        | 49.66             | 54.00             | -4.34          | 19.12         | 3           | Horizontal | 192            | 2.48          | -       | 27.34      | 3.20       | -          |  |  |  |
| PK   | 2.4082G      | 112.22            | Inf               | -Inf           | 81.59         | 3           | Horizontal | 192            | 2.48          | -       | 27.43      | 3.20       | -          |  |  |  |
| AV   | 2.4092G      | 98.78             | Inf               | -Inf           | 68.14         | 3           | Horizontal | 192            | 2.48          | -       | 27.44      | 3.20       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT\_Y\_1TX  
Setting 18  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.8102G      | 45.82             | 74.00             | -28.18         | 38.68         | 3           | Vertical  | 190            | 1.80          | -       | 32.34      | 5.61       | 30.81      |  |  |  |
| AV   | 4.82508G     | 32.22             | 54.00             | -21.78         | 25.01         | 3           | Vertical  | 190            | 1.80          | -       | 32.40      | 5.61       | 30.80      |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2412MHz\_TX




EUT\_V\_1TX  
Setting 18  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.8174G      | 44.78             | 74.00             | -29.22         | 37.61         | 3           | Horizontal | 314            | 1.50          | -       | 32.37      | 5.61       | 30.81      |  |  |  |
| AV   | 4.82538G     | 32.18             | 54.00             | -21.82         | 24.97         | 3           | Horizontal | 314            | 1.50          | -       | 32.40      | 5.61       | 30.80      |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2417MHz\_TX




EUT Y\_1TX  
Setting 23  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.389G       | 67.50             | 74.00             | -6.50          | 36.98         | 3           | Vertical  | 136            | 2.27          | -       | 27.33      | 3.19       | -          |  |  |  |
| AV   | 2.39G        | 53.75             | 54.00             | -0.25          | 23.21         | 3           | Vertical  | 136            | 2.27          | -       | 27.34      | 3.20       | -          |  |  |  |
| PK   | 2.4188G      | 122.16            | Inf               | -Inf           | 91.47         | 3           | Vertical  | 136            | 2.27          | -       | 27.48      | 3.21       | -          |  |  |  |
| AV   | 2.4184G      | 108.44            | Inf               | -Inf           | 77.76         | 3           | Vertical  | 136            | 2.27          | -       | 27.47      | 3.21       | -          |  |  |  |

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

2417MHz\_TX




EUT\_Y\_1TX  
Setting 23  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.39G        | 64.27             | 74.00             | -9.73          | 33.73         | 3           | Horizontal | 189            | 2.48          | -       | 27.34      | 3.20       | -          |  |  |  |
| AV   | 2.39G        | 50.19             | 54.00             | -3.81          | 19.65         | 3           | Horizontal | 189            | 2.48          | -       | 27.34      | 3.20       | -          |  |  |  |
| PK   | 2.4118G      | 116.73            | Inf               | -Inf           | 86.07         | 3           | Horizontal | 189            | 2.48          | -       | 27.45      | 3.21       | -          |  |  |  |
| AV   | 2.4136G      | 103.31            | Inf               | -Inf           | 72.65         | 3           | Horizontal | 189            | 2.48          | -       | 27.45      | 3.21       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT Y\_1TX  
Setting 29  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3898G      | 67.77             | 74.00             | -6.23          | 37.24         | 3           | Vertical  | 142            | 2.10          | -       | 27.34      | 3.19       | -          |  |  |  |
| AV   | 2.3898G      | 52.74             | 54.00             | -1.26          | 22.21         | 3           | Vertical  | 142            | 2.10          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4358G      | 125.49            | Inf               | -Inf           | 94.73         | 3           | Vertical  | 142            | 2.10          | -       | 27.54      | 3.22       | -          |  |  |  |
| AV   | 2.4346G      | 112.07            | Inf               | -Inf           | 81.31         | 3           | Vertical  | 142            | 2.10          | -       | 27.54      | 3.22       | -          |  |  |  |
| PK   | 2.4838G      | 67.00             | 74.00             | -7.00          | 35.96         | 3           | Vertical  | 142            | 2.10          | -       | 27.80      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 52.17             | 54.00             | -1.83          | 21.13         | 3           | Vertical  | 142            | 2.10          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT\_Y\_1TX  
Setting 29  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3862G      | 61.45             | 74.00             | -12.55         | 30.94         | 3           | Horizontal | 187            | 2.68          | -       | 27.32      | 3.19       | -          |  |  |  |
| AV   | 2.3894G      | 47.96             | 54.00             | -6.04          | 17.43         | 3           | Horizontal | 187            | 2.68          | -       | 27.34      | 3.19       | -          |  |  |  |
| PK   | 2.4346G      | 120.18            | Inf               | -Inf           | 89.42         | 3           | Horizontal | 187            | 2.68          | -       | 27.54      | 3.22       | -          |  |  |  |
| AV   | 2.4338G      | 107.20            | Inf               | -Inf           | 76.44         | 3           | Horizontal | 187            | 2.68          | -       | 27.54      | 3.22       | -          |  |  |  |
| PK   | 2.4846G      | 60.13             | 74.00             | -13.87         | 29.08         | 3           | Horizontal | 187            | 2.68          | -       | 27.81      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 47.27             | 54.00             | -6.73          | 16.23         | 3           | Horizontal | 187            | 2.68          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT\_Y\_1TX  
Setting 29  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.87202G     | 53.20             | 74.00             | -20.80         | 45.80         | 3           | Vertical  | 178            | 1.80          | -       | 32.54      | 5.64       | 30.78      |  |  |  |
| AV   | 4.87496G     | 37.78             | 54.00             | -16.22         | 30.37         | 3           | Vertical  | 178            | 1.80          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| PK   | 7.30644G     | 56.09             | 74.00             | -17.91         | 44.39         | 3           | Vertical  | 138            | 1.47          | -       | 36.77      | 6.85       | 31.92      |  |  |  |
| AV   | 7.30848G     | 39.72             | 54.00             | -14.28         | 28.02         | 3           | Vertical  | 138            | 1.47          | -       | 36.77      | 6.85       | 31.92      |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2437MHz\_TX




EUT\_Y\_1TX  
Setting 29  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.87298G     | 51.86             | 74.00             | -22.14         | 44.45         | 3           | Horizontal | 137            | 1.80          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| AV   | 4.87388G     | 36.84             | 54.00             | -17.16         | 29.43         | 3           | Horizontal | 137            | 1.80          | -       | 32.55      | 5.64       | 30.78      |  |  |  |
| PK   | 7.31256G     | 60.08             | 74.00             | -13.92         | 48.41         | 3           | Horizontal | 223            | 1.56          | -       | 36.75      | 6.84       | 31.92      |  |  |  |
| AV   | 7.3143G      | 42.41             | 54.00             | -11.59         | 30.75         | 3           | Horizontal | 223            | 1.56          | -       | 36.74      | 6.84       | 31.92      |  |  |  |

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

2457MHz\_TX




EUT\_Y\_1TX  
Setting 23.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.4506G      | 121.92            | Inf               | -Inf           | 91.09         | 3           | Vertical  | 142            | 2.12          | -       | 27.60      | 3.23       | -          |  |  |  |
| AV   | 2.4534G      | 108.83            | Inf               | -Inf           | 77.98         | 3           | Vertical  | 142            | 2.12          | -       | 27.62      | 3.23       | -          |  |  |  |
| PK   | 2.485G       | 73.22             | 74.00             | -0.78          | 42.17         | 3           | Vertical  | 142            | 2.12          | -       | 27.81      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 53.95             | 54.00             | -0.05          | 22.91         | 3           | Vertical  | 142            | 2.12          | -       | 27.80      | 3.24       | -          |  |  |  |

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

2457MHz\_TX




EUT Y\_1TX  
Setting 23.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 2.4558G      | 117.42            | Inf               | -Inf           | 86.56         | 3           | Horizontal | 150            | 2.20          | -       | 27.63      | 3.23       | -          |  |  |  |  |
| AV   | 2.4586G      | 103.92            | Inf               | -Inf           | 73.04         | 3           | Horizontal | 150            | 2.20          | -       | 27.65      | 3.23       | -          |  |  |  |  |
| PK   | 2.484G       | 70.25             | 74.00             | -3.75          | 39.21         | 3           | Horizontal | 150            | 2.20          | -       | 27.80      | 3.24       | -          |  |  |  |  |
| AV   | 2.4836G      | 50.49             | 54.00             | -3.51          | 19.45         | 3           | Horizontal | 150            | 2.20          | -       | 27.80      | 3.24       | -          |  |  |  |  |

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

2462MHz\_TX




EUT\_Y\_1TX  
Setting 22.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.4578G      | 121.37            | Inf               | -Inf           | 90.49         | 3           | Vertical  | 141            | 2.27          | -       | 27.65      | 3.23       | -          |  |  |  |
| AV   | 2.458G       | 107.92            | Inf               | -Inf           | 77.04         | 3           | Vertical  | 141            | 2.27          | -       | 27.65      | 3.23       | -          |  |  |  |
| PK   | 2.4836G      | 72.66             | 74.00             | -1.34          | 41.62         | 3           | Vertical  | 141            | 2.27          | -       | 27.80      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 51.36             | 54.00             | -2.64          | 20.32         | 3           | Vertical  | 141            | 2.27          | -       | 27.80      | 3.24       | -          |  |  |  |

2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

2462MHz\_TX




EUT\_Y\_1TX  
Setting 22.5  
02-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.4582G      | 116.83            | Inf               | -Inf           | 85.95         | 3           | Horizontal | 148            | 2.20          | -       | 27.65      | 3.23       | -          |  |  |  |
| AV   | 2.4606G      | 103.31            | Inf               | -Inf           | 72.42         | 3           | Horizontal | 148            | 2.20          | -       | 27.66      | 3.23       | -          |  |  |  |
| PK   | 2.4846G      | 67.93             | 74.00             | -6.07          | 36.88         | 3           | Horizontal | 148            | 2.20          | -       | 27.81      | 3.24       | -          |  |  |  |
| AV   | 2.4835G      | 48.54             | 54.00             | -5.46          | 17.50         | 3           | Horizontal | 148            | 2.20          | -       | 27.80      | 3.24       | -          |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX




EUT\_V\_1TX  
Setting 22.5  
02-F-W-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.38276G | 50.12    | 74.00    | -23.88 | 38.67  | 3    | Vertical  | 243     | 2.76   | -       | 36.60 | 6.81 | 31.96 |  |  |  |
| AV   | 7.38246G | 36.87    | 54.00    | -17.13 | 25.42  | 3    | Vertical  | 243     | 2.76   | -       | 36.60 | 6.81 | 31.96 |  |  |  |

## 2.4-2.4835GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 2462MHz\_TX



EUT Y\_1TX  
Setting 22.5  
02-F-W-4


| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.38516G | 52.28    | 74.00    | -21.72 | 40.83  | 3    | Horizontal | 219     | 1.55   | -       | 36.60 | 6.81 | 31.96 |  |  |  |
| AV   | 7.38378G | 38.16    | 54.00    | -15.84 | 26.71  | 3    | Horizontal | 219     | 1.55   | -       | 36.60 | 6.81 | 31.96 |  |  |  |




**Summary**

| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition |
|--------|--------|------|--------------|-------------------|-------------------|----------------|-----------|
| Mode 1 | Pass   | AV   | 4.87403G     | 39.23             | 54.00             | -14.77         | Vertical  |

### Mode 1



### Mode 1



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV/m) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------|-----------------|--------------|------------|------------|--|--|
| PK   | 4.8742G      | 47.31             | 74.00             | -26.69         | 5.54             | 3           | Horizontal | -0             | 1.47          | -       | 41.77           | 32.75        | 5.30       | 32.51      |  |  |
| AV   | 4.87388G     | 34.05             | 54.00             | -19.95         | 5.54             | 3           | Horizontal | -0             | 1.47          | -       | 28.51           | 32.75        | 5.30       | 32.51      |  |  |