

STATIONPC



Product: DataJar

Model: H1


FCC ID : 2BFTW-SPDJH1




www.stationpc.com




What's in the Box



DataJar x1



Ethernet Cable x1



USB-C to USB-C
Cable x1




User Manual

Interfaces

Power Button

(Press and hold 3 seconds to
Power ON/OFF)




Disk
Network
Battery

Type-C


Connect to power/computer,
or charge smartphones, etc.

Ethernet Port (100M)







SD Card

Indicator Lights




Disk
Network
Battery



Battery light

-  Green: high battery level
-  White: half battery level
-  Blinking: charging
-  Red: low battery level

Network light

-  Yellow: not connected to the network
-  Green: connected to the network

Disk light



-  Blue: disk in use
-  Blinking: reading/writing


Note: when the indicator light is off, it indicates that the device is unavailable or power off .

Specifications

Mode	H1
Battery Capacity	8000mAh/ 29.6Wh
Disk Capacity	1TB/2TB/4TB
Power Input	5V \equiv 3A
Power Output	5V \equiv 3A
Network	2.4GHz/5GHz, IEEE 802.11a/b/g/n/ac , BT4.2
Interface	SD Card Slot, USB3.0 Type-C, 10M/100M (RJ45)
Compatible System	Mobile Devices (iOS 11.0+ / Android 10.0+)
Dimensions	147.2×79.5×22.0mm
Environment	Operating temperature: 0°C~35°C Storage temperature: -10°C~45°C Storage humidity:15%~90%RH(non-condensing)

Device Binding

Press the power button lightly 3 seconds until the battery  and network  indicator lights **illuminate**





Use your smartphone to scan and download the DataJar APP.



Device Binding

Open the DataJar APP, log in, start searching and binding the device.





Binding successfully! Enjoy your DataJar.




Device Instructions


Power On

Press the power button lightly 3 seconds until the battery  and network  indicator lights 【illuminate】


Power Off

Press and hold the power button 3 seconds and the battery light  will 【rapidly blink】

Force restart (user data will not be deleted)

Press and hold the power button for 12 seconds. battery light  will be 【off and illuminate again】


Portable SSD

When your device is power off, you can connect it to a computer with a USB cable and then access drive files; disk light  will 【illuminate】 at this time.

If the device is connected to a computer via the Type-C port, please double-click the power button to switch.

 Note: If you want to turn on the device after connecting to a computer, you need to disconnect the Type-C connection first.

Emergency Charging

Connect via the USB-C port to charge smartphones and the , battery light  will 【blink simultaneously】

FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different

from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.
- To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance between 20cm the radiator your body: Use only the supplied antenna.