




Page: 271 of 404







Band77-Part27\_50MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH635000




Band77-Part27\_50MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH648334




Band77-Part27\_50MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH656000



Band77-Part27\_50MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH663666



Band77-Part27\_60MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH632000




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd




Page: 272 of 404












Band77-Part27\_60MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH648668




Band77-Part27\_60MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH656000



Band77-Part27\_60MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH663332



Band77-Part27\_70MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH632334




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd




Page: 273 of 404












Band77-Part27\_70MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH649000




Band77-Part27\_70MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH656000



Band77-Part27\_70MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH663000



Band77-Part27\_80MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH632668



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd




Page: 274 of 404


## Band77-Part27 80MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH633334




## Band77-Part27\_80MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH634000




Band77-Part27\_80MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH649334




Band77-Part27\_80MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH656000



Band77-Part27\_80MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH662666



Band77-Part27\_90MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH633000



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd



3.456 4 GHz 7.000 0 GHz 39.046 7 GHz

25,606 dBm -38,90 dBm -19,72 dBm


Report No.: TERF2405001540E2


Page: 275 of 404


## Band77-Part27 90MHz DFT s OFDM SCS30kHz BPSK RB1 1 CH633334 R RF 50 0 0C Center Freq 20.015000000 GHz PN0: Fast + #Atten: 30 dB Mkr3 39.046 7 GHz Center Fre Stop Fre CF Ste


Freq Offse


Scale Typ











Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd




Page: 276 of 404






Band77-Part27\_100MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH656000



Band77-Part27\_100MHz\_DFT\_s\_OFDM\_SCS30kHz\_BPSK\_RB1\_1\_CH662000



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 277 of 404

## FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT


Report Number :TERF2405001540E2 Test Site :SAC C

Operation Mode :NR n2 Test Date :2024-06-21 Temp./Humi. :23.5°C/52% Test Mode :Tx

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Test Frequency :1855 MHz Engineer :Howard Huang

Note :SIM 1 :1TX Ant



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin	
		Output Level	Gain	Loss			
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
52.310	-58.30	-46.37	-11.01	-0.92	-13.00	-45.30	
65.890	-52.31	-43.99	-7.29	-1.03	-13.00	-39.31	
84.320	-52.17	-49.32	-1.70	-1.15	-13.00	-39.17	
141.550	-58.21	-54.85	-1.86	-1.50	-13.00	-45.21	
196.840	-61.47	-63.55	3.85	-1.77	-13.00	-48.47	
948.590	-60.61	-60.13	3.35	-3.83	-13.00	-47.61	
3710.000	-58.14	-63.08	12.58	-7.64	-13.00	-45.14	
5565.000	-54.04	-57.78	13.26	-9.52	-13.00	-41.04	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 278 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n2 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5℃/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1855 MHz Engineer :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
70.740	-52.50	-45.38	-6.05	-1.07	-13.00	-39.50
89.170	-54.47	-52.53	-0.75	-1.19	-13.00	-41.47
144.460	-49.44	-45.98	-1.93	-1.53	-13.00	-36.44
218.180	-55.65	-58.68	4.92	-1.89	-13.00	-42.65
264.740	-61.25	-63.33	4.14	-2.06	-13.00	-48.25
995.150	-62.53	-62.53	3.94	-3.94	-13.00	-49.53
3710.000	-57.60	-62.54	12.58	-7.64	-13.00	-44.60
5565.000	-54.46	-58.20	13.26	-9.52	-13.00	-41.46
	70.740 89.170 144.460 218.180 264.740 995.150 3710.000	MHz dBm  70.740 -52.50 89.170 -54.47 144.460 -49.44 218.180 -55.65 264.740 -61.25 995.150 -62.53 3710.000 -57.60	MHz dBm Output Level dBm  70.740 -52.50 -45.38 89.170 -54.47 -52.53 144.460 -49.44 -45.98 218.180 -55.65 -58.68 264.740 -61.25 -63.33 995.150 -62.53 -62.53 3710.000 -57.60 -62.54	MHz         dBm         Output Level dBm         Gain dBi/dBd           70.740         -52.50         -45.38         -6.05           89.170         -54.47         -52.53         -0.75           144.460         -49.44         -45.98         -1.93           218.180         -55.65         -58.68         4.92           264.740         -61.25         -63.33         4.14           995.150         -62.53         -62.53         3.94           3710.000         -57.60         -62.54         12.58	MHz         dBm         Output Level dBm         Gain dBi/dBd         Loss dB           70.740         -52.50         -45.38         -6.05         -1.07           89.170         -54.47         -52.53         -0.75         -1.19           144.460         -49.44         -45.98         -1.93         -1.53           218.180         -55.65         -58.68         4.92         -1.89           264.740         -61.25         -63.33         4.14         -2.06           995.150         -62.53         -62.53         3.94         -3.94           3710.000         -57.60         -62.54         12.58         -7.64	MHz         dBm         Output Level dBm         Gain dBi/dBd         Loss dBm           70.740         -52.50         -45.38         -6.05         -1.07         -13.00           89.170         -54.47         -52.53         -0.75         -1.19         -13.00           144.460         -49.44         -45.98         -1.93         -1.53         -13.00           218.180         -55.65         -58.68         4.92         -1.89         -13.00           264.740         -61.25         -63.33         4.14         -2.06         -13.00           995.150         -62.53         -62.53         3.94         -3.94         -13.00           3710.000         -57.60         -62.54         12.58         -7.64         -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 279 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n2 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :1880 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
52.310	-58.21	-46.28	-11.01	-0.92	-13.00	-45.21
66.860	-53.35	-45.20	-7.12	-1.03	-13.00	-40.35
84.320	-51.60	-48.75	-1.70	-1.15	-13.00	-38.60
148.340	-56.41	-53.09	-1.79	-1.53	-13.00	-43.41
197.810	-59.40	-61.52	3.90	-1.78	-13.00	-46.40
950.530	-60.55	-60.05	3.34	-3.84	-13.00	-47.55
3760.000	-57.60	-62.34	12.46	-7.72	-13.00	-44.60
5640.000	-54.73	-58.68	13.48	-9.53	-13.00	-41.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 280 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n2 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :1880 MHz :Howard Huang

Note :SIM 1 Ant :1TX



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
-53.18	-45.83	-6.29	-1.06	-13.00	-40.18
-54.84	-51.51	-2.19	-1.14	-13.00	-41.84
-52.20	-48.95	-1.76	-1.49	-13.00	-39.20
-54.71	-56.79	3.85	-1.77	-13.00	-41.71
-61.29	-63.40	4.16	-2.05	-13.00	-48.29
-62.20	-61.79	3.41	-3.82	-13.00	-49.20
-56.84	-61.58	12.46	-7.72	-13.00	-43.84
-54.07	-58.02	13.48	-9.53	-13.00	-41.07
	-53.18 -54.84 -52.20 -54.71 -61.29 -62.20 -56.84	Output Level dBm  -53.18	dBm         Output Level dBm         Gain dBi/dBd           -53.18         -45.83         -6.29           -54.84         -51.51         -2.19           -52.20         -48.95         -1.76           -54.71         -56.79         3.85           -61.29         -63.40         4.16           -62.20         -61.79         3.41           -56.84         -61.58         12.46	dBm         Output Level dBm         Gain dBi/dBd         Loss dB           -53.18         -45.83         -6.29         -1.06           -54.84         -51.51         -2.19         -1.14           -52.20         -48.95         -1.76         -1.49           -54.71         -56.79         3.85         -1.77           -61.29         -63.40         4.16         -2.05           -62.20         -61.79         3.41         -3.82           -56.84         -61.58         12.46         -7.72	dBm         Output Level dBm         Gain dBi/dBd         Loss dB         dBm           -53.18         -45.83         -6.29         -1.06         -13.00           -54.84         -51.51         -2.19         -1.14         -13.00           -52.20         -48.95         -1.76         -1.49         -13.00           -54.71         -56.79         3.85         -1.77         -13.00           -61.29         -63.40         4.16         -2.05         -13.00           -62.20         -61.79         3.41         -3.82         -13.00           -56.84         -61.58         12.46         -7.72         -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 281 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n2 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5℃/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :1905 MHz Engineer :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	<sup>'</sup> dBm	dBi/dBd	dB	dBm	dB
55.220	-55.39	-44.02	-10.42	-0.95	-13.00	-42.39
67.830	-53.44	-45.41	-6.99	-1.04	-13.00	-40.44
83.350	-53.63	-50.62	-1.87	-1.14	-13.00	-40.63
135.730	-60.00	-56.89	-1.64	-1.47	-13.00	-47.00
199.750	-61.11	-63.33	4.01	-1.79	-13.00	-48.11
947.620	-59.79	-59.32	3.36	-3.83	-13.00	-46.79
3810.000	-56.38	-60.89	12.30	-7.79	-13.00	-43.38
5715.000	-54.23	-57.95	13.27	-9.55	-13.00	-41.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 282 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n2 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5℃/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1905 MHz Engineer :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
71.710	-52.90	-45.99	-5.83	-1.08	-13.00	-39.90
85.290	-54.28	-51.65	-1.48	-1.15	-13.00	-41.28
143.490	-50.53	-47.03	-1.98	-1.52	-13.00	-37.53
204.600	-54.43	-56.83	4.20	-1.80	-13.00	-41.43
264.740	-60.71	-62.79	4.14	-2.06	-13.00	-47.71
951.500	-62.47	-61.98	3.35	-3.84	-13.00	-49.47
3810.000	-57.27	-61.78	12.30	-7.79	-13.00	-44.27
5715.000	-53.21	-56.93	13.27	-9.55	-13.00	-40.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 283 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n5 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5℃/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :826.5 MHz Engineer :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
53.280	-58.43	-46.52	-10.98	-0.93	-13.00	-45.43
65.890	-52.75	-44.43	-7.29	-1.03	-13.00	-39.75
83.350	-53.43	-50.42	-1.87	-1.14	-13.00	-40.43
128.940	-58.91	-56.24	-1.22	-1.45	-13.00	-45.91
195.870	-60.69	-62.63	3.71	-1.77	-13.00	-47.69
948.590	-59.96	-59.48	3.35	-3.83	-13.00	-46.96
1653.000	-60.33	-64.81	9.53	-5.05	-13.00	-47.33
2479.500	-59.20	-63.46	10.50	-6.24	-13.00	-46.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 284 of 404

Report Number :TERF2405001540E2 **Test Site** :SAC C


Operation Mode :NR n5 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency: 826.5 MHz :Howard Huang

Note :SIM 1 Ant :1TX



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
-53.34	-45.99	-6.29	-1.06	-13.00	-40.34
-54.39	-52.13	-1.10	-1.16	-13.00	-41.39
-52.08	-48.79	-1.81	-1.48	-13.00	-39.08
-56.59	-58.01	3.15	-1.73	-13.00	-43.59
-60.34	-62.49	4.18	-2.03	-13.00	-47.34
-62.41	-62.25	3.72	-3.88	-13.00	-49.41
-60.75	-65.23	9.53	-5.05	-13.00	-47.75
-59.08	-63.34	10.50	-6.24	-13.00	-46.08
	-53.34 -54.39 -52.08 -56.59 -60.34 -62.41 -60.75	Output Level dBm  -53.34	dBm         Output Level dBm         Gain dBi/dBd           -53.34         -45.99         -6.29           -54.39         -52.13         -1.10           -52.08         -48.79         -1.81           -56.59         -58.01         3.15           -60.34         -62.49         4.18           -62.41         -62.25         3.72           -60.75         -65.23         9.53	dBm         Output Level dBm         Gain dBi/dBd         Loss dB           -53.34         -45.99         -6.29         -1.06           -54.39         -52.13         -1.10         -1.16           -52.08         -48.79         -1.81         -1.48           -56.59         -58.01         3.15         -1.73           -60.34         -62.49         4.18         -2.03           -62.41         -62.25         3.72         -3.88           -60.75         -65.23         9.53         -5.05	dBm         Output Level dBm         Gain dBi/dBd         Loss dB         dBm           -53.34         -45.99         -6.29         -1.06         -13.00           -54.39         -52.13         -1.10         -1.16         -13.00           -52.08         -48.79         -1.81         -1.48         -13.00           -56.59         -58.01         3.15         -1.73         -13.00           -60.34         -62.49         4.18         -2.03         -13.00           -62.41         -62.25         3.72         -3.88         -13.00           -60.75         -65.23         9.53         -5.05         -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 285 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n5 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 836.5 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
46.490	-56.75	-43.83	-12.07	-0.85	-13.00	-43.75
66.860	-52.45	-44.30	-7.12	-1.03	-13.00	-39.45
84.320	-51.89	-49.04	-1.70	-1.15	-13.00	-38.89
131.850	-59.15	-56.36	-1.33	-1.46	-13.00	-46.15
200.720	-61.18	-63.42	4.03	-1.79	-13.00	-48.18
954.410	-61.49	-61.02	3.37	-3.84	-13.00	-48.49
1673.000	-60.67	-65.43	9.83	-5.07	-13.00	-47.67
2509.500	-59.61	-63.93	10.61	-6.28	-13.00	-46.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 286 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n5 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5℃/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :836.5 MHz Engineer :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
68.800	-52.42	-44.74	-6.63	-1.05	-13.00	-39.42
84.320	-54.60	-51.75	-1.70	-1.15	-13.00	-41.60
137.670	-51.49	-48.37	-1.64	-1.48	-13.00	-38.49
216.240	-55.15	-58.08	4.81	-1.88	-13.00	-42.15
263.770	-61.37	-63.47	4.15	-2.05	-13.00	-48.37
940.830	-62.14	-61.75	3.43	-3.82	-13.00	-49.14
1673.000	-60.82	-65.58	9.83	-5.07	-13.00	-47.82
2509.500	-59.71	-64.03	10.61	-6.28	-13.00	-46.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果都是可能是一种,因此是是一种的人,不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 287 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n5 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 846.5 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
47.460	-39.29	-26.55	-11.88	-0.86	-13.00	-26.29
65.890	-52.99	-44.67	-7.29	-1.03	-13.00	-39.99
85.290	-53.14	-50.51	-1.48	-1.15	-13.00	-40.14
135.730	-59.45	-56.34	-1.64	-1.47	-13.00	-46.45
196.840	-60.39	-62.47	3.85	-1.77	-13.00	-47.39
991.270	-60.81	-60.79	3.90	-3.92	-13.00	<b>-</b> 47.81
1693.000	-60.39	-65.23	9.93	-5.09	-13.00	-47.39
2539.500	-59.09	-63.35	10.60	-6.34	-13.00	-46.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 288 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n5 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency: 846.5 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
69.770	-52.48	-45.13	-6.29	-1.06	-13.00	-39.48
87.230	-54.79	-52.59	-1.03	-1.17	-13.00	-41.79
139.610	-51.45	-48.20	-1.76	-1.49	-13.00	-38.45
212.360	-56.66	-59.44	4.62	-1.84	-13.00	-43.66
264.740	-60.65	-62.73	4.14	-2.06	-13.00	-47.65
926.280	-62.40	-62.19	3.59	-3.80	-13.00	-49.40
1693.000	-60.42	-65.26	9.93	-5.09	-13.00	-47.42
2539.500	-59.04	-63.30	10.60	-6.34	-13.00	-46.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 289 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n41 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :2511 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin	
		Output Level	Gain	Loss			
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
49.400	-54.88	-42.35	-500.00	-0.88	-25.00	<b>-</b> 29.88	
65.890	-53.98	-45.66	-500.00	-1.03	-25.00	-28.98	
84.320	-52.34	-49.49	-500.00	-1.15	-25.00	-27.34	
151.250	-56.91	-53.62	-500.00	-1.54	-25.00	-31.91	
193.930	-60.36	-62.14	-500.00	-1.75	-25.00	-35.36	
947.620	-60.45	-59.98	-500.00	-3.83	-25.00	-35.45	
5022.000	-55.02	-58.60	12.51	-8.93	-25.00	-30.02	
7533.000	-51.97	-52.02	11.17	-11.12	-25.00	-26.97	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 290 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n41 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :2511 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
68.800	-53.27	-45.59	-6.63	-1.05	-25.00	-28.27
86.260	-53.63	-51.37	-1.10	-1.16	-25.00	-28.63
145.430	-48.46	-45.08	-1.85	-1.53	-25.00	-23.46
216.240	-55.91	-58.84	4.81	-1.88	-25.00	-30.91
263.770	-60.54	-62.64	4.15	-2.05	-25.00	-35.54
929.190	-62.77	-62.51	3.56	-3.82	-25.00	-37.77
5022.000	-54.24	-57.82	12.51	-8.93	-25.00	-29.24
7533.000	-52.37	-52.42	11.17	-11.12	-25.00	-27.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 291 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n41 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :2592.99 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
56.190	-51.81	-40.49	-10.37	-0.95	-25.00	-26.81
66.860	-53.79	-45.64	-7.12	-1.03	-25.00	-28.79
89.170	-45.30	-43.36	-0.75	-1.19	-25.00	-20.30
145.430	-55.51	-52.13	-1.85	-1.53	-25.00	-30.51
196.840	-60.11	-62.19	3.85	-1.77	-25.00	-35.11
948.590	-60.69	-60.21	3.35	-3.83	-25.00	-35.69
5185.980	-56.16	-59.58	12.62	-9.20	-25.00	-31.16
7778.970	-51.06	-51.41	11.64	-11.29	-25.00	-26.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 292 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n41 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5℃/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :2592.99 MHz Engineer :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
70.740	-52.99	-45.87	-6.05	-1.07	-25.00	-27.99
83.350	-54.17	-51.16	-1.87	-1.14	-25.00	-29.17
136.700	-50.63	-47.61	-1.54	-1.48	-25.00	-25.63
217.210	-54.52	-57.50	4.86	-1.88	-25.00	-29.52
263.770	-61.84	-63.94	4.15	-2.05	-25.00	-36.84
926.280	-62.40	-62.19	3.59	-3.80	-25.00	-37.40
5185.980	-56.48	-59.90	12.62	-9.20	-25.00	-31.48
7778.970	-51.39	-51.74	11.64	-11.29	-25.00	-26.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 293 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n41 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :2674.98 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
53.280	-57.90	-45.99	-10.98	-0.93	-25.00	-32.90
64.920	-52.85	-44.04	-7.79	-1.02	-25.00	-27.85
83.350	-54.05	-51.04	-1.87	-1.14	-25.00	-29.05
143.490	-57.95	-54.45	-1.98	-1.52	-25.00	-32.95
200.720	-57.70	-59.94	4.03	-1.79	-25.00	-32.70
949.560	-60.25	-59.75	3.34	-3.84	-25.00	-35.25
5349.960	-57.65	-61.56	13.20	-9.29	-25.00	-32.65
8024.940	-51.65	-51.34	11.10	-11.41	-25.00	-26.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 294 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n41 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :2674.98 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	<sup>'</sup> dBm	dBi/dBd	dB	dBm	dB
68.800	-52.22	-44.54	-6.63	-1.05	-25.00	-27.22
89.170	-54.33	-52.39	-0.75	-1.19	-25.00	-29.33
142.520	-50.74	-47.34	-1.89	-1.51	-25.00	-25.74
208.480	-55.16	-57.78	4.43	-1.81	-25.00	-30.16
262.800	-60.94	-63.05	4.16	-2.05	-25.00	-35.94
932.100	-62.66	-62.37	3.53	-3.82	-25.00	-37.66
5349.960	-57.26	-61.17	13.20	-9.29	-25.00	-32.26
8024.940	-51.43	-51.12	11.10	-11.41	-25.00	-26.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 295 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n41 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :2515.02 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	<sup>'</sup> dBm	dBi/dBd	dB	dBm	dB
52.310	-58.08	-46.15	-11.01	-0.92	-25.00	-33.08
66.860	-53.03	-44.88	-7.12	-1.03	-25.00	-28.03
86.260	-52.77	-50.51	-1.10	-1.16	-25.00	-27.77
135.730	-57.91	-54.80	-1.64	-1.47	-25.00	-32.91
195.870	-61.07	-63.01	3.71	-1.77	-25.00	-36.07
936.950	-60.91	-60.58	3.48	-3.81	-25.00	-35.91
5030.040	-54.25	-57.79	12.48	-8.94	-25.00	-29.25
7545.060	-52.71	-52.76	11.19	-11.14	-25.00	-27.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 296 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n41 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :2515.02 MHz Engineer :Howard Huang

Note :SIM 1 Ant :1TX



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
-53.14	-45.79	-6.29	-1.06	-25.00	-28.14
-55.55	-53.29	-1.10	-1.16	-25.00	-30.55
-48.67	-45.29	-1.85	-1.53	-25.00	-23.67
-56.55	-59.33	4.62	-1.84	-25.00	-31.55
-61.11	-63.19	4.14	-2.06	-25.00	-36.11
-62.80	-62.82	3.96	-3.94	-25.00	-37.80
-53.87	-57.41	12.48	-8.94	-25.00	-28.87
-52.49	-52.54	11.19	-11.14	-25.00	-27.49
	-53.14 -55.55 -48.67 -56.55 -61.11 -62.80 -53.87	Output Level dBm  -53.14	dBm         Output Level dBm         Gain dBi/dBd           -53.14         -45.79         -6.29           -55.55         -53.29         -1.10           -48.67         -45.29         -1.85           -56.55         -59.33         4.62           -61.11         -63.19         4.14           -62.80         -62.82         3.96           -53.87         -57.41         12.48	dBm         Output Level dBm         Gain dBi/dBd         Loss dB           -53.14         -45.79         -6.29         -1.06           -55.55         -53.29         -1.10         -1.16           -48.67         -45.29         -1.85         -1.53           -56.55         -59.33         4.62         -1.84           -61.11         -63.19         4.14         -2.06           -62.80         -62.82         3.96         -3.94           -53.87         -57.41         12.48         -8.94	dBm         Output Level dBm         Gain dBi/dBd         Loss dB         dBm           -53.14         -45.79         -6.29         -1.06         -25.00           -55.55         -53.29         -1.10         -1.16         -25.00           -48.67         -45.29         -1.85         -1.53         -25.00           -56.55         -59.33         4.62         -1.84         -25.00           -61.11         -63.19         4.14         -2.06         -25.00           -62.80         -62.82         3.96         -3.94         -25.00           -53.87         -57.41         12.48         -8.94         -25.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 297 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n41 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :2592.99 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-58.28	-46.35	-11.01	-0.92	-25.00	-33.28
64.920	-53.03	-44.22	-7.79	-1.02	-25.00	-28.03
83.350	-52.00	-48.99	-1.87	-1.14	-25.00	-27.00
147.370	-44.77	-41.27	-1.97	-1.53	-25.00	-19.77
199.750	-61.36	-63.58	4.01	-1.79	-25.00	-36.36
998.060	-60.47	-60.49	3.96	-3.94	-25.00	-35.47
5185.980	-54.76	-58.18	12.62	-9.20	-25.00	-29.76
7778.970	-52.16	-52.51	11.64	-11.29	-25.00	-27.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 298 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n41 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Engineer :Howard Huang Test Frequency :2592.99 MHz

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
72.680	-46.38	-40.01	-5.28	-1.09	-25.00	-21.38
86.260	-53.62	-51.36	-1.10	-1.16	-25.00	-28.62
142.520	-50.10	-46.70	-1.89	-1.51	-25.00	-25.10
203.630	-54.45	-56.81	4.16	-1.80	-25.00	-29.45
262.800	-61.70	-63.81	4.16	-2.05	-25.00	-36.70
976.720	-62.48	-62.26	3.67	-3.89	-25.00	-37.48
5185.980	-54.62	-58.04	12.62	-9.20	-25.00	-29.62
7778.970	-51.15	-51.50	11.64	-11.29	-25.00	-26.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 299 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n41 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :2674.98 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	<sup>'</sup> dBm	dBi/dBd	dB	dBm	dB
52.310	-58.04	-46.11	-11.01	-0.92	-25.00	-33.04
66.860	-52.74	-44.59	-7.12	-1.03	-25.00	-27.74
84.320	-51.72	-48.87	-1.70	-1.15	-25.00	-26.72
139.610	-55.47	-52.22	-1.76	-1.49	-25.00	-30.47
196.840	-60.78	-62.86	3.85	-1.77	-25.00	-35.78
970.900	-61.05	-60.73	3.55	-3.87	-25.00	-36.05
5349.960	-55.93	-59.84	13.20	-9.29	-25.00	-30.93
8024.940	-51.70	-51.39	11.10	-11.41	-25.00	-26.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 300 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n41 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5℃/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :2674.98 MHz Engineer :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
68.800	-52.72	-45.04	-6.63	-1.05	-25.00	-27.72
89.170	-54.14	-52.20	-0.75	-1.19	-25.00	-29.14
142.520	-51.04	-47.64	-1.89	-1.51	-25.00	-26.04
213.330	-57.68	-60.49	4.66	-1.85	-25.00	-32.68
259.890	-60.96	-63.11	4.18	-2.03	-25.00	-35.96
992.240	-62.65	-62.64	3.91	-3.92	-25.00	-37.65
5349.960	-55.33	-59.24	13.20	-9.29	-25.00	-30.33
8024.940	-51.17	-50.86	11.10	-11.41	-25.00	-26.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 301 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n66 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :1717.5 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-57.91	-45.98	-11.01	-0.92	-13.00	-44.91
65.890	-53.99	-45.67	-7.29	-1.03	-13.00	-40.99
85.290	-53.13	-50.50	-1.48	-1.15	-13.00	-40.13
136.700	-59.66	-56.64	-1.54	-1.48	-13.00	-46.66
215.270	-60.34	-63.22	4.75	-1.87	-13.00	-47.34
932.100	-60.97	-60.68	3.53	-3.82	-13.00	-47.97
3435.000	-58.09	-63.23	12.53	-7.39	-13.00	-45.09
5152.500	-55.17	-58.45	12.42	-9.14	-13.00	-42.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 302 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n66 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency: 1717.5 MHz :Howard Huang

Note :SIM 1 Ant :1TX



	Freq.	EIRP/ERP	SG Output Laval	Antenna	Cable	Limit	Margin	
		ı.D.	Output Level	Gain	Loss	ı.	ı.	
_	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
	70.740	-53.78	-46.66	-6.05	-1.07	-13.00	-40.78	
	85.290	-53.62	<b>-</b> 50.99	-1.48	-1.15	-13.00	-40.62	
	136.700	-52.46	-49.44	-1.54	-1.48	-13.00	-39.46	
	197.810	-54.71	-56.83	3.90	-1.78	-13.00	-41.71	
	258.920	-62.32	-64.48	4.19	-2.03	-13.00	-49.32	
	985.450	-62.31	-62.27	3.85	-3.89	-13.00	-49.31	
	3435.000	-57.84	-62.98	12.53	-7.39	-13.00	-44.84	
	5152.500	-53.48	-56.76	12.42	-9.14	-13.00	-40.48	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 303 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n66 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :1745 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-57.82	-45.89	-11.01	-0.92	-13.00	-44.82
65.890	-54.30	-45.98	-7.29	-1.03	-13.00	-41.30
85.290	-53.54	-50.91	-1.48	-1.15	-13.00	-40.54
145.430	-57.19	-53.81	-1.85	-1.53	-13.00	-44.19
198.780	-60.63	-62.88	4.03	-1.78	-13.00	-47.63
948.590	-61.39	-60.91	3.35	-3.83	-13.00	-48.39
3490.000	-57.82	-62.67	12.34	-7.49	-13.00	-44.82
5235.000	-55.97	-59.71	12.98	-9.24	-13.00	-42.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 304 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n66 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :1745 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
69.770	-53.50	-46.15	-6.29	-1.06	-13.00	-40.50
83.350	-56.07	-53.06	-1.87	-1.14	-13.00	-43.07
147.370	-51.05	-47.55	-1.97	-1.53	-13.00	-38.05
204.600	-54.75	-57.15	4.20	-1.80	-13.00	-41.75
256.980	-61.76	-63.94	4.20	-2.02	-13.00	-48.76
993.210	-62.87	-62.86	3.92	-3.93	-13.00	-49.87
3490.000	-56.76	-61.61	12.34	-7.49	-13.00	-43.76
5235.000	-54.85	-58.59	12.98	-9.24	-13.00	-41.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 305 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n66 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5℃/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :1772.5 MHz Engineer :Howard Huang

Note :SIM 1 Ant :1TX



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		
dBm	dBm	dBi/dBd	dB	dBm	dB
-57.97	-46.04	-11.01	-0.92	-13.00	-44.97
-53.70	-44.89	-7.79	-1.02	-13.00	-40.70
-54.78	-52.15	-1.48	-1.15	-13.00	-41.78
-60.18	-56.93	-1.76	-1.49	-13.00	-47.18
-59.11	-61.35	4.03	-1.79	-13.00	-46.11
-60.94	-60.48	3.37	-3.83	-13.00	-47.94
-58.16	-62.95	12.30	-7.51	-13.00	-45.16
-55.18	-59.14	13.20	-9.24	-13.00	-42.18
	-57.97 -53.70 -54.78 -60.18 -59.11 -60.94 -58.16	Output Level dBm  -57.97 -46.04 -53.70 -44.89 -54.78 -52.15 -60.18 -56.93 -59.11 -61.35 -60.94 -60.48 -58.16 -62.95	Output Level Gain dBm dBi/dBd  -57.97 -46.04 -11.01 -53.70 -44.89 -7.79 -54.78 -52.15 -1.48 -60.18 -56.93 -1.76 -59.11 -61.35 4.03 -60.94 -60.48 3.37 -58.16 -62.95 12.30	dBm         Output Level dBm         Gain dBi/dBd         Loss dB           -57.97         -46.04         -11.01         -0.92           -53.70         -44.89         -7.79         -1.02           -54.78         -52.15         -1.48         -1.15           -60.18         -56.93         -1.76         -1.49           -59.11         -61.35         4.03         -1.79           -60.94         -60.48         3.37         -3.83           -58.16         -62.95         12.30         -7.51	dBm         Output Level dBm         Gain dBi/dBd         Loss dB         dBm           -57.97         -46.04         -11.01         -0.92         -13.00           -53.70         -44.89         -7.79         -1.02         -13.00           -54.78         -52.15         -1.48         -1.15         -13.00           -60.18         -56.93         -1.76         -1.49         -13.00           -59.11         -61.35         4.03         -1.79         -13.00           -60.94         -60.48         3.37         -3.83         -13.00           -58.16         -62.95         12.30         -7.51         -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 306 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n66 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :1772.5 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
69.770	-53.46	-46.11	-6.29	-1.06	-13.00	-40.46
83.350	-53.83	-50.82	-1.87	-1.14	-13.00	-40.83
138.640	-49.64	-46.35	-1.81	-1.48	-13.00	-36.64
197.810	-52.48	-54.60	3.90	-1.78	-13.00	-39.48
262.800	-60.76	-62.87	4.16	-2.05	-13.00	-47.76
988.360	-61.94	-61.92	3.88	-3.90	-13.00	-48.94
3545.000	-58.20	-62.99	12.30	-7.51	-13.00	-45.20
5317.500	-55.37	-59.33	13.20	-9.24	-13.00	-42.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 307 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n71 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5℃/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :673 MHz Engineer :Howard Huang

Note :SIM 1 Ant :1TX



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
-58.39	-46.46	-11.01	-0.92	-13.00	-45.39
-53.57	-45.42	-7.12	-1.03	-13.00	-40.57
-53.67	-50.66	-1.87	-1.14	-13.00	-40.67
-59.66	-56.30	-1.86	-1.50	-13.00	-46.66
-59.31	-61.39	3.85	-1.77	-13.00	-46.31
-60.86	-60.85	3.92	-3.93	-13.00	-47.86
-61.38	-64.38	7.56	-4.56	-13.00	-48.38
-60.29	-64.93	10.22	-5.58	-13.00	-47.29
	-58.39 -53.57 -53.67 -59.66 -59.31 -60.86 -61.38	Output Level dBm  -58.39	dBm         Output Level dBm         Gain dBi/dBd           -58.39         -46.46         -11.01           -53.57         -45.42         -7.12           -53.67         -50.66         -1.87           -59.66         -56.30         -1.86           -59.31         -61.39         3.85           -60.86         -60.85         3.92           -61.38         -64.38         7.56	dBm         Output Level dBm         Gain dBi/dBd         Loss dB           -58.39         -46.46         -11.01         -0.92           -53.57         -45.42         -7.12         -1.03           -53.67         -50.66         -1.87         -1.14           -59.66         -56.30         -1.86         -1.50           -59.31         -61.39         3.85         -1.77           -60.86         -60.85         3.92         -3.93           -61.38         -64.38         7.56         -4.56	dBm         Output Level dBm         Gain dBi/dBd         Loss dB         dBm           -58.39         -46.46         -11.01         -0.92         -13.00           -53.57         -45.42         -7.12         -1.03         -13.00           -53.67         -50.66         -1.87         -1.14         -13.00           -59.66         -56.30         -1.86         -1.50         -13.00           -59.31         -61.39         3.85         -1.77         -13.00           -60.86         -60.85         3.92         -3.93         -13.00           -61.38         -64.38         7.56         -4.56         -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 308 of 404

Report Number :TERF2405001540E2 **Test Site** :SAC C


Operation Mode :NR n71 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :673 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
69.770	-52.72	-45.37	-6.29	-1.06	-13.00	-39.72
84.320	-55.69	-52.84	-1.70	-1.15	-13.00	-42.69
149.310	-51.43	-48.13	-1.77	-1.53	-13.00	-38.43
195.870	-55.23	-57.17	3.71	-1.77	-13.00	-42.23
263.770	-61.46	-63.56	4.15	-2.05	-13.00	-48.46
980.600	-62.73	-62.57	3.72	-3.88	-13.00	-49.73
1346.000	-60.75	-63.75	7.56	-4.56	-13.00	-47.75
2019.000	-59.85	-64.49	10.22	-5.58	-13.00	-46.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 309 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n71 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5℃/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :680.5 MHz Engineer :Howard Huang

Note :SIM 1 Ant :1TX



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
-49.39	-37.48	-10.98	-0.93	-13.00	-36.39
-56.88	-48.85	-6.99	-1.04	-13.00	-43.88
-54.64	-52.44	-1.03	-1.17	-13.00	-41.64
-46.60	-43.35	-1.76	-1.49	-13.00	-33.60
-56.60	-58.02	3.15	-1.73	-13.00	-43.60
-60.30	-59.94	3.46	-3.82	-13.00	-47.30
-60.82	-63.94	7.71	-4.59	-13.00	-47.82
-60.06	-64.73	10.30	-5.63	-13.00	-47.06
	-49.39 -56.88 -54.64 -46.60 -56.60 -60.30 -60.82	Output Level dBm  -49.39	dBm         Output Level dBm         Gain dBi/dBd           -49.39         -37.48         -10.98           -56.88         -48.85         -6.99           -54.64         -52.44         -1.03           -46.60         -43.35         -1.76           -56.60         -58.02         3.15           -60.30         -59.94         3.46           -60.82         -63.94         7.71	dBm         Output Level dBm         Gain dBi/dBd         Loss dB           -49.39         -37.48         -10.98         -0.93           -56.88         -48.85         -6.99         -1.04           -54.64         -52.44         -1.03         -1.17           -46.60         -43.35         -1.76         -1.49           -56.60         -58.02         3.15         -1.73           -60.30         -59.94         3.46         -3.82           -60.82         -63.94         7.71         -4.59	dBm         Output Level dBm         Gain dBi/dBd         Loss dBm           -49.39         -37.48         -10.98         -0.93         -13.00           -56.88         -48.85         -6.99         -1.04         -13.00           -54.64         -52.44         -1.03         -1.17         -13.00           -46.60         -43.35         -1.76         -1.49         -13.00           -56.60         -58.02         3.15         -1.73         -13.00           -60.30         -59.94         3.46         -3.82         -13.00           -60.82         -63.94         7.71         -4.59         -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 310 of 404

Report Number :TERF2405001540E2 **Test Site** :SAC C


Operation Mode :NR n71 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :680.5 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
66.860	-52.48	-44.33	-7.12	-1.03	-13.00	-39.48
79.470	-53.47	-49.32	-3.02	-1.13	-13.00	-40.47
146.400	-45.66	-42.14	-1.99	-1.53	-13.00	-32.66
197.810	-52.26	-54.38	3.90	-1.78	-13.00	-39.26
302.570	-63.10	-65.05	4.15	-2.20	-13.00	-50.10
999.030	-62.16	-62.19	3.97	-3.94	-13.00	-49.16
1361.000	-60.09	-63.21	7.71	-4.59	-13.00	-47.09
2041.500	-60.34	-65.01	10.30	-5.63	-13.00	-47.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 311 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n71 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :688 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin	
		Output Level	Gain	Loss			
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
51.340	-50.19	-37.91	-11.37	-0.91	-13.00	-37.19	
68.800	-58.23	-50.55	-6.63	-1.05	-13.00	-45.23	
84.320	-53.64	-50.79	-1.70	-1.15	-13.00	-40.64	
133.790	-47.64	-44.60	-1.57	-1.47	-13.00	-34.64	
199.750	-59.18	-61.40	4.01	-1.79	-13.00	-46.18	
945.680	-60.04	-59.60	3.38	-3.82	-13.00	-47.04	
1376.000	-59.79	-62.97	7.80	-4.62	-13.00	-46.79	
2064.000	-59.28	-63.77	10.16	-5.67	-13.00	-46.28	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 312 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n71 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :688 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	<sup>'</sup> dBm	dBi/dBd	dB	dBm	dB
65.890	-53.33	-45.01	-7.29	-1.03	-13.00	-40.33
82.380	-53.01	-49.68	-2.19	-1.14	-13.00	-40.01
141.550	-51.07	-47.71	-1.86	-1.50	-13.00	-38.07
204.600	-56.03	-58.43	4.20	-1.80	-13.00	-43.03
294.810	-61.95	-63.87	4.08	-2.16	-13.00	-48.95
984.480	-62.42	-62.36	3.83	-3.89	-13.00	-49.42
1376.000	-60.20	-63.38	7.80	-4.62	-13.00	-47.20
2064.000	-57.71	-62.20	10.16	-5.67	-13.00	-44.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 313 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n77 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :3460.02 MHz Engineer :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
51.340	-50.02	-37.74	-11.37	-0.91	-13.00	-37.02
62.010	-58.00	-48.45	-8.57	-0.98	-13.00	-45.00
83.350	-53.42	-50.41	-1.87	-1.14	-13.00	-40.42
142.520	-48.28	-44.88	-1.89	-1.51	-13.00	-35.28
198.780	-61.24	-63.49	4.03	-1.78	-13.00	-48.24
992.240	-61.22	-61.21	3.91	-3.92	-13.00	-48.22
6920.040	-53.35	-54.67	11.96	-10.64	-13.00	-40.35
10380.060	-47.51	-45.93	11.44	-13.02	-13.00	-34.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是结果做新测验之样具色素,同时他接具做是例如于。木型生产概率从同事而连可,不可如必指制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 314 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n77 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5℃/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :3460.02 MHz Engineer :Howard Huang

Note :SIM 1 Ant :1TX



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	dBm	dBi/dBd	dB	dBm	dB
-53.50	-45.18	-7.29	-1.03	-13.00	-40.50
-52.33	-50.13	-1.03	-1.17	-13.00	-39.33
-51.13	-47.86	-1.78	-1.49	-13.00	-38.13
-56.08	-58.83	4.58	-1.83	-13.00	-43.08
-62.15	-64.09	4.13	-2.19	-13.00	-49.15
-62.32	-61.82	3.35	-3.85	-13.00	-49.32
-52.03	-53.35	11.96	-10.64	-13.00	-39.03
-48.12	-46.54	11.44	-13.02	-13.00	-35.12
	-53.50 -52.33 -51.13 -56.08 -62.15 -62.32 -52.03	Output Level dBm  -53.50	dBm         Output Level dBm         Gain dBi/dBd           -53.50         -45.18         -7.29           -52.33         -50.13         -1.03           -51.13         -47.86         -1.78           -56.08         -58.83         4.58           -62.15         -64.09         4.13           -62.32         -61.82         3.35           -52.03         -53.35         11.96	dBm         Output Level dBm         Gain dBi/dBd         Loss dB           -53.50         -45.18         -7.29         -1.03           -52.33         -50.13         -1.03         -1.17           -51.13         -47.86         -1.78         -1.49           -56.08         -58.83         4.58         -1.83           -62.15         -64.09         4.13         -2.19           -62.32         -61.82         3.35         -3.85           -52.03         -53.35         11.96         -10.64	dBm         Output Level dBm         Gain dBi/dBd         Loss dBm           -53.50         -45.18         -7.29         -1.03         -13.00           -52.33         -50.13         -1.03         -1.17         -13.00           -51.13         -47.86         -1.78         -1.49         -13.00           -56.08         -58.83         4.58         -1.83         -13.00           -62.15         -64.09         4.13         -2.19         -13.00           -62.32         -61.82         3.35         -3.85         -13.00           -52.03         -53.35         11.96         -10.64         -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 315 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n77 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :3500.01 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
50.370	-48.96	-36.52	-11.55	-0.89	-13.00	-35.96
68.800	-58.73	-51.05	-6.63	-1.05	-13.00	-45.73
79.470	-53.80	-49.65	-3.02	-1.13	-13.00	-40.80
137.670	-49.42	-46.30	-1.64	-1.48	-13.00	-36.42
197.810	-58.88	-61.00	3.90	-1.78	-13.00	-45.88
997.090	-60.99	-61.01	3.96	-3.94	-13.00	-47.99
7000.020	-51.94	-52.99	11.70	-10.65	-13.00	-38.94
10500.030	-48.60	-46.89	11.40	-13.11	-13.00	-35.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 316 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n77 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :3500.01 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-52.78	-44.46	-7.29	-1.03	-13.00	-39.78
89.170	-52.97	-51.03	-0.75	-1.19	-13.00	-39.97
136.700	-51.70	-48.68	-1.54	-1.48	-13.00	-38.70
194.900	-54.30	-56.12	3.58	-1.76	-13.00	-41.30
261.830	-62.56	-64.69	4.17	-2.04	-13.00	-49.56
926.280	-63.03	-62.82	3.59	-3.80	-13.00	-50.03
7000.020	-52.97	-54.02	11.70	-10.65	-13.00	-39.97
10500.030	-47.12	-45.41	11.40	-13.11	-13.00	-34.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 317 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n77 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :3540 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
49.400	-49.39	-36.86	-11.65	-0.88	-13.00	-36.39
67.830	-58.60	-50.57	-6.99	-1.04	-13.00	-45.60
79.470	-53.01	-48.86	-3.02	-1.13	-13.00	-40.01
140.580	-47.80	-44.53	-1.78	-1.49	-13.00	-34.80
181.320	-60.12	-59.88	1.48	-1.72	-13.00	-47.12
999.030	-61.07	-61.10	3.97	-3.94	-13.00	-48.07
7080.000	-51.65	-52.12	11.18	-10.71	-13.00	-38.65
10620.000	-48.09	-46.37	11.46	-13.18	-13.00	-35.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 318 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n77 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :3540 MHz :Howard Huang

Note :SIM 1 Ant :1TX



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		_
dBm	<sup>'</sup> dBm	dBi/dBd	dB	dBm	dB
-54.04	-45.72	-7.29	-1.03	-13.00	-41.04
-53.63	-51.37	-1.10	-1.16	-13.00	-40.63
-47.47	-44.01	-1.93	-1.53	-13.00	-34.47
-57.13	-59.80	4.49	-1.82	-13.00	-44.13
-62.02	-63.95	4.11	-2.18	-13.00	-49.02
-62.93	-62.95	3.96	-3.94	-13.00	-49.93
-51.87	-52.34	11.18	-10.71	-13.00	-38.87
-47.97	-46.25	11.46	-13.18	-13.00	-34.97
	-54.04 -53.63 -47.47 -57.13 -62.02 -62.93 -51.87	Output Level dBm  -54.04	dBm         Output Level dBm         Gain dBi/dBd           -54.04         -45.72         -7.29           -53.63         -51.37         -1.10           -47.47         -44.01         -1.93           -57.13         -59.80         4.49           -62.02         -63.95         4.11           -62.93         -62.95         3.96           -51.87         -52.34         11.18	dBm         Output Level dBm         Gain dBi/dBd         Loss dB           -54.04         -45.72         -7.29         -1.03           -53.63         -51.37         -1.10         -1.16           -47.47         -44.01         -1.93         -1.53           -57.13         -59.80         4.49         -1.82           -62.02         -63.95         4.11         -2.18           -62.93         -62.95         3.96         -3.94           -51.87         -52.34         11.18         -10.71	dBm         Output Level dBm         Gain dBi/dBd         Loss dB           -54.04         -45.72         -7.29         -1.03         -13.00           -53.63         -51.37         -1.10         -1.16         -13.00           -47.47         -44.01         -1.93         -1.53         -13.00           -57.13         -59.80         4.49         -1.82         -13.00           -62.02         -63.95         4.11         -2.18         -13.00           -62.93         -62.95         3.96         -3.94         -13.00           -51.87         -52.34         11.18         -10.71         -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 319 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n77 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :3715.02 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin	
		Output Level	Gain	Loss			
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
49.400	-50.37	-37.84	-11.65	-0.88	-13.00	-37.37	
68.800	-58.68	-51.00	-6.63	-1.05	-13.00	-45.68	
84.320	-53.44	-50.59	-1.70	-1.15	-13.00	-40.44	
136.700	-49.34	-46.32	-1.54	-1.48	-13.00	-36.34	
195.870	-58.27	-60.21	3.71	-1.77	-13.00	-45.27	
947.620	-60.92	-60.45	3.36	-3.83	-13.00	-47.92	
7430.040	-52.01	-52.06	11.04	-10.99	-13.00	-39.01	
11145.060	-46.94	-45.17	11.69	-13.46	-13.00	-33.94	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 320 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n77 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Test Frequency :3715.02 MHz Engineer :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
66.860	-52.81	-44.66	-7.12	-1.03	-13.00	-39.81
84.320	-52.44	-49.59	-1.70	-1.15	-13.00	-39.44
141.550	-50.35	-46.99	-1.86	-1.50	-13.00	-37.35
197.810	-55.01	-57.13	3.90	-1.78	-13.00	-42.01
298.690	-62.57	-64.50	4.11	-2.18	-13.00	-49.57
988.360	-62.50	-62.48	3.88	-3.90	-13.00	-49.50
7430.040	-52.20	-52.25	11.04	-10.99	-13.00	-39.20
11145.060	-47.48	<b>-</b> 45.71	11.69	-13.46	-13.00	-34.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 321 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n77 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :3840 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
52.310	-49.70	-37.77	-11.01	-0.92	-13.00	-36.70
67.830	-58.44	-50.41	-6.99	-1.04	-13.00	-45.44
81.410	-54.43	-50.94	-2.35	-1.14	-13.00	-41.43
137.670	-49.90	-46.78	-1.64	-1.48	-13.00	-36.90
197.810	-57.79	-59.91	3.90	-1.78	-13.00	-44.79
967.990	-61.67	-61.30	3.50	-3.87	-13.00	-48.67
7680.000	-51.39	-51.79	11.56	-11.16	-13.00	-38.39
11520.000	-48.25	-45.92	11.50	-13.83	-13.00	-35.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 322 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n77 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Engineer Test Frequency :3840 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
66.860	-53.77	-45.62	-7.12	-1.03	-13.00	-40.77
85.290	-53.09	-50.46	-1.48	-1.15	-13.00	-40.09
143.490	-53.12	-49.62	-1.98	-1.52	-13.00	-40.12
197.810	-54.54	-56.66	3.90	-1.78	-13.00	-41.54
295.780	-62.12	-64.05	4.09	-2.16	-13.00	-49.12
956.350	-61.77	-61.30	3.37	-3.84	-13.00	-48.77
7680.000	-51.52	-51.92	11.56	-11.16	-13.00	-38.52
11520.000	-49.21	-46.88	11.50	-13.83	-13.00	-36.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 323 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n77 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5°C/52%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency :3964.98 MHz :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
50.370	-50.23	-37.79	-11.55	-0.89	-13.00	-37.23
68.800	-57.83	-50.15	-6.63	-1.05	-13.00	-44.83
79.470	-53.98	-49.83	-3.02	-1.13	-13.00	-40.98
145.430	-48.10	-44.72	-1.85	-1.53	-13.00	-35.10
199.750	-58.82	-61.04	4.01	-1.79	-13.00	-45.82
999.030	-60.82	-60.85	3.97	-3.94	-13.00	-47.82
7929.960	-50.89	-50.77	11.28	-11.40	-13.00	-37.89
11894.940	-48.27	<b>-</b> 47.09	12.88	-14.06	-13.00	-35.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

www.sgs.com.tw



Page: 324 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :NR n77 Test Date :2024-06-21

Test Mode :Tx Temp./Humi. :23.5℃/52%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :3964.98 MHz Engineer :Howard Huang

Note :SIM 1 Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-53.16	-44.84	-7.29	-1.03	-13.00	-40.16
87.230	-52.55	-50.35	-1.03	-1.17	-13.00	-39.55
140.580	-49.10	-45.83	-1.78	-1.49	-13.00	-36.10
197.810	-55.31	-57.43	3.90	-1.78	-13.00	-42.31
301.600	-63.45	-65.39	4.14	-2.20	-13.00	-50.45
995.150	-62.91	-62.91	3.94	-3.94	-13.00	-49.91
7929.960	-52.01	-51.89	11.28	-11.40	-13.00	-39.01
11894.940	-48.34	<b>-</b> 47.16	12.88	-14.06	-13.00	-35.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分類具有害,同時他與只屬是例的子。未都些主權大利司事而雖可,不可與以資制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 325 of 404

Report Number :TERF2405001540E2 Test Site :SAC C

Operation Mode :ENDC 66A+n77A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :1775 MHz+3500.01 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
50.370	-49.74	-37.30	-11.55	-0.89	-13.00	-36.74
67.830	-58.22	-50.19	-6.99	-1.04	-13.00	-45.22
80.440	-53.90	-50.14	-2.63	-1.13	-13.00	-40.90
146.400	-50.38	-46.86	-1.99	-1.53	-13.00	-37.38
194.900	-58.56	-60.38	3.58	-1.76	-13.00	-45.56
942.770	-61.30	-60.89	3.41	-3.82	-13.00	-48.30
3550.000	-58.78	-63.57	12.30	-7.51	-13.00	-45.78
5325.000	-58.14	-62.09	13.20	-9.25	-13.00	-45.14
7000.020	-50.61	-51.66	11.70	-10.65	-13.00	-37.61
10500.030	-46.09	-44.38	11.40	-13.11	-13.00	-33.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 326 of 404

Report Number :TERF2405001540E2 **Test Site** :SAC C


Operation Mode :ENDC 66A+n77A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

:E2 Plane **EUT Pol** Antenna Pol. :Horizontal

Test Frequency: 1775 MHz+3500.01 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-53.35	-45.03	<b>-</b> 7.29	-1.03	-13.00	-40.35
83.350	-52.15	-49.14	-1.87	-1.14	-13.00	-39.15
141.550	-51.83	-48.47	-1.86	-1.50	-13.00	-38.83
217.210	-56.20	-59.18	4.86	-1.88	-13.00	-43.20
293.840	-63.02	-64.93	4.07	-2.16	-13.00	-50.02
969.930	-62.71	-62.36	3.52	-3.87	-13.00	-49.71
3550.000	-58.08	-62.87	12.30	-7.51	-13.00	-45.08
5325.000	-58.15	-62.10	13.20	-9.25	-13.00	-45.15
7000.020	-52.21	-53.26	11.70	-10.65	-13.00	-39.21
10500.030	-48.11	-46.40	11.40	-13.11	-13.00	-35.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 327 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 13A+n77A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :782 MHz+3500.01 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
50.370	-49.97	-37.53	-11.55	-0.89	-13.00	-36.97
63.950	-58.87	-49.75	-8.11	-1.01	-13.00	-45.87
79.470	-54.48	-50.33	-3.02	-1.13	-13.00	-41.48
137.670	-49.65	-46.53	-1.64	-1.48	-13.00	-36.65
189.080	-57.76	-58.86	2.82	-1.72	-13.00	-44.76
948.590	-59.08	<b>-</b> 58.60	3.35	-3.83	-13.00	-46.08
1564.000	-63.28	-67.43	9.10	<b>-</b> 4.95	-40.00	-23.28
2346.000	-61.43	-65.23	9.80	-6.00	-13.00	-48.43
7000.020	-52.38	-53.43	11.70	-10.65	-13.00	-39.38
10500.030	-48.36	-46.65	11.40	-13.11	-13.00	-35.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是结果做新测验之样具色素,同时他接具做是例如于。木型生产概率从同事而连可,不可如必指制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd. <sub>|</sub> No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 328 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode: ENDC 13A+n77A Test Date: 2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :782 MHz+3500.01 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-53.39	-45.07	-7.29	-1.03	-13.00	-40.39
86.260	-52.70	-50.44	-1.10	-1.16	-13.00	-39.70
145.430	-49.51	-46.13	-1.85	-1.53	-13.00	-36.51
197.810	-58.45	-60.57	3.90	-1.78	-13.00	-45.45
294.810	-62.98	-64.90	4.08	-2.16	-13.00	-49.98
941.800	-62.63	-62.23	3.42	-3.82	-13.00	-49.63
1564.000	-62.66	-66.81	9.10	<b>-</b> 4.95	-40.00	-22.66
2346.000	-61.24	-65.04	9.80	-6.00	-13.00	-48.24
7000.020	-52.51	-53.56	11.70	-10.65	-13.00	-39.51
10500.030	-48.28	-46.57	11.40	-13.11	-13.00	-35.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他接口底尺向的手,太阳如此连侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 329 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 12A+n77A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

:E2 Plane **EUT Pol** Antenna Pol. :Vertical

Test Frequency: 701.5 MHz+3500.01 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
50.370	-49.94	-37.50	-11.55	-0.89	-13.00	-36.94
68.800	-58.15	-50.47	-6.63	-1.05	-13.00	-45.15
79.470	-53.24	-49.09	-3.02	-1.13	-13.00	-40.24
141.550	-48.58	-45.22	-1.86	-1.50	-13.00	-35.58
207.510	-57.40	-59.96	4.37	-1.81	-13.00	-44.40
945.680	-61.38	-60.94	3.38	-3.82	-13.00	-48.38
1403.000	-60.43	-63.46	7.70	-4.67	-13.00	-47.43
2104.500	-57.95	-62.14	9.91	-5.72	-13.00	-44.95
7000.020	-52.18	-53.23	11.70	-10.65	-13.00	-39.18
10500.030	-47.67	-45.96	11.40	-13.11	-13.00	-34.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 330 of 404

Report Number :TERF2405001540E2 **Test Site** :SAC C


Operation Mode :ENDC 12A+n77A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

:E2 Plane **EUT Pol** Antenna Pol. :Horizontal

Test Frequency: 701.5 MHz+3500.01 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-53.43	-45.11	-7.29	-1.03	-13.00	-40.43
85.290	-53.19	-50.56	-1.48	-1.15	-13.00	-40.19
140.580	-52.12	-48.85	-1.78	-1.49	-13.00	-39.12
213.330	-57.03	-59.84	4.66	-1.85	-13.00	-44.03
298.690	-61.68	-63.61	4.11	-2.18	-13.00	-48.68
949.560	-62.51	-62.01	3.34	-3.84	-13.00	-49.51
1403.000	-60.93	-63.96	7.70	-4.67	-13.00	-47.93
2104.500	-57.25	-61.44	9.91	-5.72	-13.00	-44.25
7000.020	-53.05	-54.10	11.70	-10.65	-13.00	-40.05
10500.030	-47.35	-45.64	11.40	-13.11	-13.00	-34.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 331 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 5A+n77A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :824.7 MHz+3500.01 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
50.370	-49.98	-37.54	-11.55	-0.89	-13.00	-36.98
68.800	-58.49	-50.81	-6.63	-1.05	-13.00	-45.49
81.410	-53.48	-49.99	-2.35	-1.14	-13.00	-40.48
135.730	-50.18	-47.07	-1.64	-1.47	-13.00	-37.18
195.870	-57.53	-59.47	3.71	-1.77	-13.00	-44.53
998.060	-61.29	-61.31	3.96	-3.94	-13.00	-48.29
1649.400	-59.74	-64.19	9.50	-5.05	-13.00	-46.74
2474.100	-59.15	-63.41	10.50	-6.24	-13.00	-46.15
7000.020	-52.25	-53.30	11.70	-10.65	-13.00	-39.25
10500.030	-48.39	-46.68	11.40	-13.11	-13.00	-35.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分類具有害,同時他與只屬是例的子。未都些主權大利司事而雖可,不可與以資制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 332 of 404

Report Number :TERF2405001540E2 **Test Site** :SAC C


Operation Mode :ENDC 5A+n77A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

:E2 Plane **EUT Pol** Antenna Pol. :Horizontal

Test Frequency: 824.7 MHz+3500.01 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-53.46	-45.14	-7.29	-1.03	-13.00	-40.46
84.320	-52.80	-49.95	-1.70	-1.15	-13.00	-39.80
140.580	-51.35	-48.08	-1.78	-1.49	-13.00	-38.35
219.150	-55.06	-58.15	4.98	-1.89	-13.00	-42.06
292.870	-62.20	-64.10	4.06	-2.16	-13.00	-49.20
999.030	-62.68	-62.71	3.97	-3.94	-13.00	-49.68
1649.400	-59.76	-64.21	9.50	-5.05	-13.00	-46.76
2474.100	-59.69	-63.95	10.50	-6.24	-13.00	-46.69
7000.020	-52.63	-53.68	11.70	-10.65	-13.00	-39.63
10500.030	-47.60	<b>-</b> 45.89	11.40	-13.11	-13.00	-34.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 333 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 2A+n77A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Engineer Test Frequency: 1860 MHz+3500.01 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
51.340	-49.91	-37.63	-11.37	-0.91	-13.00	-36.91
68.800	-58.67	-50.99	-6.63	-1.05	-13.00	-45.67
79.470	-53.19	-49.04	-3.02	-1.13	-13.00	-40.19
137.670	-50.30	-47.18	-1.64	-1.48	-13.00	-37.30
197.810	-58.97	-61.09	3.90	-1.78	-13.00	-45.97
930.160	-61.47	-61.20	3.55	-3.82	-13.00	-48.47
3720.000	-57.67	-62.57	12.56	-7.66	-13.00	-44.67
5580.000	-55.01	-58.76	13.32	-9.57	-13.00	-42.01
7000.020	-51.64	-52.69	11.70	-10.65	-13.00	-38.64
10500.030	-48.65	-46.94	11.40	-13.11	-13.00	-35.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 334 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 2A+n77A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1860 MHz+3500.01 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
66.860	-52.70	-44.55	-7.12	-1.03	-13.00	-39.70
86.260	-54.17	-51.91	-1.10	-1.16	-13.00	-41.17
138.640	<b>-</b> 51.16	-47.87	-1.81	-1.48	-13.00	-38.16
214.300	-55.24	-58.08	4.70	-1.86	-13.00	-42.24
300.630	-63.66	-65.60	4.13	<b>-</b> 2.19	-13.00	-50.66
952.470	-61.91	-61.42	3.35	-3.84	-13.00	-48.91
3720.000	-56.63	-61.53	12.56	-7.66	-13.00	-43.63
5580.000	-54.87	-58.62	13.32	-9.57	-13.00	-41.87
7000.020	-52.62	-53.67	11.70	-10.65	-13.00	-39.62
10500.030	-47.72	-46.01	11.40	-13.11	-13.00	-34.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 335 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 66A+n71A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

:E2 Plane **EUT Pol** Antenna Pol. :Vertical

Test Frequency :1745 MHz+673 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
49.400	-50.55	-38.02	-11.65	-0.88	-13.00	-37.55
68.800	-57.92	-50.24	-6.63	-1.05	-13.00	-44.92
79.470	-52.43	-48.28	-3.02	-1.13	-13.00	-39.43
139.610	-48.89	-45.64	-1.76	-1.49	-13.00	-35.89
183.260	-60.61	-60.65	1.77	-1.73	-13.00	-47.61
985.450	-60.32	-60.28	3.85	-3.89	-13.00	-47.32
1346.000	-61.36	-64.36	7.56	-4.56	-13.00	-48.36
2019.000	-59.28	-63.92	10.22	-5.58	-13.00	-46.28
3490.000	-58.46	-63.31	12.34	-7.49	-13.00	-45.46
5235.000	-55.58	-59.32	12.98	-9.24	-13.00	-42.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 336 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode: ENDC 66A+n71A Test Date: 2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1745 MHz+673 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
66.860	-52.86	-44.71	-7.12	-1.03	-13.00	-39.86
86.260	-52.50	-50.24	-1.10	-1.16	-13.00	-39.50
146.400	-46.55	-43.03	-1.99	-1.53	-13.00	-33.55
195.870	-56.16	-58.10	3.71	-1.77	-13.00	-43.16
294.810	-60.62	-62.54	4.08	-2.16	-13.00	-47.62
997.090	-62.23	-62.25	3.96	-3.94	-13.00	-49.23
1346.000	-60.55	-63.55	7.56	-4.56	-13.00	-47.55
2019.000	-59.21	-63.85	10.22	-5.58	-13.00	-46.21
3490.000	-57.50	-62.35	12.34	-7.49	-13.00	-44.50
5235.000	-56.68	-60.42	12.98	-9.24	-13.00	-43.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 337 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 2A+n71A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

:E2 Plane **EUT Pol** Antenna Pol. :Vertical

Test Frequency :1860 MHz+673 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
50.370	-49.78	-37.34	-11.55	-0.89	-13.00	-36.78
69.770	<b>-</b> 59.06	-51.71	-6.29	-1.06	-13.00	-46.06
79.470	-54.47	-50.32	-3.02	-1.13	-13.00	-41.47
145.430	-49.34	-45.96	-1.85	-1.53	-13.00	-36.34
196.840	-57.92	-60.00	3.85	-1.77	-13.00	-44.92
992.240	-61.66	-61.65	3.91	-3.92	-13.00	-48.66
1346.000	-61.85	-64.85	7.56	-4.56	-13.00	-48.85
2019.000	-59.14	-63.78	10.22	-5.58	-13.00	-46.14
3720.000	-56.33	-61.23	12.56	-7.66	-13.00	-43.33
5580.000	-54.75	-58.50	13.32	-9.57	-13.00	-41.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 338 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 2A+n71A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1860 MHz+673 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-53.29	-44.97	-7.29	-1.03	-13.00	-40.29
82.380	-52.51	-49.18	-2.19	-1.14	-13.00	-39.51
150.280	-49.82	-46.51	-1.78	-1.53	-13.00	-36.82
201.690	-58.69	-60.97	4.07	-1.79	-13.00	-45.69
294.810	-61.54	-63.46	4.08	-2.16	-13.00	-48.54
999.030	-61.85	-61.88	3.97	-3.94	-13.00	-48.85
1346.000	-61.07	-64.07	7.56	-4.56	-13.00	-48.07
2019.000	-58.86	-63.50	10.22	-5.58	-13.00	-45.86
3720.000	-56.07	-60.97	12.56	-7.66	-13.00	-43.07
5580.000	-54.03	-57.78	13.32	-9.57	-13.00	-41.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對分類具有害,同時他與只屬是例的子。未都些主權大利司事而雖可,不可與以資制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 339 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 71A+n66A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :673 MHz+1717.5 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
50.370	-50.09	-37.65	-11.55	-0.89	-13.00	-37.09
67.830	-58.28	-50.25	-6.99	-1.04	-13.00	-45.28
80.440	-53.89	-50.13	-2.63	-1.13	-13.00	-40.89
136.700	-49.40	-46.38	-1.54	-1.48	-13.00	-36.40
200.720	-56.77	-59.01	4.03	-1.79	-13.00	-43.77
975.750	-61.12	-60.90	3.67	-3.89	-13.00	-48.12
1346.000	-60.61	-63.61	7.56	-4.56	-13.00	-47.61
2019.000	-59.40	-64.04	10.22	-5.58	-13.00	-46.40
3435.000	-58.25	-63.39	12.53	-7.39	-13.00	-45.25
5152.500	-56.30	-59.58	12.42	-9.14	-13.00	-43.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 340 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode: ENDC 71A+n66A Test Date: 2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :673 MHz+1717.5 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
66.860	-53.86	-45.71	-7.12	-1.03	-13.00	-40.86
84.320	-52.28	-49.43	-1.70	-1.15	-13.00	-39.28
144.460	-50.00	-46.54	-1.93	-1.53	-13.00	-37.00
202.660	-50.52	-52.84	4.12	-1.80	-13.00	-37.52
295.780	-64.01	-65.94	4.09	-2.16	-13.00	-51.01
995.150	-62.87	-62.87	3.94	-3.94	-13.00	-49.87
1346.000	-60.75	-63.75	7.56	-4.56	-13.00	-47.75
2019.000	-58.71	-63.35	10.22	-5.58	-13.00	-45.71
3435.000	-58.28	-63.42	12.53	-7.39	-13.00	-45.28
5152.500	-56.05	-59.33	12.42	-9.14	-13.00	-43.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生主领水公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 341 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 13A+n66A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :782 MHz+1717.5 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
49.400	-50.62	-38.09	-11.65	-0.88	-13.00	-37.62
68.800	-58.28	-50.60	-6.63	-1.05	-13.00	-45.28
79.470	-54.56	-50.41	-3.02	-1.13	-13.00	-41.56
139.610	-50.14	-46.89	-1.76	-1.49	-13.00	-37.14
195.870	-62.19	-64.13	3.71	-1.77	-13.00	-49.19
956.350	-61.03	-60.56	3.37	-3.84	-13.00	-48.03
1564.000	-59.40	-63.55	9.10	-4.95	-40.00	-19.40
2346.000	-56.93	-60.73	9.80	-6.00	-13.00	-43.93
3435.000	-57.81	-62.95	12.53	-7.39	-13.00	-44.81
5152.500	-56.05	-59.33	12.42	-9.14	-13.00	-43.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的子。未報生主權未公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | N



Page: 342 of 404

Report Number :TERF2405001540E2 **Test Site** :SAC C


Operation Mode :ENDC 13A+n66A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Test Frequency :782 MHz+1717.5 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
66.860	-53.24	-45.09	-7.12	-1.03	-13.00	-40.24
82.380	-52.04	-48.71	-2.19	-1.14	-13.00	-39.04
141.550	-52.73	-49.37	-1.86	-1.50	-13.00	-39.73
204.600	-54.27	-56.67	4.20	-1.80	-13.00	-41.27
297.720	-63.65	-65.57	4.10	-2.18	-13.00	-50.65
995.150	-63.05	-63.05	3.94	-3.94	-13.00	-50.05
1564.000	-58.28	-62.43	9.10	-4.95	-40.00	-18.28
2346.000	-54.71	-58.51	9.80	-6.00	-13.00	-41.71
3435.000	-58.80	-63.94	12.53	-7.39	-13.00	-45.80
5152.500	-55.65	-58.93	12.42	-9.14	-13.00	-42.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 343 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 12A+n66A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Test Frequency: 701.5 MHz+1717.5 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
49.400	-50.28	-37.75	-11.65	-0.88	-13.00	-37.28
68.800	-58.96	-51.28	-6.63	-1.05	-13.00	-45.96
79.470	-54.04	-49.89	-3.02	-1.13	-13.00	-41.04
144.460	-50.79	-47.33	-1.93	-1.53	-13.00	-37.79
181.320	-59.70	-59.46	1.48	-1.72	-13.00	-46.70
984.480	-60.59	-60.53	3.83	-3.89	-13.00	-47.59
1403.000	-62.21	-65.24	7.70	-4.67	-13.00	-49.21
2104.500	-59.62	-63.81	9.91	-5.72	-13.00	-46.62
3435.000	-58.73	-63.87	12.53	-7.39	-13.00	-45.73
5152.500	-56.27	-59.55	12.42	-9.14	-13.00	-43.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 344 of 404

Report Number :TERF2405001540E2 **Test Site** :SAC C


Operation Mode :ENDC 12A+n66A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Test Frequency: 701.5 MHz+1717.5 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
66.860	-53.53	-45.38	-7.12	-1.03	-13.00	-40.53
85.290	-53.24	-50.61	-1.48	-1.15	-13.00	-40.24
138.640	-52.19	-48.90	-1.81	-1.48	-13.00	-39.19
201.690	-55.18	-57.46	4.07	-1.79	-13.00	-42.18
293.840	-62.28	-64.19	4.07	-2.16	-13.00	-49.28
982.540	-62.81	-62.70	3.78	-3.89	-13.00	-49.81
1403.000	-61.91	-64.94	7.70	-4.67	-13.00	-48.91
2104.500	-60.34	-64.53	9.91	-5.72	-13.00	-47.34
3435.000	-58.47	-63.61	12.53	-7.39	-13.00	-45.47
5152.500	-55.68	-58.96	12.42	-9.14	-13.00	-42.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 345 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 5A+n66A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

:E2 Plane **EUT Pol** Antenna Pol. :Vertical

Test Frequency :824.7 MHz+1717.5 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
51.340	-49.99	-37.71	-11.37	-0.91	-13.00	-36.99
68.800	-58.45	-50.77	-6.63	-1.05	-13.00	-45.45
79.470	-54.42	-50.27	-3.02	-1.13	-13.00	-41.42
133.790	-50.42	-47.38	-1.57	-1.47	-13.00	-37.42
199.750	-60.62	-62.84	4.01	-1.79	-13.00	-47.62
943.740	-61.37	-60.95	3.40	-3.82	-13.00	-48.37
1649.400	-59.98	-64.43	9.50	-5.05	-13.00	-46.98
2474.100	-61.06	-65.32	10.50	-6.24	-13.00	-48.06
3435.000	-57.74	-62.88	12.53	-7.39	-13.00	-44.74
5152.500	-54.94	-58.22	12.42	-9.14	-13.00	-41.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. www.sgs.com.tw



Page: 346 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 5A+n66A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

:E2 Plane **EUT Pol** Antenna Pol. :Horizontal

Test Frequency :824.7 MHz+1717.5 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
64.920	-53.73	-44.92	-7.79	-1.02	-13.00	-40.73
83.350	-51.54	-48.53	-1.87	-1.14	-13.00	-38.54
147.370	-48.27	-44.77	-1.97	-1.53	-13.00	-35.27
205.570	-56.20	-58.65	4.25	-1.80	-13.00	-43.20
291.900	-64.10	-65.99	4.05	-2.16	-13.00	-51.10
996.120	-62.77	-62.78	3.95	-3.94	-13.00	-49.77
1649.400	-59.27	-63.72	9.50	-5.05	-13.00	-46.27
2474.100	-61.90	-66.16	10.50	-6.24	-13.00	-48.90
3435.000	-56.96	-62.10	12.53	-7.39	-13.00	-43.96
5152.500	-54.75	-58.03	12.42	-9.14	-13.00	-41.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 347 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 2A+n66A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Test Frequency :1860 MHz+1717.5 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
51.340	-49.70	-37.42	-11.37	-0.91	-13.00	-36.70
68.800	-59.06	-51.38	-6.63	-1.05	-13.00	-46.06
79.470	-54.74	-50.59	-3.02	-1.13	-13.00	-41.74
140.580	-50.52	-47.25	-1.78	-1.49	-13.00	-37.52
199.750	-58.72	-60.94	4.01	-1.79	-13.00	-45.72
948.590	-60.50	-60.02	3.35	-3.83	-13.00	-47.50
3435.000	-57.82	-62.96	12.53	-7.39	-13.00	-44.82
3720.000	-57.00	-61.90	12.56	-7.66	-13.00	-44.00
5152.500	-55.16	-58.44	12.42	-9.14	-13.00	-42.16
5580.000	-55.23	-58.98	13.32	-9.57	-13.00	-42.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 348 of 404

Report Number :TERF2405001540E2 **Test Site** :SAC C


Operation Mode :ENDC 2A+n66A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1860 MHz+1717.5 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
66.860	-53.45	-45.30	-7.12	-1.03	-13.00	-40.45
85.290	-53.95	-51.32	-1.48	-1.15	-13.00	-40.95
139.610	-49.16	-45.91	-1.76	-1.49	-13.00	-36.16
209.450	-55.87	-58.54	4.49	-1.82	-13.00	-42.87
295.780	-61.64	-63.57	4.09	-2.16	-13.00	-48.64
936.950	-62.52	-62.19	3.48	-3.81	-13.00	-49.52
3435.000	-58.21	-63.35	12.53	-7.39	-13.00	-45.21
3720.000	-56.76	-61.66	12.56	-7.66	-13.00	-43.76
5152.500	-55.97	-59.25	12.42	-9.14	-13.00	-42.97
5580.000	-54.37	-58.12	13.32	-9.57	-13.00	-41.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 349 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 71A+n41A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :673 MHz+2511 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
49.400	-50.29	-37.76	-11.65	-0.88	-25.00	-25.29
68.800	-59.13	-51.45	-6.63	-1.05	-25.00	-34.13
80.440	-54.09	-50.33	-2.63	-1.13	-25.00	-29.09
139.610	-50.70	-47.45	-1.76	-1.49	-25.00	-25.70
192.960	-60.26	-61.90	3.38	-1.74	-25.00	-35.26
944.710	-61.48	-61.05	3.39	-3.82	-25.00	-36.48
1346.000	-61.42	-64.42	7.56	-4.56	-25.00	-36.42
2019.000	-59.24	-63.88	10.22	-5.58	-25.00	-34.24
5022.000	-54.56	-58.14	12.51	-8.93	-25.00	-29.56
7533.000	-52.28	-52.33	11.17	-11.12	-25.00	-27.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。本都學主德本公司書面對面,不可可以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 350 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 71A+n41A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Test Frequency :673 MHz+2511 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-53.92	-45.60	-7.29	-1.03	-25.00	-28.92
84.320	-53.98	-51.13	-1.70	-1.15	-25.00	-28.98
143.490	-46.21	-42.71	-1.98	-1.52	-25.00	-21.21
196.840	-54.59	-56.67	3.85	-1.77	-25.00	-29.59
288.020	-61.46	-63.32	4.01	-2.15	-25.00	-36.46
981.570	-63.12	-62.99	3.75	-3.88	-25.00	-38.12
1346.000	-60.78	-63.78	7.56	-4.56	-25.00	-35.78
2019.000	-58.27	-62.91	10.22	-5.58	-25.00	-33.27
5022.000	-55.76	-59.34	12.51	-8.93	-25.00	-30.76
7533.000	-52.91	-52.95	11.17	-11.12	-25.00	-27.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 351 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 66A+n41A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :1745 MHz+2511 MHz Engineer :Howard Huang

Note :SIM 1



	Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin	
			Output Level	Gain	Loss			
_	MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
	50.370	-49.77	-37.33	-11.55	-0.89	-25.00	-24.77	
	68.800	-58.65	<b>-</b> 50.97	-6.63	-1.05	-25.00	-33.65	
	79.470	-53.68	-49.53	-3.02	-1.13	-25.00	-28.68	
	135.730	-50.52	-47.41	-1.64	-1.47	-25.00	-25.52	
	203.630	-59.43	-61.79	4.16	-1.80	-25.00	-34.43	
	948.590	-61.50	-61.02	3.35	-3.83	-25.00	-36.50	
	3490.000	-57.66	-62.51	12.34	-7.49	-25.00	-32.66	
	5022.000	-55.26	-58.84	12.51	-8.93	-25.00	-30.26	
	5235.000	-56.42	-60.16	12.98	-9.24	-25.00	-31.42	
	7533.000	-52.60	-52.65	11.17	-11.12	-25.00	-27.60	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。本都學主德本公司書面對面,不可可以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 352 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 66A+n41A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

:E2 Plane **EUT Pol** Antenna Pol. :Horizontal

Test Frequency :1745 MHz+2511 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
66.860	-52.70	-44.55	-7.12	-1.03	-25.00	-27.70
84.320	-53.46	-50.61	-1.70	-1.15	-25.00	-28.46
138.640	-52.51	-49.22	-1.81	-1.48	-25.00	-27.51
195.870	-54.95	-56.89	3.71	-1.77	-25.00	-29.95
294.810	-62.94	-64.86	4.08	-2.16	-25.00	-37.94
992.240	-62.75	-62.74	3.91	-3.92	-25.00	-37.75
3490.000	-57.31	-62.16	12.34	-7.49	-25.00	-32.31
5022.000	-54.93	-58.51	12.51	-8.93	-25.00	-29.93
5235.000	-56.26	-60.00	12.98	-9.24	-25.00	-31.26
7533.000	-53.24	-53.29	11.17	-11.12	-25.00	-28.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 353 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 5A+n41A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :824.7 MHz+2511 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
49.400	-49.44	-36.91	-11.65	-0.88	-25.00	-24.44
67.830	-58.16	-50.13	-6.99	-1.04	-25.00	-33.16
79.470	-54.45	-50.30	-3.02	-1.13	-25.00	-29.45
138.640	-49.64	-46.35	-1.81	-1.48	-25.00	-24.64
201.690	-56.97	-59.25	4.07	-1.79	-25.00	-31.97
949.560	-61.03	-60.53	3.34	-3.84	-25.00	-36.03
1649.400	-59.88	-64.33	9.50	-5.05	-25.00	-34.88
2474.100	-61.26	-65.52	10.50	-6.24	-25.00	-36.26
5022.000	-55.10	-58.68	12.51	-8.93	-25.00	-30.10
7533.000	-52.61	-52.66	11.17	-11.12	-25.00	-27.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的子。未報生主權未公司書面對可,不可可以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. N



Page: 354 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 5A+n41A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

:E2 Plane **EUT Pol** Antenna Pol. :Horizontal

Test Frequency :824.7 MHz+2511 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-51.60	-43.28	-7.29	-1.03	-25.00	-26.60
87.230	-53.06	-50.86	-1.03	-1.17	<b>-</b> 25.00	-28.06
140.580	-51.30	-48.03	-1.78	-1.49	-25.00	-26.30
203.630	-55.88	-58.24	4.16	-1.80	-25.00	-30.88
257.950	-63.43	-65.59	4.19	-2.03	-25.00	-38.43
997.090	-62.58	-62.60	3.96	-3.94	-25.00	-37.58
1649.400	-59.80	-64.25	9.50	-5.05	-25.00	-34.80
2474.100	-62.07	-66.33	10.50	-6.24	-25.00	-37.07
5022.000	-55.65	-59.23	12.51	-8.93	-25.00	-30.65
7533.000	-52.93	-52.98	11.17	-11.12	-25.00	-27.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 355 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 2A+n41A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Test Frequency :1860 MHz+2511 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
49.400	-49.93	-37.40	-11.65	-0.88	-25.00	-24.93
66.860	-52.72	-44.57	-7.12	-1.03	-25.00	-27.72
79.470	-53.90	-49.75	-3.02	-1.13	-25.00	-28.90
139.610	-49.47	-46.22	-1.76	-1.49	-25.00	-24.47
191.990	-61.20	-62.62	3.15	-1.73	-25.00	-36.20
983.510	-60.98	-60.90	3.81	-3.89	-25.00	-35.98
3720.000	-57.06	-61.96	12.56	-7.66	-25.00	-32.06
5022.000	-55.74	-59.32	12.51	-8.93	-25.00	-30.74
5580.000	-54.65	-58.40	13.32	-9.57	-25.00	-29.65
7533.000	-52.15	-52.20	11.17	-11.12	-25.00	-27.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 356 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 2A+n41A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1860 MHz+2511 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
66.860	-50.93	-42.78	-7.12	-1.03	-25.00	-25.93
87.230	-52.53	-50.33	-1.03	-1.17	-25.00	-27.53
147.370	-49.64	-46.14	-1.97	-1.53	-25.00	-24.64
215.270	-55.56	-58.44	4.75	-1.87	-25.00	-30.56
295.780	-63.91	-65.84	4.09	-2.16	-25.00	-38.91
950.530	-62.55	-62.05	3.34	-3.84	-25.00	-37.55
3720.000	-56.35	-61.25	12.56	-7.66	-25.00	-31.35
5022.000	-54.92	-58.50	12.51	-8.93	-25.00	-29.92
5580.000	-55.17	-58.92	13.32	<b>-</b> 9.57	-25.00	-30.17
7533.000	-52.50	-52.55	11.17	-11.12	-25.00	-27.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 357 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 66A+n5A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

:E2 Plane **EUT Pol** Antenna Pol. :Vertical

Test Frequency :1745 MHz+846.5 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
49.400	-50.30	-37.77	-11.65	-0.88	-13.00	-37.30
68.800	-58.07	-50.39	-6.63	-1.05	-13.00	-45.07
80.440	-54.15	-50.39	-2.63	-1.13	-13.00	-41.15
133.790	-50.53	-47.49	-1.57	-1.47	-13.00	-37.53
198.780	-59.78	-62.03	4.03	-1.78	-13.00	-46.78
934.040	-61.01	-60.71	3.51	-3.81	-13.00	-48.01
1693.000	-60.51	-65.35	9.93	-5.09	-13.00	-47.51
2539.500	-60.35	-64.61	10.60	-6.34	-13.00	-47.35
3490.000	-57.20	-62.05	12.34	-7.49	-13.00	-44.20
5235.000	-55.15	-58.89	12.98	-9.24	-13.00	-42.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 358 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 66A+n5A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

:E2 Plane **EUT Pol** Antenna Pol. :Horizontal

Test Frequency :1745 MHz+846.5 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
65.890	-53.63	-45.31	-7.29	-1.03	-13.00	-40.63
79.470	-53.51	-49.36	-3.02	-1.13	-13.00	-40.51
142.520	-46.62	-43.22	-1.89	-1.51	-13.00	-33.62
198.780	-54.17	-56.42	4.03	-1.78	-13.00	-41.17
295.780	-61.83	-63.76	4.09	-2.16	-13.00	-48.83
926.280	-62.65	-62.44	3.59	-3.80	-13.00	<b>-</b> 49.65
1693.000	-60.54	-65.38	9.93	-5.09	-13.00	-47.54
2539.500	-61.46	-65.72	10.60	-6.34	-13.00	-48.46
3490.000	-57.29	-62.14	12.34	-7.49	-13.00	-44.29
5235.000	-55.20	-58.94	12.98	-9.24	-13.00	-42.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 359 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 2A+n5A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

:E2 Plane **EUT Pol** Antenna Pol. :Vertical

Test Frequency :1860 MHz+846.5 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
50.370	-49.59	-37.15	-11.55	-0.89	-13.00	-36.59
68.800	-59.33	-51.65	-6.63	-1.05	-13.00	-46.33
79.470	-53.98	-49.83	-3.02	-1.13	-13.00	-40.98
134.760	-50.56	-47.49	-1.60	-1.47	-13.00	-37.56
193.930	-60.59	-62.37	3.53	-1.75	-13.00	-47.59
996.120	-60.79	-60.80	3.95	-3.94	-13.00	<b>-</b> 47.79
1693.000	-59.73	-64.57	9.93	-5.09	-13.00	-46.73
2539.500	-60.76	-65.02	10.60	-6.34	-13.00	-47.76
3720.000	-56.78	-61.68	12.56	-7.66	-13.00	-43.78
5580.000	-54.89	-58.64	13.32	-9.57	-13.00	-41.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 360 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 2A+n5A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :1860 MHz+846.5 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-54.22	-45.90	-7.29	-1.03	-13.00	-41.22
86.260	-52.51	-50.25	-1.10	-1.16	-13.00	-39.51
140.580	-50.32	-47.05	-1.78	-1.49	-13.00	-37.32
197.810	-54.05	-56.17	3.90	-1.78	-13.00	-41.05
297.720	-61.46	-63.38	4.10	-2.18	-13.00	-48.46
991.270	-62.51	-62.49	3.90	-3.92	-13.00	-49.51
1693.000	-60.20	-65.04	9.93	-5.09	-13.00	-47.20
2539.500	-60.08	-64.34	10.60	-6.34	-13.00	-47.08
3720.000	-56.55	-61.45	12.56	-7.66	-13.00	-43.55
5580.000	-55.29	-59.04	13.32	-9.57	-13.00	-42.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業具屬是例的子。未報生主權未公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New 技股份有限公司 t (886-2) 2299-3279



Page: 361 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 71A+n2A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Test Frequency :673 MHz+1880 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
50.370	-49.27	-36.83	-11.55	-0.89	-13.00	-36.27
67.830	-47.79	-39.76	-6.99	-1.04	-13.00	-34.79
79.470	-52.72	-48.57	-3.02	-1.13	-13.00	-39.72
132.820	-49.63	-46.66	-1.50	-1.47	-13.00	-36.63
198.780	-59.31	-61.56	4.03	-1.78	-13.00	-46.31
948.590	-60.00	-59.52	3.35	-3.83	-13.00	-47.00
1346.000	-61.18	-64.18	7.56	-4.56	-13.00	-48.18
2019.000	-58.84	-63.48	10.22	-5.58	-13.00	-45.84
3760.000	-55.46	-60.20	12.46	-7.72	-13.00	-42.46
5640.000	-55.94	-59.89	13.48	-9.53	-13.00	-42.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 362 of 404

Report Number :TERF2405001540E2 **Test Site** :SAC C


Operation Mode :ENDC 71A+n2A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

**EUT Pol** :E2 Plane Antenna Pol. :Horizontal

Test Frequency :673 MHz+1880 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-53.24	-44.92	-7.29	-1.03	-13.00	-40.24
85.290	-52.56	-49.93	-1.48	-1.15	-13.00	-39.56
146.400	-50.10	-46.58	-1.99	-1.53	-13.00	-37.10
201.690	-57.23	-59.51	4.07	-1.79	-13.00	-44.23
305.480	-60.99	-62.94	4.16	-2.21	-13.00	-47.99
952.470	-62.96	-62.47	3.35	-3.84	-13.00	-49.96
1346.000	-60.39	-63.39	7.56	-4.56	-13.00	-47.39
2019.000	-58.51	-63.15	10.22	-5.58	-13.00	-45.51
3760.000	-55.77	-60.51	12.46	-7.72	-13.00	-42.77
5640.000	-55.01	-58.96	13.48	-9.53	-13.00	-42.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 363 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 66A+n2A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

:E2 Plane **EUT Pol** Antenna Pol. :Vertical

Test Frequency :1745 MHz+1880 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
50.370	-50.05	-37.61	-11.55	-0.89	-13.00	-37.05
66.860	-58.76	-50.61	-7.12	-1.03	-13.00	-45.76
83.350	-54.27	-51.26	-1.87	-1.14	-13.00	-41.27
139.610	-49.13	-45.88	-1.76	-1.49	-13.00	-36.13
200.720	-58.90	-61.14	4.03	-1.79	-13.00	-45.90
946.650	-60.41	-59.95	3.37	-3.83	-13.00	-47.41
3490.000	-57.53	-62.38	12.34	-7.49	-13.00	-44.53
3760.000	-56.27	-61.01	12.46	-7.72	-13.00	-43.27
5235.000	-55.79	-59.53	12.98	-9.24	-13.00	-42.79
5640.000	-54.42	-58.37	13.48	-9.53	-13.00	-41.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. www.sgs.com.tw



Page: 364 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 66A+n2A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

:E2 Plane **EUT Pol** Antenna Pol. :Horizontal

Test Frequency :1745 MHz+1880 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-53.38	-45.06	-7.29	-1.03	-13.00	-40.38
82.380	-51.74	-48.41	-2.19	-1.14	-13.00	-38.74
130.880	-51.47	-48.53	-1.48	-1.46	-13.00	-38.47
198.780	-52.85	-55.10	4.03	-1.78	-13.00	-39.85
257.950	-63.17	-65.33	4.19	-2.03	-13.00	-50.17
952.470	-63.11	-62.62	3.35	-3.84	-13.00	-50.11
3490.000	-57.30	-62.15	12.34	-7.49	-13.00	-44.30
3760.000	-57.21	-61.95	12.46	-7.72	-13.00	-44.21
5235.000	-55.44	-59.18	12.98	-9.24	-13.00	-42.44
5640.000	-55.01	-58.96	13.48	-9.53	-13.00	-42.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 365 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 13A+n2A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

**EUT Pol** :E2 Plane Antenna Pol. :Vertical

Test Frequency :782 MHz+1880 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
49.400	-49.84	-37.31	-11.65	-0.88	-13.00	-36.84
68.800	-59.36	-51.68	-6.63	-1.05	-13.00	-46.36
80.440	-54.79	-51.03	-2.63	-1.13	-13.00	-41.79
138.640	-48.97	-45.68	-1.81	-1.48	-13.00	-35.97
202.660	-58.64	-60.96	4.12	-1.80	-13.00	-45.64
981.570	-61.13	-61.00	3.75	-3.88	-13.00	-48.13
1564.000	-58.44	-62.59	9.10	-4.95	-40.00	-18.44
2346.000	-56.51	-60.31	9.80	-6.00	-13.00	-43.51
3760.000	-56.46	-61.20	12.46	-7.72	-13.00	-43.46
5640.000	-55.14	-59.09	13.48	-9.53	-13.00	-42.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 366 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 13A+n2A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

EUT Pol :E2 Plane Antenna Pol. :Horizontal

Test Frequency :782 MHz+1880 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
·		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
66.860	-53.99	-45.84	-7.12	-1.03	-13.00	<b>-</b> 40.99
82.380	-53.61	-50.28	-2.19	-1.14	-13.00	-40.61
142.520	-51.20	-47.80	-1.89	-1.51	-13.00	-38.20
198.780	-52.05	-54.30	4.03	-1.78	-13.00	-39.05
294.810	-59.15	-61.07	4.08	-2.16	-13.00	-46.15
989.330	-63.04	-63.01	3.88	-3.91	-13.00	-50.04
1564.000	-59.36	-63.51	9.10	<b>-</b> 4.95	-40.00	-19.36
2346.000	-56.62	-60.42	9.80	-6.00	-13.00	-43.62
3760.000	-55.50	-60.24	12.46	-7.72	-13.00	-42.50
5640.000	-54.94	-58.89	13.48	-9.53	-13.00	-41.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。本都學主德本公司書面對面,不可可以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 367 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 12A+n2A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

:E2 Plane **EUT Pol** Antenna Pol. :Vertical

Test Frequency :701.5 MHz+1880 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
52.310	-50.58	-38.65	-11.01	-0.92	-13.00	-37.58
68.800	-58.31	-50.63	-6.63	-1.05	-13.00	-45.31
80.440	-53.25	-49.49	-2.63	-1.13	-13.00	-40.25
139.610	-50.19	-46.94	-1.76	-1.49	-13.00	-37.19
202.660	-60.64	-62.96	4.12	-1.80	-13.00	-47.64
988.360	-60.78	-60.76	3.88	-3.90	-13.00	-47.78
1403.000	-62.98	-66.01	7.70	-4.67	-13.00	-49.98
2104.500	-59.61	-63.80	9.91	-5.72	-13.00	-46.61
3760.000	-56.33	-61.07	12.46	-7.72	-13.00	-43.33
5640.000	-55.28	-59.23	13.48	-9.53	-13.00	-42.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 368 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 12A+n2A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

:E2 Plane **EUT Pol** Antenna Pol. :Horizontal

Test Frequency :701.5 MHz+1880 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
-		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
65.890	-53.09	-44.77	-7.29	-1.03	-13.00	-40.09
85.290	-52.19	-49.56	-1.48	-1.15	-13.00	-39.19
141.550	-52.52	-49.16	-1.86	-1.50	-13.00	-39.52
196.840	-57.83	-59.91	3.85	-1.77	-13.00	-44.83
256.980	-64.25	-66.43	4.20	-2.02	-13.00	-51.25
981.570	-62.64	-62.51	3.75	-3.88	-13.00	-49.64
1403.000	-62.74	-65.77	7.70	-4.67	-13.00	-49.74
2104.500	-60.38	-64.57	9.91	-5.72	-13.00	-47.38
3760.000	-56.21	-60.95	12.46	-7.72	-13.00	-43.21
5640.000	-54.95	-58.90	13.48	-9.53	-13.00	-41.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 369 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 5A+n2A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

EUT Pol :E2 Plane Antenna Pol. :Vertical

Test Frequency :824.7 MHz+1880 MHz Engineer :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
51.340	-50.13	-37.85	-11.37	-0.91	-13.00	-37.13
78.500	-52.17	-47.77	-3.27	-1.13	-13.00	-39.17
138.640	-49.39	-46.10	-1.81	-1.48	-13.00	-36.39
182.290	-58.69	-58.59	1.62	-1.72	-13.00	-45.69
201.690	-58.74	-61.02	4.07	-1.79	-13.00	-45.74
948.590	-59.99	-59.51	3.35	-3.83	-13.00	-46.99
1649.400	-59.23	-63.68	9.50	-5.05	-13.00	-46.23
2474.100	-61.98	-66.24	10.50	-6.24	-13.00	-48.98
3760.000	-57.02	-61.76	12.46	-7.72	-13.00	-44.02
5640.000	-54.39	-58.34	13.48	-9.53	-13.00	-41.39

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 370 of 404

Report Number :TERF2405001540E2 Test Site :SAC C


Operation Mode :ENDC 5A+n2A Test Date :2024-06-25

Test Mode :Tx Temp./Humi. :23.0°C/56%

:E2 Plane **EUT Pol** Antenna Pol. :Horizontal

Engineer Test Frequency :824.7 MHz+1880 MHz :Howard Huang

Note :SIM 1



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		_
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
66.860	-53.35	-45.20	-7.12	-1.03	-13.00	-40.35
84.320	-53.83	-50.98	-1.70	-1.15	-13.00	-40.83
143.490	-48.39	-44.89	-1.98	-1.52	-13.00	-35.39
198.780	-53.92	-56.17	4.03	-1.78	-13.00	-40.92
218.180	-58.88	-61.91	4.92	-1.89	-13.00	-45.88
925.310	-62.27	-62.08	3.60	-3.79	-13.00	-49.27
1649.400	-59.29	-63.74	9.50	-5.05	-13.00	-46.29
2474.100	-61.64	-65.90	10.50	-6.24	-13.00	-48.64
3760.000	-56.23	-60.97	12.46	-7.72	-13.00	-43.23
5640.000	-54.64	-58.59	13.48	-9.53	-13.00	-41.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 371 of 404

## FREQUENCY STABILITY MEASUREMENT

Note: The DC Power is rated 3.7V dc

		5G NR BAN	D n2						
Reference Freq.:			Modulation.:	CP-OFDM QPSK					
SCS.:	15	kHz	Bandwidth:	20MHz					
CH	376	6000	Freqency(MHz):	1880.00					
Freq. ERROR vs. VOLTAGE									
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)					
4.255	20	1879.999997	-3	4700					
3.7	20	1880.000009	9	4700					
3.145	20	1880.000010	10	4700					
2.2 (End Point)	20	1879.999989	-11	4700					
	F	req. ERROR v	s. Temp.						
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)					
3.7	-30	1880.000009	9	4700					
3.7	-20	1879.999999	-1	4700					
3.7	-10	1880.000016	16	4700					
3.7	0	1879.999991	-9	4700					
3.7	10	1879.999990	-10	4700					
3.7	20	1879.999986	-14	4700					
3.7	30	1879.999990	-10	4700					
3.7	40	1879.999991	-9	4700					
3.7	50	1880.000004	4	4700					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 372 of 404

5G NR BAND n5											
Reference Freq.:			Modulation.:	CP-OFDM QPSK							
SCS.:	15	kHz	Bandwidth:	20MHz							
CH	167	300	Freqency(MHz):	836.50							
	Freq. ERROR vs. VOLTAGE										
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)							
4.255	20	836.500002	2	2091							
3.7	20	836.500005	5	2091							
3.145	20	836.499998	-3	2091							
2.2 (End Point)	20	836.499996	-4	2091							
	F	req. ERROR v	s. Temp.								
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)							
3.7	-30	836.499993	-8	2091							
3.7	-20	836.499980	-20	2091							
3.7	-10	836.499993	-7	2091							
3.7	0	836.499993	-7	2091							
3.7	10	836.500003	3	2091							
3.7	20	836.500000	-1	2091							
3.7	30	836.500018	18	2091							
3.7	40	836.499989	-12	2091							
3.7	50	836.500019	19	2091							

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 373 of 404

5G NR BAND n41										
Reference Freq.:			Modulation.:	CP-OFDM QPSK						
SCS.:	30	kHz	Bandwidth:	100MHz						
CH	518	598	Freqency(MHz):	2592.99						
	Freq. ERROR vs. VOLTAGE									
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)						
4.255	20	2592.989985	-15	6482						
3.7	20	2592.990014	14	6482						
3.145	20	2592.990011	11	6482						
2.2 (End Point)	20	2592.989981	-19	6482						
	F	req. ERROR v	s. Temp.							
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)						
3.7	-30	2592.990003	3	6482						
3.7	-20	2592.990009	9	6482						
3.7	-10	2592.989988	-12	6482						
3.7	0	2592.989987	-13	6482						
3.7	10	2592.990018	18	6482						
3.7	20	2592.990000	0	6482						
3.7	30	2592.990016	16	6482						
3.7	40	2592.989988	-12	6482						
3.7	50	2592.990001	1	6482						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 374 of 404

5G NR BAND n66										
Reference Freq.:	Reference Freq.: Modulation.: CP-OFDM QPSK									
SCS.:	15	kHz	Bandwidth:	40MHz						
CH	349	000	Frequency(MHz):	1745.00						
	Freq. ERROR vs. VOLTAGE									
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)						
4.255	20	1744.999983	-17	4363						
3.7	20	1744.999992	-8	4363						
3.145	20	1744.999989	-11	4363						
2.2 (End Point)	20	1744.999995	-5	4363						
	F	req. ERROR v	s. Temp.							
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)						
3.7	-30	1745.000002	2	4363						
3.7	-20	1745.000010	10	4363						
3.7	-10	1745.000018	18	4363						
3.7	0	1744.999981	-19	4363						
3.7	10	1744.999990	-10	4363						
3.7	20	1744.999986	-14	4363						
3.7	30	1745.000008	8	4363						
3.7	40	1745.000014	14	4363						
3.7	50	1744.999996	-4	4363						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 375 of 404

5G NR BAND n71										
Reference Freq.:	Reference Freq.: Modulation.: CP-OFDM QPSK									
SCS.:	15	kHz	Bandwidth:	20MHz						
CH	136	100	Freqency(MHz):	680.50						
	Freq. ERROR vs. VOLTAGE									
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)						
4.255	20	680.499987	-13	1701						
3.7	20	680.500016	16	1701						
3.145	20	680.500015	15	1701						
2.2 (End Point)	20	680.499988	-12	1701						
	F	req. ERROR v	s. Temp.							
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)						
3.7	-30	680.500012	12	1701						
3.7	-20	680.500002	2	1701						
3.7	-10	680.499983	-17	1701						
3.7	0	680.500016	16	1701						
3.7	10	680.499999	-2	1701						
3.7	20	680.500002	2	1701						
3.7	30	680.499988	-12	1701						
3.7	40	680.500017	17	1701						
3.7	50	680.499985	-16	1701						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 376 of 404

5G NR BAND n77 Part27										
Reference Freq.:										
SCS.:	30	kHz	Bandwidth:	100MHz						
CH	656	6000	Freqency(MHz):	3840.00						
	Freg. ERROR vs. VOLTAGE									
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)						
4.255	20	3839.999990	-10	9600						
3.7	20	3840.000008	8	9600						
3.145	20	3840.000014	14	9600						
2.2 (End Point)	20	3840.000020	20	9600						
	F	req. ERROR v	s. Temp.							
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)						
3.7	-30	3839.999984	-16	9600						
3.7	-20	3839.999992	-8	9600						
3.7	-10	3839.999996	-4	9600						
3.7	0	3839.999999	-2	9600						
3.7	10	3840.000001	1	9600						
3.7	20	3840.000000	0	9600						
3.7	30	3839.999998	-2	9600						
3.7	40	3839.999985	-15	9600						
3.7	50	3839.999987	-13	9600						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 377 of 404

## 7 PEAK TO AVERAGE RATION

			5G NR E	BAND n2			
				SCS 15 I	(Hz		
Ch	annel hand	dwidth: 5MH;				width: 10MH	7
Freq.	l linor bank	PAPR (		Freq.	inioi bana	PAPR (	
(MHz)	CH	256QAM	Limit	(MHz)	CH	256QAM	Limit
1852.50	370500	8.62	13	1855.00	371000	10.01	13
1880.00		8.11	13	1880.00		9.23	13
1907.50	381500	8.10	13	1905.00	381000	9.58	13
1307.30	301300			BAND n2	301000	3.30	10
				SCS 15 I	/H <del>7</del>		
Cho	nnol hand	width: 15MH				width: 20MH	-
Freq.	inner band				nnei band	PAPR (	
	CH	PAPR (	Limit	Freq.	CH		Limit
(MHz)	271500	256QAM		(MHz)	272000	256QAM	_
1857.50	371500	10.85	13	1860.00	372000	9.95	13
1880.00	376000	9.77	13	1880.00	376000	9.64	13
1902.50	380500	9.45	13	1900.00	380000	10.78	13
				BAND n5			
01				_SCS 15 I			1
	annel band	dwidth: 5MH:			innel band	width: 10MH	
Freq.	CH	PAPR (		Freq.	CH	PAPR (	
(MHz)	40-000	256QAM		(MHz)		256QAM	Limi
826.50	165300	6.22	13	829.00	165800	10.24	13
836.50	167300	7.72	13	836.50	167300	9.81	13
846.50	169300	8.33	13	844.00	168800	8.87	13
			5G NR E	BAND n5			
		DFT-S	S-OFDM	_SCS 15 I	kHz		
Cha	nnel band	width: 15MH	Z	Cha	nnel band	width: 20MH	Z
Freq.	СП	PAPR (	dB)	Freq.	СН	PAPR (	dB)
(MHz)	CH	256QAM	Limit	(MHz)	СП	256QAM	Limi
831.50	166300	9.74	13	834.00	166800	10.64	13
836.50	167300	9.54	13	836.50	167300	10.62	13
841.50	168300	10.23	13	839.00	167800	9.89	13
	•	5	G NR B	AND n41			
		DFT-9	S-OFDM	SCS 30 I	(Hz		
Cha	nnal hand	width: 20MH				width: 30MH	7
Freq.	ililei bailu	PAPR (		Freq.	illiei ballu	PAPR (	
(MHz)	CH	256QAM		(MHz)	CH	256QAM	Limi
2506.02	501204	10.44	13	2511.00	502200	11.91	13
2510.01	502002	9.71	13	2515.02	503004	11.45	13
2592.99	518598	10.02	13	2592.99	518598	10.27	13
2679.99	535998	9.77	13	2674.98	534996	10.27	13
_0.0.00	000000			AND n41	001000	10.20	10
					-LI=		
Ch-	nnol hord			_SCS 30 I		width: FOLAL	-
	imer band	width: 40MH			imei band	width: 50MH	
Freq.	CH	PAPR (		Freq.	CH	PAPR (	
(MHz)	500000	256QAM	Limit	(MHz)		256QAM	Limi
2516.01	503202	11.57	13	2521.02	504204	10.81	13
2520.00	504000	10.79	13	2525.01	505002	11.39	13
2592.99	518598	10.86	13	2592.99	518598	11.35	13
2670.00	534000	11.11	13	2664.99	532998	12.09	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是好用属對個對文學具有書,同時他學具屬是例的子。本都學主德本公司書面對面,不可可以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 378 of 404

		5	G NR R	AND n41			
				SCS 30 I	-LI-		
Ol							
	nnei band	width: 60MH			innei band I	width: 70MH	
Freq.	CH	PAPR (		Freq.	CH	PAPR (	
(MHz)	505000	256QAM	Limit	(MHz)	500000	256QAM	Limit
2526.00	505200	11.70	13	2531.01	506202	-	13
2530.02	506004	11.27	13	2535.00	507000	-	13
2592.99	518598	10.85	13	2592.99		-	13
2659.98	531996	10.76	13	2655.00	531000	-	13
		5	ig nr b	AND n41			
				_SCS 30			
Cha	nnel band	width: 80MH	Z	Cha	nnel band	width: 90MH	Z
Freq.	СН	PAPR (	dB)	Freq.	СН	PAPR (	dB)
(MHz)		256QAM	Limit			256QAM	Limit
2536.02	507204	11.16	13	2541.00	508200	11.56	13
2540.01	508002	11.32	13	2545.02	509004	12.54	13
2592.99	518598	11.55	13	2592.99	518598	11.98	13
2649.99	529998	11.71	13	2644.98	528996	11.27	13
		5	G NR B	AND n41			
		DFT-S	S-OFDM	_SCS 30	kHz		
Chai	nnel bandv	width: 100MF	Нz				
Freq.	СН	PAPR (	dB)				
(MHz)	G	256QAM	Limit				
2546.01	509202	11.74	13				
2550.00	510000	11.14	13				
2592.99	518598	11.44	13				
2640.00	528000	11.33	13				
		5	G NR B	AND n66			
		DFT-S	S-OFDM	_SCS 15	kHz		
Cha	annel band	dwidth: 5MHz	Z	Cha	nnel band	width: 10MH	z
Freq.		PAPR (	dB)	Freq.		PAPR (	dB)
(MHz)	CH	256QAM	Limit	(MHz)	CH	256QAM	Limit
1712.50	342500	8.22	13	1715.00	343000	10.01	13
1745.00	349000	7.87	13	1745.00		9.96	13
1777.50	355500	8.24	13	1775.00	355000	8.53	13
		5	G NR B	AND n66			•
				SCS 15	kHz		
Cha	nnol hand	width: 15MH				width: 20MH	17
_	illiel ballu				lillei ballu	1	
Freq.	CH	PAPR (		Freq. (MHz)	CH	PAPR (	
(MHz)	3/3500	256QAM	Limit	/	344000	256QAM	Limit
1717.50	343500	9.49	13	1720.00	344000	9.90	13
1745.00 1772.50	349000 354500	11.37 10.01	13 13	1745.00 1770.00	349000 354000	10.27 10.68	13 13
1112.30	334300			•	334000	10.00	13
				AND n66			
01	ا ا امسم			SCS 15	KHZ		
	nnel band	width: 40MH					
Freq.	CH	PAPR (					
(MHz)	246000	256QAM	Limit				
1730.00	346000	11.31	13				
1745.00	349000	11.33	13 13				
1760.00	352000	11.99	13			<u> </u>	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度影响经少锋中乌害,同时此类早度原列的主,大型企业等等。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 379 of 404

		5	G NR B	AND n71							
		DFT-S	S-OFDM	SCS 15 I	kHz						
Cha	annel band	width: 5MHz	7	Channel bandwidth: 10MHz							
Freq.		PAPR (		Freq.		PAPR (dB)					
(MHz)	CH	256QAM	Limit	(MHz)	CH	256QAM	Limit				
665.50	133100	7.73	13	668.00	133600	9.66	13				
680.50	136100	7.78	13	680.50	136100	9.79	13				
695.50	139100	7.38	13	693.00	138600	9.98	13				
		5	G NR B	AND n71							
DFT-S-OFDM_SCS 15 kHz											
Cha	nnel band	width: 15MH	Cha	nnel band	width: 20MH	z					
Freq.	CLI	PAPR (	dB)	Freq.	CLI	PAPR (dB)					
(MHz)	CH	256QAM	Limit	(MHz)	CH	256QAM	Limit				
670.50	134100	9.62	13	673.00	134600	10.63	13				
680.50	136100	11.39	13	680.50	136100	10.76	13				
690.50	138100	9.51	13	688.00	137600	10.51	13				
	50	NR BAND	n77 Par	t27(3450 to	3550 MH	z)					
		DFT-S	_SCS 30 I	SCS 30 kHz							
Cha	nnel band	width: 20MH	Z	Cha	nnel band	width: 25MH	z				
Freq.	CH	PAPR (	dB)	Freq.	СН	PAPR (	dB)				
(MHz)	GH	256QAM	Limit	(MHz)	G	256QAM	Limit				
3460.02	630668	9.75	13	3462.51	630834	-	13				
3500.01	633334	9.75	13	3500.01	633334	-	13				
3540.00	636000	10.00	13	3537.51	635834	-	13				
	50	NR BAND	n77 Par	t27(3450 to	3550 MH	z)					
		DFT-S	S-OFDM	_SCS 30 I	kHz						
Cha	nnel band	width: 30MH	Z	Channel bandwidth: 40MHz							
Freq.	СН	PAPR (dB)		Freq.	СН	PAPR (dB)					
(MHz)	CH	256QAM	Limit	(MHz)	OH	256QAM	Limit				
3465.00	631000	11.48	13	3470.01	631334	10.78	13				
3500.01	633334	10.50	13	3500.01		10.72	13				
3534.99	635666	10.38	13	3529.98	635332	11.41	13				
	50	NR BAND	n77 Par	t27(3450 to	3550 MH	z)					
		DFT-S	S-OFDM	_SCS 30 I	kHz						
	nnel band	width: 50MH		Channel bandwidth: 60MHz							
Freq.	СН	PAPR (		Freq.	СН	PAPR (					
(MHz)		256QAM	Limit	(MHz)		256QAM	Limit				
3475.02	631668	11.47	13	3480.00	632000	11.59	13				
3500.01	633334	10.65	13	3500.01	633334	11.47	13				
3525.00	635000	11.16	13	3519.99	634666	11.31	13				
	50	NR BAND	n77 Par	t27(3450 to	3550 MH	z)					
		DFT-S	S-OFDM	_SCS 30 I	kHz						
	nnel band	width: 70MH	z	Cha	nnel band	width: 80MH	z				
Freq.	СН	PAPR (dB)		Freq.	СН	PAPR (dB)					
rieq.		OFCOANA	Limit	(MHz)	ОП	256QAM	Limit				
(MHz)	GII	256QAM	LIIIII	(1711 12)		20000					
-	632334	256QAM 10.99	13	3490.02	632668	11.59	13				
(MHz)					632668 633334						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 380 of 404

	50	NR BAND	n77 Par	t27(3450 to	3550 MH	z)			
		DFT-S	S-OFDM	_SCS 30 kHz					
Char	nnel band	width: 90MH	Z	Channel bandwidth: 100MHz					
Freq.	CLI	PAPR (dB)		Freq.	CLI	PAPR (	dB)		
(MHz)	CH	256QAM	Limit	(MHz)	CH	256QAM	Limit		
3495.00	633000	10.73	13	,					
3500.01	633334	11.48	13	3500.01	633334	11.41	13		
3504.99	633666	12.29	13						
	50	NR BAND	n77 Par	t27(3700 to	3980 MH	z)			
		DFT-S	S-OFDM	_SCS 30 I	кHz				
Char	nnel band	width: 20MH	Z	Channel bandwidth: 25MHz					
Freq.	CLI	PAPR (	dB)	Freq.		PAPR (dB)			
(MHz)	CH	256QAM	Limit	(MHz)	CH	256QAM	Limit		
3710.01	647334	9.86	13	3712.50	647500	-	13		
3840.00	656000	10.26	13	3840.00	656000	-	13		
3969.99	664666	9.59	13	3967.50	664500	-	13		
	50	NR BAND	n77 Par	t27(3700 to	3980 MH	z)			
DFT-S-OFDM_SCS 30 kHz									
	nnel band	width: 30MH		Channel bandwidth: 40MHz					
Freq.	СН	PAPR (		Freq.	CH	PAPR (			
(MHz)		256QAM	Limit	(MHz)		256QAM	Limit		
3715.02	647668	11.20	13		648000	10.86	13		
3840.00	656000	10.77	13	3840.00	656000	10.33	13		
3964.98	664332	11.48	13	3960.00	664000	10.24	13		
	50	NR BAND	n77 Par	t27(3700 to	3980 MH	z)			
		DFT-S	S-OFDM	_SCS 30 I	kHz				
Char	Channel bandwidth: 50MHz				Channel bandwidth: 60MHz				
Freq.	CH	PAPR (dB)		Freq.	СН	PAPR (dB)			
(MHz)	СП	256QAM	Limit	(MHz)	C	256QAM	Limit		
3725.01	648334	11.42	13	3730.02	648668	11.77	13		
3840.00	656000	10.87	13	3840.00	656000	11.49	13		
3954.99	663666	11.58	13	3949.98	663332	12.09	13		
	50	NR BAND	n77 Par	t27(3700 to	3980 MH	z)			
		DFT-S	S-OFDM	_SCS 30 I	кНz				
Char	Channel bandwidth: 70MHz			Channel bandwidth: 80MHz					
Freq.	CLI	PAPR (	dB)	Freq.	CLI	PAPR (	dB)		
(MHz)	CH	256QAM	Limit	(MHz)	CH	256QAM	Limit		
3735.00	649000	11.37	13	3740.01	649334	12.34	13		
T	CECOOO	11.52	13		656000	11.48	13		
3840.00	656000	11.02	10	3840.00	000000	11.10			
3840.00 3945.00	663000	11.99	13	3939.99	662666	11.38	13		
	663000		13	3939.99	662666	11.38			
	663000	11.99 G NR BAND	13 n77 Par	3939.99	662666 3980 MH:	11.38			
3945.00	663000 50	11.99 G NR BAND	13 n77 Par <b>S-OFDM</b>	3939.99 127(3700 to _ <b>SCS 30 I</b>	662666 3980 MH: <b>kHz</b>	11.38	13		
3945.00 Char	663000 50	11.99 G NR BAND DFT-S	13 n77 Par <b>S-OFDM</b> z	3939.99 27(3700 to _ <b>SCS 30 I</b> Chai	662666 3980 MH: kHz nnel bandv	11.38 z)	13 		
3945.00 Char Freq.	663000 50	11.99 S NR BAND DFT-S width: 90MH	13 n77 Par <b>S-OFDM</b> z	3939.99 27(3700 to _SCS 30 I Char Freq.	662666 3980 MH: <b>kHz</b>	11.38 z) vidth: 100MF	13 		
3945.00 Char	663000 50	11.99 S NR BAND DFT-S width: 90MH PAPR (	13 n77 Par <b>S-OFDM</b> z dB)	3939.99 27(3700 to _ <b>SCS 30 I</b> Chai	662666 3980 MH: kHz nnel bandv	11.38 z) width: 100Ml PAPR (	13 		
Char Freq. (MHz)	663000 50 nnel band CH	11.99 G NR BAND DFT-S width: 90MH PAPR ( 256QAM	13 n77 Par S-OFDM z dB) Limit	3939.99 127(3700 to _SCS 30 I Char Freq. (MHz)	662666 3980 MH: kHz nnel bandv	11.38 z) width: 100MH PAPR ( 256QAM	13 Hz dB) Limit		


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.





Page: 381 of 404














Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd